

REFERENCES

Aba Alkhail , A.A. : 1985 .

Evaluation of the situation of pulmonary diseases in workers exposed to some vegetable dusts in textile industry. M. Sc. Thesis ,Industrial medicine , Cairo university , P. 62.

Abbot , O.A., Hopkings , W.A., Van Fleit , W.E., and Robinson , J.S. : 1953 .

Tobacco smoking and chronic Bronchitis.Thorax, 8:P.116.

Abou - Ali , A.N. : 1975 .

Study of obstructive lung diseases in textile industry. M.D. Thesis ,Industrial medicine Faculty of Medicine , Cairo University .

ACGIH Threshold Limits Committee : Threshold Limit Values for 1967 .

American conference of Governmental Industrial Hygienists ,1014 Broadway, Cincinnati,Ohio,45202,U.S.A.

ACGIH Threshold Limits Committee : Threshold Limit Values for 1973 .

American conference of Governmental Industrial Hygienists,1014 Broadway,Cincinnati,Ohio,45202, U.S.A.

AIHA , ACGH , Aerosol Hazards Evaluation Committee : 1975 .

American Industrial Hygiene Association and American conference of Governmental Industrial Hygienists Aerosol Hazards Evaluation Committee,Butterworths and Co.P:158.

Antweiler , H. and Sethi , S . : 1971 .

Inhalation tests with cotton dust extracts in guinea pigs and cats .

In : Aktuelle Probleme der Arbeitsumwelt , Stuttgart ,
Gentner , P. 183 (in German) .

Ayer , H.E. : 1971 .

The status of Byssinosis in the United states - A
summary of the National Conference on Cotton Dust and
Health Recommendation of the Organizing Committee .

Arch . Env . Hlth ., 23 : P.23 .

Beck , G.J., Shachter , N.E., Maunder , L.R. and Bouhuys ,
A.:1981

The relation of lung function to subsequent employment
status and mortality in cotton textile workers .

Chest , 79 : 26 S - 30 S .

Belin , L., Bouhuys ; A., Hoekstra , W ., Johansson ,
M.B.,Lindell , S.E. and Pool , J. : 1965 .

Byssinosis in cardroom workers in Swedish cotton mills.

Br. J. Ind . Med ., 22 : P. 101 .

Berry ,C. and Molyneux , M.K. : 1968 .

The correlation of cotton dust exposure and
physiological response .

In international conference on respiratory disease in
textile workers .

Alicante , Spain , P. 184 .

Berry , G., Molyneux , M.K.B. and Tombleson , J.B.L. : 1974.

Relationship between dust level and byssinosis and chronic bronchitis in Lancashire cotton Mills .

Br. J. Ind. Med ., 31 : P. 18 .

Berry , G. and Molyneux , M.K.B. : 1981 .

A mortality study of workers in Lancashire cotton Mills .

Chest , 79 : P. 11.

Bomford , R., Mason , S. and Swash , M. : 1975

Elementary Haematology .

Hutchison's clinical methods , The English language Book Society and Baillere Tindall . Sixteenth Edition, P. 143 .

Boonpucknaving , V., Bhamaraprati , N., Kamtorn ,P. and Sukumal Chandra , Y. : 1973 .

Baggassosis : A histopathologic study of pulmonary Biopsies from six cases .

Am .J. Cl. Path ., 59 : P. 461 .

Bouhuys ,. A and Lindell , S.E. : 1961 .

Release of Histamine by cotton dust extracts from human lung tissue in vitro .

Experianta , 17 : P. 211 .

Bouhuys , A., Van Dyn , J. and Van Lennep , H.J. : 1961 .

Byssinosis prevalence and flax processing .

Arch. Env. Hlth., 3 : P. 199 .

Bouhuys , A. : 1963 .

The forced Expiratory volume (FEV 0.75) in health males
in textile workers .Amer. Rev. Resp. Dis . , 87. P 63 .

Bouhuys , A. : 1966 .

Asthma and Byssinosis .Rev. Allergy , 22 : P.473 .

Bouhuys , A. : 1967 .

Response to Inhaled Histamine in bronchial asthma and
in byssinosis . Amer. Rev. Resp. Dis. , 95 : P. 89 .

Bouhuys , A. , Barbero,A., Lindell , S,E , Roach , S.A. , and

Schilling , R.S.F. : 1967 .

Byssinosis in Hemp workers .

Arch. Env. Hlth. , 14 : P. 533 - 544 .

Bouhuys , A. , Duyn , J.V. and Jennep , H.J.V. : 1967 .

Byssinosis in flax workers .

Arch. of Env. Health . 3 : 13 - 23 .

Bouhuys A. , Wolfson , R.L., Horner , D.W., Brain , J.D., and

Zuskin , E. : 1969 .

Byssinosis in cotton textile workers , respiratory
survey of a mill with a Rapid Labour Tarnover .

Ann. Inter. Med., 71 : P. 257 .

Bouhuys . A. and Van Dewoestijne , K.P. : 1970.

Respiratory Mechanics and Dust Exposure in byssinosis.

J. Clin. Invest. , 49 : P. 106 .

Bouhuys , A., Gilson J.C. and Schilling , R.S.F. : 1970 .

Byssinosis in the textile industry .

Arch. Env. Hlth., 21 : P. 475 .

Bouhuys, A., Mitchell , C.A. and Tuttle , R.W. : 1975 .

On - line computer system for recording of respiratory
questionnaire and "MEFV" services .

Biosci . Comm ., 1 : P. 219.

Bouhuys , A : 1976 .

Byssinosis : Scheduled Asthma in the textile industry-
A review .

Lang , 154 : P. 3.

Bouhuys , A. and Zuskin , E. : 1976 .

Chronic respiratory disease in Hemp workers : A follow
- up study , 1967 - 1974 .

Ann. Intern. Med., 84 : P. 398 .

Bouhuys , A., Schoenberg , J.B., Beck , G.J. and Schilling
, R.S.F. : 1977 .

Epidemiology of chronic lung disease in a cotton mill
community .

Lang , 154 : P. 167 .

Bouhuys . A., Schachter , E.N., Brown, S., Zuskin , E., Buck , M.
and Kolalack , B. : 1981 .

Airway reactivity to cotton bract-induced bronchospasm.

Am. Rev. Respir. Disease , 123 : P. 273.

Carrey, G.C.R., El - Wood , P.C., Mc Aulay , I.R., Merrett , J.D.
and Demberton , J. : 1965 .

Byssinosis in flax workers in Northern Ireland .
H.M. Stationery Office , London .

Carlson , M.L. : 1982 .

Respiratory Disorders and Dust Exposure in sectors of
cotton Industry in the United states . Part I, cotton
Gins (NIOH Technical Report) . Rockville , MD,U.S.
National Institute for Occupational safety and health.

Casey , K.R. : 1983 .

Industrial bronchitis
Rom , W.N. Environmental and Occupational Medicine .
Little , Brown and company , Boston . P : 167 .

Chinn , D.J., Cinkotai , F.F., Lockwood , M.G. and Logan , S.H.M.
: 1976 .

Airborn dust , its protease content and byssinosis in
"will owing" mills. Ann . Occup. Hyg., 19 : 101 - 108 .

Cinkotai , F.F., Lackwood , M.G. and Rylander , R. : 1977 .

Airborn micro - organisms and prevalence of byssinotic
symptoms in cotton mills .
Am. Ind. Hyg. Ass. J., 38 : 554 - 559 .

Cinkotai , F.F. and Whitaker , C.J. : 1978 .

Airborne bacteria and the prevalence of byssinotic
symptoms in 21 cotton mills in Lancashire.
Ann. Occup. Hyg., 21 : 239 - 250 .

Clifton , M. : 1956 .

Smoking Habits and Respiratory Symptoms .
Trans. Ass. Industrial Med. Offrs., 6 : P. 66.

Collis , E.L. : 1909 .

Report of the Inspector of factory workshops .
H.M. Stationery Office , London .
Quoted from Aba Alkhail: 1985 .
Evaluation of the situation of pulmonary diseases in
workers exposed to some vegetable dusts in textile
industry . M. Sc. Thesis Industrial medicine , Cairo
University , P. 63 .

Conard , S.A. : 1984 .

Lung volumes . Pulmonary function testing .
Principles and practice .
Churchill Livingstone , New York , Edinburgh , London
and Melbourne . P : 129.

Cotes , J.E. : 1983 .

Lung function tests , in , Encyclopedia of occupational
health and safety , 3 rd , Ed, Vol. 2 , International
labour office , Geneva . P : 1250 .

Crofton , J. and Douglas , A. : 1983 .

Chronic bronchitis and emphysema , in , respiratory
diseases , 3rd , ed Blackwell Scientific publications ,
Oxford , London , Edinburgh , Boston , Melbourne . P
:436 , 478 .

Davenport , A., and Paton , W.D.H. : 1962 .

The Pharmacological Activity of Extracts of Cotton Dust .

Br. J. Ind. Med ., 19 : P. 19 .

Dimich , H.D. and sterling , T.D. : 1981 .

Ventilatory function changes over a work shift .

Br. J. Ind. Med. , 38 : 125 .

Dingwall - Fordyce , I. and O'sullivan , J.G. : 1966 .

Byssinosis in the waste cotton industry.

Br. J. Ind. Med., 23 : P. 53 .

Douglas , J.S. : 1968 .

Histamine release and bronchoconstriction due to textile dusts and their components . Proc. of second International conference on respiratory diseases in textile workers .

Alicante , Spain , P. 148 - 155 .

Edwards , J. : 1970 .

The acute physiological , pharmacological and immunological effects of inhaled cotton dust in normal subjects . J. physiol . (Lond.) , 208 : P. 63 .

Edwards , C., Macartrey , J., Rooke , G and Ward , F. : 1975.

The Pathology of the lung in byssinosis .

Thorax . 30 : P. 612 .

El-Batawi , M.A. : 1962 .

byssinosis in cotton industry in Egypt .

Br. J. Ind. Med. , 19 : P. 126 .

El-Batawi , M.A. and Shash , S. : 1962 .

An epidemiological study on Aetiological factors in
byssinosis .

Int. Arch. F. Gewerberpathol U. Gewerbehyg., 19 : P. 393

El-Batawi , M.A. : 1963 .

Occupational diseases due to inhalation of allergic
dusts with reference to experimental studies on
byssinosis .

Joint German and Arab expert syposium on occupational
health and indust. Med Cairo , Al Shaab Printing House
, P. 133 .

El-Batawi , M.A. and Hussein , M. : 1964 .

Endemic Byssinosis in an Egyptian village .

Br. j. Ind. Med ., 21 : P. 231 .

El-Batawi , M.A., Shcilling , R.S.F., valic , F. and Walford, C.

: 1964 .

Byssinosis in the Egyptian cotton industry .

Br. J. Ind. Med. , 21 : P. 13 .

El-Gammal , M.Y. and El-Hilali , S.M. : 1964 .

The use of wright peak flow meter for detecting changes
in airway resistance among cotton factory workers.

Egypt. J. Chest Dis. and Tub. , 7 : P. 83 .

Elgewaily , M.S.M. : 1985 .

Surveillance system for workers exposed to cotton ,
flax and Jute dusts . M.D. Thesis , Industrial medicine
University of Pittsburgh , U.S.A. , P. 167 .

El-Ghawabi , S.H. : 1978.

Respiratory function and symptoms in workers exposed
simultaneously to jute and hemp.Br. J. Ind., 35 : P.16.

El-Sobkey , M.K. : 1975 .

Study of Byssinosis among cotton workers in Misr /
Shebin Elkom Spinning and Weaving Company .
M.D. , Thesis , Faculty of Medicine , Cairo University.

El-Wood , P.C., Pemberton ,J., Merrett , J.D., Carey,G.C.R. and
Mc Aulay , I.R. : 1965 .

Byssinosis and other respiratory symptoms in flax
workers in northern Ireland.Br.J.Ind. Med., 22 : P. 27.

Engelberg , A. : 1982 .

respiratory disorders and Dust exposure in Sectors of
the cotton Industry in the United states . Part 2 :
cotton waste utilization industry (NIOH technical
report) .Rockville , MD, U.S. National institute for
occupational safty and health .

Evans , E. and Nicholls , P.J. : 1974 a.

Studies of the mechanism of histamine release from lung
tissue in vitro by cotton dust extrcts .

Agent Actions , 4 : P. 304 .

Evans , E. and Nicholls , P.J. : 1974 b) .

Comparative study of histamine release by cotton dust
from the lung of several species .
comp. gen. pharmacol ., 5 : P. 87 .

Field , G.B. and Owen , P. : 1979 .

Respiratory function in an Australian cotton mill .
Bull . Europ. Physiopath. Resp., 15 : P. 455 .

Fox , A.J., Tombleson , J.B.L. , Watt , A. and Wilkile , A.G.
:1973 .

A survey of respiratory disease in cotton operations .
Br. J. Ind. Med., 30 : P. 42 .

Ghoneim , M.T., El-Dakhakhny , M. and Noweir , M.H. : 1975 .

In vitro and in vivo effects of cotton dust on the
histamine forming capacity and diamine oxidase activity
in rats .J. Egypt . Publ. Hlth. Assoc., 50 : P. 394 .

Greenhow , F.H. : 1860 .

In 3 ed. Report of medical offices of the privy council
H.M. stationary office , London , Appendix VI : P.172 .
Quoted from Harris et al ., 1972 : Byssinosis and
respiratory diseases of cotton mill workers ., J.
Occup . Med., 14 , P. 199 .

Guyatt, A.R., Douglass J.S. Zuskin , E. and Bouhuys , A. : 1973 .

Lung static recoil and airway obstruction in hemp
workers with byssinosis .

Am. Rev. Respir. Dis. , 108 : 1111 - 1115 .

Harris , T.R. , Merchant , J.A. , Kilburn , K.H. and Hamilton ,
Hamilton , J.D. : 1972 .

Byssinosis and respiratory diseases of cotton mill
workers .

J. Occup. Med. , 14 : P. 199.

Haworth , E. and Mc Donald, A.D. : 1937 .

Histamine in cotton dust and in blood of cotton
workers.

J. Hyg., 37 : P. 237 .

Hetzal , M.R., Clark, J.J.H. and Brown , D. : 1978 .

Normal Circadian rhythms in peak expiratory flow rate .
Thorax , 33 : 668 .

Hunter , D. : 1975 .

The diseases of occupations , 5 th. Ed.

Published by England University Press , London , P. 1011
and P. 1015 .

Idem , M.S. : 1961 .

Background to byssinosis in Ulster .

Br. J. Ind. Med., 18 : P. 1 .

Idem , M.S. : 1962 .

Byssinosis in textile mills .

J. occup. Med. , 4 : P. 627 .

Imbus , H.R. and Such , M.W. : 1973 .

Byssinosis a study of 10133 textile workers .

Arch. Env. Hlth., 26 : P. 183 .

Imbus , H.R. and Suh, M.W. : 1974 .

Steaming of cotton to prevent byssinosis a plant study.

Br. J. Ind. med. 31 : 209 - 19 .

Jaros , F. and Kramer, K. : 1978 .

Chronic non-specific broncho-pulmonary disease in workers engaged in cotton processing .

Stud-pneumol. Phtiseol . Cechoslov ., 38 : 499 - 507
(in Slovak) .

Jenkinson , S.G. : 1984 .

Interpretation of pulmonary function tests . Pulmonary function testing . Principles and practice . Churchill Livingstone . New York. Edinburg .London and Melbourne.
P : 205 .

Jones , R.N. Carr, J., Glindmeyer, H., Diem , J. and Weill, H. :
1977 .

Respiratory Health and Dust Levels in Cotton Seed Mills. Thorax , 32 : P. 281 .

Jones , R.N. Butcher , B.T. , Hammad , Y-Y., Diem , J .G.,
Glindmeyer , H.W., Lehrer , S.B., Hughes , J.M. and
Weill, H. : 1980 .

Interaction of atopy and exposure to cotton dust in the

bronchoconstriction response .

Br. J. Ind. Med. 37 : 141 - 146 .

Kamburoff , P.L., Petia , L. and Woitowitz , H.J. : 1973 .

Lung function tables and nomograms . Prediction
nomogram . 4 th Ed. Published by viatagraph Ltd ,
Buckingham MK 18 , 1 SW , England, 1.

Khalil , H.A., M.M. , El-Dakhakhny ,M. and Noweir , M.H. : 1973 .

Changes in blood picture and lung pathology following
inhalation and parental administration of cotton dust
extracts .J. Drug. Res. (Egypt), % : P. 93 .

Khogali , M. : 1969 .

A population study in cotton Industry in the Sudan .
Br. J. Ind. Med. , 26 : P. 308 .

Kondakis , X.G. , Pournaras , N. and Moraitis , J. : 1967 .

Byssinosis among Hemp and Sisal workers in Greece .
Arch. Mal. Prof. Med. Trav. , 18 : P. 357 .

Kutz , S.A. : 1978 .

Immuno - Mechanism in Byssinosis .

Ph. D. Thesis West Virginia University , U.S.A.
(Quoted from Noweir et al . : 1984 , Bult .H. Inst.
Publ. Hlth., 14 : P. 237) .

Lammers , B. , Schilling , R.S.F., Walford , J. : 1964 .

A study of Byssinosis , Chronic Respiratory Symptoms
and Ventilatory Capacity in England and Dutch cotton

workers , with Special reference of atmospheric
Pollution .

Br. J. INd. Med., 21 : P. 124 .

Lane , R.E., Gilson J.C., Roach, S.A., Smith , S., Addingley ,
C.G., Holmes . S., Hunt , R., Knox , J.F. and King , E.
:1968 .

Committee on hygiene standards .

Ann. Occup. Hyg., 11 : P. 47 .

Larson , R.K., Barman , M.L., Smith , D.W. and Nicol , L .: 1981.
Study of the respiratory effect of short and long term
cotton gin exposure .
Chest , 79 : P. 22 .

Lewinsohn , H., Capel , L. and Smart , J. : 1960 .

Changes in Forced expiratory volumes throughout the
day . Br. Med. J., 4 : 462 .

Love , R.C. (1983) .

Lung function studies before and after a work shift .
Br. J. Ind.Med., 40 : 153 .

Massoud , A.A.E. : 1964 .

The origin of the term byssinosis .
Br. J. Ind. Med. , 21 : P. 162 .

Massoud , A. and Taylor , G. : 1964 .

Byssinosis : Antibody to cotton antigens in normal
subjects and in cotton card room workers .
Lancet , 2 : 607 - 610 .

Massoud , A.A.E. and El-sobky , M.K. : 1984.

Byssinosis among Egyptian cotton workers "Atypical Type" .

Proceedings of seventh Ain Shams Medical Congress . P.
601 - 611 .

Mc Donald , A.D. and Maitland , H.B. : 1934 .

The Examination of cotton , Coir and Esparto Gross Dust
for Histamine .

J. Hyg. , 34 : P. 317 .

Mc Kerrow , C.B. , Mc Dermot , M., Gilson , J.C. and Schilling ,
R.S.F. : 1958 .

Respiratory function during the day in cotton workers ,
a study in byssinosis .

Br. J. Ind. Med. , 15 : P. 75 .

Mckerrow , C.B., and Schilling , R.S.F. : 1961 .

A Pilot Inquiry into byssinosis in two cotton mills in
United States . J. Amer. Med. , Ass ., 177 : P. 850 .

Mc Kerrow , C.B. , Roach, S.A. , Gilson , J.C. and Schilling ,
R.S.F. L: 1962 .

The size of cotton dust particles causing byssinosis .

Br. J. Ind. Med., 19.1 .

Merchant , J.A., Kilburn , K.H. and O'Fallon , W.M. : 1972 .

Byssinosis and chronic bronchitis among cotton textile
workers .

Ann. Intern. med. 76 : 423 _ 433 .

Miller , W.F., WU, N. and Jonhson , R.L. : 1956 .

Anesthesiology , 17 : 480 - 493 .

Cited by vitalograph (1985) .

Mohamed , Y.S., El-Gazzar, R.M. and Adamyova , K. : 1971 .

Byssinosis , an aminopolysaccharide isolated from
cotton dust .

Carbohyd. Res., 20 : P. 431 .

Molyneux , M.K.B. and Tomblession , J.B.L. : 1970 .

An epidemiological study of respiratory symptoms in
Lancashire mills , 1963 - 1966 .

Br. J. Ind. Med., 27 : P. 225 .

Morgan , W.K.C., Vesterhund , J., Burrel , R., Gee, J.B.L., and
Willoughby . W.F. : 1982 .

Byssinosis : some unanswered questions .

Am. Rev. Respir. Dis. , 126 : p. 354 .

Muller , L. : 1962 .

Byssinosis in the Netherlands .

Inter. Arch. F. Gewerbepathol. U.

Gerwerbehyg . , 19 : P. 175 .

Murray , R. , Dingwall - Fordyce , J. and Lane , R.T. : 1957 .

An outbreak of weaver's cough associated with tamarind
seed powder .

Br. J. Ind. Med., 14 : P. 105 .

Myrvold , H.E. : 1977 .

Experimental septic shock .

Acta. Chir. Scand. Suppl., 470 : 1 - 18 .

Navartil , M. : 1977 .

The influence of cotton dust upon the functional condition of the respiratory system and upon allergic skin reactions .

Pracov. Lek. , 29 : P. 215 .

Neal , P.A., Schneiter , R. and Caminita , B.H. : 1942 .

Report on acute illness among rural mattress - rakers using low - grade strain cotton .

J. Amer. Med. Assoc. , Vol. 119 : P. 1074 .

Nicholls , P.J. : 1962 .

Some pharmacological actions of cotton dust and other vegetable dusts .

Br. J. Ind. Med. , 19 : P. 33 .

Nicholls , P. J. , Nicholls , G.R. and Bouhuys , A. : 1966 .

Histamine release by compound 48 / 80 and textile dusts from lung tissue in vitro . second international conference on inhaled vapours and dusts , London, Pergamon press , Vol. 2 : P. 69 .

Nicholls , P.T. and Skidmore , J.W. : 1975 .

Comparative study of the smooth muscle contractor activity of airborne dusts and of dustiness in cotton , flax and jute mills .Br. J. Ind. Med. , 32 : 289 .

Noweir , M.H. , El-Sadek , Y. and El-Dakhakhny , A.A. :1969 .

Exposure to dust in the cotton Seed oil extraction industry .Arch. Envir. Hlth. , 19 : P. 99 .

Noweir , M.H. : 1970 .

Panel presentation on current status and studies of the problem .

In Trans. Nat. Conf. on cotton dust and health , Charlotte , N.C., U. of North Caroline (Chapel Hill) , School of Public Health. P. 84 .

Noweir , M.H. , Khalil , H.A., Mikhail , M.M. and El-Dakhakhny , M. : 1973.

Changes in blood picture and lung pathology following inhalation and parentral administration of cotton dust extract .

J. Of. Drug Research , Egypt , Vol . V (No.1) : 93 - 107 .

Noweir , M.H. : 1974 .

Epidemiological studies in cotton and flax industries . Proceedings of a tropical symposium on cotton dust , 12 - 13 November 1974 , Atlanta ,GA, USA, 1974 , P. 41 - 65 .

Noweir ,M.H., El-Sadek, Y., El-Ghoroury , A., Abdel-Maguid, R.A.,

El-Gazzar,R.M. and soffar , B. : 1978 .

A study of the role of some endotoxins in the etiology of byssinosis in cotton and flax industries .

J . Egypt. Publ. Hlth. Assoc. , 54 : P. 379 .

Noweir, M.H. , El-Gazzar , R.M., Mikhail , M.M. and Khalil , H.A.
: 1979.

A study of some haematological , biological and
pathological changes in guinea pigs chrocically exposed
to cotton dusts .

The Journal of the Egyptian Public health association .
Vol. LIV . (No.3) : 171 - 194 .

Noweir , M.H., El-Dakhakhny, A.A., Osman , H.A. and Moselhi,M. :
1980 .

An environmental and medical study of byssinosis and
respiratory symptoms in the cotton Ginning Industry of
Egypt. J. Egypt. Publ. Hlth. Assoc., 55 : P. 202 .

Noweir , M.H. : 1981 .

Studies on the aetiology of byssinosis .
Chest , 79 : 625 .

Noweir , M.H., Osman , H.A., Moselhi , m. and Noweir , K.H. :
1983 .

Exposure to dust in the cotton Waste Processing
industry in Egypt.Bult.H. Inst. Publ Hlth.,13 : P. 205.

Noweir , M.H., Noweir , K.H. , Osman , H.A. and Moselhi , M. :
1984 .

An Environmental and Medical study of Byssinosis and
other respiratory conditions in the cotton textile
industry in Egypt .

Am. J. Ind. Med. , 6 : P. 173 .

Noweir, M.H., Abdel-Kader, M.H. and Omran , F.M. :1984 .

Role of histamine in the etiology of byssinosis . Part
I blood histamine concentrations in workers exposed to
cotton and flax dusts .

Br. J. Ind. Med. , 41 : P. 203 .

Oliver , T. : 1902 .

Dangerous Trades , P. 273 . muttary Press , London .

Qouted from Hunter , 1975 : The Diseases of occupations
, 5 th . Ed. , P. 1005 .

Palmer , A., Finegan , W., Werwitt ,. P. Waxweiller , R. and
Jenes , J. : 1978 .

Byssinosis and chronic respiratory disease in US cotton
gins .

JOM ,20 : 96 - 102 .

Parkes , W.R. : 1983 .

Occupational asthma (including byssinosis) , in ,
Occupational lung disorders . 2 ed Ed. Butterworths . P
: 415 .

Patissier, J. : 1822 .

Traite des Maladies des Artisans . Paris. J.B.
bailliers , 1940 .

Quoted from Aba Alkhail, A.A. : Evaluation of the
situation of pulmonary diseases in workers exposed to
some vegetable dusts in textile industry. M.Sc. Thesis,
Industrial medicine. Cairo University ,P. 60 , 1985.

Pepys , J. : 1973 .

Types of allergic reaction .

Clint . Allergy . 3 , 491 .

Perelygin , V.M. : 1968 .

Byssinosis as a public health problem .Kirgistan ,
Ministry of Health , P. 144 (in Russian) .

Quoted from W.H.O. , Technical Report series .Geneva ,
No . 684 , P. 19.

Perelygin , V.M. : 1973 .

Byssinosis in the light of recent scientific knowledge
Gig. Trude profes. Zabol., No. 11 : 35 _ 39 (in
Russian) .Quoted from W.H.O. Technical report series .
Geneva , No. 684 , P. 19.

Petronio, L. and Bovenzi , M. : 1983 .

Byssinosis and IgE concentrations in textile workers in
an Italian cotton mill.Br. J. Ind. Med. 40 : 139-144 .

Popa ,v., Gavrilesco , N., Perda , N., Teculescu , D., Plecias
M. and Crista , M. : 1969 .

An Investigation of Allergy in Byssinosis :
sensitization to cotton, hemp Flax and Jute Antigens .
Br. J. Ind. Med. , 26 : P. 101 .

Pratt , P.C. , Vollmer , R.I. and Miller , J.A. : 1981 .

Epidemiology of pulmonary lesions in non - textile and
cotton textile workers : a retro spective Autopsy
Analysis Arch. Env. Hlth., 35 : P. 133 .

Prausnitz , C. : 1936 .

Investigations on respiratory dust diseases in operatives in the cotton industry .

Medical research council special report series No. 212.

H.M. stationary office , London , P. 73.

Proust , A. : 1877 .

Pulmonary disease resulting from inhalation of cotton dusts . Traite d'hygiene Publique et al privee . Paris G.Masson , Vol 7 , P. 171 .

Quoted from Rooke , 1981 : compensation for byssinosis in Great Britain , Chest , 79 : P. 124 .

Rammazzini , B. : 1713 .

De Morbus Artificum diatriba :

Transl. Wright, W.C. , Disease of workers - New York, Hafner , 1964 .

Quoted from Aba AlKhail , A.A. : Evaluation of the situation of pulmonary diseases in workers exposed to some vegetable dusts in textile industry . M.Sc. Thesis Industrial medicine Cairo University, P. 60 , 1985 .

Roach ,S.A. and Shcilling , R.S.F. : 1960 .

A clinical and enviromental study of byssinosis in the Lancashire cotton industry .

Br. J. Ind. Med., 17 : P. 1 .

Rooke , G.B. : 1981 .

The pathology of byssinosis .

Chest. 79 : 67 s - 71 s .

Rooke , G.B. and Dempsey A.N. : 1985 .

Observations on byssinotics diagnosed in the United Kingdom between 1974 and 1980 .

In : El-Wood . P.C., ed. New light on byssinosis. Cardiff : medical research council .

Epidemiology Unit , 69 - 94 .

Rylander , R. and Nordstrand , A. : 1974 .

Pulmonary cell reactions after exposure to cotton dust extract .

Br. J. Ind. , 31 : P. 220 .

Rylander , R. and Snella ,m.C. : 1976 .

Acute inhalation toxicity of cotton plant dusts .

Br. J. Ind. Med. , 33 : P. 175 .

Rylander , R. and Lundholm , M. : 1978 .

Bacterial contamination of cotton and cotton dust on the lung .

Br. J. Ind. Med. , 35 : P. 204 .

Rylander , R., Imbus , H.R. and Suh, M.W. : 1979 .

Bacterial contamination of cotton an indicator of respiratory effect among cardroom workers .

Br. J. Ind., 36 : P. 299 .

Rylander , R. Lundholm , M., Imbus , H.R. and Snella , M.C. :
1980 .

Airway immune response after exposure to inhaled
endotoxin .

Bull. Europ. Phsiopathol . Resp., 16 : 501 .

Rylander , R. and Higlind , A.W. : 1982 .

Nasal antibodies against gram - negative bacteria in
cotton mill workers .

Int.Arch. Allergy Appl .Immun. 69 : 330 - 34 .

Sassi , C., Cavagna , G. and Finulli , M. : 1962 .

Byssinosis in a cotton mill in Lombardy .

Med. d. Lavoro , 53 : P. 673 .

Schilling , R.S.F. : 1950 .

Byssinosis in the British cotton textile industry .

Brit. Med. Bull., 7 : P. 52 .

Schilling , R.S.F. , Hughes, J.P.W. , Dingwall - Fordyce , I. and
Gilson , J.C. : 1955 .

An epidemiological study of byssionsis among Lancashire
cotton workers . Br. J. Ind. Med. , : P. 217 .

Schilling , R.S.F. and Roach, S.A. : 1961 .

Safe levels of dustiness in cotton spinning mills .

Pure and Applied chemistry , 3 : P. 69 .

Schilling , F.S.F. , Vigliani , E.C., Lammers , B., Valic ,F. and

Gilson , J.C. : 1963 .

Proceeding of the XIV international congress on occupational health , Madrid.

Reprinted from the experta Medical international Congress on Occupational health , No. 62 ,P. 137, Amsterdam Excerpta Medica Foundation .

Schilling , R.S.F. : 1964 .

Epidemiological studies of chronic respiratory disease among cotton operatives .Yale , J. Biol. Med., 37 : P.55.

Schilling , R.S.F. : 1983 .

Encyclopaedia of occupational health and safety, 3rd . Ed. , Published by the International Labour Office (I.L.O.) , CH-1211, Geneva , 22 , Switzerland , volume I , P. 350.

Seal , R.ME. . 1975 .

Pathology of extrinsic allergic bronchiolo-alveolitis . In alveolar interstitium of the lung .

Proc. Sec. Exp. Biol. Med. , 129 : P. 351 .

Shigeoka , J.W. : 1983 .

Pulmonary function testing , in , Environmental and Occupational Medicine , Little , Brown and Company , Boston . P. 99.

Sobel , B.J., Park, S.S. and Emirgial . C. : 1973 .

Relative value of various spirometric tests in the
early detection of chronic obstructive pulmonary
disease . Amer. Rev. Resp. Dis. , 107 : 753 .

Spulveda , M.J., Castellan , R.M., Hankinson J. L. and Cocke ,
J.B. : 1984 .

Acute lung fucntion response to cotton dust in atopic
and non atopic individuals .

Br. J. Ind. Med. 14 : 487 - 491 .

Taylor , G, Massoud , A., and Lucase , F. : 1971 .

Studies on the Etiology of byssinosis .

Br. J. Ind. Med., 28 : P. 143 .

Thackrah , C.T. : 1832 .

The effect of Arts , Trades and Professions of Civic
states and Habits of living on health and largevity .
2 rd. Ed. , P. 70 , London .

Quoted from Goodall and Hard Wick , 1951 .

Br. J. Ind. Med., 8 : P . 161 .

Uragoda , C.G. : 1977 .

An investigation into the health of Kapok workers .

Br. J. Ind. med., 34 : P. 181 .

Valic ,F. and Zuskin , E. : 1971 .

A comparative study of respiratory function in female
non-smoking cotton and Jute workers .

Br. J. Ind. Med., 28 : P. 364 .

Vigliani , E.C. , Parmeggiani , I. and Sassi , C. : 1954 .

Studio De Un Epidemia Di Bronchite Fra Gli Operai Di
Una Tessitura Di cotton .

Med. D.Lavoro .,45 : P. 349 (Quoted from Harris et al.,
1972 : Byssinosis and Resp. Diseases of cotton mill
workers ., J. Occup. Med., 14 : P. 199 .

Walford ,J., Lammers , B., Schilling , R.S.F. Van Den Hoven ,Van
Genedern , D. and Van Der Veen , Y.G. : 1966 .

Diurnal variation in ventilatory capacity .An
epidemiological study of cotton and other factory
workers employed on shift work .

Br. J. Ind. med. , 23. P. 142 .

Walker , R.F. : 1975 .

Influence of cotton dust inhalation of free lung cells
in rats and guinea - pigs .

Lab. Invest, 33 : P. 28 .

Ward , A.M. : 1955 .

Chemistry and chemical Technology of cotton .

Inte. Science Publishers , New York .

W.H.O. : 1983 .

Recommended health - based occupational exposure limits
for selected vegetable dust .

World health organization , technical report series
Geneva No. 684 , P. , 19 , 22 .