

REFERENCES

- Acosta, J.M. and Ledesman, C.L. (1974):
Gallstone migration in acute pancreatitis N. Engl.J. Med
290:484.
- Ahelberg, J.; Angeln, B. and Einarsoon, K. (1979):
Prevalence of gallbladder disease in
hyperlipoproteinaemia. Dig Dis, Sci. 24:459.
- Alessandrini, A. Fusco, M.A. Gatti, E. and Rossi, P.A.
(1982):
Dietary fibers and cholesterol gall stones: A case
cotrol study. Ital.J. Gastroenterol., 14-156.
- Allen, M.J. (1985):
Rapid dissolution of gallstones by methyl tetrabutyl
ether. N.Engl. J. Med., 312:217.
- Andersen, E. and Hellstronsk (1979):
The effect of cholesterol feeding on bile acid Kinetics
and biliary Lipids in normolipidemic and
hypertriglyceridemic subjects. J. Lipid Res., 20:1020.
- Andersen, T. Backer, O.G. and Stokholm, K.H. (1984):
Randomized trial of diet and gastroplasty compared with
diet alone in morbid obesity N.Engl.J. Med., 310:352.
- Anderson, J.R. (1980):
Cholelithiasis following peptic ulcer surgery Br.J.
Surg., 67:68.
- Attili, A.F. and the GREPCO group (1984):
Dietary habits and cholelithiasis. In Epidemiology and
Prevention of Gall stones edited by Capocaccia et al.,
MTP Press Limited Lancaster, Boston page 175.
- Bainton, D. Davies, G.T. and Evans, K.T. (1976):
Gall bladder disease: Prevalence in a South Wales
industrial town. N. Egl. J. Med. 294:1147.
- Banfield, W.J. (1975):
Physiology of the gall bladder Gastroenterology 69:770.

- Barker (1982):**
Some recent epidemiological variables and attributes,
Practical Epidemiology, Third Edition, English Language
Book Society/Churchill Livingstone.
- Barret-Conner, E. Grundy, S.M. and Holdbrook M.J. (1982):**
Plasma Lipids and diabetes mellitus Am.J. Epid.,
115:657.
- Been, J.M. and Bills P.M. (1979):**
Microstructure of gall stones. Gastroenterology, 76:548.
- Bennion, L.J. and Grundy S.M. (1975):**
Effects of obesity and calori intake on biliary Lipid
metabolism in man. J. Clin. Invest., 56:996.
- Bennion, L.J. Drobon, E and Knowlor, W.C. (1978):**
Sex differences in the size of bile acid pools. Metab.
27:961.
- Bennion, L.J. Grundy S.M. (1978):**
Risk factors for the development of cholelithiasis in
man N.Engl.J.Med., 299-1221.
- Benson, E.A. and Page, R.E. (1976):**
A practical reappraisal of the anatomy of the bile ducts
and arteries Br. J. Surg., 63:853.
- Berk, J.E. (1985):**
Cholelithiasis. In Gastroenterology Vol. 6, 4th edition.
W.B. Saunders Company. London Toronto Page 3619.
- Bloch, H.M. Thorton, J.R. and Heaton K.W. (1980):**
Effects of Fasting on the composition of gallbladder
bile. Gut, 21:1087.
- Blumgart, L.H. and Morin M. (1990):**
Tumours of the gall bladder and bile ducts. I. Maingot's
Abdominal Operations, edited by Schwartz and Ellis 9th
edition. Prentice-Hall international Inc. page 1533.
- Boston Collaborative Drug Surveillance (1973):**
Oral contraceptives and gallbladder disease. Lancet,
1:1399.

- Bouchier, I. (1969):**
Postmortem study of the frequency of gallstones in patients with cirrhosis of the liver. Gut, 10:705.
- Bouchier, I. (1971):**
Gallstone formation. Lancet, 1:711.
- Bouchier, I. (1983):**
Gallstone dissolving agents. Br. Med. J., 286:778.
- Bouchier, I. Allen, R.N. and Keighly Mr (1984):**
The gallbladder and biliary tract. In: Textbook of Gastroenterology 1st edition. Bailher Tindall, London Philadelphia. Page 1381.
- Boyer, J.L. and Klarskin G. (1970):**
Canalicular bile flow and bile secretory pressure. Gastroenterology 95:853.
- Boyer, J.L. (1972):**
Effects of chronic ethanol feeding on bile formation and secretion of lipids in the rat. Gastroenterology, 62:294.
- Braverman, D.Z. Johnson, M.L. and Jern F. (1980):**
Effects of pregnancy and Contraceptive steroids on cholelithiasis. N. Engl. J. Med., 302:362.
- Bray, G.A. (1976):**
The Obese Patient 1st edition. W.B. Saunders Company. Philadelphia page 180.
- Bray, G.A, Barry, R.E. and Benfield, J.R. (1976):**
Intestinal by pass Operation as a treatment of Obesity. Ann. Intern. Med., 85:97.
- Bray, G.A. (1985):**
Complications of Obesity. Ann. Int. Med., 103:1052.
- Brendel, W. and Enders, S. (1983):**
Shock waves for gall stones Lancet 1:1054.

- Broomfield, P.H. Chopra, R. and Sheinbaum, R. (1988):
Effects of Urodeoxycholic acid and aspirin on the
formation of lithogenic bile and gallstones during loss
of weight. N. Engl. J. Med., 319:1567.
- Burnstein, M.J. Ilson R.G. Petrunka, C.N. and Taylor, R.D.
(1983):
Evidence for a potent nucleating factor in gall bladder
bile of patients with cholesterol gall stones
Gastroenterology, 85:801.
- Calabrese, C. and Pearlman D.M. (1971):
Gall bladder disease below the age of 21 years. Surgery,
70:413.
- Carulli, N. Loria P. and Bertolotti M. (1984):
Effects of acute changes of bile acid pool composition
on biliary lipid secretion. J. Clin Invest., 74:614.
- Cary, M.C. and Small D.M. (1978):
The physical chemistry of cholesterol solubility in
bile. Relationship to gall stone formation and
dissolution in man. J. Clin. Invest, 61:998.
- Cary, M.C. and Cahalane M.J. (1988):
Whither biliary Sludge? (Review). Gastroenterology,
59:508.
- Castaing, D. Houssin, D. and Lemoire, J. (1983):
Surgical management of gallstones in cirrhotic patients.
Am. J.Surg., 140:310.
- Cetta F.M. (1986):
bile injection documented as initial event in the
pathogenesis of brown pigment biliary stones.
Hepatology, 6:482.
- Chobanian, J. and Van Ness, S. (1988):
Gall stones: Epidemiology, pathogenesis and management.
In Manual of Clinical Problems in Gastro enterology 6th
edition. Little Brown and Company. Boston Toronto page
315.
- Cleave, T.L. (1974):
The Saccharine Disease (Bristol:Wright) Coated from
Heaton, 1983.

- Cleave, T.L. and Campbell G.D (1966):**
Diabetes, Coronary Thrombosis and the Saccharine disease
(Bristol:Wright) Coated from Heaton, 1983.
- Cohens Kaplan, M. and Patterson J.F. (1971):**
Liver disease and gall bladder in regional enteritis.
Gastroenterology, 60:237.
- Connor W.E. and Lin D.S. (1981):**
Absorption and Transport of Shellfish Sterols in human
Subjects. Gastroenterology, 81:276.
- Coronary Drug Project Research Group (1977):**
Gall bladder disease as a side effect of drugs
influencing Lipid metabolism. N.Engl. J. Med., 296:1186.
- Cucchiaro, G. Watters, G.R. and Meyers W.C (1988):**
Death from gallstones: Incidence and other associated
factors. Ann. Surg., 207:149.
- Daignault, P.G. Fazekas A.G. Rosenthal, L. and Fried G.M.
(1988):**
Relationship between gall bladder contraction and
progesterone receptors in patients with gall stones. Am.
J. Surg. 155:149.
- Dam, H. Prange I and Jensen, M.K. (1971):**
Studies on human bile: Influence of ingestion of
cholesterol in the form of eggs on the composition of
bile in healthy subjects. Z. Ernährung Swiss, 16:178.
- Danzinger, R.G. Gordon, H. and Thistle J.L. (1972):**
Lithogenic bile in siblings of young women with
cholelithiasis. Mayo Clinic Proc., 47:762.
- Davidson F. (1962):**
Alcohol and Cholelithiasis: a necropsy survey of
cirrhosis. Am. J. Med. Sic; 244:703.
- Dempsy, D.T. and Rosato, EF. (1985):**
Surgical management of Cholelithiasis. In Gall stones
editid by Cohen and Soloway 1st edition. Churchil
Livingstone New York, Edinburgh, London and Melborn.
Page191.

Denbesten, L. Connor WE. and Bell, S. (1973):
The effect of dietary cholesterol on composition of human bile, Surgery, 73:266.

Diamond JM. (1968):
Transport mechanisms in the gall bladder. In: Handbook of Physiology edited by code Vol. 5 Section 6. Washington. American Physiological Society Page 2451.

Dieehl, AK. Stern MP. and Ostrower, US. (1980):
Prevalence of Clinical gall bladder disease in Mexican-American Anglo and black S. Med. J., 73:438.

Donaldson LA. and Busuthel (1975):
Cancer of the gall bladder, Br. J. Surg. 62:26.

Duane, WC. Ginsberg RL. and Bennion LJ. (1976):
Effect of bile acid metabolism and biliary lipid composition in man J. Lipid Res., 17:211.

Du Priest, RW, Khaneja, SC. and Cowley RA. (1979):
Acute cholecystitis complicating trauma Ann Surg; 189-84.

Durnin J. and Womersley, J. (1974):
The equivalent fat content as a percentage body weight, for a range of values for the sum of four skin folds (Biceps, triceps, subscapular and suprailiac) of men and women of different ages Br. J. Nutr.; 32:77.

Dzienizewski, J. Tiscornia, O. and Palasciano (1976):
The effects of acute and chronic ethanol administration on canine bile secretion. Am. J. Dig. Dis.; 21:1037.

El-Awady, H. (1970):
Cholelithiasis. The controversy over pathogenesis. J. Kwt. Med. Assoc., 4:203.

El-Gendy, M. (1986):
Prevalence of skin diseases in a sample of elementary school children, M.Sc. thesis in Public Health, Benha Faculty of Medicine.

- El-Hadary, MK. (1988):**
Bile composition in patients with bilharzial hepatic fibrosis. MD. Thesis General Surgery Banha Faculty of Medicine.
- El-Masry, Sh. Lewin MR. and Gumaa K. (1977):**
Bile composition in bilharzial hepatic fibrosis. Br. J. Surg., 64:487.
- Erlinger, S. and Dhumcaux D. (1974):**
Mechanisms and control of secretion of bile, Water and electrolytes. Gastroenterology, 66:281.
- Everson, TE. McKinley, C. Lawson M. and Johnson M. (1982):**
Gall bladder function in the human female: effect of steroids. Gastroenterology 81-711.
- Franzblan, A. and Criqui MH. (1984):**
Characteristics of persons with marked hypocholesterolaemia-a population-based Study, J. Chron Dis, 37-387.
- Friedman, GD. Kannel, WB. and Dawber TR. (1966):**
The epidemiology of gallbladder disease: J. Chron Dis., 19:273.
- Friedman, GD. (1983):**
The problem of determining the prognosis of silent gallstones. Proceedings of an International Workshop on the Epidemiology of Gallstones. Rome December 1983.
- Garrow, JS. and Webster J. (1985):**
Quetlet's index (W/H^2) as a measure of fatness. Int. J. Obest., 9:147.
- Gerolami, A. and Sarles JC. (1977):**
Biliary Secretion and motility. Int. Rev. Physiol., 12:223.
- Gilat, T. Feldman, C. Halpern, Z. and Dan, N. (1983):**
An increased familial frequency of gall stones. Gastroenterology, 84.

- Giunchi, G. (1984):**
Findings on gallstone disease. In; Epidemiology and Prevention of Gallstones edited by Capocaccia et al MTP. Press Limited Lancaster Boston Page 5.
- Glenn, F. (1979):**
Acute acalculous Cholecystitis Ann. Surg, 189:458.
- Gofrey, PJ. Bates, T. and Harrison, M. (1984):**
Gall stones and mortality; A study of all gallstones related deaths in a single health district. Gut, 25:1029.
- Goldbatt, PB. Moor, ME. and Stunkard, AJ. (1965):**
Social factors in obesity JAMA 192:1039.
- Gollish, SH. Bernstein, MJ. and Llson, RG. (1983):**
Nucleation of cholesterol monohydrate crystals from hepatic and gall bladder bile of patients with cholesterol gallstones. Gut 24:836.
- Gracie, WA. and Ransohoff, DF. (1982):**
The natural history of silent gallstones. N. Engl. J. Med., 307:798.
- Gracie, WA. and Ransohoff, DF. (1985):**
Natural history and expectant management of gall stone disease. In: Gall stones edited by Cohen and Soloway 1st ed. Chirchil Livingstone, New York, edinburgh, London and Melborn Page 27.
- Gray, DS. (1989):**
Diagnosis and prevalence of obesity. Med. Clin. N. Am. 73:1.
- Griffiths, JMT. (1964):**
Cholecystitis following gastric surgery. Lancet, 2:780.
- Grundy, SM. and Mok HY. (1977):**
Colestipol, clofibrate and phytosterols in combined therapy of hyperlipidemia. J. Lab. Clin. Med. 89:354.

- Gunn, A. (1982):**
The management of gallstones. In: Recent Advances in Surgery edited by Russel. Chirchil Livingstone; Edinburgh, London, Melborn and New York Page 183.
- Gurll, NJ. Meyer, PD. and Besten, L. (1977):**
The effect of Cholesterol crystals on gallbladder function in cholelithiasis. Surg. Forum; 28:412.
- Halloran, LG. Schwartz, CL. and Vlahcevic, Z. (1978):**
Evidence for high density lipoprotein free cholesterol as the primary precursor for bile acid Synthesis in man. Surgery, 84:1.
- Hardison, WG. and Norman, JC. (1967):**
Effect of bile salt secretion upon bile flow from the isolated perfused pig Liver. gastroenterology, 53:412.
- Hassab, MA. (1962):**
The gallbladder in bilharzial hepatic fibrosis. Proceedings of the first international symposium on bilharziasis. Cairo 6-9 may Page 326.
- Heaton, KW. (1972):**
Bile Salts in Health and Disease. Chirchil Living stone Edinburgh. London, Melborn and new York Page 311.
- Heaton, KW. (1973):**
The epidemiology of gallstones and suggested aetiology. Clin. Gastroenterol.; 2:67.
- Heaton, KW. (1983):**
The role of diet in the aetiology of cholelithiasis. In: Epidemiology and prevention of Gall stone Disease edited by Capocaccia et al. MTP. Press Limited Lancaster, Boston Page 129.
- Heaton, KW. (1984):**
Bile Salts. In: Liver and biliary disease 2nd edition. edited by Wright et al. Churchill Living Stone. Edinburgh, London, Melborn and New York page 427.
- Heaton, KW. and Read AE. (1969):**
Gall stones in patients with disorders of the terminal ileum and disturbed bile salt formation. Br.Med.J. 3:494

- Heaton, KW. Wicks, ACB. Yeates J. (1977):**
Bile composition in relation to race and diet: Studies in Rhodesian Africans and in British subjects. In: Bile Acid Metabolism in Health and Disease edited by paumgat and stiehl MTP. Press Lancostez, Boston page:197.
- Herman, RE. (1989):**
The spectrum of biliary stone disease Am. J. Surg, 158:171.
- Hikasa Y, Nagas, M. and Soloway RD. (1981):**
Gallstones in western Japan: Epidemiologic factors affecting the type and locating of gallstones. Arch.Jpn. Chir., 59:272.
- Hofmann, AF. Donald, DE. and Hofmann, NE. (1975):**
Effects of primary bile acids on bile secretion from perfused dog liver. Am. J. Physiol. 229:714.
- Hofmann, AF. Grundy, SM. Lachin, JM. and Lan SP. (1982):**
Pretreatment biliary lipid composition in white patients with radiolucent stones. Gastroenterology, 83:738.
- Holzbach, RT. (1983):**
Gallbladder Stasis: Consequences of long term parenteral hyperalimentation as a risk factor for cholelithiasis. Gastroenterology, 84:1055.
- Honore, LH. (1980):**
The lack of a positive association between symptomatic cholesterol cholelithiasis and clinical diabetes mellitus. J. Chr.dis. 33:465.
- Honore, LH. (1980a):**
Cholesterol cholelithiasis in adolescent females. Arch. Surg., 114:62.
- Howart, JMT, Jones, CB. and Schofield (1975):**
Gallstones and oral contraceptives J. Int. Med. Res., 31:59.
- Ihass, M. and Griffith, J. (1981):**
Gallstones after Vagotomy. An J. Surg., 141:48.

- Jackson, CE. and Gay, BC. (1959):
Inheritance of gall bladder disease. Surgery, 46:853.
- Javitt, NB. (1976):
Hepatic bile formation N. Engl. J. Med., 295:1464.
- Johnson, GTr. and Sprinke, PN. (1962):
Autopsy incidence of cholelithiasis in general hospital
NC. Med. J. 23:107.
- Jones, RS. and Grossman, MI. (1969):
Choleretic effects of secretin and histamine in the dog.
Am. J. Physiol., 217:532.
- Jones, RS. Geist, RE. and Hall, AD. (1971):
The Choleretic effects of glucagon and secretin in the
dog, Gastroenterology, 60:64.
- Kalos, A. Delidon, A. and Kordosis TH. (1977):
The incidence of gall stones in Greece: an autopsy study
Acta. Hepatol. Gastroenterol., 24:20.
- Kellett, MJ. Wickham, JEA. and Sali, A. (1988):
Percutaneous cholecystolithotomy. By. Med. J., 296:453.
- Kern, F. Jr. Everson, GT. McKiley, C. and Demark, B. (1981):
Biliary lipids, bile acids and gallbladder function
in the human female: effects of pregnancy and ovulatory
cycle. J. Clin. Invest., 68:1229.
- Kern, F. Jr. Everson, GT. and Demark, B. (1982):
Biliary lipids, bile acids and gall bladder function in
the human female: effects of contraceptive steroids. J.
Lab. Clin. Med. 99:798.
- Klatsky, A. Friedman, G. and Siegelau, A. (1981):
Alcohol use and cardiovascular disease: The Kaiser-
Permanente experience. Circulation, 64(Supple 3):32.
- Lakshmanan, M. and Veech R. (1977):
Short and long term effects of ethanol administration in
vivo on rat liver HMG-Co A reductase and cholesterol 7
alpha hydroxylase activities J. Lipid Res, 18:325.

Lamont, JT. Ventola, AS. Trotman, BW. and Soloway RD. (1983):
Mucin glycoprotein content human pigment gallstones.
Hepatology, 3:3777.

La Monte, WW. (1981):
Pathogenesis of cholesterol gallstones Surg. Clin. N.
Am., 16:765.

La Monte, WW. Schoetz, DJJr. Birkett, DH. and Williams,
LJ Jr. (1979):
Role of the gall bladder in the pathogenesis of
cholesterol gall stones. Gastroenterology, 77:580.

Langman, MJS. (1979):
Gall stones: The Epidemiology of Chronic Digestive
Disease, edited by Edward Arnold. Churchill-Livingstone
London page 114.

Last, RJ. (1978):
The gall bladder. In: Anatomy Regional and Applied 6th
edition. Churchill-Livingstone, Edinburgh-London-New
York page 719.

Layde, PM. Vessey, MP. and Yeastes, D. (1982):
Risk factors for Surgically confirmed gallbladder
disease in a cohort study of young women. J. Epid.
Comm. Health, 36:274.

Lee, DW. Gilmore, CJ and Bonnoris, GG. (1983):
Effects of dietary cholesterol on biliary lipids in
women with and without gallstones. In: Bile Acids and
cholesterol in Health and Disease, edited by Paumgart and
Stein, MTP press Lancaster-boston page 237.

Lee, Sp, Lamont, JL and Carey, Mc (1981):
Role of gallbladder mucus hypersecretion in the
evolution of cholesterol gallstones. Studies in Prairie
dogs. J. Clin. Invest., 67:1712.

Lefevre, A. De Carli, L. and Liber C. (1972):
Effect of ethanol on cholesterol and bile acid
metabolism. J. Lipid Res., 13:48.

Leiber, C. and Decarli, L. (1986):
The feeding of ethanol in liquid diets-Update,
Alcoholism, Clin. Exp. Res., 10:550.

- Leiber, M. (1952):**
The incidence of gallstones and their correlation with other diseases. *Ann. Surg.* 135:394.
- Liddle, RA. Goldstein, RB. and Sarton J. (1989):**
Gall stone formatin during weight reduction dieting. *Arch. Intern. Med.*, 149-1752.
- Lnhman, TG. (1981):**
Skin folds and body density and their relation to body fatness: A review. *Hum. Biol.*, 53:181.
- Lorusso, D. Misciagna, G. and Noviello, MR. (1988):**
Cholelithiasis after Billroth II gastric resection. *Surgery*, 103:579.
- Low-Beer, TS. (1985):**
Gallbladder disease and gallstones. In:Recent Advances of Geriatric Medicine edited by Bernard. Chirchil-Living Stone-Meldorn-Edinburgh-London and New York page 37.
- Low Beer, TS. and Pomare, EW. (1985):**
Can colonic bacterial metabolites predispose to cholesterol gall stones? *Br. Med. J.*, 1:438.
- Lund, J. (1960):**
Surgical indications in Cholelithiasis: Prophylactic Cholecystectomy elucidated on the basis of long-term follow up on 526 non-operated cases. *Ann. Surg.* 151:153.
- Mabee, TM. Meyer, P. Den Besten, L. and Mason, (1976):**
The mechanism of increased gall stone formation in obese human subjects. *Surgery*, 79:460.
- Mack, E. (1989):**
Dissolution of bile duct stones. *Am. J. Surg.* 158:248.
- Maki, T. (1966):**
Pathogenesis of calcuim bilirubinate gall stones: Role of E. coli, B-glucoronidase and coagulation by inorganic ions, Polelectrolytes and agitation. *Ann. Surg.*, 164:90.
- Malet, PF. Takabayashi, A. and Trotman, BW. (1982):**
Black and brown bilirubinate pigment stones. *Gastroenterology*, 82:1235.

- Manton, PN. Iser, JH. and Reuben A. (1982):
Outcome of chenodeoxycholic acid treatment in 125 patients with radiolucent gall stones. *Medicine*, 61:86.
- Maruyama, S. Murawaki, Y. and Hirayama (1986):
Effect of chronic ethanol administration on hepatic cholesterol and bile acid synthesis in relation to serum high density lipoprotein cholesterol in cats. *Res. Commun. Chem Pathol Pharmacol*, 53:3.
- Matsushiro, T. (1977):
Effects of diet on glucaric acid concentration in bile and the formation of calcium bilirubinate stones. *Gastroenterology* 72:630.
- MC Sherry, CK. and Glenn, F. (1980):
The incidence and cause of death following surgery for non-malignant biliary tract disease. *Ann. Surg.*, 191:271.
- Menotti, A. (1983):
Why talk about epidemiology of gall stones. In: *Epidemiology and Prevention of gall stone disease* edited by Capocaccia et al. MTP Press Limited Lancaster-Boston Page 212.
- Merendino, KA. and Manhas, DR. (1973):
Man-made gall stones. A new entity following Cardiac Valve replacement *Ann. Surg.*, 177:696.
- Metzger, AL. Aoller, & Heymsfield, S. and Grundy, SM. (1973):
Diurnal Variations in biliary lipid composition: possible role in cholesterol gall stone formation. *N. Engl. J. Med.*, 288:333.
- Miyake, H. and Johnston, CG. (1968):
Gall stones: Ethnological studies. *Digestion*, 1:219.
- Moore, EW. and Dietschy, JM. (1964):
Na and K activity coefficients in bile and bile salts determined by glass electrodes. *Am. J. Physiol*, 296:1111.
- Moore, EW. (1989):
Pathogenesis of gall stones. *Gastroenterology*, 96:541.

- Morrow, DJ. (1978):**
Acute cholecystitis in elderly. Arch. Surg. 113:1149.
- Munster, AM. Goodwin, MN. and Pruitt BA. (1971):**
Acalculous cholecystitis in burn patients. Am. J. Surg. 122:591.
- Nagase, M. Tanimura, h and Setoyama, M. (1978):**
Present features of gall stones in Japan. Am. J. Surg., 135:188.
- Nakayama, F. (1969):**
Quantitative microanalysis of gallstones. J. Lab. Clin. Med., 72 :602.
- Messing, B. Baries C. and Bernier, J. (1983):**
Does total parental nutrition induce gall bladder sludge formation and lithiasis? Gastroenterology 84:1012.
- National Centre for health Statistics (1977):**
Weight by height and age of adults 18-74 years: United States, 1971-1974. Washington, DC:US Government Office, Vital and Health Statistics Advances Data No. 14.
- Nestel, P. Simons L. and Homa, Y. (1976):**
Effect of ethanol on bile acid and cholesterol metabolism Am. J. Clin. Nutr., 29:1007.
- Newman, HF. Northrup JD. and Rossenblum, M. (1968):**
Complications of cholelithiasis. Am. J. gastroenterol., 50:476.
- Nicholas, P. Rinaudo, P. and Conn H. (1972):**
Increased incidence of cholelithiasis, in Laennec's cirrhosis. Gastroenterology, 63:112.
- Nilzell, K. Angelin, B. and Einarsson, K. (1985):**
Biliary lipid output and bile acid Kinetics in cholesterol gall stone disease. Gastroenterology, 89:287.
- Nilsson, S. and Stattin, S. (1967):**
Gallbladder emptying during the normal menstrual cycle. Acta. Chir. Scand., 133:648.

- Noble, BJ. (1986):**
Body composition and Weight control. In: Physiology of Exercise and Sport edited by Nancy and Roberson. Times Mirror/Mosby College Publishing page 613.
- Northfield, TC. and Hofman, A. (1975):**
Biliary lipid output during three meals and an overnight fast. 1. Relationship to bile acid pool size and cholesterol Saturation of bile in gall stone and control subjects. 16:1.
- Nottle, PD. and Hughes, E. (1981):**
Gall stones: Operate, dissolve or leave alone. Drugs, 21:302.
- O'Reilly, K. (1970):**
Spontaneous external biliary fistulas Med. J. Aust. 1:63.
- Oviedo, M, Hok, T. and Biss, K. (1977):**
Gallbladder bile Composition in different ethnic groups Arch. Pathol. Lab. Med., 101:208.
- Pappaport, I. Albuquerk, J. and Shneider, I. (1975):**
Schistosomal Cholecystitis. Arch. Pathol., 99:227.
- Paumgartner, G. and Sauerbruch, T. (1983):**
Secretion, composition and flow of bile. Clin. gastroenterol., 12:3.
- Pitt, HA. Mc Fadden, DW. and Gadacz, TR. (1989):**
Agents for gall stone dissolution Am. J. Surg., 158:262.
- Pixley, F. Wilson, D, Mcpherson, K. and Mann, J. (1985):**
Effect of vegeterianism on developmemt of gallstones in women. Br. Med., J. 291:12.
- Plant, JC. Percy, I. and Bates, I. (1973):**
Incidence of gallbladder disease in Kanada, England and France. Lancet, 1:249.
- Pomare, EW. Heaton, KW. and low-Beer, TS. (1976):**
The effect of bran upon bile salt metabolism porter, and upon lipid composition of bile in gallstone patients Dig. Dis., 21:521.

- Porter, JB. Jick, H. and Dinan BJ. (1981):
Acute cholecystitis and thiazides. N. Engl. J. Med.,
304:954.
- Preising, R. Coper, HL. and Wheeler, HO. (1962):
The relationship between taurocholate secretion rate and
bile production in the unanaesthetised dog during
cholenergic blockade and during secretin administration.
J. Clin. Invest., 41:1152.
- Ransohoff, DF. (1983):
Long-term natural history of silent gallstones:
implications of secondary prevention. Proceedings of an
international workshop on epidemiology of gall stones.
Rome December 1983 page 199.
- Ransohoff, DF. Gracie, WA. and Woffenson, IB. (1983):
Prophylactic cholecystectomy or expectant management for
persons with silent gallstones. A decision analysis to
assess survival. Am. J. Intern. med., 99:199.
- Reiser, S. Bohn, E. and Hallfresch, J. (1981):
Serum Insulin and glucose in hyperinsulinaemic subjects
fed three different levels sucrose. Am. J. Clin. Nutr.,
34:2348.
- Rege, RV. Nemeck, AA. and Nahrwold, DL. (1989):
Selection of patients for gall stone lithotripsy Am. J.
Surg. 158:184.
- Rosenberg, L. Shapiro, S. and Stone, D. (1980):
Thiazides and acute cholecystitis N. engl. J. Med.,
303:546.
- Roslyn, JJ. Pitt, HH. and Monn, LL. (1983):
Gallbladder disease in patients on long-term parenteral
nutrition. Gastroenterology, 84:148.
- Royal College of General Practitioners (1974):
Oral contraceptives and Health. Chapter 7. Pitman
Publishing Co. London. Page 39.
- Royal College of General Practitioners (1982):
Oral contraceptives and gall bladder disease. Lancet I:
957.

- Royal College of Physicians (1980):**
Medical aspects of dietary fiber. Chapter II. Pitman publishing Co. London page. 93.
- Sali, A. (1990):**
Gall stones-Aetiology and dissolution. In: Manigot's Abdominal Operations 4th edition, edited by Schwartz and Ellis. Prentice-Hall International Inc. Page 1381.
- Sampliner, RE. Bennet, PH. and Comess LJ. (1970):**
Gallbladder disease in Pima Indians, N. Engl. J. Med., 283:1358.
- Sapala, MA. Sapala, TA. and Resto Soto, AD. (1979):**
Cholelithiasis following subtotal gastric resection with truncal vagotomy. Surg. Gynaecol. Obstet., 148-36.
- Sarles, H. and Crotte, C. (1971):**
The influence of Caloric intake and of dieting protein on the bile lipids. Scand. J. Gastroenterol., 6:189.
- Schaffer, EA. and Small DM. (1977):**
Biliary lipid Secretion in cholesterol gallstone disease. J. Clin. Invest., 95:828.
- Schoenfield, LJ. Cary, M.C. and Marks, JW. (1989):**
Gall stone: An Update. Am.J. Gastroenterol., 84:999.
- Schwartz, SI. (1987):**
Gallbladder and extrahepatic biliary system. In: Principles of Surgery edited by schwartz 4th edition MC. Grow-Hill Book Company-Singapore Page 1315.
- Schwartz, SI. (1990):**
Anatomy of the extrahepatic biliary tract. In Maingot's Abdominal Operations edited by Schwartz and Ellis-Prentice-Hall International Inc. Page 1337.
- Schwesinger, WH. Kurtin, WE. and Levine, BA. (1985):**
Cirrhosis and alcoholism as pathogenic factors in pigment gallstone formation. Ann. Surg., 201:319.
- Schwesinger, WH. Kurtin, WE. and Johnson, R. (1988):**
Alcohol protects against cholesterol gallstones formation. Ann. Surg., 207:641.

Scragg, RKR. McMichael, AJ. and Baghurst, PA. (1984):
Diet alcohol and relative weight in gallstone disease: a case control study. Br. Med., J. 288:1113.

Segal, K. Dunaif, A. and Gutin, B. (1987):
Body composition, not body weight, is related to cardiovascular disease, risk factors and sex hormone level in men. J. Clin. Invest., 80:1050.

Shaffer, EA. Braasch, JW. and Small DM. (1972):
Bile composition before and after surgery in normal persons and patients with gall stones. N. Engl. J. Med., 287:1317.

Sheen, S. and Liaw, YF. (1989):
The prevalence and incidence of cholelithiasis in patients with chronic liver disease. Hepatology, 9:538.

Sherlock, S. (1981):
Gall stones and inflammatory gallbladder disease. In Diseases of the Liver and Biliary System edited by Sherlock. Black well Scicutific Publications Chapter 29.

Shreiner, DP. Sarva RP. and Vantheil, D. (1986):
Gall bladder function in diabetic patients. J. Nucl. Med., 27:357.

Small, DM. (1980):
Cholesterol nucleation and growth in gall stone formation. N. Engl. J. Med., 302:1305.

Soloway, RD. Trotman, BW. and Ostrow, JD. (1977):
Pigment gall stones. Gastroenterology, 72:167.

Soloway, RD. and Malet, PF. (1984):
Classification and diagnosis of pigment gall stones. In: Epidemiology and Prevention of Gall stones edited by Capocaccia et al. MTP. Press-Limited Lancaster-Boston. Page 58.

Stanffer, RA. Adams, A. Wygal, J. and Lavery JP. (1982):
Gallbladder disease in pregnancy. Am. J. obstet. Gynaecol, 144:661.

- Stephen, AM. and Cummings, JH. (1980):**
The mechanism of action of dietary fibres in human colon. *Nature*, 284:283.
- Stone, BG. and Theil, DH. (1985):**
Diabetes mellitus and the liver. *Semin, Liver Dis.*, 5:8.
- Stone, BG. Gavalier, JS. and Belle, SH. (1988):**
Impairment of gallbladder emptying in diabetes mellitus. *Gastroenterology*, 95:170.
- Strom, BL. West, LS. (1985):**
The epidemiology of gall stone disease. In: *Gall stones* edited by Cohen and Soloway. Chirchil-Livingstone Melborne, Edinburgh, London and New York. Page 1.
- Strudevant, RAL. Peane, ML. and Dayton, S. (1973):**
Increased prevalence of cholelithiasis in man ingesting a serum cholesterol lowering diet. *N. Engl. J. Med.* 288:24.
- Sutor, DJ. and Wooley, SE. (1973):**
The nature and incidence of gall stones containing calcuim. *gut*, 14:214.
- Tan, EGC. and Warren, KW. (1982):**
Diseases of the gallbladder and bile ducts. In: *Diseases of the Liver* edited by Schiff and Schiff. J.B. Lippincot Co. Philadelphia, Toroto Page 1507.
- The lipid Research Clinics (1980):**
Population Studies Data book Vol. I. the prevalence studies. Washington, DC:US Department of health and human services, NIH. Publication:1527.
- The Rome Group for the Epidemiology and Prevention of Cholelithiasis (GREPCO) (1988):**
The epidemidogy of gall stone disease in Rome Italy. Part I prevalence data in men. *Hepatology*, 8:904.
- Thomson, A. Man, S. and Shinike, T. (1984):**
Effects of ethanol on intestinal uptake of fatty acids. fatty alcohols and cholesterol. *Dig. Dis. Sci.*, 29:631.

- Thornton, J. Symes, C. and Heaton K. (1983):
Moderate alcohol intake reduces bile cholesterol saturation and raises HDL. cholesterol. Lancet, 2:819.
- Trotman, BW. Ostrow, JD. and Soloway RD. (1974):
Pigment and cholesterol cholelithiasis: composition of stone and bile composition. Am. J. Dig. Dis., 19:585.
- Trotman BW, and Soloway RD. (1975):
Pigment VS. Cholesterol Cholelithiasis: Clinical and epidemiological aspects, Dig. Dis., 20:735.
- Trotman, BW. Bongiovanni MB, Khan, MT. and Burnstein SE. (1982):
A morphological study of the liver and gallbladder in haemolysis induced gall stone disease in mice. Hepatology, 2:863.
- Trowell, HC. Southgate DAT, Wolever, TMS. and Leeds, AR. (1976):
Dietary fibre refined. Lancet, 1:967.
- Trowell HC. Burkitt, DP. and Heaton, KW. (1989):
Dietary fibres and fibre depleted foods and disease London: Academic press page 127.
- Turnberg, LA. Jones, CA. and Sherlock, S. (1968):
Biliary Secretion in patient with cystic dilatation of the intrahepatic biliary tree. Gastroenterology, 54:1155.
- Turnberg, LA. and Graham G. (1970):
Bile Salt Secretion in cirrhosis of the liver. Gut, 11:126.
- US National Centre for Health Statistics (1980):
Vital statistics of United States, 1977, Vol 11-Mortality part A Table 1-7 (DHH Publication no. (PHS) 80-1101. Hyattsville MD-Coated from Gracie and Ransohoff (1985).
- VanderLinden, W. and Lindelof, G. (1965):
The familial occurrence of gallstone disease. Acta Gente. Stat. Med., 15:159.

- VanderLinden, W. and Westlin, N. (1966):
The familial occurrence of gall stone disease. II-
occurrence in husbands and wives. Acta Gente. Stat.
Med., 16:377.
- VanderLinden, W. and Simonson, N. (1973):
Familial occurrence of gallstone disease. Incidence in
parents of young patients. Human Herid, 33:123.
- Van Itallie, TB. and Yong, M. (1984):
Cardiac dysfunction in obese dieters: A potentially
lethal complication of rapid massive weight loss. Am. J.
Clin. Nutr. 139:695.
- Van Os Chandslegers JFG. (1971):
Correlation between (Na⁺-K⁺) activated ATPase activities
and the value of isotonic fluid transport of gallbladder
epithelium. Biochem. Biophys. Acta, 241:89.
- Vitetta, L. and Sali, A. (1988):
Gallstones at autopsy and cholecystectomy. Aust. NZJ.
surg., 58:561 coated from Sali, 1990.
- Vlahcevic, ZR. (1972):
Relationship of bile acid pool size to the formation of
lithogenic bile. Gastroenterology, 62:73.
- Vlahcevic, ZR. Yoshida, T. and Juttijdata, P. (1972):
Bile acid metabolism in cirrhosis. Biliary lipid
secretion in patinets with cirrhosis and its relevance
to gall stone formation. Gastroenterology, 64:298.
- Wagner, CI. Trotman, BW. and Soloway, RD. (1978):
Biliary lipid excretion in patients with pigment
gallstones. Am. J. Dig. Dis., 23:85.
- Wattochow, DA. Hall, JC. Whiting, MJ. and Bradley, B. (1983):
Prevalence and treatment of gall stones after gastric by
pass surgery for morbid obesity. By Med. J., 286:763.
- Watts, J. and Dumphy, TE. (1966):
The role of the common bile duct in biliary dynamics.
Surg. Gynaecol. Obstet., 122:1207.