

References

- **Aaltonen LA, Peltomäki P, Leach FS, et al.** Clues to the pathogenesis of familial colorectal cancer. *Science* 260 (5109): 812-6, 1993.
- **Aarnio M, Mecklin JP, Aaltonen LA, et al.** Life-time risk of different cancers in hereditary non-polyposis colorectal cancer (HNPCC) syndrome. *Int J Cancer* 64 (6): 430-3, 1995.
- **Adam IJ, Mohamdee MO, Martin IG, et al.** Role of the circumferential margin involvement in the local recurrence of rectal cancer. *Lancet*; 344: 707–711, 1994.
- **Adell G, Boeryd B, Franlund B, et al.** Occurrence and prognostic importance of micrometastases in regional lymph nodes in Dukes' B colorectal carcinoma: an immunohistochemical study. *Eur J Surg*; 162: 637–642, 1996.
- **Adell G, Sun XF, Stal O, et al.** P53 status: an indicator for the effect of preoperative radiotherapy of rectal cancer. *Radiother Oncol*; 51:169-174, 1999.
- **Ahmed A. Abou-Zeid, Wael Kh, et al.** Colorectal Cancer in Egypt. *J Diseases of the Colon & Rectum*; 45(9):1255-1260, 2002.
- **Ainsworth PJ, Koscinski D, and Fraser BP, et al.** Family cancer histories predictive of a high risk of hereditary non-polyposis colorectal cancer associate significantly with a genomic rearrangement in hMSH2 or hMLH1. *Clin Genet* 66 (3): 183-8, 2004.
- **Akbulut H, Altuntas F, Akbulut KG, et al.** prognostic role of serum vascular endothelial growth factor , basic fibroblast growth factor and nitric oxide in patients with colorectal carcinoma. *Cytokine*; 20 (4):184-190, 2002.
- **Alexander J, Watanabe T, Wu TT, et al.** Histopathological identification of colon cancer with microsatellite instability. *Am J Pathol*; 158: 527–535, 2001.

- **Al-Tassan N, Chmiel NH, and Maynard J, et al.** Inherited variants of MYH associated with somatic G: C->T: A mutations in colorectal tumors. *Nat Genet* 30 (2): 227-32, 2002.
- **American Cancer Society.** Cancer Facts and Figures 2007. Atlanta, Ga: American Cancer Society, 2007.
- **Ammering G, Taher MM, Gruenagel HH, et al.** Alteration of DNA ploidy status and cell proliferation induced by preoperative radiotherapy is a prognostic factor in rectal cancer. *Clin Cancer Res*; 6: 3215-3221, 2000.
- **Amos CI, Keitheri-Cheteri MB, Sabripour M, et al.** Genotype-phenotype correlations in Peutz-Jeghers syndrome. *J Med Genet* 41 (5): 327-33, 2004.
- **Andreyev HJ, Norman AR, Cunningham D, et al.** Kirsten ras mutations in patients with colorectal cancer: the multicenter “RASCAL” study. *J Natl Cancer Inst*; 90: 675-684, 1998.
- **Anthony T, Rodriguez-Bigas MA, Weber TK, et al.** Desmoid tumors. *J Am Coll Surg* 182 (4): 369-77, 1996.
- **Aretz S, Stienen D, Uhlhaas S, et al.** High proportion of large genomic STK11 deletions in Peutz-Jeghers syndrome. *Hum Mutat* 26 (6): 513-9, 2005.
- **Aretz S, Uhlhaas S, Goergens H, et al.** MUTYH-associated polyposis: 70 of 71 patients with biallelic mutations present with an attenuated or atypical phenotype. *Int J Cancer* 119 (4): 807-14, 2006.
- **Ayhan A, Usubutun A, Ozen H, et al.** nm23 protein expression in renal cell tumors: the role of the cell type. *Oncol Rep*; 5:979–83, 1998.
- **Baekelandt M, Holm R, Trope CG, et al.** The significance of metastasis-related factors cathepsin-D and nm23 in advanced ovarian cancer. *Ann Oncol*; 10:1335–41, 1999.
- **Balmaña J, Stockwell DH, Steyerberg EW, et al.** Prediction of MLH1 and MSH2 mutations in Lynch syndrome. *JAMA* 296 (12): 1469-78, 2006.

- **Bapat B, Xia L, Madlensky L, et al.** The genetic basis of Muir-Torre syndrome includes the hMLH1 locus. *Am J Hum Genet* 59 (3): 736-9, 1996.
- **Barbara A, Benedict D, Kelli B, et al.** From the Conjoint Gastroenterology Research Laboratory, Royal Brisbane Hospital Research Hyperplastic Polyposis Association With Colorectal Cancer ,2001.
- **Barnetson RA, Tenesa A, Farrington SM, et al.** Identification and survival of carriers of mutations in DNA mismatch-repair genes in colon cancer. *N Engl J Med* 354 (26): 2751-63, 2006.
- **Beart RW, Steele GJ, Menck HR, et al.** Management and survival of patients with adenocarcinoma of the colon and rectum: a national survey of the commission on cancer. *J Am Coll Surg*; 181:225–36, 1995.
- **Berczi C, Bocsi J, Bartha I, et al.** prognostic value of DNA ploidy status in patients with rectal cancer. *Anticancer Res*; 22 : 3737-3741, 2002.
- **Berger SH, Jenh CH, Johnson LF, et al.** Thymidylate synthase overproduction and gene amplification in fluorodeoxyuridine-resistant human cells. *Mol Pharmacol*; 28: 461–467, 1985.
- **Berk T, Cohen Z, Bapat B, et al.** Negative genetic test result in familial adenomatous polyposis: clinical screening implications. *Dis Colon Rectum* 42 (3): 307-10; discussion 310-2, 1999.
- **Bernini A, Spencer M, Frizelle S, et al.** Evidence for colorectal cancer micrometastases using reverse transcriptase-polymerase chain reaction analysis of MUC2 in lymph nodes. *Cancer Detect Prev*; 24: 72–79, 2000.
- **Bertario L, Russo A, Sala P, et al.** Genotype and phenotype factors as determinants of desmoid tumors in patients with familial adenomatous polyposis. *Int J Cancer* 95 (2): 102-7, 2001.

- **Bertario L, Russo A, Sala P, et al.** Multiple approaches to the exploration of genotype-phenotype correlations in familial adenomatous polyposis. *J Clin Oncol* 21 (9): 1698-707, 2003.
- **Bhatavdekar JM, Patel DD, Ghosh N, et al.** Coexpression of Bcl-2, c-Myc, and p-53 oncoproteins as prognostic discriminants in patients with colorectal carcinoma. *Dis Colon Rectum*; 40: 785-790, 1997.
- **Bilchik AJ, Nora DT, Sobin LH, et al.** Effect of lymphatic mapping on the new tumor-node-metastasis classification for colorectal cancer. *J Clin Oncol*; 21:668-672, 2003.
- **Bisgaard ML&Bülow S:** Familial adenomatous polyposis (FAP): genotype correlation to FAP phenotype with osteomas and sebaceous cysts. *Am J Med Genet A* 140 (3): 200-4, 2006.
- **Blenkinsopp WK, Stewart-Brown S, Blesovsky L, et al.** Histopathology reporting in large bowel cancer. *J Clin Pathol*; 34: 509–513, 1981.
- **Boland CR, Thibodeau SN, and Hamilton SR, et al.** A National Cancer Institute Workshop on Microsatellite Instability for cancer detection and familial predisposition: development of international criteria for the determination of microsatellite instability in colorectal cancer. *Cancer Res* 58 (22): 5248-57, 1998.
- **Boland CR.** Hereditary nonpolyposis colorectal cancer. In: Vogelstein B, Kinzler KW, eds.: *The Genetic Basis of Human Cancer*. New York, NY: McGraw-Hill: 333-346, 1998.
- **Boonsong A, Curran S, McKay JA, et al.** Topoisomerase I protein expression in primary colorectal cancer and lymph node metastases. *Hum Pathol*;33:1114-1119, 2002.
- **Bosnar MH, De Gunzburg J, Bago R, et al.** Subcellular localization of A and B Nm23/NDPK subunits. *Exp Cell Res*;298:275–84, 2004.

- **Brensinger JD, Laken SJ, Luce MC, et al.** Variable phenotype of familial adenomatous polyposis in pedigrees with 3' mutation in the APC gene. *Gut* 43 (4): 548-52, 1998.
- **Bukholm IK, Nesland JM.** Protein expression of p53 , p21(WAF 1/CIP1), bcl-2, Bax , cyclin D1 and pRb in human colon carcinomas. *Virchows Arch*; 436:224-228, 2000 .
- **Bülow S, Björk J, Christensen IJ, et al.** Duodenal adenomatosis in familial adenomatous polyposis. *Gut* 53 (3): 381-6, 2004.
- **Bülow S:** Familial polyposis coli. *Dan Med Bull* 34 (1): 1-15, 1987.
- **Burke AB, Shekitka KM, and Sobin LH:** Small cell carcinomas of the large intestine. *Am. J. Clin. Pathol.*, 95: 315-321, 1991.
- **Burt RW& Petersen GM.** Familial colorectal cancer: diagnosis and management. In: Young GP, Rozen P, Levin B, eds.: *Prevention and Early Detection of Colorectal Cancer*. London, England: WB Saunders: 171-194, 1996.
- **Burt RW, Bishop DT, Lynch HT, et al.** Risk and surveillance of individuals with heritable factors for colorectal cancer. WHO Collaborating Centre for the Prevention of Colorectal Cancer. *Bull World Health Organ* 68 (5): 655-65, 1990.
- **Burt RW, Leppert MF, Slattery ML, et al.** Genetic testing and phenotype in large kindred with attenuated familial adenomatous polyposis. *Gastroenterology* 127 (2): 444-51, 2004.
- **Burt RW.** Gastric fundic gland polyps. *Gastroenterology* 125 (5): 1462-9, 2003.
- **Bussey HJ.** *Familial Polyposis Coli: Family Studies, Histopathology, Differential Diagnosis, and Results of Treatment*. Baltimore, Md: The Johns Hopkins University Press, 1975.

- **Butterworth AS, Higgins JP, Pharoah P.** Relative and absolute risk of colorectal cancer for individuals with a family history: a meta-analysis. *Eur J Cancer* 42 (2): 216-27, 2006.
- **Buyse M, et al.** Relation between tumour response to first-line chemotherapy and survival in advanced colorectal cancer: a meta-analysis. *Lancet*; 356: 373–8, 2000.
- **Calle E., Rodriguez C. and Walter-thurmond K.** Overweight, obesity and mortality from cancer in a prospective studied cohort of US adults *Engl J Med* 348:1625,2003.
- **Campbell WJ, Spence RA, Parks TG.** Familial adenomatous polyposis. *Br J Surg* 81 (12): 1722-33, 1994.
- **Cannon-Albright LA, Skolnick MH, Bishop DT, et al.** Common inheritance of susceptibility to colonic adenomatous polyps and associated colorectal cancers. *N Engl J Med* 319 (9): 533-7, 1988.
- **Caporaso N& Goldstein A.** Cancer genes: single and susceptibility: exposing the difference. *Pharmacogenetics* 5 (2): 59-63, 1995.
- **Carethers JM, Hawn JK, Greenson JK, et al.** Prognostic significance of allelic loss at chromosome 18q21 for stage II colorectal cancer. *Gastroenterology*; 114: 1188–1195, 1998.
- **Carles Z.,Gabriel O.and Josep C.** Nm23-H1 Immunoreactivity as a prognostic factor in differentiated thyroid carcinoma, *The Journal of Clinical Endocrinology &Metabolism* 86; 8 :3975-3980,2001.
- **Cassano A, Bagala C, Battelli C, et al.** Expression of vascular endothelial growth factor, mitogen-activated protein kinase and p53 in human colorectal cancer. *Anticancer Res.*;22:2179-84, 2002.
- **Cawkwell L, Lewis FA, Quirke P.** Frequency of allele loss of DCC, p53, RB1, WT1, NF1, NM23, APC/MCC in colorectal cancer assayed by fluorescent multiplex polymerase chain reaction. *Br J Cancer*; 70:813–18, 1994.

- **Chan K, Boey J, Wong S.** A method of reporting radial invasion and surgical clearance of rectal carcinoma. *Histopathology*; 9: 1319–1327, 1985.
- **Chang CC, Shih JY, Jeng YM, et al.** Connective tissue growth factor and its role in lung adenocarcinoma invasion and metastasis. *J Natl Cancer Inst*;96:364–75, 2004.
- **Chao A, Thun MJ, Connell CJ, et al:** Meat consumption and risk of colorectal cancer. *JAMA*; 293(2): 172-82, 2005.
- **Cheah PY, Cao X, Eu KW, et al.** Nm23-H1 immunostaining is inversely associated with tumour staging but not overall survival or disease recurrence in colorectal carcinomas. *Br J Cancer*; 77:1164–8, 1998.
- **Chellaiah M, Kizer N, Silva M, et al.** Gelsolin deficiency blocks podosome assembly and produces increased bone mass and strength. *J Cell Biol*;148:665–78, 2000.
- **Chen S, Wang W, Lee S, et al.** Prediction of germline mutations and cancer risk in the Lynch syndrome. *JAMA* 296 (12): 1479-87, 2006.
- **Cho E, Smith-Warner SA, Ritz J, et al.** Alcohol intake and colorectal cancer: a pooled analysis of 8 cohort studies *Ann Intern Med*;140(8):603-13 , 2004 .
- **Chung DC& Rustgi AK:** DNA mismatch repair and cancer. *Gastroenterology* 109 (5): 1685-99, 1995.
- **Clarke G, Ryan E, Crowe J, et al.** Immunohistochemical detection of mutant p53 protein in regional lymph nodes is associated with adverse outcome in stage II colorectal cancer. *Eur J Histochem*; 43: 311–316, 1999.
- **Clarke G, Ryan E, O'Keane JC, et al.** The detection of cytokeratins in lymph nodes of Duke's B colorectal cancer subjects predicts a poor outcome. *Eur J Gastroenterol Hepatol*; 12: 549–552, 2000.
- **Clarke GA, Ryan E, Crowe JP, et al.** Tumour-derived mutated K-ras. *Int J Colorectal Dis*; 16: 108–111, 2001.

- **Coburn MC, Pricolo VE, DeLuca FG, et al.** Malignant potential in intestinal juvenile polyposis syndromes. *Ann Surg Oncol* 2 (5): 386-91, 1995.
- **Cohn KH, Ornstein DL, Wang F, et al.** The significance of allelic deletions and aneuploidy in colorectal cancer. Results of a 5-year follow-up study. *Cancer*; 79:233-244, 1997.
- **Cohn KH, Wang FS, Desoto-LaPaix F, et al.** Association of nm23-H1 allelic deletions with distant metastases in colorectal carcinoma. *Lancet* 338:722–4, 1991. *Colon Rectum*; 46:192-202, 2003.
- **Compton C, Fenoglio-Preiser CM, Pettigrew N, et al.** American Joint Committee on Cancer prognostic factors Consensus Conference: Colorectal Working Group. *Cancer*; 88:1739-1757, 2000.
- **Compton CC.** The pathology report in colon cancer: what's prognostically important? *Dig Dis*; 17: 67–79, 1999.
- **Compton CC.** Updated protocol for the examination of specimens removed from patients with colorectal carcinoma. *Arch Pathol Lab Med*; 124: 1016–1025, 2000.
- **Condeelis J& Pollard JW.** Macrophages: obligate partners for tumor cell migration, invasion, and metastasis. *Cell*;124:263–6, 2006.
- **Cooper R, Sarioglu S, Sokmen S, et al.** Glucose transporter-1 (GLUT-1) : a potential marker of prognosis in rectal carcinoma? *Br J Cancer*; 89: 870-876, 2003.
- **Croitoru ME, Cleary SP, Di Nicola N, et al.** Association between biallelic and monoallelic germline MYH gene mutations and colorectal cancer risk. *J Natl Cancer Inst* 96 (21): 1631-4, 2004.
- **Cross SS, Bull AD, Smith JHF.** Is there any justification for the routine examination of bowel resection margins in colorectal adenocarcinoma? *J Clin Pathol*; 42: 1040–1042, 1989.

- **Damjanov I & Fan F.** Manual Grading Of Cancer, Tumors of the Digestive System:41. Springer 2007.
- **De Bruine A, Wiggers T, Beek C, et al.** Endocrine cells in colorectal adenocarcinomas: incidence, hormone profile and prognostic relevance. *Int J Cancer*; 54: 765–771, 1993.
- **De Jong AE, Morreau H, Van Puijenbroek M, et al.** The role of mismatch repair gene defects in the development of adenomas in patients with HNPCC. *Gastroenterology* 126 (1): 42-8, 2004.
- **De La Chapelle A.** Microsatellite instability phenotype of tumors: genotyping or immunohistochemistry? The jury is still out. *J Clin Oncol* 20 (4): 897-9, 2002.
- **De la Rosa A, Williams RL, Steeg PS.** Nm23/nucleoside diphosphate kinase: toward a structural and biochemical understanding of its biological functions. *Bioessays*; 17:53–62, 1995.
- **DerMardirossian C, Bokoch GM.** GDIs: central regulatory molecules in Rho GTPase activation. *Trends Cell Biol*;15:356–63, 2005.
- **Desai DC, Neale KF, Talbot IC, et al.** Juvenile polyposis. *Br J Surg* 82 (1): 14-7, 1995.
- **Dix BR, Robbins P, Soong R, et al.** The common molecular genetic alterations in Dukes B and C colorectal carcinomas are not short term prognostic indicators of survival. *Int J Cancer*; 59: 747-751, 1994.
- **Djureinovic T, Skoglund J, Vandrovcova J, et al.:** A genome wide linkage analysis in Swedish families with hereditary non-familial adenomatous polyposis/non-hereditary non-polyposis colorectal cancer. *Gut* 55 (3): 362-6, 2006.
- **Dukes CE&Bussey HJR.** The spread of cancer and its effect on prognosis. *Cancer*; 12:309–20, 1958.

- **Duncan JL& Kyle J.** Family incidence of carcinoma of the colon and rectum in north-east Scotland. *Gut* 23 (2): 169-71, 1982.
- **Eccles DM, van der Luijt R, Breukel C, et al.** Hereditary desmoid disease due to a frameshift mutation at codon 1924 of the APC gene. *Am J Hum Genet* 59 (6): 1193-201, 1996.
- **ElBolkiny N., ElBolkiny T. and Nouh.** Topographic pathology of cancer, Cancer Institute, Cairo University : 1- 6, 2005.
- **Elizabeth Cirincione & Burt Cagir.** Rectal Cancer.e medicine (Chicago Center for Jewish Genetics Disorders - Health Professionals - Colorectal Cancer.htm), 2007.
- **Elsaleh H, Robbins P, Joseph D, et al.** Can p53 alterations be used to predict tumour response to pre-operative chemo-radiotherapy in locally advanced rectal cancer? *Radiother Oncol*; 56:239-244, 2000.
- **Elsaleh H, Soontrapornchai P, Grieu F, et al.** P53 alterations have no prognostic or predictive significance in Dukes' C rectal carcinomas. *Int J Oncol*; 15: 1239-1243, 1999.
- **Eng C.** PTEN: one gene, many syndromes. *Hum Mutat* 22 (3): 183-98, 2003.
- **Enholm S, Hienonen T, Suomalainen A, et al.:** Proportion and phenotype of MYH-associated colorectal neoplasia in a population-based series of Finnish colorectal cancer patients. *Am J Pathol* 163 (3): 827-32, 2003.
- **Farrington SM, Tenesa A, Barnetson R, et al.** Germline susceptibility to colorectal cancer due to base-excision repair gene defects. *Am J Hum Genet* 77 (1): 112-9, 2005.
- **Filder IJ& Radinsky R.** Search for genes that suppress cancer metastasis. . *J Natl Cancer Inst*; 88:1700, 1996.
- **Finlay IG&Pickford IR.** Colorectal carcinoma. Lawson DH, ed. *Current medicine*, 4th ed. Edinburgh: Churchill Livingstone: 51–64, 1994.

-
- **Finlay IG, Meck D, Bruton F, et al.** Growth rate of hepatic metastases in colorectal cancer. *Br J Surg*; 75:641–4, 1988.
 - **Fisher ER, Colangelo L, Wieand S, et al.** Lack of influence of cytokeratin positive mini micrometastases in “ Negative Node ” patients with colorectal cancer: findings from the national surgical adjuvant breast and bowel projects protocols R-01 and C-01. *Dis Colon Rectum*, 46:1021-1026, 2003.
 - **Fleischmann C, Peto J, Cheadle J, et al.** Comprehensive analysis of the contribution of germline MYH variation to early-onset colorectal cancer. *Int J Cancer* 109 (4): 554-8, 2004.
 - **Fleming ID, Cooper JS, Henson DE, et al.** editors. *AJCC manual for staging of cancer*. 5th ed. Philadelphia, PA: Lippincott-Raven; 1997.
 - **Fodde R:** The APC gene in colorectal cancer. *Eur J Cancer* 38:867, 2002.
 - **Frattini M, Balestra D, Suardi S, et al.** Different genetic features associated with colon and rectal carcinogenesis. *Clin Cancer Res.* ; 10:4015-4021, 2004.
 - **Freije JM, Blay P, MacDonald NJ, et al.** Site-directed mutation of nm23-H1. Mutations lacking motility suppressive capacity upon transfection are deficient in histidine-dependent protein phosphotransferase pathways in vitro. *J Biol Chem*; 272:5525–32, 1997.
 - **Fuchs CS, Giovannucci EL, Colditz GA, et al.** A prospective study of family history and the risk of colorectal cancer. *N Engl J Med* 331 (25): 1669-74, 1994.
 - **Fujita H, Okada F, Hamada J, et al.** Gelsolin functions as a metastasis suppressor in B16-BL6 mouse melanoma cells and requirement of the carboxyl-terminus for its effect. *Int J Cancer*; 93:773–80, 2001.
 - **Gaffey M, Mills S, Lack E.** Neuroendocrine carcinoma of the colon and rectum. A clinicopathologic, ultrastructural, and immunohistochemical study of 24 cases. *Am J Surg Pathol*; 14: 1010–1023, 1990.
-

- **Galiatsatos P& Foulkes WD.** Familial adenomatous polyposis. *Am J Gastroenterol* 101 (2): 385-98, 2006.
- **Gelman IH, Gao L.** SSeCKS/Gravin/AKAP12 metastasis suppressor inhibits podosome formation via RhoA- and Cdc42-dependent pathways. *Mol Cancer Res*;4:151–8, 2006.
- **George H& berry WD.** M. D. Anderson surgical oncology handbook 4th. Edition, chapter 12,pp 261-320,2007.
- **Giardiello FM, Brensinger JD, Luce MC, et al.** Phenotypic expression of disease in families that have mutations in the 5' region of the adenomatous polyposis coli gene. *Ann Intern Med* 126 (7): 514-9, 1997.
- **Giardiello FM and Offerhaus JG.** Phenotype and cancer risk of various polyposis syndromes. *Eur J Cancer* 31A (7-8): 1085-7, 1995.
- **Gildea JJ, Seraj MJ, Oxford G, et al.** RhoGDI2 is an invasion and metastasis suppressor gene in human cancer. *Cancer Res*;62:6418–23, 2002.
- **Giovannucci E., Willet WC.** Dietary factors and risk of colon cancer . *Ann Med* 26:443,1994.
- **Goecke T, Schulmann K, Engel C, et al.** Genotype-phenotype comparison of German MLH1 and MSH2 mutation carriers clinically affected with Lynch syndrome: a report by the German HNPCC Consortium. *J Clin Oncol* 24 (26): 4285-92, 2006.
- **Goldstein NS&Hart J.** Histologic features associated with lymph node metastasis in stage T1 and superficial T2 rectal adenocarcinomas in abdominoperineal resections. Identifying a subset of patients for whom treatment with adjuvant therapy or completion abdominoperineal resection should be considered after local excision. *Am J Clin Pathol*; 111: 51–58, 1999.

- **Gotley DC, Reeder JA, Fawcett J, et al.** The deleted in colon cancer (DCC) gene is consistently expressed in colorectal cancers and metastases. *Oncogene*; 13:787-795, 1996.
- **Grabowski P , Schonfelder J, Ahnert-Hilger G, et al.** Expression of neuroendocrine markers: a signature of human undifferentiated carcinoma of the colon and rectum. *Virchows Arch*; 441:256-263, 2002.
- **Grady WM& Markowitz SD.** Hereditary colon cancer genes. *Methods Mol Biol* 222: 59-83, 2003.
- **Grady WM.** Genetic testing for high-risk colon cancer patients. *Gastroenterology* 124 (6): 1574-94, 2003.
- **Greene FL, Balch CM, Fleming ID, et al.** *AJCC manual for staging of cancer.* 6th ed. New York: Springer Verlag; 2002.
- **Greenson JK, Isenhardt CE, Rice R, et al.** Identification of occult micrometastases in pericolic lymph nodes of Duke's B colorectal cancer patients using monoclonal antibodies against cytokeratin and CC49. Correlation with long-term survival. *Cancer*; 73: 563–569, 1994.
- **Grizzle WE, Manne U, Weiss HL, et al.** Molecular staging of colorectal cancer in African-American and Caucasian patients using phenotypic expression of p53, bcl-2, MUC-1 and p-27 (kip-1). *Int J Cancer*; 97: 403-409, 2002.
- **Gruber SB, Ellis NA, Scott KK, et al.** BLM heterozygosity and the risk of colorectal cancer. *Science* 297 (5589): 2013, 2002.
- **Gruber SB, Entius MM, Petersen GM, et al.** Pathogenesis of adenocarcinoma in Peutz-Jeghers syndrome. *Cancer Res* 58 (23): 5267-70, 1998.
- **Gruber SB.** New developments in Lynch syndrome (hereditary nonpolyposis colorectal cancer) and mismatch repair gene testing. *Gastroenterology* 130 (2): 577-87, 2006.

- **Gryfe R, Kim H, Hsieh ET, et al.** Tumor microsatellite instability and clinical outcome in young patients with colorectal cancer. *N Engl J Med*; 342: 69–77, 2000.
- **Guidoboni M, Gafa R, Viel A, Doglioni C.** Microsatellite instability and high content of activated cytotoxic lymphocytes identify colon cancer patients with a favorable prognosis. *Am J Pathol*; 159: 297–304, 2001.
- **Gunther K, Dimmler A, Rodel F, et al.** P 27 does not predict histopathological response to radiochemotherapy in rectal cancer. *J Surg Res*; 113: 179-188, 2003.
- **Gunther K, Radkow T, Reymond MA, et al.** Angiogenesis and dendritic cell density are not correlated with metachronous distant metastasis in curatively operated rectal cancer. *Int J Colorectal Dis*; 18: 300-308, 2003.
- **Gupta RA& Dubois R:** Colorectal cancer prevention and treatment by inhibition of cyclooxygenase-2. *Nature Rev Cancer* 1:11, 2001.
- **Hainsworry JD& Greco TA.** Human chorionic gonadotrophine production by colon cancer. *Cancer*; 56:1337-1340, 1985.
- **Hakem A, Sanchez-Sweatman O, You-Ten A, et al.** RhoC is dispensable for embryogenesis and tumor initiation but essential for metastasis. *Genes Dev*;19:1974–9, 2005.
- **Halford SE, Rowan AJ, Lipton L, et al.** Germline mutations but not somatic changes at the MYH locus contribute to the pathogenesis of unselected colorectal cancers. *Am J Pathol* 162 (5): 1545-8, 2003.
- **Hamilton SR, Aaltonen LA, et al.** World Health Organization classification of tumours. Tumours of the digestive system. Lyon, France: IARC Press: 101–119, 2000.
- **Harry S. Cooper.** Sternberg's diagnostic surgical pathology 4th ed. Vol. 4 intestinal neoplasia :1568-1601,2004.

- **Hase K, Shatney C, Johnson D, et al.** Prognostic value of tumor "budding" in patients with colorectal cancer. *Dis Colon Rectum*; 36: 627–635, 1993.
- **Hawkins NJ & Ward RL.** Sporadic colorectal cancers with microsatellite instability and their possible origin in hyperplastic polyps and serrated adenomas. School of Pathology, University of New South Wales, Sydney, Australia. *J Natl Cancer Inst*;93(17):1307-13, 2001.
- **Hayer J, Engel M, Seifert M, et al.** Overexpression of nm23-H4 RNA in colorectal and renal tumors. *Anticancer Res.*; 21(4A):2821-2825, 2001.
- **Hearle N, Schumacher V, Menko FH, et al.** Frequency and spectrum of cancers in the Peutz-Jeghers syndrome. *Clin Cancer Res* 12 (10): 3209-15, 2006.
- **Heide I, Thiede C, Poppe K, et al.** Expression and mutational analysis of nm23-H1 in liver metastases of colorectal cancer. *Br J Cancer*; 70:1267–71, 1994.
- **Hemminki A, Markie D, Tomlinson I, et al.** A serine/threonine kinase gene defective in Peutz-Jeghers syndrome. *Nature* 391 (6663): 184-7, 1998.
- **Hemminki K & Chen B.** Familial risks for colorectal cancers are mainly due to heritable causes. *Cancer Epidemiol Biomarkers Prev* 13 (7): 1253-6, 2004.
- **Hemminki K&Chen B.** Familial association of colorectal adenocarcinoma with cancers at other sites. *Eur J Cancer* 40 (16): 2480-7, 2004.
- **Hendriks YM, Wagner A, Morreau H, et al.** Cancer risk in hereditary nonpolyposis colorectal cancer due to MSH6 mutations: impact on counseling and surveillance. *Gastroenterology* 127 (1): 17-25, 2004.
- **Herak Bosnar M, PaveliK, Hraan R, et al.** Loss of heterozygosity of the nm23-H1 gene in human renal cell carcinomas. *J Cancer Res Clin Oncol*; 123:485–8, 1997.

- **Herrera L, et al.** Familial Adenomatous Polyposis. New York, NY: Alan R. Liss Inc, 1990.
- **Herrera-Ornelas L, Justiniano J, Castillo N, et al.** Metastases in small lymph nodes from colon cancer. Arch Surg; 122: 1253–1256, 1987.
- **Hickson JA, Huo D, Vander Griend DJ, et al.** The p38 kinases MKK4 and MKK6 suppress metastatic colonization in human ovarian carcinoma. Cancer Res;66:2264–70, 2006.
- **Hirschhorn JN, Lohmueller K, Byrne E, et al.** A comprehensive review of genetic association studies. Genet Med 4 (2): 45-61, 2002.
- **Holten- Andersen M, Christensen IJ, Nilbert M, et al.** Association between preoperative plasma levels of tissue inhibitor of metalloproteinases 1 and rectal cancer patient survival, a validation study. Eur J Cancer; 40: 64-72, 2004.
- **Hoogerbrugge N, Willems R, Van Krieken HJ, et al.** Very low incidence of microsatellite instability in rectal cancers from families at risk for HNPCC. Clin Genet; 63:64-70, 2003.
- **Hoos A, Nissan A, Stojadinovic A, et al.** Tissue microarray molecular profiling of early, node-negative adenocarcinoma of the rectum: a comprehensive analysis. Clin Cancer Res; 8 (12):3841-3849, 2002.
- **Houlston R. S.** What we could do now: molecular pathology of colorectal cancer. J Clin Pathol: Mol Pathol; 54:206-214, 2001.
- **Houlston RS, Murday V, Harocopos C, et al.** Screening and genetic counselling for relatives of patients with colorectal cancer in a family cancer clinic. BMJ 301 (6748): 366-8, 1990.
- **Howe JR, Bair JL, Sayed MG, et al.** Germline mutations of the gene encoding bone morphogenetic protein receptor 1A in juvenile polyposis. Nat Genet 28 (2): 184-7, 2001.

- **Howe JR, Roth S, Ringold JC, et al.** Mutations in the SMAD4/DPC4 gene in juvenile polyposis. *Science* 280 (5366): 1086-8, 1998.
- **Howe JR, Sayed MG, Ahmed AF, et al.** The prevalence of MADH4 and BMPR1A mutations in juvenile polyposis and absence of BMPR2, BMPR1B, and ACVR1 mutations. *J Med Genet* 41 (7): 484-91, 2004.
- **Howe KL, Reardon C, Wang A, et al.** Transforming growth factor- β regulation of epithelial tight junction proteins enhances barrier function and blocks enterohemorrhagic *Escherichia coli* O157:H7-induced increased permeability. *Am J Pathol*;167:1587–97, 2005.
- **Iacobuzio-Donahue CA& Montgomery EA:** *Gastrointestinal and Liver Pathology*. Philadelphia, Elsevier, 2005.
- **Iino H, Fukayama M, Maeda Y, et al.** Molecular genetics for clinical management of colorectal carcinoma 17p, 18q, and 22q loss of heterozygosity and decreased DCC expression are correlated with the metastatic potential. *Cancer*; 73:1324-1331, 1994.
- **Iizuka N, Tangoku A, Hayashi H, et al.** The association between nm23-H1 expression and survival in patients with esophageal squamous cell carcinoma. *Cancer Lett*; 138:139–44, 1999.
- **Ikeguchi M, Makino M, Kaibara N.** Clinical significance of E-cadherin-catenin complex expression in metastatic foci of colorectal carcinoma. *J Surg Oncol*; 77: 201- 207, 2001.
- **Indinnimeo M, Cicchini C, Stazi A, et al.** Correlation between nm23-H1 overexpression and clinicopathological variables in human anal canal carcinoma. *Oncol Rep*; 6:1353–6, 1999.
- **Isaka N, Nozue M, Doy M, Fukao K.** Prognostic significance of perirectal lymph node micrometastases in Dukes' B rectal carcinoma: an

- immunohistochemical study by CAM5.2. Clin Cancer Res; 5: 2065–2068, 1999.
- **Ishijima N, Miki C, Ishida T, et al.** The immunohistochemical expression of BCL-2 oncoprotein in colorectal adenocarcinoma. Surg Today; 29: 682-684, 1999.
 - **Ishikura H, Kishimoto T, Andashi H, et al.** Gastrointestinal hepatoid adenocarcinoma, venous permeation and mimicry to hepatocellular carcinoma: a report of four cases. Histopathology; 31: 47-54, 1997.
 - **Itoh K, Yoshioka K, Akedo H, et al.** An essential part for Rho-associated kinase in the transcellular invasion of tumor cells. Nat Med; 5: 221–5, 1999.
 - **JA Martinez, S Prevot, B Nordlinger, et al.** Overexpression of nm23-H1 and nm23-H2 genes in colorectal carcinomas and loss of nm23-H1 expression in advanced tumour stages. Gut, Vol 37, 712-720, 1995.
 - **Jagelman DG, DeCosse JJ, Bussey HJ** Upper gastrointestinal cancer in familial adenomatous polyposis. Lancet 1 (8595): 1149-51, 1988.
 - **Jagelman DG.** Clinical management of familial adenomatous polyposis. Cancer Surv 8 (1): 159-67, 1989.
 - **James M. Crawford.** Robbins pathologic basis of disease chapter 18: the gastrointestinal tract, : 833, 7th edition , W.B. Saunders Company , United States, 2003.
 - **James M. Crawford.** The gastrointestinal tract. In Robbins Pathologic Basis of Disease. 6th ed. Philadelphia, London, Toronto, Montreal: WB. Saunders Company: 775-843, 1999.
 - **Jass J, Atkin W, Cuzick J, et al.** The grading of rectal cancer: historical perspectives and a multivariate analysis of 447 cases. Histopathology 1986; 10: 437–459, 1986.

- **Jass JR, Do KA, Simms LA, et al.** Morphology of sporadic colorectal cancer with DNA replication errors. *Gut*; 42: 673–679, 1998.
- **Jass JR, et al.:** Emerging concepts in colorectal neoplasia. *Gastroenterology* 123:862, 2002.
- **Jass JR, Love SB, Northover JMA.** A new prognostic classification of rectal cancer. *Lancet*; **ii:1303**–6, 1987.
- **Jemal A, Murray T, Ward E, et .** Cancer statistics, 2005. *CA Cancer J Clin* 55 (1): 10-30, 2005.
- **Jen J, Kim H, Piantadosi S, et al.** Allelic loss of chromosome 18q and prognosis in colorectal cancer. *N Engl J Med*; 331: 213–221, 1994.
- **Jenkins P., Fairclough P.D.** Screening guideline for colorectal cancer and polyps in patients with acromegally .*Gut* 52(suppl V); 13, 2002.
- **Jenne DE, Reimann H, Nezu J, et al.** Peutz-Jeghers syndrome is caused by mutations in a novel serine threonine kinase. *Nat Genet* 18 (1): 38-43, 1998
- **Jesserun J, Romero-Guadarrama M, Manivel JC.** Medullary adenocarcinoma of the colon: clinicopathologic study of 11 cases. *Hum Pathol*; 30: 843–848, 1999.
- **Jessup JM, Stewart AK, Menck HR.** The National Cancer Data Base report on patterns of care for adenocarcinoma of the rectum, 1985-95. *Cancer*; 83:2408-2418, 1998.
- **John DJ, McDermott FT, Hopper JL, et al.:** Cancer risk in relatives of patients with common colorectal cancer. *Ann Intern Med* 118 (10): 785-90, 1993.
- **Johns LE& Houlston RS.** A systematic review and meta-analysis of familial colorectal cancer risk. *Am J Gastroenterol* 96 (10): 2992-3003, 2001.
- **Joseph CA , Zvi A, Gurvinder Si, et al.** Prevalence and Risk of Colorectal Neoplasia in Consumers of Alcohol in a Screening Population *Am J Gastroenterol* ; 100 (9): 2049 , 2005.

- **Jung A, Schrauder M, Oswald U, et al.** The invasion front of human colorectal adenocarcinomas shows co-localisation of nuclear beta-catenin, cyclin D1 and p16 INK 4A and is a region of low proliferation. *Am J Pathol*; 159:1613-1617, 2001.
- **Kapitanovi S, Berkovi M, Popovi M, et al.** nm23-H1 expression and loss of heterozygosity in colon adenocarcinoma *Journal of Clinical Pathology*;57:1312-1318, 2004.
- **Kapiteijn E, Liefers GJ, Los LC, et al.** Mechanisms of oncogenesis in colon versus rectal cancer. *J Pathol*; 195: 171-178, 2001.
- **Kauffman EC, Robinson VL, Stadler WM, et al.** Metastasis suppression: the evolving role of metastasis suppressor genes for regulating cancer cell growth at the secondary site . *J Urol*;169:1122–33, 2003.
- **Kelli M. & David A.** Schwartz's Principles of Surgery vol.3 chapter 28: colon, rectum and anus: 1089, eighth ed., The McGraw-Hill Companies, United States, 2005.
- **Kinzler KW&Vogelstein B.** Colorectal tumors. In: Vogelstein B, Kinzler KW, eds.: *The Genetic Basis of Human Cancer*. New York, NY: McGraw-Hill: 583-612, 2002.
- **Kinzler KW and Vogelstein B:** Landscaping the cancer terrain. *Science* 280 (5366): 1036-7, 1998.
- **Klump B, Nehls O, Okech T, et al.** Molecular lesions in colorectal cancer: impact on prognosis? *Int J Colorectal Dis.* ; 19: 23-42, 2004.
- **Knudsen AL, Bisgaard ML, Bülow S.** Attenuated familial adenomatous polyposis (AFAP). A review of the literature. *Fam Cancer* 2 (1): 43-55, 2003
- **Kokal W, Sheibani K, Terz J, et al.** Tumor DNA content in the prognosis of colorectal carcinoma. *JAMA*; 255: 3123-3127, 1986.

- **Kornmann M, Link KH, Galuba I, et al.** Association of time to recurrence with thymidylate synthase and dihydropyrimidine dehydrogenase mRNA expression in stage II and III colorectal cancer. *J Gastrointest Surg*; 6: 331-337, 2002.
- **Kruse R, Rütten A, Lamberti C, et al.** Muir-Torre phenotype has a frequency of DNA mismatch-repair-gene mutations similar to that in hereditary nonpolyposis colorectal cancer families defined by the Amsterdam criteria. *Am J Hum Genet* 63 (1): 63-70, 1998.
- **Kumar V, Mitchell RN and Abbas A.** The gastrointestinal tract. In Robbins Pathologic Basis of Disease. 8th ed. Philadelphia, London, Toronto, Montreal: WB. Saunders Company: 767-850, 2007.
- **Kune S., Kune G.A., Watson L.F.** Case-control study of alcoholic beverages as etiological factors: The Melbourne Colorectal Cancer Study Nutrition and Cancer 9(1):43-56, 1987.
- **Lammering G, Taher MM, Borchard F, et al.** The prognostic value of S-phase fraction in preoperative radiotherapy of rectal cancer. *Oncol Rep* ; 8(1): 201-206, 2001.
- **Landis SH, et al.** cancer statistics .*CA Cancer J Clin Pathol* 48:6,1998.
- **Lanza G, Gafa R, Matteuzzi M, et al.** Medullary type poorly differentiated adenocarcinoma of the large bowel: distinct clinicopathological entity characterized by microsatellite instability and improved survival. *J Clin Oncol*; 150:1815-1825, 1999.
- **Laurent-Puig P, Olschwang S, Delattre O, et al.** Survival and acquired genetic alterations in colorectal cancer. *Gastroenterology*; 102: 1136–1141, 1998.
- **Lazar V, Grandjouan S, Bognel C, et al.** Accumulation of multiple mutations in tumour suppressor genes during colorectal tumorigenesis in HNPCC patients. *Hum Mol Genet* 3 (12): 2257-60, 1994.

- **Le Marchand L, Donlon T, Seifried A, et al.** Association of a common polymorphism in the human GH1 gene with colorectal neoplasia. *J Natl Cancer Inst* 94 (6): 454-60, 2002.
- **Leichman L, Lenz H-J, Leichman CG, et al.** Quantitation of intratumoral thymidylate synthase expression predicts for resistance to protracted infusion of 5-fluorouracil and weekly leucovorin in disseminated colorectal cancers: preliminary report from an ongoing trial. *Eur J Cancer*; 31: 1306–1310, 1995.
- **Lengauer C, Kinzler KW, Vogelstein B:** Genetic instabilities in human cancers. *Nature* 396 (6712): 643-9, 1998.
- **Leone A, McBride OW, Weston A, et al.** Somatic allelic deletion of nm23 in human cancer. *Cancer Res*; 51:2490–3, 1991.
- **Leslie A, et al.:** The colorectal adenoma-carcinoma sequence. *Br J Surg* 89:845, 2002.
- **Li C, Gardy R, Seon BK, et al.** Both high intratumoral microvessel density determined using CD105 antibody and elevated plasma levels of CD105 in colorectal cancer patients correlate with poor prognostic. *Br J Cancer*; 88: 1424-1431, 2003.
- **Liang JT, Cheng YM, Chang KJ, et al.** Reappraisal of K-ras and p53 mutations in recurrence of Duke's B2 rectal cancer after curative resection. *Hepatogastroenterology*; 46: 830- 837, 1999.
- **Liefers GJ, Cleton-Jansen AM, van de Velde CJ, et al.** Micrometastases and survival in stage II colorectal cancer. *N Engl J Med*; 339: 223–228, 1998.
- **Liefers GJ, Tollenaar RA, Cleton-Jansen AM.** Molecular detection of minimal residual disease in colorectal and breast cancer. *Histopathology*; 34: 385–390, 1999.
- **Lin M, van Golen KL.** Rho-regulatory proteins in breast cancer cell motility and invasion. *Breast Cancer Res Treat*;84:49–60, 2004.

- **Lindmark G.** Nm23-H1 immunohistochemistry is not useful as predictor of metastatic potential of colorectal cancer. *Br J Cancer*; 74:1413–18, 1996.
- **Lindor NM, Burgart LJ, Leontovich O, et al.** Immunohistochemistry versus microsatellite instability testing in phenotyping colorectal tumors. *J Clin Oncol* 20 (4): 1043-8, 2002.
- **Lindor NM, Rabe K, and Petersen GM, et al.** Lower cancer incidence in Amsterdam-I criteria families without mismatch repair deficiency: familial colorectal cancer type X. *JAMA* 293 (16): 1979-85, 2005.
- **Liu WM, Zhang XA.** KAI1/CD82, a tumor metastasis suppressor. *Cancer Lett*, 2005.
- **Ljungberg B, Osterdahl B, Mehle C.** Clinical significance of nm23 expression in renal cell carcinoma. *Urol Res*; 27:103–7, 1999.
- **Llor X, Pons E, Xicola RM, et al.** Differential features of colorectal cancers fulfilling Amsterdam criteria without involvement of the mutator pathway. *Clin Cancer Res* 11 (20): 7304-10, 2005.
- **Loeb LA, et al.:** Multiple mutations and cancer. *Proc Natl Acad Sci USA* 199:776, 2003.
- **Longnecker M.P.** Alcohol consumption in relation to risk of cancers of the breast and large bowel. *Alcohol Health & Research World* 16(3):223-229, 1992.
- **Longnecker M.P., Orza M.J. Adams M.E., et al.** A meta-analysis of alcoholic beverage consumption in relation to risk of colorectal cancer *Cancer Causes and Control* 1(1):59-68, 1990
- **Lothe RA, Hektoen M, Johnsen H, et al.** The APC gene I1307K variant is rare in Norwegian patients with familial and sporadic colorectal or breast cancer. *Cancer Res* 58 (14): 2923-4, 1998.

- **Luna-Perez P, Arriola EL, Cuadra Y, et al.** P53 protein overexpression and response to induction chemoradiation therapy in patients with locally advanced rectal adenocarcinoma. *Ann Surg Oncol*; 5: 203-208, 1998.
- **Luna-Perez P, Segura J, Alvarado I, et al.** Specific c-K-ras gene mutations as a tumor response marker in locally advanced rectal cancer treated with preoperative chemo-radiotherapy. *Ann Surg Oncol*; 7: 727-731, 2000.
- **Lynch HT& de la Chapelle A.** Hereditary colorectal cancer. *N Engl J Med* 348 (10): 919-32, 2003.
- **Lynch HT& Fitzgibbons R Jr.** Surgery, desmoid tumors, and familial adenomatous polyposis: case report and literature review. *Am J Gastroenterol* 91 (12): 2598-601, 1996.
- **Lynch HT& Smyrk TC.** Classification of familial adenomatous polyposis: a diagnostic nightmare. *Am J Hum Genet* 62 (6): 1288-9, 1998.
- **Lynch HT, Lanspa S, Smyrk T, et al.** Hereditary nonpolyposis colorectal cancer (Lynch syndromes I & II). Genetics, pathology, natural history, and cancer control, Part I. *Cancer Genet Cytogenet* 53 (2): 143-60, 1991.
- **Lynch HT, Lynch PM, Pester J, et al.** The cancer family syndrome. Rare cutaneous phenotypic linkage of Torre's syndrome. *Arch Intern Med* 141 (5): 607-11, 1981.
- **Lynch HT, Smyrk TC, Watson P, et al.** Genetics, natural history, tumor spectrum, and pathology of hereditary nonpolyposis colorectal cancer: an updated review. *Gastroenterology* 104 (5): 1535-49, 1993.
- **Lynch HT:** Desmoid tumors: genotype-phenotype differences in familial adenomatous polyposis--a nosological dilemma. *Am J Hum Genet* 59 (6): 1184-5, 1996.
- **MacDonald NJ, De la Rosa A, Benedict MA, et al.** A serine phosphorylation of nm23, and not its nucleoside diphosphate kinase activity, correlates with suppression of tumor metastatic potential. *J Biol Chem*; 268:25780-9, 1993.

-
- **MacDonald NJ, De la Rosa A, MA Benedict, et al.** A serine phosphorylation of Nm23, and not its nucleoside diphosphate kinase activity, correlates with suppression of tumor metastatic potential. *Biol. Chem.*, Vol. 268, Issue 34, 25780-25789, Dec, 1993
 - **Mandai M, Konishi I, Komatsu T, et al.** Mutation of the nm23 gene, loss of heterozygosity at the nm23 locus and K-ras mutation in ovarian carcinoma: correlation with tumor progression and nm23 gene expression. *Br J Cancer*; 72:691–5, 1995.
 - **Mao H, Liu H, Fu X, et al.** Loss of nm23 expression predicts distal metastases and poorer survival for breast cancer. *Int J Oncol.*;18(3):587-91, 2001.
 - **Marsh DJ, Kum JB, Lunetta KL, et al.** PTEN mutation spectrum and genotype-phenotype correlations in Bannayan-Riley-Ruvalcaba syndrome suggest a single entity with Cowden syndrome. *Hum Mol Genet* 8 (8): 1461-72, 1999.
 - **Martinez JA, Prevot S, Nordlinger B, et al.** Overexpression of nm23-H1 and nm23-H2 genes in colorectal carcinomas and loss of nm23-H1 expression in advanced tumour stages. *Gut*; 37:712–20, 1995.
 - **Masaki T, Matsuoka H, Sugiyama M, et al.** Budding as a useful determinant of the optimal treatment for T1 rectal carcinomas. *Hepatogastroenterology*; 50:388- 391, 2003.
 - **McKay JA, Douglas JJ, Ross VG, et al .** Analysis of key cell-cycle checkpoint proteins in colorectal tumors. *J Pathol*;196:386-393, 2002.
 - **Mehenni H, Gehrig C, Nezu J, et al.** Loss of LKB1 kinase activity in Peutz-Jeghers syndrome, and evidence for allelic and locus heterogeneity. *Am J Hum Genet* 63 (6): 1641-50, 1998.
-

- **Messerini L, Vitelli F, DeVitis LR, et al.** Microsatellite instability in sporadic colorectal carcinomas: relationship to clinico-pathological variables. *J Pathol*; 182: 380–384, 1997.
- **Michl P, Barth C, Buchholz M, et al.** Claudin-4 expression decreases invasiveness and metastatic potential of pancreatic cancer. *Cancer Res*;63:6265–71, 2003.
- **Miyaki M, Konishi M, Tanaka K, et al.** Germline mutation of MSH6 as the cause of hereditary nonpolyposis colorectal cancer. *Nat Genet* 17 (3): 271-2, 1997.
- **Miyoshi H, Nakau M, Ishikawa TO, et al.** Gastrointestinal hamartomatous polyposis in Lkb1 heterozygous knockout mice. *Cancer Res* 62 (8): 2261-6, 2002.
- **Mokhtar NM:** Cancer pathology registry 2000-2004. published by pathology department, national cancer institute Cairo University 2007.
- **Morgan M, Koorey D, Painter D, et al.** P53 and DCC immunohistochemistry in curative rectal cancer surgery. *Int J Colorectal Dis*;18:188-195, 2003.
- **Moussad EE, Brigstock DR.** Connective tissue growth factor: what's in a name? *Mol Genet Metab*;71:276–92, 2000.
- **Mueller-Koch Y, Vogelsang H, Kopp R, et al.** Hereditary non-polyposis colorectal cancer: clinical and molecular evidence for a new entity of hereditary colorectal cancer. *Gut* 54 (12): 1733-40, 2005.
- **Mulcahy HE, Skelly MM, Husain A, et al.** Long-term outcome following curative surgery for malignant large bowel obstruction. *Br J Surg*; 83: 46–50, 1996.

- **Müller W, Schneiders A, Hommel G, et al.** Expression of nm23 in gastric carcinoma. *Cancer*; 83:2481–7, 1998.
- **Murff HJ, Peterson NB, Greevy R, et al.:** Impact of patient age on family cancer history. *Genet Med* 8 (7): 438-42, 2006.
- **Myeroff LL& Markowitz SD.** Increased nm23-H1 and nm23-H2 messenger RNA expression and absence of mutations in colon carcinomas of low and high metastatic potential. *J Natl Cancer Inst*; 85:147–52, 1993.
- **Nagtegaal ID, van der Worp E, van de Velde CJ, et al.** Macroscopic evaluation of rectal cancer resection specimens: clinical significance of the pathologist in quality control. *J Clin Oncol*; 20: 1729–1734, 2002.
- **Nakamura T, Tabuchi Y, Ohno M.** Relations of nm23 expression to clinicopathologic variables and proliferative activity of gastric cancer lesions. *Cancer Detect Prev*; 22:246–50, 1998.
- **Nakanishi Y, Ochiai A, Yamauchi Y, et al.** Clinical implications of lymph node micrometastases in patients with colorectal cancers. A case control study. *Oncology*; 57: 276–280, 1999.
- **Nakau M, Miyoshi H, Seldin MF, et al.** Hepatocellular carcinoma caused by loss of heterozygosity in Lkb1 gene knockout mice. *Cancer Res* 62 (16): 4549-53, 2002.
- **Nakayama Y, Sako T, Shibao K, et al.** prognostic value of plasma vascular endothelial growth factor in patients with colorectal cancer. *Anticancer Res*; 22:2437-2442, 2002.
- **Neale K, Ritchie S, Thomson JP.** Screening of offspring of patients with familial adenomatous polyposis: the St. Mark's Hospital polyposis register experience. In: Herrera L, ed.: *Familial Adenomatous Polyposis*. New York, NY: Alan R. Liss In: 61-66, 1990.

- **Negri E, Braga C, La Vecchia C, et al.** Family history of cancer and risk of colorectal cancer in Italy. *Br J Cancer* 77 (1): 174-9, 1998.
- **Nelson H, Petrelli N, Carlin A, et al.** Guidelines for colon and rectal cancer surgery. *J Natl Cancer Inst*; 93: 583–596, 2001.
- **Nesi G, Palli D, Pernice LM, et al.** Expression of nm23 gene in gastric cancer is associated with a poor 5-year survival. *Anticancer Res*; 21:3643–9, 2001.
- **Neugut AI, Jacobson JS, DeVivo I.** Epidemiology of colorectal adenomatous polyps. *Cancer Epidemiol Biomarkers Prev* 2 (2): 159-76, 1993.
- **Nicolaides NC, Papadopoulos N, Liu B, et al.** Mutations of two PMS homologues in hereditary nonpolyposis colon cancer. *Nature* 371 (6492): 75-80, 1994.
- **Oberg A, Stenling R, Tavelin B, Lindmark G.** Are lymph node micrometastases of any clinical significance in Dukes Stages A and B colorectal cancer? *Dis Colon Rectum*; 41: 1244–1249, 1998.
- **O'Brien MJ, Winawer SJ, Zauber AG, et al.** Flat adenomas in the National Polyp Study: is there increased risk for high-grade dysplasia initially or during surveillance? *Clin Gastroenterol Hepatol* 2 (10): 905-11, 2004.
- **O'Brien MJ, Winawer SJ, Zauber AG, et al.** The National Polyp Study. Patient and polyp characteristics associated with high-grade dysplasia in colorectal adenomas. *Gastroenterology* 98 (2): 371-9, 1990.
- **Office of National Statistics.** Cancer Statistics. Registrations. England and Wales. London: HMSO, 1989.
- **Office of National Statistics.** Mortality statistics. Cause. England and Wales. London: HMSO, 1992.
- **Okonkwo A, Musunuri S, Talamonti M, et al.** Molecular markers and prediction of response to chemoradiation in rectal cancer. *Oncol Rep.*; 8: 497-500, 2001.

- **Okuyama T, Oya M, Ishikawa H.** Budding as a useful prognostic marker in pT3 well- or moderately- differentiated rectal adenocarcinoma. *J Surg Oncol*; 83: 42-47, 2003.
- **Olschwang S, Markie D, Seal S, et al.** Peutz-Jeghers disease: most, but not all, families are compatible with linkage to 19p13.3. *J Med Genet* 35 (1): 42-4, 1998.
- **Ozaki K, Enomoto T, Yoshino K, et al:** impaired FHIT expression characterizes serous ovarian carcinoma. *Br. J. Cancer*, 85 (2): 247-254, 2001.
- **Park Y, Hunter DJ, Spiegelman D, et al.** Dietary fiber intake and risk of colorectal cancer: a pooled analysis of prospective cohort studies. *JAMA*; 294:2849-57, 2005.
- **Patenaude AF.** Cancer susceptibility testing: risks, benefits, and personal beliefs. In: Clarke A, ed.: *The Genetic Testing of Children*. Oxford, England: BIOS Scientific, 145-156, 1998.
- **Paveli K, Kapitanovi S, Radoevi S, et al.** Increased activity of nm23-H1 gene in squamous cell carcinoma of the head and neck is associated with advanced disease and poor prognosis. *J Mol Med*; 78:111–18, 2000.
- **Pedemonte S, Sciallero S, Gismondi V, et al.** Novel germline APC variants in patients with multiple adenomas. *Genes Chromosomes Cancer* 22 (4): 257-67, 1998.
- **Peltomäki P& Vasen HF.** Mutations predisposing to hereditary nonpolyposis colorectal cancer: database and results of a collaborative study. The International Collaborative Group on Hereditary Nonpolyposis Colorectal Cancer. *Gastroenterology* 113 (4): 1146-58, 1997.
- **Peltomäki P:** Deficient DNA mismatch repair: a common etiologic factor for colon cancer. *Hum Mol Genet* 10:735, 2001.

- **Petersen GM, Slack J, Nakamura Y.** Screening guidelines and premorbid diagnosis of familial adenomatous polyposis using linkage. *Gastroenterology* 100 (6): 1658-64, 1991.
- **Potter J.D., & McMichael, A.J.** Diet and cancer of the colon and rectum: A case-control study *Journal of the National Cancer Institute* 76(4):557-569, 1986.
- **Quirke P & Scott N.** The pathologist's role in the assessment of local recurrence in rectal carcinoma. *Surg Oncol Clin N Am*; 3: 1–17, 1992.
- **Quirke P, Durdey P, Dixon MF, et al.** Local recurrence of rectal adenocarcinoma due to inadequate surgical resection. Histopathological study of lateral tumour spread and surgical excision. *Lancet*; 2 (8514):996-999, 1986.
- **Quirke P.** Limitations of existing systems of staging for rectal cancer: the forgotten margin. In: Rajagopalan NT, editor. *Rectal cancer research*. New York: Springer-Verla : 63–81, 2001.
- **Rashid A, Houlihan PS, Booker S, et al.** Phenotypic and molecular characteristics of hyperplastic polyposis. *Gastroenterology* 119 (2): 323-32, 2000.
- **Rau B, Sturm I, Lage H, et al.** Dynamic expression profile of p21 WAF1/CIP 1 and Ki67 predicts survival in rectal carcinoma treated with preoperative radiochemotherapy. *J Clin Oncol*; 21(18): 3391-3401, 2003.
- **Rebischung C, Gerard JP, Gayet J et al.** prognostic value of p53 mutations in rectal carcinoma. *Int J Cancer*; 100: 131-135, 2002.
- **Rebischung C, Laurent-Puig P, Gerard JP, et al.** Analysis of genetic disorders of cancer of the rectum: differences in relation to cancer of the colon. *Gastroenterol Clin Biol*; 22: 679-687, 1998.

- **Reymond MA, Dworak O, Remke S et al.** DCC protein as a predictor of distant metastases after curative surgery for rectal cancer. *Dis Colon Rectum*; 41:755-760, 1998.
- **Rhyu MS.** Molecular mechanisms underlying hereditary nonpolyposis colorectal carcinoma. *J Natl Cancer Inst* 88 (5): 240-51, 1996.
- **Rigau V, Sebbagh N, Olschwang S, et al.** Microsatellite instability in colorectal carcinoma. The comparison of immunohistochemistry and molecular biology suggests a role for hMSH6 [correction of hMLH6] immunostaining. *Arch Pathol Lab Med* 127 (6): 694-700, 2003.
- **Robinson VL, Kauffman EC, Sokoloff MH, et al.** The basic biology of metastasis. *Cancer Treat Res*;118:1–21, 2004.
- **Rodel F, Hoffmann J, Grabenbauer GC, et al.** High survivin expression is associated with reduced apoptosis in rectal cancer and may predict disease-free survival after preoperative radiochemotherapy and surgical resection. *Strahlenther Onkol*; 178: 426- 435, 2002.
- **Royds JA, Cross SS, Silcocks PB, et al.** Nm23 "anti-metastatic" gene product expression in colorectal carcinoma. *J Pathol*; 172:261–6, 1994.
- **Rozen P, Fireman Z, Figer A, et al.** Family history of colorectal cancer as a marker of potential malignancy within a screening program. *Cancer* 60 (2): 248-54, 1987.
- **Rubio CA.** Clear cell adenocarcinoma of the colon. *J Clin Pathol* ; 48: 1142-1144, 1995.
- **Ruo L, Tickoo S, Klimstra DS, et al.** Long- term prognostic significance of extent of rectal cancer response to preoperative radiation and chemotherapy. *Ann Surg*, 236 (1):75-81, 2002.
- **Saito M, Yamaguchi A, Goi T, et al.** Expression of DCC protein in colorectal tumors and its relationship to tumor progression and metastasis. *Oncology*; 56: 134-141, 1999.

- **Samowitz WS, Curtin K, Ma KN, et al.** Microsatellite instability in sporadic colon cancer is associated with an improved prognosis at the population level. *Cancer Epidemiol Biomarkers Prev*; 10: 917–923, 2001.
- **Sampson JR, Dolwani S, Jones S, et al.** Autosomal recessive colorectal adenomatous polyposis due to inherited mutations of MYH. *Lancet* 362 (9377): 39-41, 2003.
- **Sancar A, et al.:** Molecular mechanisms of mammalian DNA repair and the DNA damage checkpoints. *Annu Rev Biochem* 73:39, 2004.
- **Sankila R, Aaltonen LA, Jarvinen HJ, et al.** Better survival rates in patients with MLH1-associated hereditary colorectal cancer. *Gastroenterology*; 110: 682–687, 1996.
- **Sarris M, Konopka M, Lee CS.** Differential expression of the nm23 protein in the progression of oesophageal adenocarcinoma. *Pathology*; 35:37–41, 2003.
- **Saski O, Atkin WS, Jass JR.** Mucinous carcinoma of the rectum. *Histopathology*; 11:259-272, 1987.
- **Sato T, Nishimura G, Fushida S, et al.** Evaluation of p53, Ki-67 and DNA ploidy in both primary rectal carcinomas and locally recurrent tumors. *Oncol Rep*; 5: 1225-1229, 1998.
- **Saw RP, Morgan M, Koorey D, et al.** P53, deleted in colorectal cancer gene, and thymidylate synthase as predictors of histopathologic response and survival in low, locally advanced rectal cancer treated with preoperative adjuvant therapy. *Dis. of colon & rectum*. 2003
- **Sayed MG, Ahmed AF, Ringold JR, et al.** Germline SMAD4 or BMPR1A mutations and phenotype of juvenile polyposis. *Ann Surg Oncol* 9 (9): 901-6, 2002.
- **SB, et al.** Familial colorectal cancer in Ashkenazim due to a hypermutable tract in APC. *Nat Genet* 17 (1): 79-83, 1997.

- **Schneider J, Pollan M, Jimenez E, et al.** nm23-H1 expression defines a high-risk subpopulation of patients with early-stage epithelial ovarian carcinoma. *Br J Cancer*; 82:1662–70, 2000.
- **Schoen RE.** Families at risk for colorectal cancer: risk assessment and genetic testing. *J Clin Gastroenterol* 31 (2): 114-20, 2000.
- **Schwandner O, Bruch HP, Broll R.** p21, p27 , cyclin D1, and p53 in rectal cancer: immunohistology with prognostic significance? *Int J Colorectal Dis*; 17:11-19, 2002.
- **Schwandner O, Bruch HP, Broll R.** prognostic significance of p21 and p27 protein , apoptosis, clinical and histologic factors in rectal cancer without lymph node metastases. *Eur Surg Res*; 34(6): 389-396, 2002.
- **Schwandner O, Schiedeck TH, Bruch HP, et al.** P53 and Bcl-2 as significant predictors of recurrence and survival in rectal cancer. *Eur J Cancer*; 36: 348-356 2000.
- **Scott KWM& Grace RH.** Detection of lymph node metastases in colorectal carcinoma before and after fat clearance. *Br J Surg*; 76: 1165–1167, 1989.
- **Scott RJ, Froggatt NJ, Trembath RC, et al.** Familial infiltrative fibromatosis (desmoid tumours) (MIM135290) caused by a recurrent 3' APC gene mutation. *Hum Mol Genet* 5 (12): 1921-4, 1996.
- **Seifert M, Walter C, Mehraein Y, et al.** Expression of nm23 homologues nm23-H4, nm23-H6, nm23-H7 in human gastric and colon cancer. *J Pathol.*;205:623-632, 2005.
- **Shepherd N, Baxter K, Love S.** The prognostic importance of peritoneal involvement in colonic cancer: a prospective evaluation. *Gastroenterology*; 112: 1096–1102, 1997.
- **Shia J, Tickoo SK, Guillem JG, et al.** Increased endocrine cells in treated rectal adenocarcinomas: a possible reflection of endocrine differentiation in

-
- tumor cells induced by chemotherapy and radiotherapy. *Am J Surg Pathol*;26:863-872, 2000.
- **Shibata D, Reale MA, Lavin P, et al.** The DCC protein and prognosis in colorectal cancer. *N Engl J Med*; 335:1727-1732, 1996.
 - **Sieber OM, Lamlum H, Crabtree MD, et al.** Whole-gene APC deletions cause classical familial adenomatous polyposis, but not attenuated polyposis or "multiple" colorectal adenomas. *Proc Natl Acad Sci U S A* 99 (5): 2954-8, 2002.
 - **Sieber OM, Lipton L, Crabtree M, et al.** Multiple colorectal adenomas, classic adenomatous polyposis, and germ-line mutations in MYH. *N Engl J Med* 348 (9): 791-9, 2003.
 - **Sjöblom T, Jones S, Wood LD, et al.** The consensus coding sequences of human breast and colorectal cancers. *Science* 314 (5797): 268-74, 2006.
 - **Slattery ML& Kerber RA.** Family history of cancer and colon cancer risk: the Utah Population Database. *J Natl Cancer Inst* 86 (21): 1618-26, 1994.
 - **Sloane JP, Ansell ID, Quirke P, et al.** Standards and minimum datasets for reporting common cancers. Minimum dataset for colorectal cancer histopathology reports. London: The Royal College of Pathologists; 1998.
 - **Sogawa N, Takiguchi N, Koda K, et al.** Value of expression of p21 WAF1/CIP1 as a prognostic factor in advanced middle and lower rectal cancer patients treated with preoperative radio-chemotherapy. *Int J Oncol*; 21:787-793, 2002.
 - **Soliman AS, Bondy ML, Levin B, et al.** Familial aggregation of colorectal cancer in Egypt *Int J Cancer*, 77:811-816,1998.
 - **Soravia C, Berk T, Madlensky L, et al.** Genotype-phenotype correlations in attenuated adenomatous polyposis coli. *Am J Hum Genet* 62 (6): 1290-301, 1998.
-

- **Spirio L, Olschwang S, Groden J, et al.** Alleles of the APC gene: an attenuated form of familial polyposis. *Cell* 75 (5): 951-7, 1993.
- **Sridhar SC, Miranti CK.** Tetraspanin KAI1/CD82 suppresses invasion by inhibiting integrin-dependent crosstalk with c-Met receptor and Src kinases. *Oncogene*;25:2367–78, 2006.
- **Stacchi L, Nelson H, Sargent DJ, et al.** Impact of surgical and pathological variables in rectal cancer: a United States community and cooperative group report. *J Clin Oncol*; 19: 3895–3902, 2001.
- **Stahl JA, Leone A, Rosengard AM, et al.** Identification of a second human nm23 gene, nm23-H2. *Cancer Res*; 51:445–9, 1991.
- **Steeg PS, Bevilacqua G, Kopper L, et al.** Evidence for a novel gene associated with low tumor metastatic potential. *J Natl Cancer Inst* 1988; 80:200–4, 1988.
- **Steeg PS, Bevilacqua G, Kopper L, et al.** Evidence for a novel gene associated with low tumor metastatic potential. *J Natl Cancer Inst*;80:200–4, 1988.
- **Steeg PS, Cohn KH, and Leone A.** Tumor metastasis and nm23: current concepts. *Cancer Cell*;3:257–62, 1991.
- **Steeg PS.** Metastasis suppressors alter the signal transduction of cancer cells. *Nat Rev Cancer*;3:55–63, 2003.
- **Stryker SJ, Wolff BG, Culp CE, et al.** Natural history of untreated colonic polyps. *Gastroenterology* 93 (5): 1009-13, 1987.
- **Stupack DG, Teitz T, Potter MD, et al.** Potentiation of neuroblastoma metastasis by loss of caspase-8. *Nature*;439:95–9, 2006.
- **Sturt NJ, Gallagher MC, Bassett P, et al.** Evidence for genetic predisposition to desmoid tumours in familial adenomatous polyposis independent of the germline APC mutation. *Gut* 53 (12): 1832-6, 2004.

- **Su LJ & Arab L.** Alcohol consumption and risk of colon cancer: evidence from the National Health and Nutrition Examination Survey I Epidemiologic Follow-Up Study. *Nutr and Cancer*;50(2):111–119, 2004.
- **Subramaniam P, Sinha SN, Wilkinson S.** Immunohistochemical detection of p53 and the recurrence of rectal adenocarcinoma. *Aust NZJ Surg*; 65:740-742, 1995.
- **Suspiro A, Fidalgo P, Cravo M, et al.** The Muir-Torre syndrome: a rare variant of hereditary nonpolyposis colorectal cancer associated with hMSH2 mutation. *Am J Gastroenterol* 93 (9): 1572-4, 1998.
- **Sussman FS, Arnold J, Markowit Z and Winawer SJ.** Screening and Surveillance for colorectal cancer *Seminars in oncology*,27 (5) :10-21,2000.
- **Swain SM, Lippman ME, Egan EF, et al.** Fluorouracil and high doses leucovorin in previously treated patients with metastatic breast cancer. *J Clin Oncol*; 7: 890–899, 1989.
- **Tabuchi Y, Nakamura T, Kuniyasu T, et al.** Expression of nm23-H1 in colorectal cancer: no association with metastases, histological stage, or survival. *Jpn J Surg*; 29:116–20, 1999.
- **Tada S, Iida M, Mastumoto Y, et al.** Small flat cancer of the rectum:clinicopathological and endoscopic features. *Gastrointest Endosc* ;42: 109-113, 1995.
- **Tada T, Watanabe T, Kazama S, et al.** Reduced p16 expression correlates with lymphatic invasion in colorectal cancers. *Hepatogastroenterology*; 50:1756-60, 2003.
- **Takeda H, Miyoshi H, Kojima Y, et al.** Accelerated onsets of gastric hamartomas and hepatic adenomas/carcinomas in Lkb1+/-p53-/- compound mutant mice. *Oncogene* 25 (12): 1816-20, 2006.

- **Tang R, Ho YS, Chen HH, et al.** Different prognostic effect of postoperative chemoradiation therapy on diploid and nondiploid high-risk rectal cancers. *Dis Colon Rectum*;4: 1494-1499, 1998.
- **Tang R, Ho YS, You YT, et al.** prognostic evaluation of DNA flow cytometric and histopathologic parameters of colorectal cancer. *Cancer*; 76:1724-1730, 1995.
- **Tannapfel A, Kockerling F, Katalinic A, et al.** Expression of nm23-H1 predicts lymph node involvement in colorectal carcinoma. *Dis Colon Rectum*; 38:651-4, 1995.
- **Tepper JE, O'Connell MJ, Niedzwiecki D, et al.** Impact of number of nodes retrieved on outcome in patients with rectal cancer. *J Clin Oncol*; 19: 157-163, 2001.
- **Titus B, Frierson HF, Jr., Conaway M, et al.** Endothelin axis is a target of the lung metastasis suppressor gene RhoGDI2. *Cancer Res*;65:7320-7, 2005.
- **Tlsty T, Coussens LM.** Tumor stroma and regulation of cancer development. *Annu Rev Pathol Mech Dis* 1:119, 2006
- **Tokunaga Y., Urano T. and Furukawa K.** Reduced expression of nm23-H1, but not of nm23-H2, is concordant with the frequency of lymph node metastasis of human breast cancer *Int J Cancer* 55:66-71, 2001.
- **Tomita M, Ayabe T, Matsuzaki Y, et al.** Expression of nm23-H1 gene product in esophageal squamous cell carcinoma and its association with vessel invasion and survival. *BMC Cancer*; 1:3-7, 2001.
- **Tomita N, Monden M, Kikkawa N, et al.** Analysis of microsatellite instability and p53 LOH in advanced colorectal cancers-first report of the No. 3 protocol. *Gan To Kagaku Ryoho.*; 31:367-372, 2004.

- **Tschmelitsch J, Klimstra DS, Cohen AM.** Lymph node micrometastases do not predict relapse in stage II colon cancer. *Ann Surg Oncol*; 7: 601–608, 2000.
- **Tsukita S, Furuse M, Itoh M.** Multifunctional strands in tight junctions. *Nat Rev Mol Cell Biol*;2:285–93, 2001.
- **Ueno H, Hase K, Mochizuki H.** Criteria for extramural peri-neural invasion as a prognostic factor in rectal cancer. *Br J Surg*, 88(7): 994-1000, 2001.
- **Ueno H, Jones AM, Wilkinson KH, et al.** Histological categorisation of fibrotic cancer stroma in advanced rectal cancer. *Gut*; 53: 581-586, 2004.
- **Umar A, Boland CR, Terdiman JP, et al:** Revised Bethesda Guidelines for hereditary nonpolyposis colorectal cancer (Lynch syndrome) and microsatellite instability. *J Natl Cancer Inst* 96 (4): 261-8, 2004.
- **Vasen HF, Offerhaus GJ, den Hartog Jager FC, et al.** The tumour spectrum in hereditary non-polyposis colorectal cancer: a study of 24 kindreds in the Netherlands. *Int J Cancer* 46 (1): 31-4, 1990.
- **Vasen HF, Wijnen JT, Menko FH, et al.** Cancer risk in families with hereditary nonpolyposis colorectal cancer diagnosed by mutation analysis. *Gastroenterology* 110 (4): 1020-7, 1996.
- **Vogelstein B& Kinzler KW.** Cancer genes and the pathways they control. *Nat Med* 10 (8): 789-99, 2004.
- **Vogelstein B, Fearon ER, Kern SE, et al.** Allelotype of colorectal carcinomas. *Science* 244 (4901): 207-11, 1989.
- **Volm M, Mattern J, Koomagi R.** Association between nm23-H1 expression, proliferation and apoptosis in non-small cell lung carcinomas. *Clin Exp Metastasis*; 16:595–602, 1998.
- **Wagner A, Barrows A, Wijnen JT, et al.** Molecular analysis of hereditary nonpolyposis colorectal cancer in the United States: high mutation detection

- rate among clinically selected families and characterization of an American founder genomic deletion of the MSH2 gene. *Am J Hum Genet* 72 (5): 1088-100, 2003.
- **Wakimoto N., Yokoyama A. and Okabe-Kado J.** Combined analysis of differentiation inhibitory factor nm23-H1 and nm23-H2 as prognostic factors in acute myeloid leukemia *Br J Cancer* 77:2298-2303,1998.
 - **Wang L, Baudhuin LM, Boardman LA, et al.:** MYH mutations in patients with attenuated and classic polyposis and with young-onset colorectal cancer without polyps. *Gastroenterology* 127 (1): 9-16, 2004.
 - **Wang ZJ, Ellis I, Zauber P, et al.** Allelic imbalance at the LKB1 (STK11) locus in tumours from patients with Peutz-Jeghers' syndrome provides evidence for a hamartoma-(adenoma)-carcinoma sequence. *J Pathol* 188 (1): 9-13, 1999.
 - **Watanabe T, Wu TT, Catalano PJ, et al.** Molecular predictors of survival after adjuvant chemotherapy for colon cancer. *N Engl J Med*; 344: 1196–1206, 2001.
 - **Watson P& Lynch HT.** Extracolonic cancer in hereditary nonpolyposis colorectal cancer. *Cancer* 71 (3): 677-85, 1993.
 - **Watson P, Vasen HF, Mecklin JP, et al.** The risk of endometrial cancer in hereditary nonpolyposis colorectal cancer. *Am J Med* 96 (6): 516-20, 1994.
 - **Weber JL& May PE.** Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *Am J Hum Genet* 44 (3): 388-96, 1989.
 - **Weitz J, Koch M, Debus J, et al..** Colorectal cancer. *Lancet*. 8-14;365(9454):153-65, 2005 .
 - **White S, Bubb VJ, Wyllie AH.** Germline APC mutation (Gln1317) in a cancer-prone family that does not result in familial adenomatous polyposis. *Genes Chromosomes Cancer* 15 (2): 122-8, 1996.

- **Wiggenraad R, Tamminga R, Blok P, et al.** The prognostic significance of p53 expression for survival and local control in rectal carcinoma treated with surgery and postoperative radiotherapy. *Int J Radiat Oncol Biol Phys*; 41: 29-35, 1998.
- **Wiggers T, Arends JW, Volovics A.** Regression analysis of prognostic factors in colorectal cancer after curative resections. *Dis Colon Rectum*; 31: 33-41, 1988.
- **Willett CG, Boucher Y, di Tomaso E, et al.** Direct evidence that the VEGF specific antibody bevacizumab has antivasculature effects in human rectal cancer. *Nat Med*; 10:145-147, 2004.
- **Winawer SJ, Stewart ET, Zauber AG, et al.** A comparison of colonoscopy and double-contrast barium enema for surveillance after polypectomy. National Polyp Study Work Group. *N Engl J Med* 342 (24): 1766-72, 2000.
- **Winawer SJ, Zauber AG, Gerdes H, et al.** Risk of colorectal cancer in the families of patients with adenomatous polyps. National Polyp Study Workgroup. *N Engl J Med* 334 (2): 82-7, 1996.
- **Wittekind C, Compton CC, Sobin LH.** Residual tumour classification revisited. *Cancer*; 94: 2511–2516, 2002.
- **Wittekind C, Henson DE, Hutter RVP, et al.** TNM supplement. A commentary on uniform use. 2nd ed. New York: Wiley-Liss; 2001.
- **Woodhouse C.** Guidelines for monitoring of patients with uretro-sigmoidoscopy *Gut* 51 (suppl V):v15, 2002
- **Woelf CM.** A genetic study of carcinoma of the large intestine. *Am J Hum Genet* 10 (1): 42-7, 1958.
- **Wu CS, Tong SY, Chen PC, et al.** Clinocopathological study of colorectal carcinoma in Taiwan: multivariate analysis. *J Gastroentrol Hepatol*; 11:77-81, 1996.

- **Xia W, Unger P, Miller L, Nelson J, et al.** The Src-suppressed C kinase substrate, SSeCKS, is a potential metastasis inhibitor in prostate cancer. *Cancer Res*;61:5644–51, 2001.
- **Xie D, Sham JS, Zeng WF, et al .** Heterogenous expression and association of betacatenin, p16 and c-myc in multistage colorectal tumorigenesis and progression detected by tissue microarray. *Int J Cancer*, 107: 896-902, 2003.
- **Yamaguchi A, Urana T, Fushida S, et al.** Inverse association of nm23-H1 expression by colorectal cancer with liver metastasis. *Cancer*; 68:1020–4, 1993.
- **Yan H, Dobbie Z, Gruber SB, et al.** Small changes in expression affect predisposition to tumorigenesis. *Nat Genet* 30 (1): 25-6, 2002.
- **Yasuda K, Adachi Y, Shiraishi N, et al.** Pattern of lymph node micrometastasis and prognosis of patients with colorectal cancer. *Ann Surg Oncol*; 8: 300–304, 2001.
- **Zauber AG, Bond JH, Winawer SJ.** Surveillance of patients with colorectal adenomas or cancer. In: Young GP, Rozen P, Levin B, eds.: *Prevention and Early Detection of Colorectal Cancer*. London, England: WB Saunders, 1996, pp 195-215.
- **Zeng Z, Cohen AM, Hajdu S, et al.** Serosal cytologic study to determine free mesothelial penetration of intraperitoneal colon cancer. *Cancer*; 70: 737–740, 1992.
- **Zeng ZS, Hsu S, Zhang ZF, et al.** High level of nm23-H1 gene expression is associated with local colorectal cancer progression not with metastases. *Br J Cancer*; 70:1025–30, 1994.
- **Zhao H, Ross FP, Teitelbaum SL.** Unoccupied $\beta 3$ integrin regulates osteoclast apoptosis by transmitting a positive death signal. *Mol Endocrinol*;19:771–80, 2005.

- **Zhou XP, Waite KA, Pilarski R, et al.** Germline PTEN promoter mutations and deletions in Cowden/Bannayan-Riley-Ruvalcaba syndrome result in aberrant PTEN protein and dysregulation of the phosphoinositol-3-kinase/Akt pathway. *Am J Hum Genet* 73 (2): 404-11, 2003.