

REFERENCES

- Ablad, B.; Carlsson, B. and EK, L. (1973) :**
Pharmacologic studies of new cardioselective
beta receptor antagonists. *Life Sci.*, 12:107.
- Abrams, J. (1978):**
Nitroglycerine tolerance. *Prac. Cardiol.*,
4:11.
- Ahlquist, R.B. (¹⁹⁴⁸~~1984~~) :**
A study of the adrenergic receptors. *Am. J.*
Physiol., 153: 586.
- Alexander , S. (1976) :**
Palpitation, benign or malignant, *Cardiovas.*
Med., 1:58.
- Alkondon, M.; Ray, A. and Sen, P. (1984) :**
Role of vagus in antagonism of ouabain induced
arrhythmia in dogs by beta adrenoceptor antago-
nim and related drugs. *J. Pharma. Pharmacol.*,
3b (10): 702.
- Anderson, J.L. (1983) :**
Intra-Coronary streptokinase in treatment of
acute myocardial infarction. *N.Eng. J. Med.*,
308:1312.
- Antman, E.; Muller, J. and Goldberg, S. (1980) :**
Nifedipine therapy for coronary artery spasm.
N.Eng. J. Med., 302: 1269.
- Antman, E. and Smith, T.W. (1985) :**
Digitalis toxicity. *Ann. Rev. Med.*, 36:357.

Aronow, W.S.; Ferlinz, T. and Moorthy, K. (1976):

Effect of timolol versus Propranolol on hypertension and hemodynamics. Circulation, 54:47 .

Barowsky, K. and Brooker, G. (1980) :

[¹²⁵I] iodopindolol, a new highly selective radio iodinated beta receptor antagonist: measurement of beta receptors on intact rat astrocytoma cells. J. cyclic Nucleotide Res., 6:297.

Barret, A.M. and Cullum, V.A. (1968) :

Effect of propranolol on Cardiac arrhythmia. Br. J. Pharmacol., 34:43.

Batson, G.A.; Sideris, D. and Carlisle, R. (1971):

Prenylamine in effort induced angina. Clinical Trials J., 8 supp (1): 35.

Battler, A.; Ross, J. and Slutsky, R. (1979) :

Classification of beta-adrenoceptor blocker. Am. J. Cardiol., 44: 318.

Bauminger, B.B.; McMurray, W. and Watters, G. (1970):

The effect of oral prenylamine on the excretion of Catecholamine metabolites and on the response to tyramine. 2nd international symposium on prenylamine. Capri, 46.

Black, J.W.; Duncon, W.A.M. and Shanks, R.G. (1965) :

A new adrenergic beta-receptor antagonist. Br. J. Pharmac., 25: 577.

Black, J.W. and Stephenson, J.S. (1962) :

Pharmacology of a new adrenergic beta-receptor blocking compound. Lancet, 11:311.

Boger, W.P.; Steinert, R.F.; Puliafito, C.A. and Pavan-Langston, D. (1978) :

Clinical trial comparing timolol ophthalmic action to pilocarpine in open angle glaucoma. Am. J. Ophthalm., 86:8.

Bonn, T.A.; Turner, and Hicks, D.C. (1972) :

Beta-adrenargic receptor blockade with practolol in treatment of anxiety. Lancet, I: 814.

Braunwald, E. (1983) :

Role of beta-blockers in therapy of patients with angina pectoris and myocardial infarction Am. J. Med., 74:113.

Braunwald, E. (1982) :

Mechanism of action of calcium channel blockers. N. Eng. J. Med., 307: 1618.

Braunwald, E. (1976) :

Factors controlling infarct size following coronary artery occlusion. Circulation, 53 supp (1): 1.

Braunwald, E. and Maroko, P.R. (1974) :

Pathological events controlling infarct size Circulation, 50: 206.

Breckenridge, A. (1983) :

Beta-blockers in angina pectoris. Br. Med. J., 286:1085.

Brodde, O.E.; Karad, K.; Zerkowski, H.R.; Rohm, N. and Reidemester, J.C. (1982) :

Demonstration of β_1 and β_2 adrenoceptors in human heart by ^{125}I indocyano-pindolol (ICYP) binding. *Naunyn schmiedeberg's Arch. Pharmacol*, 321 suppl (D): 61.

Brooks, W.W.; Verriën, R.L. and Lown, B. (1980) :

Protective effect of verapamil on ventricular fibrillation during myocardial ischemia and reperfusion. *Cardiovas. Res.*, 14: 295.

Brown, J.E; Mc lead, A.A. and Shand, D.G. (1986) :

In support of cardiac chronotropic B_2 adrenoceptors *Am. J. Cardiol*, 57: 11F.

Buhler, F.E.; Laragh, J.A.; Baar, L. and Burner, H. (1972):

Propranolol inhibition of renin secretion. *N. Eng. J. Med.*, 287: 1204.

Burkhalter, A. and Frich, O. (1987) :

Ergot alkaloids in : *Basic and clinical pharmacology*, third Edition, P 183. Eds: Katzung BG, Appleton & lang, California.

Burner, H.; Hedwoll, R.R. and Meier, M. (1968):

Oxyprenolol, a new beta adrenoceptor antagonist. *Arzneimittel Forsch*, 18: 164.

Cairns, J.A. and Klassen, G. (1975) :

Beta-blockers and myocardial infarction. *Circulation*, 52 supp (II): 107.

Cardoe, N. (1968) :

Prenylamine lactate in patients with angina pectoris. Br. J. of clinical practice, 22:299.

Cardoe, N. (1970) :

Two year study of the efficacy and tolerability of prenylamine in treatment of angina pectoris. Postgraduate Med. J., 46: 708.

Carlsson, A. and Waldeck, B. (1968) :

Mechanism of action of prenylamine on tissue monoamines. Biochemica Applicata, 14 supp(1):14.

Carroll, B.J. and Welman, E. (1979) :

Effect of propranolol on creatine release during myocardial ischemia in dogs. J. Moll. cell Cardiol., 11(12): 1204.

Casperson, G.F. and Bourne, H.R. (1987) :

Biochemical and Molecular genetic analysis of hormone-sensitive Adenylate cyclase. Ann. Rev. Pharmacol. Toxicol, 27:371.

Chamberlain, D.A. (1987) :

The medical treatment of angina pectoris. Br. Heart. J., 58: 347.

Church, J. and Zsoter, T.T. (1980) :

Calcium antagonists mechanism of action. J. Physiol Pharmacol., 58:524.

Cokers, S.J. and Parratt, J.R. (1984) :

Effect of timolol on arrhythmia and prostanoid release during canine myocardial ischemia and reperfusion. Br. J. Pharmacol., 81(4): 675.

Crottogini, A.J.; Barra, J.Q.; Chatruc, M.R. and Fuente, L.D. (1985) :

Effect of nisoldipine on myocardial infarct size limitation in conscious dogs. *Am. Heart J.*, 110:755.

Daley, K.; Richardson, P.J.; Bergman, G. and Atkenson, L. (1984) :

Effect of timolol on pacing induced myocardial ischemia. *Br. Heart J.*, 52:628.

Davis, M.J. and Thomas, A. (1984) :

Thrombosis and acute coronary artery lesions in sudden cardiac death. *N. Eng. J. Med.*, 310:1137.

Dengler, H.J.; Eichelbaum, M. and Schomerus, M. (1970):

Pharmacokinetics of prenylamine. 2nd international symposium on prenylamine. Capri, 26.

Derrido, J.P.; Chiche, P. and Sobel, R. (1978) :

Favorable effect of nitroglycerine infusion in Patients with acute myocardial infarction. *Am. Heart J.*, 96: 833.

Dersham, G.H. and Han, J. (1981) :

Action of verapamil on purkinje fibres from normal and infarcted cardiac tissue. *J. Pharmac Exp. ther.*, 216: 261.

Dixon, W.R.; Mosimann, W.F. and weinen, N.C. (1979) :

The role of presynaptic feedback mechanism in regulation of norepinephrine release by nerve stimulation. *J. Pharmacol. Exp-Ther.*, 209:196.

Dunlop, D. and Shanks, R.G. (1968) :

Practolol, a new beta adrenoceptor antagonist.
Br. J. Pharmacol., 32: 201

Dusting, G.J.; Moncada, S. and Vane, J.P. (1977) :

General and regional circulatory effects of bradykinins in man. Circ. Res., XIV:351.

El-Brairy, A. (1985) :

Ph.D. Thesis, Faculty of Medicine, Cairo University.

El- Harrer, V.; Gaum, W.E. and Zipes, D.P. (1977) :

Effect of drugs on incidence of ventricular arrhythmia induced by acute coronary occlusion in dogs. Am. J. Cardiol., 39:544.

El-Sherif, A. and Lazzaro, R. (1977) :

Reentrant ventricular arrhythmias in the late myocardial infarction period. Circulation, 60:605.

Endo, T.; Ribeiro, G.T. and cheung, W.M. (1983) :

Relationship between the extent of hypoperfused zones of myocardium and ventricular fibrillation. Am. Heart J., 105:915.

Engel, G.; Hayer, D.; Berthold, R. and Wagner, H. (1981):

(+) [¹²⁵I] iodo-cyano pindolol a new ligand for beta adrenoceptors: Identification of beta adrenoceptors subtypes in guinea pig. Naunyn-schmiede bergs, Arch. Pharmacol., 317:277.

Exon, J.H. (1985) :

Mechanisms involved in alpha adrenergic phenomena. *Am. J. physiol Endocrinol. Metab.*, 248(b): E633.

Evans, R.C.; Vol. Mejios, J.E.; Kulevich, J.; Fischer, V.W. and Muller, H.S. (1985) :

Evaluation of a rat model for assessing interventions to salvage ischemic myocardium. *Cardiovas. Res.*; 19:132.

Fagbemi, O.; Kane, K.A.; McDonland, C.; Parrat, J.P. and Rothol, A.I. (1984) :

Effect of prenylamine and verapamil on coronary artery occlusion induced arrhythmia in rats. *Br. J. Pharmac.*, 83:299.

Feely, J. (1983) :

Beta blockers and sympathomimetics. *Br. Med. J.*, 286, 1043.

Ferrini, R. and Miragoli, G. (1979) :

Protective effect of creatinol D phosphate on ventricular fibrillation and death induced by intravenous CaCl_2 in mice. *Arzneimittel Forschung*, 29(9a):1473..

Findly, I.N.; Macleod, K.; Fard, M. and Gillen, G. (1986):

Treatment of angina pectoris with nifedipine and atenolol. *Br. Heart. J.*, 55:240.

Fishbein, M.C.; Hare, C.A.; Gissen, S.A. and Maroko, P.R. (1980) :

Identification and quantification of histochemical border zones during the evolution of myocardial infarction in the rat. *Cardiovas. Res.*, 14:41.

Fleckenstein, A.; Daring, H.J. and Gruen, G. (1968) :

New group of drugs, calcium antagonists.
Biochemica Applicata, 14:223.

Fleckenstein, A. (1977) :

Specific pharmacology of calcium in myocardium
and vascular smooth muscle. *Ann. Rev. Pharmacol.*
Toxicol., 17:149.

Fleckenstein, A. (1981) :

Pharmacology and electrophysiology of calcium
antagonists in: *Calcium antagonists in cardiovas-*
ascular therapy. International symposium in
Florance. Eds (Zanchett, A. and Krikler,
D.M.) Excerpta medica, Amsterdam, P10.

Florez, T. and Arconada, J.A. (1971) :

Effect of beta blockers on digitalis induced
arrhythmia. *Arch.Int. Pharmacodyn.*, 190:199.

Frankel, S. (1970) :

Enzymes in: *Gradwalh's clinical laboratory*
methods and diagnosis. P 104.
Eds: S. Frankel. C.V. Mosby Co.

Friedman, M.E.; Suarez, C.; Kates, C.M. and Reuben, J.P.
(1986) :

Calcium current in smooth muscle. *Am. J.*
Physiol., 250: H 699.

Freidwald, W.T. (1988) :

Epidemiology of cardiovascular disease in :
Cecil Text Book of Medicine (wyngaarden, J.B.
and Smith, L.H. Eds), 18th editin saundurs
Co., P179.

Gans, E.S.; Biggar, J.T. and Uhl, E.W. (1984) :

Effect of timolo on inducible tachyarrhythmias in dogs with subacute myocardial infarction. Am. J. Cardiol., 53 (2): 275.

Gills, R.A.; Corr, P.B.; Pace, D.G. and Evans, J. (1976):

Role of the nervous system in experimental induced arrhythmia. Cardiology, 61:37.

Given-wilson, R. and Jay, M. (1985) :

Once daily timolol in the prophylaxis of angina pectoris. Int. J. Cardiol, 9(2) 191.

Godfraind, E. (1987) :

Classification of calcium antagonists. Am. J. Cardiol, 59:11.

Gold, H.K; Leinbach, R.C. and Maroko, P.R. (1976):

Effect of propranolol on acute myocardial infarction, clinical study. Am. J. Cardiol, 38:689.

Goldberger, E. (1982) :

*Acute myocardial infarction in: Treatment of cardiac Emergencies P140, 3^d edition.
ed: Goldberger, E. C.V. Mosby Company, London.*

Gorczynski, R.J; Shaffer, J.E. and Lee, R.Y. (1983) :

Pharmacology of ASL-8052 anovel B-adrenergic receptor antagoinst with an ultra short duration of action. J. Cardiovas. Pharmacology, 5:668.

- Grong, K.; Jodalen, H.; Stangenland, L. and Lekven, J. (1986) :**
Cellular lipid accumulation in different regions of myocardial infarcts in cats during beta-blockade with timolol. *Cardiovas - Res.*, 20(4): 248.
- Gross, G.J. and Winbury, M.M. (1973) :**
Beta-adrenergic blockade on intermyocardial distribution of coronary blood flow. *J. Pharmacol. Exp. Ther.*, 187:451.
- Gunderson, T.; Grottum, P.; Pederson, T. and Kjekshus, J.K. (1986) :**
Effect of timolol on mortality and reinfarction after acute myocardial infarction. *Am. J. Cardiol.*, 58 (1): 20.
- Hall, B.A.; Robson, R.D.; Shore, N.N. (1975) :**
Timolol, new beta-blocker. *Arch. Int. Pharmacodyn.*, 213:251.
- Halmgren, S.; Abrhams, S.J. and Almgren, O. (1981) :**
Effect of ischemia on the adrenergic neurons of the rat heart. *Cardiovas. Res.*, 15:680.
- Hasselbach, W.; Balzer, H. and Makinase, M. (1968) :**
The inhibition of the sarcoplasmic Ca^{++} pump by prenylamine. *Biochemica Applicata*, 14 supp (1): 297.
- Hearse, D.J.; Garlick, P.B. and Humphrey, S.M. (1977) :**
Ischemic contracture of the myocardial mechanism and prevention. *Am. J. Cardiol.*, 39: 986.

Hearse, D.J. and Leirs, D. (1979) :

Enzymes in: Cardiology, diagnosis and research.
Chichester: Johnwilly.

Heikkila, J. and Nieminer, N.S. (1978) :

Function of methyle predinsilone to protect ischemic myocardium in contrast with subsequent beta-adrenergic blockade in man chest, 73(5): 577.

Heitz, A.; Schwartz, J. and Velley, J. (1983) :

Beta-adrenoceptors of Human myocardium: Determination of beta₁ and beta₂ sub types by radioligand binding. Br. J. Pharmacol., 80: 711.

Helfant, H.; Hermon, M.V. and Gardin, R. (1971) :

Abnormalities of left ventricular contraction induced by beta adrenergic blockade. Circulation, 43:641.

Henery, L. (1979) :

Effect of nifedipine on myocardial ischemic. Am. J. Cardiol., 44: 817.

Henery, P.D.; Schuchleib, R; Borda, T.J. and Roberts, R. (1978) :

Effect of nifedipine on myocardial perfusion and ischemic injury indogs. Circ. Res., 43:372.

Henery, P.D. and Sobel, B.E. (1974) :

Mitochondrial structure and function in acute myocardial ischemia in guinea pigs. Am. J. Physiol., 226:309.

Herlitz, J.; Hjalmanson, A. and waagestein, F. (1986) :

Beta-blockade and chest pain in acute myocardial infarction. Am. Heart J., 11 (5): 1120.

Hiller, L.D. and Braunwald, E. (1978) :

Coronary artery spasm. *N. Eng. J. Med.*, 299:695

Hodge, R.L. (1969) :

Investigation of a possible beta-blocking action of prenylamine in man. *Australian J. of Experimental Biology and Medical Science*, 47:651.

Hoffman, J.I.E. (1987) :

A critical view of Coronary reserve Circulation
75 supp (1): 1.

Hoffman, B.B. (1987) :

Adrenoceptor-activating drugs in : Basic and clinical pharmacology, P95, third edition.
Ed. Katzung, B.G., Appleton & Lange, California

Hoffman, J.I.E. and Buckberg, G.D. (1978) :

The myocardial supply: demand ratio. *Am. J. Cardiol*, 41:327.

Hoffman, B.F. and Rosen, M.R. (1981) :

Cellular mechanisms of Cardiac arrhythmias.
Circ. Res., 49:1.

Hondeghem, L.M. and Mason, J.W. (1987) :

Agents used in cardiac arrhythmias in : Basic and clinical pharmacology, P150, Third edition.
Ed: Katzung, B.G., Appleton & Lange, California

Hood, W.B.J. (1975) :

Modification of infarct size in: diagnosis and Management of acute myocardial infarction, P259
Ed: A.N. Brest, L. weinner. FA Davis Comp.

Ignarro, J.;Lippton, H. and Edwards, J.C. (1981) :

Mechanism of vascular smooth muscle relaxation by organic nitrates. J. Pharmacol. Exp. Ther., 218:739.

Ingbar, S.H. (1981) :

The role of antiadrenergic drugs in the management of Thyrotoxicosis, Cardiovas. Res., 2:683.

Ito, Y.; Kilomuro, K. and Kurjyama, H. (1979) :

Effect of acetylene choline and catecholamine on the smooth muscle cell of the porcine coronary artery. J. of physiology, 294:595.

Iversen, L.L. (1967). :

The uptake and storage of noradrenaline in sympathetic nerves. Cambridge university press (London).

Jaju, B.P.;Sinha, J.N. and Srimal, R.S. (1966) :

J. Ind. Med. Prof, 12: 5663.

Jennings, R.B. and Ganate, C.E. (1976) :

Mitochondrial structure and function in acute myocardial ischemia. Circ. Res, 38 supp(1):80.

Johns, S.A.;Leijten, P.;Yamamoto, H. and Hwang, K. (1987):

Calcium regulation in vascular smooth muscle contractility. Am. J. Cardiol. 59: 18A.

Johnsson, G.;Norry, A.;Solvell, L. and Ablad, B. (1966) :

Pharmacology of a new beta blocker, alprenolol Pharmacol. Clin., 2:34.

Jullian, D.G. and Campbell, R.W.F. (1981) :

Sudden Coronary death in: Recent advances in cardiology. P71.

Eds: J. Harmer and DJ Rowlands. Churchill living Stone.

Katz, A.M. and Reuter, H. (1979) :

Cellular Ca^{++} and Cardiac celldeath. Am. J. Cardiol., 44:188.

Katzung, B.G. and Chatterjee, K. (1987) :

Vasodilators & treatment of angina pectoris. In, Basic and clinical pharmacology, P125, third Ed.

Ed: Katzung BG. Appleton & Lange, California.

Katzung, B.G. and Parmley, W.W. (1987) :

Cardiac glycosides in: Basic and clinical pharmacology, P138, third Ed.

Ed: Katzung BG. Appleton & Lange, California.

Kennedy, J.W.; Ritchie, J.L. and Davis, K.B. (1983) :

Randomized trial of intracoronary streptokinase in acute myocardial infarction. N. Eng. J. Med., 309:1477.

Khan, M.I. (1984) :

Management of angina pectoris in: Manual of Cardiac drug therapy, P78, 1st edition.

Ed: Khan MI, Bailliere Tindall, WB Saunders, London.

Kjekshus, J.K. and Sobel, B.E. (1970) :

Depressed myocardial CPK activity following myocardial infarction in rabbits. Circ. Res. 27:403.

- Klocke, F.J.; Mates, R.E. and Canty, J.M. (1985) :**
Coronary pressure flow relation ship. *Circ. Res.*, 56:310.
- Kloner, R.A.; Fishbein, M.C.; Braunwald, E. and Maroko, P.R. (1978) :**
Effect of propranolol on mitochondrial morphology during acute myocardial ischemia. *Am. J. Cardiol.* 41:880.
- Kontos, H.A.; Magee, H. and Shapiro, W. (1964) :**
General and regional circulatory effects of bradykinins in man. *Circ. Res.*, XIV: 351.
- Lands, A.M.; Arnold, A.; McAuliff, J.P.; Luduena, F.P. and Brown, T.C. (1967) :**
Differentiation of receptor systems activated bysympathomimetic amines. *Nature*, 214:297.
- Langer, S.Z. (1981) :**
Presynaptic regulation of the release of catecholamines *Pharm. Res.*, 32: 337.
- Lathers, C.M. (1975) :**
Effect of practolol and sotalol on ouabain induced non uniform adrenergic nerve activity. *Fed. Proc.*, 34:745.
- Lathers, C.M. (1980) :**
Effect of timolol on autonomic neural discharge associated with ouabain induced arrhythmia, *Eur. J. of pharm.*, 64:95.
- Lathers, C.M.; Spivey, W.H.; Suter, L.E.; Lerner J.P. and Tumer, N. (1986) :**
Effect of timolol on cardiac sympathetic neural discharge in arrhythmia at cats subjected to coronary artery occlusion. *Life Sci.*, 39 (22):2121.

- Laurence, D.R. and Bennett, P.N. (1987) :**
Beta adrenergic blocking agents in: *Clinical pharmacology*, 7th edition, p409. Churchill. Living stone.
- Lebrec, D.; Poynard, T.; Hillon, P. and Benhamou, J.P. (1981)**
Propranolol for prevention of recurrent gastro intestinal bleeding in patients with cirrhosis, *N. Eng. J. Med.*, 305:1371.
- Lee, R.J.; Dickeeson, D.D.; Fulmor, I.E. and Goldberger, M.E. (1978) :**
Cardio vascular hemodynamics of timolol. *Prog. Sci. EX. Biol. Med.*, 158:147.
- Lefer, A.M.; Cohn, G.R. and Osman, C.H. (1977) :**
Effect of timolol on acute myocardial ischemia in cats. *Eur. J. of pharm.*, 41:379.
- Lesch, M.; Ross, R.S. and Braunwald, E. (1977) :**
Ischemic heart disease in:
Harrison's principles of internal medicine 8th edition. P:1262.
Eds((Thorn, G.W.; Adams, R.S.; Braunwald, E.; Hasellbackes, KI and Peterdrof, P.G). McCrow Hill.
- Levy, B. (1966) :**
The adrenergic blocking activity of N-Tert-butylmethoxamine (Butoxamine). *J. Pharmacol. Exp. Ther.*, 151:413.
- Limbird, L.E. and Sweatt, J.D. (1985) :**
Alpha₂ adrenergic receptors: interaction with multiple effector systems in *The Receptors*, ed. P.M. Conn. 2:281 Orlands New York, Academic.

- Lindner, E. (1963) :**
Mode of action of prenylamine on noradrenaline uptake. Arch. Int. Pharmacodyn., 146:485.
- Lindner, E. (1968) :**
Experiments on Catecholamine depleted hearts. Biochimico. Applicata (Pharm), 14 supp 1:367.
- Lindner, E. (1969) :**
Mechanism of action of prenylamine. Arzneimittel Forsch, 19:15.
- Lidner, E. (1971) :**
Pharmacology of prenylamine. Clin. Trials. J., (Supp 1) 8:6.
- Lish, P.M.; Weikel, J.H. and Dungan, K.W. (1965) :**
Sotalol, a new beta blocker. J. Pharmacol. Exp. Ther., 148:94.
- Lucchesi, B.R. (1965) :**
Effect of quinidine on Cardiac arrhythmias. J. Pharmacol. Exp. Ther., 148:94.
- Ludbrook, P.; Karliner, J.S. and Kostuck, W. (1973) :**
Effect of i.v propranolol on wall motion abnormalities. Am. J. Cardiol., 31:712.

- Macleen, D.; Fishbein, M.C.; Braunwald, E. and Maroko, P.R. (1978):**
Preservation of ischemic myocardium. *J. of Clinical Investigation*, 61:541.
- Macleen, D. and Feely, J. (1983):**
New antianginal drugs. *Br. med. J.*, 286:1127.
- Manning, A.S.; Shattock, M.J.; and Hearse, D.J. (1981):**
Prenylamine and myocardial response to ischemia and reperfusion. *IRCS Med. Sci*, 9:534.
- Manning, A.S.; Shattock, M.J.; Dennis, S.C. and Hearse, D.J. (1982):**
Longterm prenylamine therapy: Effect on response to myocardial ischemia in isolated rat heart. *Eur. J. pharmacol*, 77:33.
- Maroko, P.R.; Kjekshus, J.K.; Sobel, B.E.; watanobe, T. and Braunwald, E. (1971):**
Factors influencing infarct size following Coronary occlusion. *Circulation*, 43:67.
- Maroko, P.R.; Libby, P. and Ginks, W.R. (1972):**
Effect of propranolol on myocardial infarction in dogs. *J. Clin. Investigations*, 51:2710.
- Marshall, R.J. and Parrat, J.R (1977):**
Effect of prenylamine on coronary artery-induced arrhythmia in dogs. *Br. J. Pharmacol*, 59:33.
- Marzo, A. and Ghirardi, P. (1979):**
Creatine phosphokinase, Role in metabolic Process *Arzneimittel Forschung*, 29 (11): 1471.

Mc Devit, D.G. (1983):

Beta adrenergic blocking drugs and partial agonist activity, is it clinically relevant? *Drugs*, 25:331.

Melon, K.L. and Morrelli, H.F. (1978):

Coronary artery disease in: *Clinical cardiology*. 2nd edition P 284, Macmillan publication Co. New Yourk.

Melville, K.I. and Benfey, B.C. (1975):

Coronary vasodilators and cardiac adrenergic blocking effects of iproveratril. *J. Physiol pharmacol.*, 43:339.

Merin, R.G. (1982):

Ca⁺⁺ channel blocking drugs. *Ann. Soc. Anaesth.*, 10:143.

Michael, C.F.; Carol, A.H. Sally, A.G.; Jael, S.; Derek, M. and Maroko, P.R. (1980):

Identification of histochemical border zones during the evolution of myocardial infarction in rat. *Cardiovas. Res.*, 14:41.

Milei, J.; Nunez, R.G. and Rapapart, M. (1978):

Pathogenesis of isoprenaline- induced myocardiol lesions. *Cardiology*, 63 (3): 139.

Milei, J.; Vazouez, A. and Bolomo, N.G. (1982):

Prenylamine mechanism of action on experimental models of myocardiol damage. *Cardiology*, 69 (4):192.

Minneman, K.P.; Hegstrand, L.R.; and Molinoff, P.B. (1979):

Simultaneous determination of β_1 and β_2 adrenergic receptors in tissues containing both receptor subtypes. *Mol. Pharmacol.*, 15:286.

Mittal, C.G. and Murard, F. (1982):

Guanylate cyclase: regulation of cyclic GMP metabolism in: *Cyclic Nucleotides*.

Eds: Ivathrnson, JA and Kebabion J.W. *Hand book of experimental pharmacology*, Vol. 58, P 225.

Morales Aguilera, A. and vaughan williams, E.M. (1965):

Local anaesthetic activity of propranolol versus Lidocaine. *Br. J. Pharmacol.*, 24:335.

Morgan, K.C. (1987):

Role of calcium ion in maintainece of vascular smooth muscle tone. *Am. J. Cardiol.*, 59:24A.

MOuille, P.; Schmitt, H.; Heymol, G. and Gautur, E (1976):

Cardiovascular and beta adrenergic blocking effect of timolol. *Eur. J. Pharmacol.*, 35:235.

Nuller, H.S. and Ayeres, S.M. (1980):

Catecholamine and fatty acids release in acute myocardial infarction. *J. Clinic. invest.*, 65(2): 338.

Murphy, J.E. (1973):

Prenylamine in angina pectoris. *J. of Internal Medicine Res.*, 1:204.

Mustafa, S.J. and Ghai, I. (1981):

Effect of adenosine on the relaxation of coronary arteries. Basic Research in cardiology, 76:380.

Nanas, N. and Kralios, A.C. (1986):

Relative effects of propranolol and timolol on V.F threshold and hemodynamics in the dog. Am. Heart. J., 111:1094.

Naylar, W.G. (1968):

Biochemical aspects of prenylamine action. Biochemica Applicata, 14 supp 1:305.

Naylar, W.C.; Fassold, E. and Ferrorni, R. (1978):

The pharmacological protection of ischemic heart. Am. J. cardiol., 42:217.

Naylar, W.C. (1980):

Calcium antagonists, Eur. Heart J., 1:225.

Nielsen, K.C. and Owman, C. (1967) :

Differential amine depletion from cardiac adrenergic nerves by prenylamine. Experientia, 23:203.

Norris, R.M.; Whitlock, R.M.; Barratt, C. and Small C.W. (1975):

Infarct size, Factors controlling it. Circulation, 51:614.

Norris, R.M.; Sammel, N.L.; Clarke, E.D; Smith, W.M. and Williams, B. (1978):

Management of acute myocardial infarction, role of beta blockers. Lancet, 2:907.

Norweigain Multicentre Study group (1981):

Timolol induced reduction in mortality and reinfarction in patients surviving acute myocardial infarction *N. Eng. J. Med.*, 304:801.

Obianwu, H.O. (1965):

The effect of prenylamine on the amine level of brain, heart and adrenalmedulla in rats. *Acta. Pharmacologica . Toxicologica.*, 23:383.

Opie, L.H. and Thomas, M. (1976):

Effect of beta-blockers on acute myocardial infarction. *Post. Guard. Med.*, 524:124.

Oram, S. (1981):

Ischemic heart disease in: *Clinical Heart Disease*. P413, 2nd edition. eds (Samuil, O, William, H). Medical Books LTD, London.

Page, D.L.;Gauldfield, J.B. and Kastor, J.A. (1971):

Myocardial changes associated with Cardiogenic shock. *N. Eng. J. Med.*, 285:133.

Paget, G.E. (1963):

Carcinogenic action of pronethalol. *Br. Med. J.*, 2:1266.

Palmer, R.M.;Ferrigo, A.G. and Moncada, S. (1987):

Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature*, 327:524.

Parker, J.O.;Farrell, B.;Lathey, K. and Moe, G. (1987):

Effect of intervals between doses on the development of tolerance to nitrates. *N. Eng. J. Med.*, 316:1440.

Parratt, J.P. (1981):

The evidence for alpha adrenoceptors in the Coronary Circulation. Basic Res. in Cardiology, 76:485.

Peat field, R. (1983):

Migraine. Current Concepts of pathogenesis and treatment. Drugs., 26:364.

Peter, T.; Norris, R.M.; Clarke, E.D. and Hengs, M.K. (1978):

Propranolol and infarct size. Clinical study. Circulation, 57:1091.

Pierce, W.S.; Coter, D.R.; Cavren, M.H. and Waldhousen, J.A. (1973):

Beta-adrenergic blockade in acute myocardial ischemia. Arch. Surgery, 107:682.

Pitt, B. and Carven, P. (1970):

Effect of propranolol on regional myocardial blood flow in acute ischemia. Cardiovas. Res. 4:176.

Powel, E.C. and Slater, I.H. (1958):

Blocking of inhibitory adrenergic receptors by dichloro analogue of isoprenaline. J. Pharmac. Exp. Ther., 122:480.

Pratt, C.M. and Roberts, R. (1983):

Chronic beta-blockade therapy. Am. J. Cardiol., 52:661.

Prichard, B.N.C. and Gillam, P.M.S. (1969):

Beta blockers in hypertension. Br. Med. J., 1:7.

Prichard, B.N.C. (1978):

Beta adrenergic receptor blockade in hypertension Past, present and future. Br. J. Clin. Pharmacol, 5:379.

Prichard, B.N.C.; Owens, C.W.I, and Tuckman, J. (1980):

Clinical features of adrenergic agonists and antagonists in: Adrenergic activators and inhibitors (Szekeres, L. ed.) Hand book of Experimental Pharmacology Vol. 54, Pt II. Springer-verly- Berlin, P 559.

Prinzmetal, M.; Kennamer, R.; Merliss, R.; Waln, T. and Bor, N. (1959):

Angina Pectoris: Variant form of angina pectoris. Am. J. Med., 27:375.

Quyyumi, A.A.; Crake, T. and Wright, C.M. (1987):

Medical treatment of patients with severe exertional and rest angina. Br. Heart. J., 57:505.

Ranganathan, N.; Lopez, J. and Morris, N. (1988):

Prophylaxis of post-myocardial infarction dysrhythmias by long-term timolol therapy. Am. Heart J., 115(2): 340.

Reimer, K.A.; Lowe, J.E. and Jennings, R.B. (1977):

Effect of calcium antagonists on necrosis following temporary coronary artery occlusion in dogs. Circulation, 55:581.

Risoe, C.; Kirkeby, O.J. and Grollum, P. (1986):

Reduction of infarct size by beta adreno-receptor blockers. Acta Med. scand., 219(3): 271.

Risoe, C.; Kirkeby, O.J.; Grollum, P.; Sederholm, M. and Kjekshus, J.K. (1987):

Fever after acute myocardial infarction in patients treated with I.V timolol or placebo. *Br. Heart. J.*, 57(1): 28.

Roberts, R.; Ahumada, G. and Sobel, B.E. (1975):

Estimation of infarct size with emphasis on enzymatic techniques. *Up John Comp.*

Roberts, J.; Kelliher, G.J. and Lathers, C.M. (1976):

Digitalis toxicity. *Life Science*, 18:665.

Robertson, R.M.; Wood, A.J. and Vaughn, M.K. (1982):

Exacerbation of vasospastic angina pectoris by propranolol. *Circulation*, 65:281.

Robertson, J.I.S.; Kaplan, N.M.; Calwell, A.D. S. and Speight, T.M. (1983):

Beta blockade in the 1980s, Focus on atenolol. *Drugs*, 25 supp. 2:1.

Rona, C.; Chappel, G.I. and Balazs, T. (1959):

Effect of hypoxia on cellular Cpk. *Arch. anaesth.*, 67:443.

Roque, F.; Lopez, M.; Monn, G.A. and Tuero, P. (1987):

Beneficial effects of timolol on infarct size and late ventricular tachycardia in patients with acute myocardial infarction. *Circulation*, 76(3): 610.

Saameli, K. (1967):

Pindolol, a new beta blocker. *Physiol. Acta*, 25:219.

Saini, R.K. (1984):

Calcium antagonists in:

Cardiovascular Pharmacology 2nd edition. P,
415. ed (Michael, A.), Raven Press, New York.

Schmidt, E.; Haeussler, A. and Hoffman, W. (1963):

Pharmacokinetics of prenylamine. *Arzneimittel-
Forschung*, 13:173.

Schmidt, E.; Haeussler, A. and Hoffmann, W. (1968):

Mode of action of Prenylamine. *Indian Heart J.*,
20:133.

Schoene, H.H. and Lindner, E. (1960):

Effect of prenylamine on noradrenaline and
serotonin metabolism. *Arzneimittel- Forschung*,
10:583.

Scriabine, A.; Torchia, M.L. and Stravoski, J.M. (1973):

Some cardiovascular effects of timolol maleate,
a new beta adrenergic blocking agent. *Arch.
Int. Pharmacodyn. Ther.*, 205:76.

Scriabine, A. (1979):

Beta- adrenoceptor blocking drugs in hyperten-
sion. *Ann. Rev. Pharmacol. Toxicol.*, 9:269.

Sederholm, M. (1984):

Reduction of infarct size with the early use
of timolol. *N. Eng. J. Med.*, 310:9.

Sederholm, M. (1986):

Acute myocardial infarct size reduction by
timolol administration. *Am. J. Cardiol*, 57(12):
28F.

Shand, D.G.; Sell, C.G. and Oates, J.A. (1971):

Hypertrophic obstructive Cardiomyopathy in an infant. propranolol therapy for three years. N. Eng. J. Med., 285:843.

Shell, W.E. and Sobel, B.E. (1973):

Factors affecting infarct size. Circulation, 48:39.

Shepherd, J.T. and Vanhoutte, P.M. (1981):

Local modulation of adrenergic neurotransmission Circulation, 64:655.

Simon, G.; Kłowski, W. and Julius, S. (1978):

Antihypertensive and adrenoceptive antagonist of timolol in : Clinical Pharmacology and Therapeutics. Vol. 23, No.2 P152. C.V. Mosby Company.

Singh, B.N. (1980):

Antianginal therapy in U.S.A. Primary Cardiol, 5:37.

Sinha, J.N. and Jaju, B.B. (1967):

Local anaesthetic activity of propranolol. Br. J. anaesth., 39:887.

Slegers, L.C.; Vermeulen, A. and Sumajow, C.A. (1985):

Double blind Comparison of Prenylamine and Penbutolol in patients with angina pectoris. J. Int. Med. Res., 13(4): 229.

Sloman, F.C.; Hunt, D. and Sutton, A. (1981):

Management of myocardial infarction in: Recent-advances in cardiology. P29. Eds: J. Harmer and D.J. Rowlands. Chirchull living stone.

Smith, H.J.; Singu, B.N.; Nisbet, H.D. and Norris, I.M.
(1975):

Effect of verapamil on infarct size following
experimental coronary occlusion. *Cardiovas.*
Res., 9:569.

Smith, E.F.; Schmunk, G.A.; Carrow, B.A. and Lefer, A.M.
(1982):

Infarct size restriction in cats by timolol.
Eur. J. Pharmacol., 77:153.

Snedecor, C.W. and Cochran, W.G. (1972):

Statistical Methods (sixth ed.). The Iowa
state university press, U.S.A.

Snyder, S.H. and Reynolds, I. (1985):

Calcium antagonists therapeutic effects *N.*
Eng. J. Med., 313:995.

Stangeland, L.; Grong, K.; Anderson, K. and Lekven, J. (1986)

Mechanism of myocardial infarct size reduction
during beta adrenoceptor blockade. *Cardiovas.*
Res., 20(5): 322.

Starey, F. (1972):

Effect of prenylamine on Coronary Collaterals
Arzneimittel-Forsch., 22:1317.

Starke, K. (1981):

Alpha adrenoceptors subclassification *Rev.*
Physiol. Biochem. Pharmacol., 88:199.

Stauch, M. and Harich, B.K. (1972):

Mode of action and hemodynamics of prenylamine.
Arzneimittel-Forsch., 22:1252.

Stene-Larsen, G.; Ask, J.A.; Helle, K.B. and Fin, R. (1986):
Activation of cardiac β_2 adrenoceptors in
the human heart. *Am. J. Cardiol.*, 57:7 F.

Stiles, G.L.; Taylor, S. and Letkowitz, R.J. (1983):
Human cardiac-beta adrenergic receptors subtypes-determination by direct radioligand binding.
Life Sci., 33:467.

Strubett, O. and Siegers, C.P. (1975):
Role of cardiovascular and ionic changes in
pathogenesis and prevention of isoprenaline
induced necrosis in: *Recent advances in studies
on cardiac structure and metabolism. Vol. 6,*
*P135. University Park Press, Baltimore, London
Tokyo.*

Theroux, P.; Ross, J. and Franklin, D. (1976):
Regional myocardial function in the conscious
dog during acute coronary occlusion and response
to propranolol and morphine. *Circulation*,
53:302.

Theroux, P.; Ross, J. and Franklin, D. (1977):
Regional myocardial function and dimension
early and late after myocardial infarction in
dogs. *Cir. Res.*, 40:158.

The Scandinavian Society for Clinical chemistry and clinical physiology (SCE):
Committee on enzymes. *Scand. J. Clin. Lab.
Investigation*, 36:711 (1976), 39:1 (1979).

Tomoike, H.; Ross, J.; Franklin, D. and Gozattier, B. (1978):
Improvement by propranolol of regional myocardial function and abnormal coronary flow pattern in Conscious dogs with coronary narrowing. *Am. J. Cardiol*, 41:689.

Vaghy, P.L.; Williams, J.S. and Schwartz, A. (1987):
Receptor pharmacology of calcium entry blocking agents. *Am. J. Cardiol.*, 59:9 A.

Vanderveen, K.J. and Willebrands, A.F. (1966):
Isoenzymes of creatine phosphokinase in tissue extracts and in normal and pathological sera. *Clin. Chem. Acta*, 13:312.

Vanhoutte, P.M. (1987):
Classification of calcium antagonists. *Am. J. Cardiol*, 59:3 A.

Van Nueten, J.M.; Van Beck, J. and Van houtte, P.M. (1980):
Inhibitory effect of lidoflazine on contraction of isolated canine coronary arteries. *J. of Pharm. and Exp. Ther.*, 213:179.

Vatner, S.F.; Baig, H. and Manders, W.T. (1977):
Effect of propranolol on regional myocardial function, electrograms in conscious dogs with myocardial ischemia. *J. of clinical. Invest.* 60:353.

Viko, M.O.; Maroko, P.R. and Ribeiro, L.G. (1984):
Comparative effects of propranolol and timolol on myocardial infarct size after experimental coronary artery occlusion. *Am. J. Coll. Cardiol*, 4(4): 735.

Vincent, H.H.; Manveld, A.; Booma, F.; Derk, F.H. and Schalkenkamp, M.A. (1983):

Cardioprotection by blockade of β_2 adrenoreceptors. *Eur. Heart J. supp D*: 109.

Walden, R.J. and Hernandez, J. (1982):

Beta-blockers Antiarrhythmic effect. *Am. Heart J.*; 104:515.

Watanobe, K. and Chiou, G.C.Y. (1983):

Mechanism of timolol to lower the intra-ocular pressure in rabbits. *Ophthalmic Res.*, 15:160.

Weaver, L.C.; Akera, J. and Brady, T.M. (1976):

Digitalis toxicity. *J. Pharmacol. Exp. Ther.*, 197:1.

Weiner, N. and Taylor, P. (1985):

Neurohumoral transmission in: Goodman and Gilman, s. *The Pharmacological Basis of Therapeutics*. 7th edition (Gilman, A.G.; Goodman, L.S.; Roll, T.W. and Murad, F. eds) McMillan, P72.

Willerson, J.T. (1988):

Sudden Cardiac death. in : *Cecil Textbook of Medicine* (Wyngaarden, J.B. & Smith, L.H. eds) 18th edition, Saunders Co. P274.

Wilson, D.A.; Said S.J. and Traystman, R.J. (1981):

Vasoactive intestinal polypeptide and the canine cerebral circulation. *Cir. Res.*, 48:138.

Winson, T. (1971):

Adouble-blind, double cross over trial of prenylamine in angina pectoris. *Am. Heart J.*, 82:43.

Wyatt, H.L. (1975):

Effect of graded reduction in Coronary perfusion
on regional and total cardiac function. *Am. J.
Cardiol*, 36:185.

Yellon, D.M.; Hearse, D.J. and Maxwell, M.P. (1983):

Limitation of myocardial necrosis 24 hours
after coronary artery occlusion. *Am. J. Cardiol*,
51:1409.

Zamanis, A.; Verdetti, J. and Deleires, J. (1982):

Reduction of ischemic induced myocardial
necrosis. *J. of Mol. and Cell Cardiology*,
14:53.

Zelis, R. and Flaim, S.F. (1981):

Calcium influx blockers and Vascular smooth
muscles. *Ann. Intern. Med.*, 94:124.