




References

REFERENCES

- Aaronson SA, and Tronick SR.** : Growth factors. In Holland, JF, et al. (eds) Cancer medicine, 3rd ed. Philadelphia, Lea and Febiger P. 33, 1993.
- Akasofu M, and Oda Y,** : Immunohistochemical detection of P53 in Cervical epithelial lesions with or without infection of human papillomavirus types 16 and 18. Virchows Arch. 425 (6) : 593, 1995.
- Amati B, Brooks MW, Levy N, et al.,** : Oncogenic activity of the C-myc protein requires dimerization with max. Cell. 72 : 233, 1993.
- Anders F, Scharf M, Bamekow A, and Anders A.** : Xiphophorus as an in vivo model for studies on normal and defective control of oncogenes. Adv Cancer Res. 42:191, 1984.
- Anderson MW.** : Role of proto oncogene activation in carcinogenesis. Environ Health Perspect. 98 : 13, 1992.
- Arnolds EPJ, Dreef EJ, Noordermer IA, et al.,** : Feasibility of in situ hybridization with chromosome specific DNA probes on Paraffin wax embedded tissue. J Clin pathol. 44 : 900, 1991.
- Baas LO, Mulder JWR, Offerhaus JA, et al.,** : An evaluation of 6 antibodies for immunohistochemistry of mutant P53 gene product in archival colorectal neoplasms. J Pathol. 172 :5, 1994.
- Baba H, Korenaga D, Okamura T, et al.,** : A prognostic significance of DNA content with special reference to age in gastric cancer. Cancer. 63 : 1768, 1989.
- Baker CC, and Cowser LM.** : The genomes of the papillomaviruses : genetic maps Locus of complex genomes. In O'Brien Stephen J,eds: Genetic maps 5th ed. Cold Spring Harbor NY : Cold Spring Harbor Laboratory press. 1990.
- Baker SJ, Fearon ER, Nigro JM, et al.,** : Chromosome 17 deletions and P53 gene mutation in colorectal carcinomas. Science. 244:217, 1989.

- Banner BF, Vega JETL, and Roseman DN.** : Should flow cytophotometric DNA analysis precede definitive surgery for colon carcinoma. *Ann Surg.* 202 : 740, 1985.
- Barbacid M.** : Ras genes. *Annu Rev Biochem.* 56 : 779, 1983.
- Barbosa MS, Vass WS Lowysr, et al.,** : In vitro biological activities of the E6 and E7 genes vary among HPVs of different oncogene potential. *J Virol.* 65: 292, 1991.
- Barbosa MS, Lowy DR, and shaller JT.** : Papillomavirus polypeptide E6 and E7 are Zinc binding proteins. *J Virol.* 63 : 1404, 1989.
- Barr BB, Beriton EC, McLaren MH, et al.,** : Human papillomavirus infection and skin cancer in renal allograft recipients. *Lancet.* 1: 124, 1989.
- Bartek J, Iggo R, Ganon J, and Lane DP.** : Genetic and immunochemical analysis of mutant P53 in human breast cancer cell lines. *Oncogene.* 5 : 893, 1990.
- Baylin SB, Makos M, Xu J, et al.,** : Abnormal patteren of DNA methylation in human neoplasia potential consequences of tumour progression, *Cancer Cells.* 3 : 383, 1991.
- Beadenon SP, Praetorius F, Kremsdorf D, et al.,** : A new type of human papillomavirus associated with oral focal epithelial hyperplasia. *J Invest Dermatol.* 88 : 130, 1987.
- Beckman AM, Daling JR, Sherman KJ, et al.,** : Human papillomavirus infection and analc ancer. *Int J Cancer.* 43 : 1042, 1989.
- Benedict WF, Banergjee A, Mark C, and Murphree AI.** : Non random ehromosomal changes in untreated retinoblastomas. *Cancer Genet Cytogenet.* 10 : 311, 1983.
- Berchuck A, Kohler MF, Marks JR, et al.,** : The P53 tumour suppressor gene frequently is altered in gynecologic cancer. *Am J Obstet Gynecol.* 170 : 246, 1994.
- Berger R, Bernhein A, Sigaus F, et al.,** : Acute monocytic leukemia ; chromosome studies. *Leukemia Res.* 6: 17, 1992.

- Bibbo M, Dytch HE, Alenghat E, et al.,** : DNA ploidy profiles as prognostic indicators in CIN. lesions. *Am J Clin Pathol.* 92 : 261,1989.
- Bishop JM.** : Cellular oncogenes and retrovirus. *Ann Rev Biochem.* 52 : 301,1983.
- Bodmer EF, Bailey CJ, Bodmer J, et al.,** : Localization of the gene for famelial adenomatous polyposis on chromosome 5. *Nature.* 328 : 614, 1987.
- Bohmann D, Bos T, Admon A, et al.,** : Human proto -oncogene C. Jun encodes a DNA binding protien with structural and functional properties of transcription factor A.P. 1. *Science.* 238 : 1358, 1987.
- Bookstein R, Rio, B, Madreperia SA, et al.,** : Promotor deletion and loss of retionblastoma gene expression im human prostatic carcinoma. *Proc Natl Acad Sci USA.* 87 : 7762, 1990.
- Bosari S, Roncalli M, Viale G, et al.,** : P53 immuno reactivity in inflamatory and neoplastic diseases of the uterine cervix. *J Pathol.* 169 : 425, 1993.
- Bradbury D, Bowen G, Kozlowask L, et al.,** : Endogenous interleukin I can regulate the autonomous growth of the blast cells of acute myeloblastic leukemia by inducing autocrine secretion of GM, CSF. *Leukemia.* 4 : 44, 1990.
- Brigati DJ, Myerson D, Leary JJ, el at.** : Detecion of viral genomes in cultured cells and paraffin enbedded tissue section using biotin labelled hybridiztion probes. *Virology.* 126 : 32, 1983.
- Brown AM, Wildin RS, Prendergast TJ, et al.,** : A retrovirus vector expressing the putative mamary oncogene itn-1 causes partial transformation of mamary epithelial cell line. *Cell.* 46 : 1001, 1986.
- Buchkovich K, Duffy LA, and Harlow E.** : The retinoblastoma protein is phosphorylated during specific phases of the cell cycle. *Cell.* 58 : 1097, 1989.

- Burns J, Chan VTW, Jonasson JA, et al. :** Sensitive system for visualizing biotinylated DNA probes hybridized in situ : rapid sex determination of intact cells. *J Clin Pathol.* 38 : 1085, 1985.
- Burns J, Graham AK, Frank C, et al. :** Detection of low copy human papillomavirus DNA and mRNA in routine paraffin sections of cervix by nonisotopic in situ hybridization. *J Clin Pathol.* 40 : 858, 1987.
- Cardo CC, and Richon VM. :** Expression of the retinoblastoma protein is regulated in normal human tissue. *Am J Pathol.* 144 (3) : 500, 1994.
- Carney DN, Guttitta F, Moody TW, et al., :** Selective stimulation of small cell lung cancer clonal growth by bombesin and gastrin releasing peptides. *Cancer Res.* 47 : 821, 1987.
- Casas Cordero M, Morinc, Roy M, et al., :** Origin of the Koilocyte in condyloma of the human cervix ultrastructure study. *Acta Cytol.* 25: 383, 1981.
- Cavenee WK, Dryja TD, Phillips RA, et al., :** Expression of recessive alleles by chromosomal mechanism in retinoblastoma. *Nature.* 305 : 779, 1983.
- Cawkwell L, and Quirke P. :** Molecular genetics of cancer. In Anthony pp. and MacSween RNM Recent (eds) *Advances in Histopathology.* Churchill Livingstone. 16 : 1, 1994.
- Cawthon RM, Weiss R, Xu G, et al., :** A major segment of the neurofibromatosis type I gene : DNA sequence, genomic structure, and point mutation. *Cell.* 62 : 193, 1990.
- Cheer D. :** Chromosomes and cancer. In Franks L.M., and Teich NA. (eds): *Introduction to the cellular and Molecular biology of cancer*, 2nd ed, Oxford University Press. p289, 1991.
- Chen EY, Howley PM, Levinson AD, et al., :** The primary structure and genetic organization of the bovine papilloma virus types 1 genome. *London.* 299 : 529, 1982.
- Chen PL, Scully P, Shew JY, et al., :** Phosphorylation of the retinoblastoma gene product is modulated during the cell cycle and cellular differentiation. *Cell.* 85 : 1193, 1989.

- Chen SL, Han CP, Tsao YP, et al.,** : Identification and typing of human papillomavirus in cervical cancer in Taiwan. *Cancer*. 72 : 1939, 1993.
- Cherif D, Romana S, Der-Sarkissian H, et al.,** : Chromosome painting in acute monocytic leukemia. *Genes Chromosomes & Cancer*. 6: 107, 1993.
- Cherington V, Brown M, Paucha E, et al.,** : separation of Simian Virus 40 large Tantigen - transforming and origen binding functions from the ability to block differentiation. *Mol cell Biol*. 8 : 1380, 1988.
- Chui R, Boyle W, Meek J, et al.,** : The C., fos protein interacts with C. Jun/AP. I to stimulate transcription of AP- I responsive gene, *Cell*. 54:541, 1988.
- Ciganc S, Buschie M, Pettit G, et al.,** : Expression of proto-oncogene C-Jun during differentiation of B., chromic lymphocytic leukemia. *Leukemia*. 4 : 441, 1990.
- Clarke EA, Hatcher J, Mckeown - Eyssen GE, et al,** : Cervical dysplasia : Association with sexual behavior, smoking and oral contraceptive use. *Am J obstet Gynecol*. 151 : 612, 1985.
- Cole ST, and Danos O.** : Nucleotide sequene and comparative analysis of the human papilloma virus type 16 genome phylogeny of papilloma virus and repeated structure of E6 and E1 gene products. *J Mol Biol*.193 : 599, 1987.
- Collins S, and Groudine M.** : Amplification of endogenous myc related DNA Sequences in a human myeloid leukemia cell lines. *Nature*. 298 : 679, 1982.
- Cooper K, Herington CS, Evans MF, et al.,** : P53 in cervical condylomata, intraepithelial neoplasia and carcinoma relation to HPV infection and integration. *J Pathol*. 171 : 27, 1993.
- Corce CM, and Nowell PC.** : Brief review : Molecular bases of human B, cell neoplasia. *Blood*. 65 : 1, 1985.
- Cotran RS, Kumar V, Robbins SL.** : Neoplasia. In Robbins pathologic Basis of Disease. 5 th (ed) Saunders WB company

- Philadelphia, London, Toronto, Montreal, Sydney, Tokyo. Ch 7 P 241, 1994.
- Cox KH, Delcon DV, Angerer LM, and Angerer RC.** : Detection of mRNA in sea urchin embryos. *Devel Biol.* 101 : 485, 1984.
- Crook T, Wrede D, and Vousden KH.** : P53 point mutation in HPV negative human cervical carcinoma cell line *Oncogene.* 6 : 873, 1991.
- Crook T, Wrede D, Tidy JA, et al.,** : Clonal P53 mutation in primary cervical cancer association with Human papillomavirus negative tumours. *Lancet.* 339 : 1070, 1992.
- Crum CP, Nagai N, Levine R, et al.,** : In situ hybridization analysis of HPV 16 DNA sequences in early cervical neoplasia. *Am J pathol.* 123 : 174, 1986.
- Damm K, Thompson CC, Evans RM.** : Protein encoded by v erb A, functions as a thyroid hormone receptor antagonist. *Nature.* 339 : 177, 1989.
- Danos OM, Katinka and Yaniv M.** : Human papillomavirus L1 complete DNA sequence a novel type of genome organization among papovaviridae. *EMBO J* : 231, 1982.
- Davis JR, Aristizabal S, Wag DL, et al.,** : DNA ploidy, Grade and stage in prognosis of uterine cervical cancer. *Gynecol Oncol.* 32 : 4, 1989.
- De caprio, A, Ludlow JW, Figge J, et al.,** : SV40 large tumour antigen forms a specific complex with the product of the retinoblastoma susceptibility gene. *Cell.* 54 : 275, 1988.
- De Caprio JA, Ludlow JW, Lynch D, et al.,** : The product of retinoblastoma susceptibility gene has properties of cell cycle regulatory element. *Cell.* 58 : 17, 1989.
- De Villiers EM.** : Heterogeneity of the Human Papilloma group. *J Virol.* 63 : 4898, 1989.
- Del Bino G, Silverstrini R, and Casta A.** : Morphological and clinical Significance of cell kinetics in non-Hodgkin's lymphoma. *Basic Appl Histochem.* 30 : 197, 1986.

- Della Torre G, Pilotti S, de Palo G, and Rilke FX.** : Viral particles in cervical condylomatous lesions. *Tumori*. 64 : 549, 1978.
- **DeRobertis EDP, Nowinski WW, and Saez FA.** : Cellular bases of cytogenetics cell biology, Fifth ed. W.B. Saunders company philadelphia. London Toronto. P 296, 1980.
- Deuel TF, Kirmura A, Maehona S, et al.,** : Platelet derived growth factor roles in normal and Vsis tranformed cells. *Cancer Surv*. 4 : 633, 1985.
- Diamondis EP, and Levesque MA.** : Assessment of P53 overexpression by non-immunohistochemical methods. *J Pathol*. 175 : 93, 1995.
- Donehower LA, Harvey M, Slagle BI, et al.,** : Mice deficient for P53 are developmentally normal but susceptible to spontaneous tumours. *Nature*. 356 : 215, 1992.
- Donlon TA.** : Practical approaches to in situ hybridization. *Karyogram*. 12 : (1) 1986.
- Doorbar J, Campbell, Grand A, et al.,** : Identification of the human papillomavirus E4 gene products. *EMBO J*. 5 : 355, 1986.
- Druker BJ, Mamon HJ, Roberts TM.** : Oncogenes, growth factors and singal transduction. *N Engl J Med*. 321 : 1383, 1989.
- Dryja T, Mukai, Petersen R, et al,** : Parental origen of mutation of the retinoblastoma gene. *Nature*. 339 : 556, 1989.
- Dunn JM, Philips RA, Becker AJ, et al.,** : Identification of germlin and somatic mutation affecting the retinoblastoma gene. *Science*. 241 : 1797, 1988.
- Eisenstein BL.** : The polymerase Chain reaction. *N Engl J Med*. 322: 178, 1990.
- El-Deiry WS, Nelkin BD, Celano P, et al.,** : High expression of the DNA methyl transferase gene characteristes human neoplastic cells and progression stages of colon cancer. *Proc Natl. Acad Sci USA*. 88 : 3470, 1991.

- Ellis C, Moran M, McCormic F, et al.,** : Phosphorylation of GAP and GAP associated proteins by transforming and mitogenic tyrosine kinases. *Nature*. 343 : 377, 1990.
- Fearon ER, and Vogelstein B.** : A genetic model for colorectal tumorigenesis. *Cell*. 61 : 759, 1990.
- Fearon ER, Cho KR, Nigro JM, et al.,** : Identification of a chromosome 18q gene that is altered in colorectal cancer. *Science*. 247: 49, 1990.
- Feig L.** : The many roads that lead to Ras. *Science*. 260 : 767, 1993.
- Ferenczy A, Braun L, and Shah KV.** : Human papillomavirus "HPV" in condylomatous lesion of Cervix; A comparative ultrastructural and Immunohistochemical study. *Am J Surg Pathol*. 5 : 661, 1981.
- Fiedler W, Suci E, Wittlief et al.,** : Mechanisms of Growth factor expression in a cute myeloid leukemia (AML). *Leukemia*. 4 : 359, 1990.
- Finaly CA, Hinds PW, and Levine AJ.** : The P53 proto-oncogene can act as a suppressor for transformation. *Cell*. 57 : 1083, 1989.
- Flickinger CJ, Brown JC, and Katchai HC.** : The cell cycle in Medical Cell Biology Peach MJ, Saunderson company Philadelphia London. Toronto. P 113, 1979.
- Fontanini G, Vignati S, Bigini D, et al.,** : Human non-small cell lung cancer : P53 protein accumulation is an early event and persists during metastatic progression. *J Pathol*. 174 : 23, 1994.
- Fontanini G, Bigini D, Vignati S, et al.,** : P53 expression in non-small cell lung cancer : clinical and biological correlations. *Anti cancer Res*. 13 : 737, 1993.
- Frank U, and Kung F.** : Sporadic bilateral retinoblastoma and 13q chromosomal deletion. *Med Pediatr Oncol*. 2 : 379, 1976.

- Frankfurt OS, Chin JL, and Englander LS.** : Relationship between DNA ploidy, glandular differentiation, and tumour spread in human prostatic cancer. *Cancer Res.* 45: 1448, 1985.
- Friend SH, Dryja T, and Weinberg RA.** Oncogenes and tumour suppressing genes. *N Engl J Med.* 318 : 619, 1988.
- Fujita M, Inoue M, Tanizawa O, et al.,** : Alteration of the P53 gene in human primary cervical carcinoma with and without human papillomavirus infection. *Cancer Res.* 52: 5323, 1992.
- Fung YK, Murphree AL, Qian J, et al.,** : Structural evidence for the authenticity of the human retinoblastoma gene. *Science.* 236 : 1657, 1987.
- Furuta Y, Shinohara T, Sano K, et al.,** : In situ hybridization with digoxigenin-labelled DNA Probes for detection of Viral genomes. *J Clin Pathol.* 43 : 806, 1990.
- Gall JG, and Pardue ML.** : Formation and detection of RNA DNA hybrid molecules in cytological preparation. *Proc Natl Acad Sci USA.* 63 : 378, 1969.
- Gessler M, Poustka A, Cavenee W, et al.,** : Homozygus deletion in Wilm's tumours of a zinc finger gene identified by chromosome jumbling. *Nature.* 343 : 774, 1990.
- Gibbs JB, Sigal IS, Poe M, et al.,** : Intrinsic GTP ase activity distinguish normal and oncogenic ras P21 molecules. *Proc Natl Acad Sic USA.* 81 : 5704, 1984.
- Gissmann L, Pfister H, and Zur Hausen H.** : Human papillomaviruses (HPV) characterization of four different isolates. *Virology.* 76 : 569, 1977.
- Gissmann L, Diehl V, Schultz Caulon HJ, and Zur Hausen H.:** Molecular coling and characterization of Human papillomavirus DNA derived from laryngeal papilloma. *J Virol.* 44 : 393, 1982.
- Gissmann L, and Zur Hausen H.** : Practical characterization of viral DNA from genital warts "Condylomata acuminata". *Int J Cancer.* 25 : 605, 1980.

- Giuffo G.** : Innesto positivo conifiltrando di verrucae volgare. *G Ital Moll Venrereol.* 48 : 12, 1907
- Goldfarb M.** : The fibroblast growth factor family. *Cell Growth Diff.* 1 : 439, 1990.
- Gram TT, Macaluso M, Statlsberg H.**: Oral contraceptive use and the incidence of cervical intraepithelial neoplasia. *Am J Onstet Gynecol.* 1167 : 40, 1992.
- Gramlich TL, Cohen C, Fritsch C, et al.,** : Evaluation of c erb B - 2 amplification in breast carcinoma by differential polymerase chain reaction. *Am J Clin Pathol.* 101 : 493, 1994.
- Grundy P, Koufos A, Margan K, et al.,** : Familial predisposition to Wilm's tumour dose not map to the short arm of chromosome 11. *Nature.* 336 : 374, 1988.
- Gullick WJ.** : Prevalence of aberrant expression of the epidermal growth factor receptors in human cancers. *Br Med Bull.* 47 : 87, 1991.
- Gupta J, Pilott IS, Shah KV, et al.,** : Human pepilloma virus associated early vulvar neoplasia investigated by in situ hybridization. *Am J Surg Pathol.* 11: 430, 1987.
- Haase A, Brahlc M, Stowring L, And Blum H.** : Detection of viral nucleic acid by in situ hybridization. *Methods Virol.* 7: 189, 1985.
- Haber DA, Buckler AJ, Glaser T, et al.,** : An internal deletion within an ll P13 zinc finjer gene contribute to the development of Wilm's tumour. *Cell.* 67 : 1257, 1990.
- Hall PA, and Levison DA.** : Assessment of cell proliferation histological natural. *J Clin Pathol.* 43 : 184, 1990.
- Hanley MR, and Jakson T.** : The ras gene transformer and transducer. *Nature.* 328 : 668, 1987.
- Hansk SK, Quinn AM, and Hunter T.** : The protein Kinase family conserved factores and deduced phylogeny of the cytoplasmic domains. *Science.* 241 : 42, 1988.

- Harper ME, and Saunders GF.** : Localization of single copy DNA sequences on G banded human chromosomes by in situ hybridization. *Chromosoma*. 83 : 431, 1981.
- Harris AI.** : Mutant P53 the commonest genetic abnormality in human cancers. *J Pathol*. 162 : 5, 1990.
- Harris H.** : The analysis of malignancy by cell fusion the position in 1988. *Cancer Res*. 48 : 3302, 1988.
- Harvey DM, and Levine AJ.** : P53 alteration is a common event in the spontaneous immortalization of primary BALP/C murine embryo fibroblasts. *Genes Dev*. 5:2375, 1991.
- Haung HJS, Yee JK, Shew JY, et al.,** : Suppression of the neoplastic phenotype by replacement of the Rb gene in human cancer cells. *Science*. 242 : 1563, 1988.
- Heldin CH, and Westermark B.** : Growth Factors : Mechanism of action and relation to oncogene. *Cell*. 37 : 9, 1984.
- Helland A, Holm R, kristensen G, et al.,** : Genetic alteration of the P53 gene, P53 protein expression and HPV infection in primary cervical carcinomas. *J Pathol*. 171 : 105, 1993.
- Higgins GD, Davy M, Roder D, et al.,** : Increased age and mortality associated with cervical carcinomas negative for human papillomavirus. *RNA Lancet*. 338 : 910, 1991.
- Hill BT, and Baserga R.** : The cell cycle and its significance for cancer treatment. *Cancer Treatment Reviews*. 2 : 159, 1975.
- Hillquist HB, Karlsson HG, and Nillson C.** : Salivary duct carcinoma. A highly aggressive salivary gland tumour with overexpression of C erb B-2. *J Pathol*. 172 : 35, 1994.
- Hofler H, Childers H, Montming MR, et al.,** : In situ hybridization methods for the detection of somatostatin m RNA in tissue section using antisense RNA probes. *Histochem J*. 18 : 597, 1986.
- Hollstein M, Sidransky D, Vogelstein B, and Harris CC.** : P53 mutation in human cancer. *Science*. 25: 49, 1991.

- Holm R, Skomedal H, Helland A, et al., :** Immunohistochemical analysis of P53 protein overexpression in normal, premalignant and malignant tissues of the cervix uteri. *J Pathol.* 169 : 21, 1993.
- Horio Y, Takahashi, Kuroishi T, et al., :** Prognostic significance of P53 mutation and deletion in primary resected non- small cell lung cancer. *Cancer Res.* 53 : 1, 1992.
- Howard A, and Plec SR. :** Synthesis of DNA in normal and irradiated cells and its relation to chromosome breakage. *Hereditary.* 6 : 261, 1953.
- Howley NP, Phelps WC, Vousden KH, et al., :** HVP 16 E6 and E7 protein cooperate to immortalize human foreskin keratinocytes. *EMBO J.* 8 : 3905, 1989.
- Howley PM. :** Role of the human papillomavirus in human cancer. *Cancer Res. (Suppl)* 51 : 5019 s, 1991.
- Hsu SM, Xie SS, El-Okda M, et al., :** Correlation of C fos c-Jun expression with histiocytic differentiation in Hodgkins Reed Sternberg cells. *Am J Pathol.* 140 : 155; 1992.
- Huang HJS, Yee JK, Show JY, et al., :** Suppresion of the neoplastic phenotypes by replacement of the R.B., gene in human cancer cells. *Science.* 242 : 156, 1988.
- Hudson JB, Bedell MA, McCance et al., :** Immortalization and altered differentiation of human keratinocytes in vitro by the E6 & E7 ORFs of human papillomavirus type 18. *J Virol.* 64 : 519, 1990.
- Hunter T.:** A thousand and one protein kinases. *Cell.* 50 : 823, 1987.
- Iggo R, Gatter K, Bartek J, et al., :** Increased expression of mutant forms of P53 in primary lung cancer. *Lancet.* 335 : 675, 1991.
- Ilson DH, Motzer RJ, Rodriguez E, et al. :** Genetic analysis in the diagnosis of neoplasms of unknown primary tumour site. *Seminars In Oncology.* 20 (3) : 229, 1993.
- Imai Y, Tsunokowa Y, Suginura et al., :** Purification and DNA binding properties of Human papillomavirus type 16 E6 protein

- expressed in *Escherichia Coli*. *Biochem Biophys Res Commun*. 164 : 1402, 1989.
- Inokuchi K, Kodama Y, Saski O, et al.,** : Differentiation of growth pattern of early gastric carcinoma determined by cytophotometric DNA analysis. *Cancer*. 51 : 1138, 1983.
- Jadaye D, Fain P, Upadhyaya M, et al.,** Paternal origin of new mutation in Von Recklinghausen Neurofibromatosis. *Nature*. 343 : 558, 1990.
- Jakobsen A.** : Prognostic impact of ploidy level in carcinoma of the cervix. *Am J Clin Oncol*. 7 : 475, 1984.
- James CD, Carlom E, Nordenskjold M, et al.,** : Mitotic recombination of chromosome 17 in astrocytomas. *Proc Natl Acad Sci USA*. 86 : 2858, 1989.
- Jelen I, Valente PT, Gautreaux L, and Clark GM.** : Deoxyribonucleic acid ploidy and S-phase fraction are not significant prognostic factors for patients with cervical cancer. *Am J Obstet Gynecol*. 171 : 1511, 1994.
- Joypoual BV, Vojtesek B, Newman EL, et al.,** : Enzyme linked immunosorbent assay for P53 in gastrointestinal malignancy : comparison with immunohistochemistry. *Histopathology*. 23 : 465, 1993.
- Julien C, Bazin A, Guyot B, et al.,** : Rapid prenatal diagnosis of Down's syndrome with in situ hybridization of fluorescent DNA probes. *Lancet*. 2 : 863, 1986.
- Kaern J, Trope CG, Kristensen GB, et al.,** : Evaluation of Deoxyribonucleic acid ploidy and S, phase fraction as prognostic parameters in advanced epithelial ovarian carcinoma : A prospective study. *Am J Obstet Gynecol*, 170 : 479, 1994.
- Kanda T, Watanabe S, and Yoshiike K.** : Immortalization of primary rat cells by human papillomavirus type 16 subgenomic DNA fragments controlled by the S.V. 40 promoter. *Virology*. 165 : 321, 1988.

- Kastan MB, Onyekwere O, Sidransky D, et al., :** Participation of P53 protein in the cellular response to DNA damage. *Cancer Res.* 51 : 6304, 1991.
- Kessler II. :** Perspectives on the epidemiology of cervical cancer with special reference to the herpes simplex virus hypothesis. *Cancer.* 39 : 1912, 1974.
- Kisses TD, Slebos RJ, Hans M, et al., :** P53 gene mutation and MDM2 amplification are uncommon in primary carcinomas of the uterine cervix. *Am J Pathol.* 13 : 1398, 1993.
- Knudson AG. :** Mutation and cancer : Statistical study of retinoblastoma. *Proc Natl Acad Sci USA.* 78 : 820, 1971.
- Kopan, R Traska G, and Fuchs E. :** Retinoids as important regulators of terminal differentiation examining keratin expression in individual epidermal cells at various stage of keratinization. *J Cell Biol.* 1 : 427, 1987.
- Korenaga D, Okamura T, Saito A, et al., :** DNA Ploidy is closely linked to tumour invasion, Lymph node metastasis and prognosis in clinical gastric cancer. *Cancer.* 62 : 309, 1988.
- Koskinen PJ, and Alitalo K. :** Role of myc amplification and overexpression in cell growth differentiation and death. *Semin Cancer Biol.* 4 : 3, 1993.
- Koss LG, and Durfee GR. :** Unusual patterns of squamous epithelium of the uterine cervix : cytologic and pathologic study of Koilocytosis atypia. *Ann NY Acad Sci.* 63 : 1245, 1956.
- Koufos A, Grundy P, Morgan K, et al., :** Familial Wiedmann-Beckwith syndrome and a second wilms tumour locus both map to 11 P15. *Am J Hum Genet.* 44 : 74, 1989.
- Kreicbergs A, Boquist L, Borssen B, et al., :** Prognostic factors in chondrosarcoma. A comparative study of cellular DNA content and clinicopathologic features. *Cancer.* 50 : 577; 1982.
- Kuczul MA, Serth J, Bokemeyer C, et al., :** The use of P53 immunohistochemistry as a predictor of invasive potential in bladder cancer. *CMB.* 1:249, 1994.

- Lamberti C, Morrissey LC, Grossman SR, et al., :** Transcriptional activation by the papillomavirus E6 zinc finger oncoprotein. *EMBO J.* 9 : 1907, 1990.
- Lambkin HA, Mothersill CM, and Kelehan P. :** Variation in immunohistochemical detection of P53 protein. Overexpression in cervical carcinomas with different antibodies and methods of detection. *J Pathol.* 172:13, 1994.
- Lamph W, Wamsley P, Sassone-Corsi P, et al., :** Induction of proto-oncogene JUN/AP-1 by serum and TPA. *Nature.* 334 : 629, 1988.
- Landegent JE, Jansen de Wal N, et al., :** Chromosomal localization of a unique gene by non autoradiographic in situ hybridization. *Nature.* 317 : 175, 1985.
- Lane DP, and Crawford LV. :** T antigen is bound to host protein in S.V. 40 - transmitted cells. *Nature.* 278 : 261, 1979.
- Lane S, and Wells M. :** Human papillomavirus, P53, and cervical neoplasia. *J Pathol.* 172 : 299, 1994.
- Lawrence WD. :** Advances in the pathology of uterine cervix. *Human Pathol.* 22 : 792, 1991.
- Lee JH, Kavanagh LL, Wildrick DM, et al., :** Frequent loss of heterozygosity on chromosome 6q11 and 17 in human ovarian carcinoma. *Cancer Res.* 50:7224, 1990.
- Lee JH, To H, Shew JY, et al., :** Inactivation of retinoblastoma susceptibility gene in human breast cancer. *Science.* 241 : 218, 1988.
- Lee JH, Bookstein R, Hong F, et al., :** Human retinoblastoma susceptibility gene, Cloning identification and sequence. *Science.* 235:1394, 1987.
- Leppert M, Dobbs M, Scambler P, et al., :** The gene for familial polyposis coli maps to the long arm of chromosome 5. *Science.* 238 : 1411, 1987.
- Levine AJ, Momand J, and Finlay A. :** The P53 tumour suppressor gene. *Nature.* 351:453, 1991.

- Levine AJ.:** The P53 tumour suppressor gene. *N Engl J Med.* 14 : 1350, 1992.
- Lewis FA, Griffiths, Dunni Cliff R, et al. :** Sensitive in situ hybridization technique using biotin streptavidin polyalkaline phosphatase complex. *J Clin pathol.* 40 : 163, 1987.
- Lichter P, Boyle A, Cremer T, and Ward DC. :** Analysis of genes and chromosomes by Nonisotopic in situ hybridization. *GATA.* 8 (1) : 24, 1991.
- Lichter R, and Ward DC. :** Is non isotopic in situ hybridization finally coming of age?. *Nature.* 345 (6270) : 93, 1990.
- Little CD, Nau MM, Carney DN, et al., :** Amplification and expression of Cmyc oncogene in human lung cancer cell lines. *Nature.* 306 : 194, 1983.
- Logothetic CJ, Xu HJ, Ro JY, et al., :** Altered expression of retinoblastoma protein and known prognostic variables in locally advanced bladder cancer. *J Natl Cancer Inst.* 84 : 1256, 1992.
- Loning T, Mildle K, and Foss HD. :** In situ hybridization for the detection of cytomegalovirus (CMV) infection application of biotinylated CMV-DNA probes on paraffin embedded speicmens. *Virchows Arch.* 409 : 777, 1986.
- Lowy DR, Dvoretzky I, Shober. et al., :** In vitro tumorigenic transformation by a defined subgenomic fragment of bovine papillomavirus DNA. *Nature.* 287: 72, 1980.
- Ludlow JW, Shon J, Pipas JM, et al., :** The retinoblastoma susceptibility gene product undergoes cell cycle dependent phosphorylation and binding to and release from SV40 Large T. *Cell.* 60 : 387, 1990.
- Ludwig ME, Lowell DM, and Livolsi VA. :** Cervical condylomatous atypia and its relationship to cervical neoplasia. *Am J Clin Pathol.* 76 : 255, 1981.
- Lundgard C, Skoogl L, Cavenee WK, et al.,:** Loss of heterozygosity in human ductal breast tumours indicates a recessive mutation on chromosome 13. *Proc NatlAcad Sci USA.* 84: 2372, 1987.

- Lyons J, Landis CA, Harsh G, et al., :** Two G Protein oncogenes in human endocrine tumours. *Science*. 249 : 654, 1990.
- Mackay J, Steel CM, Elder PA, et al., :** Allel loss on short arm of chromosome 17 in breast cancers. *Lancet*. 2 : 1384, 1988.
- Macleod A, Kitchener HC, Parkin DE, et al,** Cervical carcinoma in the Grampian region (1980 - 1991): a population - based study of survival and cervical cytology history. *Brit Obstet Gynecol*. 101: 797, 1994.
- Mane SM, Metzger SJ, Guthrie JC, et al., :** Ras gene activation in acute myelogenous leukemia: Analysis by in vitro amplification and DNA base sequence determination. *Genes Chromosome Cancer*. 2 : 71, 1990.
- Manuelidis L. :** In situ detection of DNA sequences using biotinylated probes. *Focus Bethesda Research Laboratories*. 7 (4) : 4, 1985.
- Marshall CJ. :** Tumor Suppressor genes. *Cell*. 64 : 313, 1991.
- Marth JD, and Peet R, Krebs EG, et al., :** A lymphocyte specific protein tyrosine kinase gene is rearranged and over expressed in the murine T-cell lymphoma LSTRA. *Cell*. 43 : 393, 1985.
- Martin HM, Filipe MI, Morris RW, et al., :** P53 expression and prognosis in gastric carcinoma. *Int J Cancer*. 50 : 859, 1992.
- Martinez J, Georgoff I, Martinez J, and Levine A. :** Cellular localization and cell cycle regulation by a temperature sensitive P53 protein. *Genes Dev*. 5 : 151, 1991.
- Martinez JC, Piris MA, Sanchez Beato M, et al., :** Retinoblastoma gene product expression in lymphoma Correlation with Ki 67 Growth fraction. *J Pathol*. 169 : 405, 1993.
- Matsunaga E. :** Genetics of Wilm's tumour. *Hum Genet*. 57: 231, 1981.
- Mc Dougal JK, Beckman AM, and Kiviat NB. :** Methods of diagnosing papillomavirus infection in : *Evered Clarks, eds. papillomavirus*. Chichester. John Wiley. P 86 : 1968.

- **Mc Elroy WD, and Swansson CP.** : DNA. The molecule of life in modern cell biology Ch. 18 Prentice - Hall, Inc., Englewood. New Jersey. P 272, 1980.
- McCance DJ.** : Papovaviridae In Topley and Wilson Principles of Bacteriology Virology and Immunity 8 th ed. Volume 4 : P 657, 1990.
- McCance DJ, and Gardner SD.** : Papovaviruses : papilloma viruses and Polyoma viruses In Zuckerman AJ., Banatvala JE and Pattison JR. principles and practice clinical virology 2d edition. John Wiley and Sons Ltd Ch 14 : P 531 : 1990.
- McCormick F.** : How receptors turn ras on. Nature. 363 : 15, 1993.
- McManus DT, Yap EPH, Maxwell P, et al.,** : P53 expression, mutation, and allelic deletion in ovarian cancer. J Pathol. 174 : 159, 1994.
- Mechler BM, Mc Ginnis W, and Gehring WI.** : Molecular cloning of lethal (2) giant larvae, a recessive on chromosome of Drosophila melanogaster. EMBO J. 4 : 1551, 1985.
- Meisels A, Roy M, Fortin R, and Morin C.** : Condylomatous lesion of the cervix Morphologic and colposcopic diagnosis. Am J Diagn. 1: 109, 1979.
- Meisels A, Fortin R, and Roy M.** : Condylomatous lesion of the cervix cytologic, colposcopic and histopathologic study. Acta Cytol. 21:279, 1977.
- Meisels A, and Fortin R.** : Condylomatous lesions of the cervix and vagina : cytological patterns. Acta cytol. 20 : 505, 1976.
- Melnick JL.** : Papovavirus group. Science. 135 : 1128, 1962.
- Micale MA, Sanford JS, Powell IJ, et al.,** : Defining the extent and Nature of cytogenetic events in prostatic adenocarcinoma ; Paraffin FISH VS. Metaphase analysis. Cancer Genet Cytogenet. 69 : 127, 1993.
- Milner J.** : A conformational hypothesis for the suppressor and promoter functions of P53 in cell growth control and in cancer. Proc R Soc London Ser B. 245 : 139, 1991.

- Minden M.** : Oncogenes. In Calabresi P. and Schein P.S., Medical Oncology 2 nd ed, Canellos GP, Glick JH., Macdonald JS., Von Hoff DD., P 23, 1992.
- Mitelman F, Kaneke Y, and Trent P.**: Report of the committee on chromosome changes in Neoplasia Human Genetic Mapping II. Cytogenet Cell Genet. 58 : 1053, 1991.
- Mittnacht S, and Weinberg RA.** : G1/S phosphorylation of retinoblastoma protein is associatrd with an allered affinity for the nuclear compartment. Cell. 65 : 381, 1991.
- Miyoshi Y, Nagase H, Ando H, et al.,** : Somatic mutation of the APC gene in colorectal tumours : mutation cluster region in the APC gene. Hum Mol genet. 1 : 229, 1992.
- Morris RG, Arends MJ, Bishopn et al.**: Sensitivity of digoxigenin and biotin labelled probes for detection of human papillomavirus by in situ hybridization. J Clin Pathol. 43 : 800, 1990.
- Morrison DK, Kaplan DR, Rapp H, et al.,** : Signal transduction from membrane to cytoplasm growth factors and membrane bound oncogene products increase Raf-1 phosphorylation and associated protien kinase activity. Proc Natl Acad Sci USA. 85 : 8855, 1988.
- Moses HL, Yang EY, and Pletenpol JA.**: TGF-B stimulation and inhibition of cell proliferation: new mechanistic insights. Cell. 63 : 245, 1990.
- Mowat M, Cheng A, Kimura A, et al.,** : Rearrangment of the cellular P53 gene in Erythroleukaemic cells transformed by Friend Virus. Nature (Lond). 324 : 633, 1985.
- Munger K, Phelps WC, Bubb V, et al.,** : The E6 and E7 genes of the human ppillomavirus type 16 together are necessary and sufficient for transformation of primary human keratinocytes. J Virol. 63 : 4417, 1989.
- Munoz N, Bosch X, Kaldor JM.** : Does human papillomavirus cause cervical cancer. The state of the epidemiological evidence. Br J Cancer. 57 : 1, 1988.

- Nadal A, Campo E, Pinto J, et al., :** P53 expression in normal, dysplastic and neoplastic laryngeal epithelium. Absence of a correlation with prognostic factors. *J Pathol.* 175 : 181, 1995.
- Naora H.:** Microspectrophotometry of cell nucleus stained by Feulgen reaction, Microspectrophotometric apparatus without schwarz schild- villiger effect. *Exp Cell Res.* 8:259, 1955.
- Natali PG, Nicotra MR, Winkler AB, et al., :** Progression of human cutaneous melanoma is associated with loss of expression of c kit proto-oncogene receptor. *Int J Cancer.* 52 : 197, 1992.
- Nau MM, Brook BJ, Batty J, et al., :** L. myc, a new myc related gene amplified and expressed in human small cell lung cancer. *Nature.* 318 : 69, 1985.
- Nau MM, Brooks RJ, Carney DN, et al., :** Human small cell lung cancers show amplification and expression of the N., myc gene. *Proc Natl Acad Sci. USA.* 83: 1092, 1986.
- Neer EJ, and Calpham. :** Role of G. protein subunits in transmembrane signalling. *Nature.* 333 : 129, 1988.
- Nielsen AL, and Nyholm HCl. :** P53 protein and C erb B-2 protein (p/85). Expression in endometrial adenocarcinoma of endometrioid type. *Am J Clin Pathol.* 102 : 76, 1994.
- Niwa K, Miyamoto S, Kato H, et al., :** The role of P 53 inactivation in human cervical cell carcinoma development. *Br J Cancer.* 71 (2) : 219, 1995.
- Nuovo GJ, Blanco JS, Leipzig S, et al., :** Human papillomavirus detection in cervical lesions. Non diagnostic of cervical intraepithelial neoplasia; correlation with papanicolaou smear, colposcopy, and occurrence of cervical intraepithelial neoplasia. *Obstet Gynecol.* 75 : 1006, 1990.
- Nuovo GJ, Crum CP, and Silverstein SJ.:** Papillomavirus infection of the uterine cervix. *Microb Pathol.* 3 : 71, 1987.
- Nyeem R, Wilkinson EJ, and Grover LJ. :** Condylomata acuminata of the cervix ; Histopathology and association with cervical neoplasia. *Obstet Gynecol Surv.* 38 : 498, 1982.

- Oka K, Nakano T, and Arai T. :** P53 CMI expression is not associated with prognosis in uterine cervical carcinoma. *Cancer*. 72 : 1160, 1993.
- Okamura T, Korenaga D, Hara Guchi M, et al., :** Growth Mode and DNA Ploidy in mucosal carcinomas of the stomach. *Cancer*. 59 : 1154, 1987.
- Orth G, Jablonska S, Jarzabek Chorzelska M, et al., :** Characteristics of the lesions and risk of malignant conversion associated with the type of papillomavirus involved in epidermodysplasia verruciformis. *Cancer Res*. 39 : 1074, 1979.
- Orth G. :** Epsidermodysplasia verruciformis : a model for understanding the oncogenicity of Human papillomavirus. In *Papillomaviruses symposium No. 120 Foundation symposium*. J Wiley & Sons Inc New York. P 156, 1986.
- Ostrowski JL, Sawan A, and Henry I. :** P53 expression in human breast cancer related to survial and prognosis factor. An immunohistochemical study. *J Pathol*. 164: 75, 1991.
- Paik S, Hazan R, Fisher ER, et al., :** Pathologic findings from the national surgical adjuvent Breast and Bowel project; prognostic significance of erb B-2 protein overexpresion in primary breast cancer. *J Clin Oncol*. 8 : 103,1990.
- Periera-smith OM, and Smith JR. :** Evidence for the recessive nature of cellular immortality. *Science*. 221 : 964, 1983.
- Pfister H, Hettich L, Runne U, et al., :** Characterzation of human papillomavirus 13 from focal epithelial hyperplasia. *J Virol*. 47: 363, 1983.
- Pflster H. :** Biology and biochemistry of papillomaviruses. *Rev Physiol Biochem Pharmacol*. 99:111, 1983.
- Phelps WC, Yee CL, Munger K, and Howley PM. :** The human papillomaviruss type 16 E7 gene encodes transactivation and transformation functions similar to adenovirus E1A. *Cell*. 53 : 539, 1988.

- Polakis P, and McCormic F.** : Interaction between P21 ras protein and their GTP ase activating proteins. *Cancer Surv.* 12 : 25, 1992.
- Ponder BA.** : Gene losses in human tumour. *Nature.* 335 : 400, 1988.
- Pritchard-Jones K, Fleming S, Davidson D, et al.,** : The candidate Wilm's tumour gene is involved in genitourinary development. *Nature.* 346, 194, 1990.
- Pusztal L.** : Growth factors Regulation of normal and neoplastic growth. *J Pathol.* 169 : 191, 1993.
- Quinn CM, and Weight NA.** : The clinical assessment of proliferation and growth in human tumors, evaluation of methods and application as prognostic variables. *J Pathol.* 160 : 93, 1990.
- Rapp UR, Reynoldes FH, Stephenson JP.** : New Mamalian transforming retrovirus Demonstration of a polyprotein gene product. *J Virol.* 45 : 914, 1983.
- Recher L and Saebink E.** : Histopathologic features of koilocytotic atypia, A detailed description. *Acta Cytol.* 25 : 377, 1961.
- Reccardi VM, Hittner HM, Franke U, et al.,** : The aniridia Wilm's tumour association, the critical role of chromosome band 11 P13. *Cancer Genet Cytogenet.* 2 : 131, 1980.
- Reeve AE, Sih SA, Raisis AM, et al.,** : Loss of allelic heterozygosity at a second locus on chromosome II in sporadic Wilm's tumour cells. *Mol Cell Biol.* 9 : 1799, 1989.
- Reich NC, Oren M, and Levine AJ.** : Two distinct mechanisms regulate of cellular tumour antigen, P53. *Mol Cell Biol.* 3 : 2142, 1983.
- Reich NC, and Levine AJ.** : Growth regulation of a cellular tumour antigen P53, in non tranformed cells. *Nature.* 308 : 199, 1984.
- Reid R, Greenberg M, Jenson B, et al.,** : Sexually transmitted papillomaviral infections. *Am J Obstet Gynecol.* 156 : 212, 1987.

- Reid R, Stanhope CR, Herschman BR, et al.,** : Genital warts and cervical cancer I. evidence of an association between subclinical papillomavirus infection and cervical malignancy. *Cancer*. 50 : 377, 1982.
- Reid RM, Lavery CR, Coppleson M, et al.,** : Non condylomatous cervical warts virus infection. *Obstet Gynecol*. 55 : 876, 1980.
- Richart RM.** : Causes and management of cervical intraepithelial neoplasia. *Cancer*. 60 : 1951, 1987.
- Riou G, Favre M, Jeannel D, et al.,** : Association between poor prognosis in early stage invasive cervical carcinoma and non detection of HPV DNA. *Lancet*. 335 : 1171, 1990.
- Ritter DP, Kaduh AS, Vermund SH, et al.,** : Detection of human papillomavirus deoxyribonucleic acid in exfoliated cervicovaginal cells as a predictor of cervical neoplasia in a high risk population. *Am J Obstet and Gynecol*. 195 : 151, 1988.
- Rodrigues NR, Rowan A, Smith MEF, et al.,** : P53 mutation in colorectal cancer. *Proc Natl Acad Sci USA*. 87 : 7555, 1990.
- Rose EA, Glaser T, Jones C, et al.,** : Complete physical map of the WAGR region of 11 P 13 Localize a candidate Wilm's tumour gene. *Cell*. 60 : 495, 1990.
- Sagae S, Kudo R, Dusumaki N, et al.,** : Ras oncogene expression and progression in intraepithelial neoplasia of the uterine cervix. *Cancer*. 66 : 295, 1989.
- Saitoh K, Takahashi H, Sawada N, et al.,** : Detection of the c. met proto-oncogene product in normal skin and tumours of melanocyte origin. *J Pathol*. 147 : 191, 1994.
- Sarnow P, Ho YS, Williams J, et al.,** : Adenovirus E18-58 KD tumour antigen are physically associated with the same 54Kd cellular protein in transformed cells. *Cell*. 28 : 387, 1982.
- Scheffner M, Werness BA, Huibregtse JM, et al.,** : The E6 oncoprotein encoded by human papillomavirus type 16 and 18 promotes the degradation of P53. *Cell*. 63 : 129, 1990.

- Schlegel R, Phleps WC, Zhang YL, et al., :** Quantitative Keratinocyte assay detects 2 biological activities of human papillomavirus DNA and identifies normal type associated with cervical carcinoma. *EMBO J.* 7 : 3181, 1988.
- Schneider H, Hot ZM, and Gissmann L. :** Increased prevalence of human papillomaviruses in the lower genital tract of pregnant women *Int. J Cancer.* 80 : 198, 1987.
- Schwab M. :** Amplification of N-myc as a prognostic marker for patients with neuroblastoma. *Semin Cancer Biol.* 4 : 13, 1993.
- Seizinger BR, Rouleau G, Ozelius, et al., :** Common pathogenic mechanism for 3 tumor types in bilateral acoustic Neurofibromatosis. *Science.* 236: 317, 1987.
- Siseberg JW, Nedrud JG, Raab-Traub N, et al., :** Epstein - Barr virus replication in oropharyngeal epithelial cells. *N Eng J Med.* 310 : 1225, 1984.
- Smotkin D, and Wettstein FO. :** The major human papillomavirus protein in cervical cancers is a cytoplasmic phosphoprotein. *J Virol.* 6 : 1686, 1987.
- Smotkin D, and Wettstein FO. :** Transcription of Human papillomavirus type 16 early genes in a cervical cancer and a cancer derived cell line and identification of the E7 protein. *Proc Natl Acad Sci USA.* 83 : 4680, 1986.
- Sorensen FB, Bichel P, Jakobsen A. :** DNA level and stereologic estimates of nuclear volume in squamous cell carcinoma, of the uterine cervix. A comparative study with analysis of prognostic impact. *Cancer.* 69: 187, 1992.
- Southern EM. :** Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol.* 98:1 : 503, 1975.
- Storey A, Pim D, Murray A, et al., :** Comparisson of the in vitro transforming activities of human papillomavirus types. *EMBO J.* 7:1815, 1988.
- Susini T, Rapi S, Savino L, et al., :** Prognostic value of flow cytometric deoxyribonucleic acid index in endometrial;

- carcinoma : Comparison with other clinical - Pathologic parameters. *Am J Obstet Gynecol.* 170 : 527, 1994.
- Syrjanen KJ.** : Current view on the condylomatous lesions in uterine cervix and their possible relationship to cervical squamous cell carcinoma. *Obstet Gynecol Surv.* 35 : 685, 1980.
- Syrjanen KJ, Heinonen UM, and Karuraniemi T.** : Cytological evidence of the association of condylomatous lesions with the dysplastic and neoplastic changes in uterine cervix. *Acta Cytol.* 25 : 17, 1981.
- Syvertson JT, and Berry GR.** : Carcinoma in the cottontail rabbit following spontaneous virus papilloma. *Proc Soc Exp Biol Med.* 33 : 399, 1935..
- Takahashi T, Nau MM, Chiba I, et al.,** : P53 : A frequent target for genetic abnormalities in Lung cancer. *Science.* 246 : 491, 1989.
- Thor AD, Moore II, OH, Edgerton SM, et al.,** : Accumulation of P53 tumour suppressor gene protein : An independent marker of prognosis in breast cancers. *J Natl Cancer Inst.* 84 : 845, 1992.
- Tiniakos DG, Scott LE, Corbett IP, et al.,** : Studies of C. Jun oncogene expression in human breast using a new monoclonal antibody NCL DK4. *J Pathol.* 172 : 19, 1994.
- Tkachuk DC, Pinkel D, Weller HLL, and Gray JW.** : Clinical applications of fluorescence in situ hybridization. *GATA.* 8 (2) : 67 - 1991.
- Tkachuk DC, Westbrook CA, Andreeff M, et al.,** : Detection of bcr-abl fusion in chronic Myelogenous leukemia by in situ hybridization. *Science.* 25 : 559, 1990.
- Toksoz D, Farr CJ, Marshall CJ.** : Ras genes and acute myeloid leukemia. *Br J Hematol.* 71 : 1, 1989.
- Trask BG, Van Den Engh JW, Landengent N, et al.,** : Detection of DNA sequences in nuclei in suspension by in situ hybridization and dual beam flow cytometry. *Science.* 230 (4732) :1401, 1985.

- Unger ER.** : In situ and northern hybridization technical consideration guiding clinical application. *Cancer*. 69:1532, 1992.
- Van de Vijver MJ, Peterse JL, Mooi WJ, et al.,** : Neu protien overexpressin in breast Cancer. Association with comedo type ductal carcinoma in situ and limited prognostic value in stage II breast cancer. *N Eng J Med*. 319 : 1239, 1988.
- Van den Berg FM, and Volkers HV.** : Practical course : In situ hybridization. Central Medical Academy of Amsterdam, Holland. Unpublished Material., 1994.
- Van den Brule AJC, Snijders PJF, Gordijn RLJ, et al.,** : General primer- mediated polymerase chain reaction permits the detection of sequenced and still unsequenced human papillomavirus genotypes in cervical scraps and carcinoma. *Int J Cancer*. 46 : 644, 1990.
- Varesco L, Thomas HJW, Cottrell S, et al.,** : CPG island clones from a deletion encompassing the gene of adenomatous polyposis coli. *Proc Natl Acad Sci USA*. 85 :10118, 1989.
- Vermund SH, Schiffman MH, Goldberg GL, et al.,** : Molecular diagnosis of genital Human papillpmavirus infection comparison of two methods to collect exfoliated cervical cells. *Am J Obstet and Gynecol*. 160 : 304, 1989.
- Visakorpi T, Kallioniemi OP, Heikkinen A, et al.,** : Small subgroup of aggressive, highly proliferative carcinoma defined by P53 accumulation. *J Natl Cancer Inst*. 84 : 883, 1992.
- Vogel F, and Tjian R.** : A transcriptional regulator turned oncogenic. *Oncogene*. 3 : 3, 1988.
- Vogel F.** : Genetics of retinoblastoma. *Human Genet*. 52: 1, 1979.
- Vogelstein B, Fearon ER, Kern SE, et al.,** : Allelotype of colorectal carcinoma. *Scince*. 244 : 207, 1989.
- Vogelstein B, Fearon ER, Hamilton SR, et al.,** : Genetic alterationioin during colorectal tumor development. *N Engl J Med*. 319 : 525, 1988.

- Vousden KH.** : Human papillomavirus and cervical carcinoma. *Cancer Cells.* 1 : 43, 1989.
- Walker J, Bloss JD, Liaosy, et al.,** : Human papillomavirus genotype as a prognostic indicator in carcinoma of the uterine cervix. *Obstet Gynecol.* 74 : 267, 1989.
- Watson JD, and Crick FHC.** : Molecular structure of nucleic acid. *Nature.* 171 : 737, 1953.
- Weinberg RA.** : The integration of molecular genetics into cancer manegment. *Cancer.* 70 : 1553, 1992.
- Weisman BE, Saxtion P, Pasquale SR, et al.,** : Introduction of a normal human chromosome 11 into a Wilm's tumour cell line controls its tumorigenic expression. *Science.* 236: 175, 1987.
- Werness BA, Munger K, and Howely PM.** : The role of human papillomavirus oncoproteins in transformation and carcinogenic progression. In De Vita VT, Helman JS. and Rosenberg SA. (eds) *Important advances in oncology.* Philadelphia J.B. Lippincot company P 2, 1991.
- Werness BA, Levine AJ, Howley PM.** Association of human papillomavirus types 16 & 18 E6 proteins with P 53 .*Science.* 248 : 76, 1990.
- Wilbur DC, Reichman RC, and Stoler MH.:** Detection of infection by Human Papillomavirus in genital condylomata. A comparison study using Immunocytochemistry and in situ nucleic acid hybridization. *AJCP.* 89 (4) : 505, 1988.
- Wirght TC, Ellerbrack TE, Chiasson MA, et al.,** : Comparision of cervical intraepithelial neoplasia in human immune defeciency virus-infected and uninfected women. *Obstet Gynecol.* 79 : 173, 1992.
- Wright C, Angus B, Nicolsons S, et al.,** : Expression of c erb B-oncoprotein : A prognostic indicator in humman breast cancer. *Cancer Res.* 49 : 2087, 1989.
- Wright NA.** : Cell proliferation in health and disease. In Anthony pp., Mac Sween RNM eds *Recent advances in histopathology* Edinburgh. Churchill Livingstone. 14 : P 17, 1984.

- Wright TC, Ferenczy A, Kurman R.** : Carcinoma and other tumors of the cervix. In Blaustein's pathology of the female genital tract. 4th ed. Vol.1 Kurman R. Springer - Verlag P 279. 1994.
- Xu HJ, Hu SX, Benedict WF.** : Lack of nuclear RB protein staining in Go/middle G1 cells : Correlation to changes in total RB level. *Oncongene*. 6 : 1139, 1991.
- Yamanishi D, Buckmeier J, Meyskens F.** : Expression of C-Jun, Jun B., and C. fos proto-onogenes in human primary melanocytes and metastatic melanomas. *J Invest Dermatol*. 97 : 349, 1991.
- Yamatoso S, Burkhard AL, Donmger J, et al.,** : Human papillomavirus type 16 DNA induced malignant transformation of NIH 3T3 cells. *J Virol*, 57 : 572, 1986.
- Yasumoto S, Burkhardt AL, Doniger J, et al.,** : Human papillomavirus type 16 DNA induced malignant transformation of NIH3T3 Cells. *J Virol*. 63 : 159, 1986.
- Yee C, Biondi A, Wang H, et al.,** : A possible autocrine role for interleukin - 6 in two lymphoma cell lines. *Blood*. 74 : 798, 1989.
- Yokota J, Wada M, Shimosato Y, et al.,** : Loss of heterozygosity on chromosome 3, 13 and 17 in small cell carcinoma of the lung. *Proc Natl Acad Sci USA*. 84 : 9252, 1987.
- Young LS, Bevan JS, Johnson MA, et al.,** : The polymerase chain reaction : a new epidemiological tool for investigating cervical HPV infection. *Br Med J*. 298 :14, 1989.
- Zbar B, Brauch H, Talmadge C, et al.,** : Loss of alleles of loci on the short arm of chromosome 3 in renal cell carcinoma. *Nature*. 329: 721; 1987.
- Zur Hausen H.**: Human papillomavirus and their possible role in squamous cell carcinomas *Curr. Top Microbiol Immunol*. 78, 1977.
- Zur Hausen H, and shchneider A.** : The role of papillomavirus in anognital cancer. In N.P. Salzman and P.M. Howley (eds) *The papovaviridae 2*, New York. Plenum Publishing Corp. P 245, 1987.

- Zur Hausen H.** : Human papillomavirus in the pathogenesis of anogenital cancer. *Viol.* 148 : 9, 1991.
- Zur Hausen H.** : Papillomaviruses in Anogenital cancer as a model to understand the role of viruses in Human caners. *Cancer Res.* 89: 4677, 1989.