

REFERENCE

Anderson S., Rennke H.G. and Brenner B.M. (1989):

Therapeutic advantages of calcium antagonists in diabetic rats with renal disease associated with systemic hypertension.

Anderson S.; Rennke H.G.; Garcia D.L. and Brenner B.M. (1989):

Short and long term effects of antihypertensive therapy in the diabetic rat.

Kidney Int. 36: 526.

Anderson S. (1991):

Renal haemodynamic effect of calcium antagonists in rats with reduced renal mass.

Hypertension 17, 288.

Apperloo, A.J.; de Zeeu, W.D.; Sluiter, H.E. and de Jong P.E. (1991):

Differential effect of enalapril and atenolol on proteinuria and renal haemodynamics in non-diabetic renal disease.

B. M.J. 303(5), 821.

Ayer G.A.; Grandcham P.A.; Wyler T. and Tsung B. (1971):

Intrarenal haemodynamics in glycerol-induced myohaemoglobinuric acute renal failure in rats.

Circ. Res. 29; 128.

Bauer J.H. and Reams G.P. (1985):

Haemodynamic and renal function in essential hypertension during treatment with enalapril.

Am. J. Med. 79: 10.

Beaufils, M. (1992):

Angiotensin-converting enzyme inhibition and diabetic nephropathy.
J. Cardiovasc. Pharmacol. 19 (supp 6), S33.

Benetas A.; Levy, B.I. and Safar M. (1992):

Effect of converting-Enzyme inhibition on carotid artery compliance in spontaneously hypertensive rats.
J. of cardiovasc. pharmacol. 20 (supp B); S22.

Benjamin N.; Cockraft J.R.; Callier J.G.; Dollery C.T.; Ritter J.M. and Welb D.J. (1989):

Local inhibition of converting enzyme and vascular responses to angiotensin and bradykinin in the human forearm.
J. Physiol (London), 10, 1143.

Bjark S.; Mulec H.; Johnsen S.A.; Nyberg G. and Aurell M. (1990):

Contrasting effect of enalapril and metoprolol on proteinuria in diabetic nephropathy.
B. Med. J. 300, 904.

Bowmer C.J.; Nichols A.J.; Maxine Warren and Yates M.S. (1983):

Cardiovascular responses in rats with glycerol-induced acute renal failure.
Br. J. Pharmac., 79, 471.

Brady H.R. and Singer G.G. (1995):

Acute renal failure.
Lancet, 346; 1533.

Bruke J.J.; Arnold P.E.; Gardon J.A.; Bulger Dobyan D.C. and Schrier R.W. (1984):

Protective effect of Intrarenal calcium membrane blockers before or after renal ischaemia, functional, morphological and mitochondrial studies.

J. Clin. Invest. 74, 1830.

Brunier M. and Schrier R.W. (1987):

Protection from acute renal failure, In: Amerio, H. Coratelli, P. Campese VM, Massry SG, eds. Acute renal failure (Bari Seminars in nephrology. Renal failure: clinical and Experimental). New York: Plenum. 275-283.

Brunner F.P.; Thiel G.; Hermle M. and Bock H.A. (1989):

Longterm enalapril and verapamil in rats with reduced renal mass.

Kidney Int. 36: 969.

Chaffman M. and Brogden R.N. (1985):

Diltiazem a review.

Drugs. 29, 387.

Christiansen J.S.; Gammelgaard J.; Tronier B.; Sevensen P.A. and Parving H.H. (1982):

Kidney function and size in diabetics before and during initial insulin treatment.

Kidney Int. 21, 683.

Chobanian A. (1987):

Effect of calcium channel antagonists and other antihypertensives drugs on atherogenesis.

J. hypertension, 5 (supp 4): S43.

Cohen M. and Kurtz K.D. (1982):

Angiotensin converting enzyme inhibition in tissues from spontaneously hypertensive rats after treatment with captopril and MK 421.

J. Pharmacol. Exp. Ther. 220, 63.

Conger J.D.; Robinette J.R. and Schrier R.W. (1988):

Smooth muscle calcium and endothelium-derived relaxing factor in the abnormal vascular responses of acute renal failure.

J. Clin. Inves. 82; 532.

Cushman D.W.; Wang F.L. and Fung W.C. et al (1989):

Differentiation of angiotensin-converting enzyme (ACE) inhibitors by their selective inhibition of ACE in physiologically important target organs.

Am. J. hyertens 2; 294.

Daniel W. (1983):

Biostatistics, In: A foundation for analysis in the health science, 3rd ed, John Wiley and sons, New York, P. 185.

Dawidson I. and Rooth P. (1990):

Effects of calcium antagonists in ameliorating cyclosporine A nephrotoxicity and post-transplant ATN. In Epstein M, Loutzenhiser R, eds. Calcium antagonists and the kidney. Philadelphia: Hanley & Belfus. P233.

De Jong P.E.; Heeg J.E.; Apperloo A.J. and de Zeeuw D. (1992):

The antiproteinuric effects of blood pressure-lowering Agents: Differences between Nondiabetic and diabetic.

J. Cardiovasc. Pharmac. 19 (supp 6) S28.

Dwarkin L.D. (1990):

Effects of calcium channel blockers on experimental glomerular injury.
J. A. Soc. Nephro. 1: S21.

Dwarkin L.D.; Levin R.I. and Benstein J.A. et al. (1990):

Effect of nifedipine and enalapril in glomerular injury in rats with deoxycorticosteron-salt hypertension.
Am. J. Physiol. 259, F298.

Dwarkin L.D.; Feiner H.D.; Parker M. and Talbert E. (1991):

Effects of nifedipine and enalapril on glomerular structure and function in uninephrectomized SHR.
Kidney Int. 39, 1112.

Eggers P.W. (1988):

Effect of transplantation on the end-stage renal disease program.
N. Eng. J. Med. 318: 223.

Epstein M. (1991):

Calcium antagonists and the kidney: implication for renal protection.
J. of cardiovasc. pharmacol., 18(10), S64.

Fabris B.; Jackson B. and Johson C. (1991):

Salt blocks the renal benefits of ramipril in diabetic hypertensive rats.
Hypertension, 17, 497.

Floege J.; Burns M.W. and Aplers C.E. et al (1992):

Glomerular cell proliferation and PDGF expression precede glomerulosclerosis in the remnant kidney model.

Kidney int. 41, 297.

Fleckenstein A.; Kammermeirer H. and Daring H. et al (1967):

On the mechanism of new coronary dilators with oxygen sparing myocardial effects-prenylamine and Iproveratril Z kreislaufforsch 56, 716.

Fray G.C.S.; Lush D.J. and Valentine A.N.D. (1983):

Cellular mechanisms of renin secretion.

Fed. Proc. 42; 3150.

Ganong W.F. (1995):

Renal function and micturation. In "Review of medical physiology. Ed. by Appleton and lang, Norwalk, connecticut Los Altos, California P. 641.

Gattone I.V.H.; Evans A.P. and Mong S.A. et al. (1983):

The morphology of the renal micro vasculature in glycerol and gentamycin-induced acute renal failure.

J. Lab. Clin. Med. 101, 183.

Gindler E. (1972):

Am. J. Cin. Path. 58, 376.

Grassman E. and Messerli F.H. (1992):

End-organ disease in hypertension: What have we learned.

Journaal of cardiovasc. pharmacol. 20 (supp 10), S1.

Hackenthal E.; Paul M.; Ganten D. and Taunger R. (1990):

Morphology, physiology and molecular biology of renin secretion.
Physiol. rev, 70, 1067.

Harrise D.C.H.; Hammond W.S.; Burke T.J. and Schrier (1987):

Verapamil protect against progression of experimental chronic renal failure.
Kidney Int. 31, 41.

Hass H. and Hartfelder G. (1962):

α isopropyl- α (N-methylhomoveratryl-8 aminopropyl)-3,4 dimethoxy-phenylacetone, a substance with vasodilator properties.
Arzneimittel forschung 12: 549.

Hintridge V. and Speight T.M. (1991):

An over view of therapeutic interventions in myocardial infarction.
Drugs 42 (supp 2): 8.

Holdaas H.; Hartman A. and Lien M.G. et al (1990):

Lisinopril but not nifedipine, reduces urinary albumin excretion in diabetic nephropathy [Abstract].
Kidney Int. 37, 239.

Halushka P.V.; Mais D.E.; Mayeaux P.R. and Marineli T.A. (1989):

Thromboxane, prostaglandin and leukotriene receptors Annu.
Rev Pharmacol Toxicol 10, 213.

Hommel E.; Mathiesen E.R.; Edsberg B.; Bahnson M. and Parving H.H. (1986):

Acute reduction of arterial blood pressure reduces urinary albumin excretion in type I diabetic patients with incipient nephropathy.

Diabetologia 29, 211.

Hou S.H.; Bushinski D.A.; Wish J.P. and Harrington J.T. (1983):

Hospital Acquired renal insufficiency: A prospective study.

Am. J. Med. 74: 243-248.

Husdan H. (1968):

Clin. Chem. 14; 222.

Henry R.F. (1974):

Clinical chemistry principles and techniques. 2nd Ed, Harper and Row, Hagerstein MD.

Insua A.; Ribstein J. and Mimran A. (1988):

Comparative effect of captopril and nifedipine in normotensive patients with incipient diabetic nephropathy.

Postgrad. Med. J. 64, 59.

Jackson B.; Debrevi L.; Whitty M. and Johnson C.F. (1986):

Progression of renal disease: effects of different classes of antihypertensive therapy.

J. hypertension 1986, 4 (supp 5): S269.

Jensen P.K.; Steven K.; Blaehr H.; Christiansen J.S. and Parving H. (1986):

Effect of indomethacin on glomerular haemodynamics in experimental diabetes.
Kidney int. 29, 490.

Johnston C.I. (1990):

Biochemistry and pharmacology of the renin-angiotensin system.
Drugs, 39; 21.

Johnston C.I.; Jandeleit K.; Mooser V. and Katapothis R. et al (1992):

Angiotensin-converting enzyme and its inhibition in the heart and blood vessels.
J. of cardiovasc. pharmacol., 20 (supp B) S6.

Kaene W.J. and Raij L. (1985):

Relationship among altered glomerular barrier permselectivity. Angiotensin II and mesangial uptake of macromolecules.
Lab. Invest 52, 599.

Kaiser G.; Ackermann R.; Brechbuhler S. and Dieterle W. (1989):

Pharmacokinetics of Angiotensin converting enzyme inhibitor benazepril-Hcl (CGS 14824 A) in healthy volunteers after single and repeated administration.
Biopharm drug Dispos. 10, 365.

Kamper A.L.; Strandgaard S. and Leyssac P.P. (1992):

Effect of enalapril on the progression of chronic renal failure. A randomized controlled trial.
Am. J. Hypertens. 5(7), 423.

Kelly J.G. and O'Malley K. (1990):

Clinical pharmacokinetics of the newer ACE inhibitors.

Clinical pharmacokinetics 19; 177.

Larochelle P. (1991):

Glomerular capillary pressure and hypertension.

Am. Heart. J. 1991, 122, 1228.

Lewis E.J.; Hunsicker L.G.; Bain R.P. and Rohde R.D. (1993):

The effect of angiotensin-converting enzyme inhibition on diabetic nephropathy.

N. Eng. J. Med 1993; 329; 1456.

Lindner E. (1960):

Phenyl-propyl-diphenyl-propyl-amin, a new substance with a dilating action in the coronary vessels.

Arzneimittel forschung, 10: 569.

Marelli E.; Loon N.; Meyer T.; Peters W. and Myers B.D. (1990):

Effect of converting enzyme inhibition on barrier function in diabetic glomerulopathy.

Diabetes, 39, 76.

Margolius H.S. (1989):

Tissue kallikrein and kinins: Regulation and roles in hypertensive and diabetic disease.

Ann. Rev. Pharmac. Toxic, 29, 343.

Marre M.; Chatellier G.; Leblanc H.; Guyenne T.T.; Minard J. and Passa P. (1988):

Prevention of diabetic nephropathy with enalapril in normotensive diabetics with microalbuminuria.

B. Med. J. 297, 1092.

Mathiesen E.R.; Hommel E.; Giese J. and Parving H.H. (1990):

Angiotensin converting enzyme inhibition postpones the development of diabetic nephropathy [Abstract].

Diabetologia 33, A75.

Miller D. (1988):

Benazepril Hcl (CGS 14824A): Effect on blood pressure and plasma renin activity in DOCA hypertensive rats, in sodium replete/deplete normotensive and hypertensive rats and in sodium replete/deplete perinephritic hypertensive dogs. CIBA-G.Eigy USA. Cardiovascular research report No. 88002, March 2.

Mumeenthaler M. and Van Zweiten P.A. (1991):

Cerebroprotective effect of calcium antagonists.

J. Cardiovasc. pharmacol. 18 (supp 8), S1.

Ogaw N. and Ono H. (1987):

Effect of an angiotensin converting enzyme inhibitor CGS 14824A on blood pressure of spontaneously hypertensive rats CiBA-GEIGY Japan. Biology research report No. 175. September.

Ondetti M.A. (1988):

Structural relationships of angiotensin converting enzyme inhibitors to pharmacological activity.

Circulation 77 (supp 1), 1.

Opie L.H. (1991):

Calcium channel blockers: In drugs for the heart eds. Richardzarrah. W.B. Saunder company. Philadelphia. P. 54.

Opie L.H. (1994):

ACEIs and the kidney. In: Angiotensin converting enzyme inhibitors, scientific basis for clinical use, 2nd edition, Authors' publishing house. New York. P. 71.

Paget G.E. and Barns (1964):

Toxicity tests. In evaluation of drug activities, pharmacometrics, Vol I. (laurance D.R. & Bacharach A.L. eds) Chap 6. P. 135-166. Academic press, London & New York.

Parving H.H. (1992):

Renoprotective action of angiotensin converting enzyme inhibition in diabetes Mellitus.

J. Cardiovasc. Pharmac.. 19 (supp 6): S19.

Parving H.H.; Kastrup J.; Smidt U.M.; Anderson A.R.; Feldt-Rasmussen B. and Christiansen J.S. (1984):

Impaired autoregulation of glomerular filtration in type I diebetic patient with nephropathy.

Diabetologia 27, 547.

Patton C.J. and Crouch S.R. (1977):

Anal. Chem. 49, 464.

Peters T.H.; Willfert B.; Vanhoutte P.M. and Van Zwieten P.A. (1991):

Calcium channel in the brain as targets for the calcium channel modulators used in the treatment of neurological disorders.

J. cardiovasc. pharmacol. 18(8), S1.

Pfeffer M.A.; Lamas G.A. and Vaughan D.E. et al (1988):

Effect of captopril on progressive ventricular dilatation after anterior myocardial infarction.

N. Engl. J. Med. 319, 80.

Pfaffendard M.; Mathy M.J. and Can Zwieten P.A. (1993):

Effects of manidipine and other calcium antagonists on rat renal arcuate arteries.

Am. Heart. J. 125, 571.

Raij L. and Keane W. (1985):

Glomerular mesangium: its function and relationship to angiotensin II.

Am. J. Med, 79 (supp 36), 24.

Raya T.E.; Gay R.G.; Aguirre M. and Goldman S. (1989):

Importance of venodilatation in prevention of left ventricular dilatation after chronic large myocardial infarction in rats: a comparison of captopril and hydralazine.

Cir. Res. 64: 330.

Reams G.P.; Villarrel D.; Wang X, I Luger M. and Bauer J.H. (1993):

An evaluation of the renal protective effect of mandipine in the uninephrectomized spontaneously hypertensive rat.

Am. Heart J. 125, 620.

Romero J.C. and Knax F.G. (1988):

Mechanisms underlying pressure related natriuresis: The role of the renin angiotensin and prostaglandin systems. Hypertension 11, 724.

Rosansky S.J.; Hoover D.R.; King L. and Gibson J. (1990):

The association of blood pressure levels and change in renal function in hypertensive and non hypertensive subjects.

Arch. Intern. Med. 150: 2073.

Solvetti A. (1990):

Newer ACE inhibitors a look at the future.

Drugs; 40; 800.

Samani N.J.; Swales J.D. and Brammer W.J. (1989):

A widespread abnormality of renin gene expression in the spontaneously hypertensive rats: Modulation in some tissues with the development of hypertension.

Clin. Sci. 77, 629.

Sanchez R.A.; Traballi C.A.; Marco E.J.; Gilbert B.H.; Ramirez A.J. and Long G. (1991):

Effect of ACE inhibition on renal haemodynamics in essential hypertension and hypertension associated with chronic renal failure.
Drugs, 41 (supp 1), 25.

Schelling P.; Fishcer H. and Ganten D. (1991):

Angiotensin and cell growth a link to cardiovascular hypertrophy.
Hypertens 9; 3.

Schrier R.W. (1991):

Role o calcium channel blockers in protection against experimental renal injury.
The Am. J. of medicine, 90 (supp 5A), 21S.

Schrier R.W.; Arnold P.E.; Van-Putten V.J. and Burk T.J. (1987):

Cellular calcium in acute renal failure: Role of calcium entery blockers.
Kidney Int. 32, 313.

Schön H.R.; Darn R. and Blömer A. (1992):

Effect of a single oral dose of the ACE inhibitor Quinapril on left ventricular performance in Asymptomatic patients with sever chronic aortic regurgitation.
J. of cardiovasc. Pharmacol. 20 (supp B), S60.

Schunkert H.; Hirsch A.T.; Mankodi S.; Talsness C.; Dzau V.J. and Ingel-finger J.R. (1989):

Renal angiotensinogen gene expression in experimental heart failure: Effect of angiotensin converting enzyme inhibition (Abstract).
Clin. Res. 37, 584 A.

Schwartz A. (1992):

Molecular and cellular aspects of calcium channel antagonism.

Am. J. Cardiol 1992; 70; 6f-8f.

Shapiro J.I.; Cheung C.; Itabasshi A.; Chan L. and Schrier R.W. (1985):

The effect of verapamil on renal function after warm and cold ischaemia in the isolated perfused rat kidney.

Transplantation 40, 596.

Sharpe N.; Murphy J.; Smith H. and Hannan S. (1988):

Treatment of patients with symptomless left ventricular dysfunction after myocardial infarction.

Lancet 1, 255.

Shulman N.B.; Fard C.E. and Hall W.D. (1989):

Prognostic value of serum creatinine and effect of treatment of hypertension on renal function: results from hypertension detection and follow-up program.

Hypertension 13 (supp 1): 180.

Shultz P.J.; Dicarleto P.; Silver B.J. and Abbond H.E. (1988):

Mesangial cells express PDGF mRNA's and proliferate in response to PDGF.

Am. J. Physiol 255, F 674.

Shultz P.J.; Knauss T.; Mene P. and Abbond H.E. (1989):

Mitogenic signals for thrombin in mesangial cells: regulation of phospholipase C and PDGF genes.

Am. J. Physiol 257, F 366.

Shultz P.J. and Raij L. (1990):

Inhibition of human mesangial cell proliferation by calcium channel blockers.
Hypertension 15 (supp 1), I.76.

Sica D.A. (1992):

Kinetic of angiotensin-converting enzyme inhibitors in renal failure.
J. Cardiovasc. pharmacol. 20; (supp 10) S13.

Stefanski A.; Amann K. and Ritz E. (1995):

To prevent progression: ACE inhibitors, calcium antagonist or both.
Nephrology, Dialysis, transplantation 10(2), 151.

Struyker Baudier H.A.J.; de Mey J.G.; Smits J.F.M. and Nieuvelstein H.M.N.W. (1989):

Hemodynamic actions of calcium entry blockers. In: Van Zwieten PA, ed.
clinical aspects of calcium entry blockers. Basel: Karger Verlag. P. 21.

Sweeney C.; Shultz P. and Raij L. (1990):

Interactions of endothelium and mesangium in glomerular injury.
J. Am. Soc. Nephrol 1(1), S13.

Takabatake T.; Ushioji Y.; Ise T. and Kobayashi K. (1993):

Effect of calcium antagonist, manidipine hydrochloride, on renal haemodynamics
and tubuloglomerular feed back in spontaneously hypertensive rats.
Am. Heart. J. 125, 578.

Terri A.E. and Sesin P.G. (1958):

Am. J. Clin. Path. 29: 86.

Thiel G.; Wilson D.R. Arace M.L. and Oken D.E. (1967):

Glycerol induced haemoglobinuric acute renal failure in rat: Experimental model predisposing factors and pathophysiological features.

Nephron, 4, 276.

Tarazi R.C.; Bravo E.L.; Fouad F.M.; Omvick P. and Cody R.J. (1980):

Haemodynamic and volume changes associated with captopril.

Hypertension 1980; 2; 576.

Townend J.N. and Davies M.K. (1992):

B. receptor up regulation induced by Quinapril in congestive heart failure.

J. of cardiovasc. pharmacol. 20 (supp B) S48.

Unger T.H.; Ganten D.; Lang R.E. and Schöckens (1985):

Persistent tissue converting enzyme inhibition following chronic treatment with HOE 498 inspontaneously hypertensive rats.

J. cardiovasc pharmacol. 7, 36.

Unger T.H.; Ganten D. and Lang R.E. (1986):

Tissue converting enzyme and cardiovascular actions of converting enzyme inhibitors.

J. Cardiovasc. pharmacol. 8 (supp 10) S75-S81.

Van Zwieten P.A. (1993):

Protective effects of calcium antagonists in different organ and tissues.

Am. Heart. J., 125, 566.

Venkatachalam M.A.; Rennke H.G. and Sandstrom D.J. (1976):

The vascular basis for acute renal failure in rat.
Circ. Res. 38: 267.

Wagner K.; Albrecht S. and Neumayer H. (1987):

Prevention of post-transplant acute tubular necrosis by the calcium antagonist diltiazem: a prospective randomized study.
Am. J. Nephrol 7, 287.

Walker W.G.; Cutler J.; Neuwirth R. and Neaton et al. (1990):

Blood pressure and renal function in the Multiple Risk factor intervention trial (MRFIT) (Abstract).
J. hypertension 15; 893.

Wang P.; Ba Z.F.; Meldrum D.R. and Chaudry I.H. (1992):

Diltiazem restores cardiac out put and improve renal function after haemorrhagic shock and crystalloid resuscitation.
Am. J. Physiol. 262 (5 Pt2), PH 1435-1440.

Watras J.; Bezprozvanny I. and Ehrlich B.E. (1991):

Inositol 1.4.5 triphosphate-gated channels in cerebellum and smooth muscle: Presence of multiple conductance states (Abstract).
Biophy. J. 59, 600a.

Watkins B.E. and Weiss G.B. (1983):

Cardiovascular pharmacology of CGS 14824A. CIBA-GEIGY USA.
Cardiovascular pharmacology. Report No. 1-83. February 10.

Weder A.B. (1990):

Renal protective effects of angiotensin converting enzyme inhibitors.
Am. J. Hypertens 3(11), 273S.

Weiner D.A. (1988):

Calcium channel blockers.
Med. Clin. North. Am. 72: 83.

Wilson T.W. (1992):

Renal prostaglandin synthesis and angiotensin-converting enzyme inhibition.
J. Cardiovasc. Pharmac. 19 (supp 6), S39.

Wilson T.W.; Sharif M.N. and Kaushal R.D. (1991):

Diltiazem increase renal prostacyclin.
Clin. Invest. Med.; 14(6); 596.

Wood J.M.; Jobber R.A.; Baum H.P. and Hofbauer K.G. (1987):

Comparison of the chronic inhibition of renin and converting enzyme in marmoset.
Clin. and Exper. Hypertension. Theory and practice. Ag (2 & 3), PP. 337.

Zakaria A.H. (1985):

Microtechnique, the parafine technique. In: Histology for medical students, part I. Al Shaab Printing House, Cairo, P. III-VII.

Zhang B.Z. (1991):

Glomerular alteration in glycerol-induced acute renal failure rabbits.
Chung-hua-Ping-Li-HsueH-Tsa-Chih, 20 (3), 195.