

References

1-Adejunloye BJ, Omoniyi JO, Ajabonna OP et al. (1996):

Mechanism of blood pressure lowering effects of the calyx extract of Hibiscus sabdariffa in rats.

Afr J Med Sci 25: 235-238.

2-Akindahusni AA, Olaleye MT. (2003):

Toxicological investigation of aqueous-methanolic extract of the calyces of Hibiscus sabdariffa L.

J Ethnopharmacol 89: 161-164.

3-Albert, A. W.: MacDonald, J. S., Till, A. E.; and Tobert, J. A (1989):

Lovastatin.

Cardiol. Drug Rev., 7, 89-109.

4-Ali MS, Salih MW, Homeida AM. (1991):

An estrogenic-like activity of Hibiscus Sabdariffa.

Fitoterapia 60: 547-548.

5-Allain, C.C., Poon, L.S., Chan, C.S., Richmond, W., Fu, P.C., 1974:

Enzymatic determination of total serum cholesterol.

Clinical Chemistry 20: 470-475.

6-Aviram, M., Rosenblat, M., Bisgaier, C.L., Newton, R.S., 1998:

Atorvastatin and gemfibrozil metabolic but not parent drugs, are potent antioxidant against lipoprotein oxidation.

Atherosclerosis 138: 271-280.

7-Bakris G, Dickholtz M, Meyer PM, et al. (2007).

"Atlas vertebra realignment and achievement of arterial pressure goal in hypertensive patients: a pilot study".

Hum Hypertens 21 (5):347-52.

8-Barter, P.J., Hopkins, G.J. and Garjatschke, A. (1985): lipoprotein substrates for plasma cholesterol esterifies cent ion. Influence of Particle size and composition of high density lipoprotein subtractions.

Atherosclerosis 58: 97.

9-Baumann (1992):

Tetrahedron letters 33, 2283.

10-Bahyorch MA, Mann G, Walton M, Eatman D. (2006):

Effects of enalapril, tempol, and eplerenone on salt-induced hypertension in dahl salt-sensitive rats.

Clin Exp Hypertens. 28(2):121-32.

11-Bilheimer, D.W., Goldstein, J.L., Grandy, S.M. Starzl, T.E. and Brown, M.S. (1984):

Liver transplantation to provide low density lipoprotein receptor and low plasma cholesterol in a child with homozygous familial hypercholesterolemia.

New England Journal of Medicine 311:1658.

12-Black, HR. (1999):

Optimal blood pressure: how should we go?

Am. J. Hypertens., 12: 113S-120S

13-Brown, M.S. (1988):

Liver transplantation to Provide low density lipoprotein receptors and lower plasma cholesterol in child with a homozygous familial hypercholesterolemia.

New England Journal of medicine 311: 1658.

14-Buogo G, Picchinenna D. (1937):

Chemical characteristics of Roselle hemp.

Ann chim Appl 27: 577-582.

15-Burn, J.H. (1952):

Practical pharmacology.

Blackwell Scientific Publications; P35-37.

16-Caggiula, AW. and Mustad, VA. (1997):

Effects of dietary fat and fatty acids on coronary artery disease risk and total and lipoprotein cholesterol concentrations: epidemiology studies.

Am. J. Clin. Nutr. 65:1597S– 1610S.

17-Canjiano, J.L., Carmen. R.S and M.Manuel, M.M (1979):

Effect of antihypertensive treatment on systolic blood pressure and renin in experimental hypertension in rats.

18-Chen CC, Hsu J-D, Wang S-F et al. (2003):

Hibiscus sabdariffa extract inhibits the development of

atherosclerosis in cholesterol-fed rabbits.

J Agric Food Chem 51: 5472-5477.

19-Chobanian AV (2003).

"The Seventh Report of the Joint National Committee on prevention, Detection, Evaluation and Treatment of High Blood Pressure: the JNC 7 report.

JAMA 289:2560-72.

20-Clinical Knowledge Summaries (October 2006).

21-Cody, R. J.(1994):

Coparing angiotensin- converting enzyme inhibitor trial results in patients with acute myocardial infarction.

Arch. Inter. Med.,154:2029-2036.

22-Cressman, M.D., Vidit, D..G., and Acker, C (1982):

Renal glycosuria and azotemia after enalapril maleate (MK-421).

Lancet, 2:440.

23-Cushman, D.W., Cheung, H.S., Sabo, E.F., and Ondetti, M.A (1977).

Design of competitive inhibitors of angiotensine- converting enzyme.Carboxyalkanoyl and mercaptoalkanoyl amino acids.

Biochemistry, 16::5484-5491.

24-Dalziel JM. (1973):

The Useful Plants of West Tropical Africa.

Crown Agent for Overseas Government and Administrations:
London 129-130.

25-Dwyer, J. (1995):

Overview: dietary approaches for reducing cardiovascular disease risks.

J. Nutr. 125:656–665.

26-Dietschy, J.M. (1997):

Theoretical considerations of what regulation lowdensity-lipoprotein and high-density-lipoprotein cholesterol.

Am. J. Clin. Nutr. 65:1581S–1589S.

27-Eisenberg D, David R.B., Erthner S.L.(1998).

Trends in alternative medicine use in the United States;

JAMA 280: 1569-1575.

28-El-Saadany SS, Sitohy MZ, Labib SM. (1991):

Biochemical dynamics and hypocholesterolemic action of Hibiscus sabdariffa (Karkade).

Die Nahrung 35:567-576.

29-Ernst E. Herbal medicine (2000).

Aconcise overview for professionals.

Butterworth Heinemann, Oxford.

30-Esselen WB, Sammy GM. (1975).

Roselle: a natural red colorant for food?

Food Product and Development 7: 80-82.

31-Farnworth, N.R., Bunyapraphatsara, N. (1992):

The Medicinal Plants.

Prachachon Press, Bangkok, pp. 163-166.

32-Friedwald, W.t., 1972:

Estimation of low density lipoprotein cholesterol in plasma,
without use of preparative centrifuge.

Clinical Chemistry 18: 499-502.

**33-Frishman, W.H., Fozailoff, A., Lin, C., and Dike, C. Renin
inhibition (1994):**

A new approach in cardiovascular therapy.

J. Clin. Pharmacol., 34: 873-880.

34-Furchgott, R.F. and Bhadrakom, S. (1953):

Reactions of strips of rabbit aorta to epinephrine,
isoproterenol, sodium nitrite and other drugs.

J. Pharmacol. Exp. Ther. 142 : 39 – 58.

35-Glasser SP (2001):

Hypertension syndrome and cardiovascular events.

Post Grad Med; 110(5) : 29-36.

36-Gray, C.H. Howoth, P.J.N. and Rinster, M.G. (1985):

Clinical chemistry Pathology 10th ed. Edward Arnold Ltd.

Ch . q. PP. 152.

37-Grundy, S. M. (1988):

HMG-CoA reductase inhibitors for treatment of

hypercholesterolaemia.

N. Engl. J. Med., 319, 24-32.

38-Hagley, M.T., Hulisz, D.T., and Burns, C.M. (1993):

Hepatotoxicity associated with angiotensin- converting enzyme inhibitors. *Ann.*

Pharmacother., 27:228-231.

39-Hajj-Faraji M, Hajj Tarkhani A. (1999):

The effect of sour tea (*Hibiscus Sabdariffa*) on essential hypertension.

J Ethnopharmacol 65: 231-236.

40-Herrera-Arellano A, Flores-Romero S, Chavez-Soto MA, Tortoriello J (2004):

Effectiveness and tolerability of a standerized extract from *Hibiscus Sabdariffa* in a patient with mild to moderate hypertension: a controlled and randomized clinica trial.

Phytomedicine 11: 375-382.

41-Hill, B. A. (1979):

Principles of medical statistics 9th ed. London.

Limited publication, 147-283.

42-Hoelscher, D.D., Weir, M.R., and Bakris, G.L. (1995):

Hypertension in diabetic patients: an update interventional studies to preserve renal function.

J. Clin. Pharmacol., 35: 73-80.

43-Holmgren, P.R. and Brown, A.C. (1993):

Serum cholesterol levels of nondiabetic and streptozotocin diabetic rats fed a high cholesterol diet.

Artery 20:337–345.

44-Iliano, L.,(2001):

The oxidant stress hypothesis of atherogenesis.

Lipids, 36:S41-S44.

45-illingrowth, D.R., and Bacon, S (1987):

Hypolipidaemic effects of HMG-CoA reductase inhibitors in patients with hypercholesterolaemia.

Am. J. Caardiol., 60, 33G-42G.

46-Indovina R, Capotummino G. (1938):

Chemical analysis of Karkade, thhe extract derived from Hibiscus Sabdariffa L. cultivated in Scily (Palmerol).

Ann Chim Applicata 28: 413-418.

47-Israili, Z. H., and Hall, W.D. (1992):

Cough and angioneurotic oedema associated with angiotensin-converting enzyme inhibitor therapy.

Ann. Intrn. Med., 1992, 117: 234-242.

48-Joint British Societies (2005):

Guidelines on prevention of cardiovascular disease in clinical practice;

Heart. Dec; 91 Supp 5: 51-52.

49-Jonadet M, Bastide J Bastide P (1990):

Activities inhibitrices enzymatiques in vitro et angioprotectrice in vivo de extraits de Karkade (Hibiscus Sabdariffa L.)

J Pharm Belg 45: 120-124.

50- Joseph W. Klaesner, N. Adrienne Pou, Richard.E. Parker, Charlene Fienny and Robert J. Roselli (1997):

Mean Arterial Pressure.

J Appl Physiol 83:1976:1985.

51-Kaplan, N.M. (2001):

Systemic hypertension: mechanism and diagnosis. In heart disease. Quoted from *A textbook of cardiovascular medicine*, Brounwald, E.; Zipes, D.P. and Libby, P. (Eds), 6th ed., Saunder Company, Philadelphia. PP. 941-971.

52-Keilani, T., Schlueter, W., and Batlle, D. (1995):

Selected aspects of ACE inhibitor therapy for patients with renal disease: impact on proteinuria, lipids and potassium.

J. Clin. Pharmacol., 35: 87-97.

53-Kerharo J. (1971).

Senegal bisap (Hibiscus Sabdariffa) or Guinea sorrel or red sorrel.

Plant Med Phytother 5: 277-281; from *Chem Abstr*, 77: 16568.

54-Khafaga E-SR and Koch H. (1980b):

Stage of maturiy and quality of roselle (Hibiscus sabdariffa L. var. sabdariffa).

2. Anthocyanins. *Agnew Bot* 54: 295-300; from *Chem Abstr* 1980; 94: 171130.

55-Kolawole JA and Maduenyi A. (2004):

Effect of zobo drink (Hibiscus Sabdariffa water extract) on pharmacokinetics of acetaminophen in human volunteers.

Eur J Drug Pharmacokin 29: 25-29.

56-Kragten JAA and Dunselman PHJM. (2007):

Nifedipine gastrointestinal therapeutic system (GIST) in the treatment of coronary artery disease and hypertension.

Expert Rev Cardiovasc Ther 5 :643-653.

57-Krauss, E. M. (1982):

Regulation of high density lipoprotein levels.

Med. Clin. North. Am. 66: 403

58-Levy, R. I; Fredrickson, D, S.; Shulman, R.; Bilheimer, D.W.; Breslow, J.L.; Stone, N. J.; Lux, S.E.; Sloan, H. R.; Kraus, R. M.; and Herbert, P. N (1972):

Dietary and drug treatment of primary hyperlipoproteinemia.

Ann. Intern. Med., 77, 267-294.

59-Lin YC. (1975):

The study of red pigments in Taiwan plants.

Proc Natl Sci Counc Part 1 (Taiwan) 8:133-137.

60-Magnus, (1904):

Pflugers Arch. Ges. Physiol. 102, 123. quoted from pharmacological

experiments on Isolated preparations, 1970 by the staff of department of pharmacology, University of Edinburgh.

Ess. Livingstone, Edinburgh, London

61-Mahley. R.W and Innerarity, T.L. (1983):

Lipoprotein receptors and cholesterol homeostasis.

Biochim. Biophys. Acta. 737: 197.

62-Mahley, R.W. (1982):

Atherogenic Hypercholesterolemia: the cellular and molecular biology of plasma lipoproteins altered by dietary fat and cholesterol.

Med. Clin. North. Am. 66: 375.

63-Mahley R.W. Innerarity. T.L. Rall, S.R and Weisgraber K.H. (1984):

Plasma lipoproteins: apolipoproteins structure and function.

J. Lipid Research 25: 1277.

64-Mahmoud BM, Ali HM, Homeida MM, Bennett JL. (1994):

Significant reduction in chloroquine bioavailability following coadministration with the Sudanese beverages Aradaib, Karkade and Lemon.

J Antimicrob Chemother 33: 1005-1009.

65-Materson, B.J.(1992):

Adverse effects of angiotensin- converting enzyme inhibitors in antihypertensive therapy with focus on quinpril.

Am. J. Cardiol., 69:46C-53C.

66-McGarry, J.D. (1998):

Glucose-fatty acid interactions in health and disease.

Am. J. Clin. Nutr. 67:500S–504S.

67-Mcgraw, R.E., Dun, D.E., Bigg, H., (1979):

Manual and continuous flow colorimetry of triacylglycerols by a fully enzymatic method.

Clinical Chemistry 25: 273-278.

68-Myant, N.B. (1983):

The metabolic basis of familial hypercholesterolemia

Klinische wochenschrift. 61: 383.

69-National Cholesterol Education Program (NCEP) (2001):

Executive summary of the Third Report of the National Cholesterol Education Program Expert panel on Detection, Evaluation and Treatment of High Blood Cholesterol in adults (Adult Treatment Panel III).

JAMA. 16; 285 (19): 2486-97.

70-Neutel JM, Smith DH and Graettinger WF (1992):

Hereditary and hypertension impact on metabolic characteristics.

Am Heart J; 124: 435-440.

71-Nilson, E., Carfinkel, A.S. and Schotz. M. (1980): lipolytic

enzymes and plasma lipoproteins metabolism.

Ann. Eev. Biochem. 49: 668.

72-Obiefuna PCM, Owolabi OA, Adegunloye BJ et al. (1994):

The petal extract of Hibiscus Sabdariffa produce relaxation in isolated rat aorta.

Int J Pharmacog 32: 69-74.

73-Odigie IP, Ettarh RR, Adigun SA. (2003):

Chronic administration of aqueous extract of Hibiscus Sabdariffa attenuates hypertension and reverse cardiac hypertrophy in 2K-1C hypertensive rats.

J Ethnopharmacol 68: 181-185.

74-Onyenekwe PC, Ajani EO, Ameh DA, Gamammiel KS. (1999):

Antihypertensive effect of roselle (Hibiscus sabdariffa) calyx infusion in spontaneously hypertensive rats and a comparison of its toxicity with that in Wister rats.

Cell Biochem Func 17: 199-206.

75-Orisakwe OE, Husaini DC, Afonne AJ. (2004):

Testicular effects of subchronic administration of Hibiscus sabdariffa aqueous extract in rats.

Reprod Toxicol 18: 295-298.

76-Partzy, M.N.,(1991):

Effect of dietary fibers on plasma lipoprotein and apolipoprotein levels in rats

Journal of nutrition 121: 431-437.

77-Peach, M.J. Renin-angiotensin system (1977):

biochemistry and mechanism of action.

Physiol. Rev., 57:313-370.

78--Reavan, P., and Witztum, J. L.(1988):

Lovastatin, nicotinic acid, and rhabdomyolysis.

Ann. Intern. Med., 109, 597-

79-Regoli, D., Park, W.K., and Rioux, F (1974):

Pharmacology of angiotensin. *Pharmacol.*

Rev., 26:69-123.

80-Rhee S.M., Garg V.K., Hershey C.O. (2004):

Use of complementary and alternative medicines by ambulatory patients.

Arch. Intern. Med, 164: 1004-1009.

81-Ross IA. (2003):

Hibiscus sabdariffa. In *Medicinal Plants of the World*, Vol 1, 2nd edn.

Humana Press: New Jersey, 267-275.

82-Salah AM, Gathumbi J Vierling W. (2002):

Inhibition of intestinal motility of methanolic extracts of Hibiscus sabdariffa L. (Malvaceae) in rats.

Phytother Res 16: 283-285.

83-Saltier, W., 1998:

Methodological approaches for assessing lipid and protein oxidation and modification in plasma and isolated lipoproteins. In: Ordovas, J.M. (Ed.), Lipoprotein protocols. Humana Press, New Jersey. pp. 167-187.

84-Sander GE and Giles TD (2002):

Hypertension and lipids: Lipids factors in hypertension syndrome. *Current hypertension reports*; 4:458—463.

85-Samuelsson OG, Wilhelmsen L, Anderson OK, (1987):

Cardiovascular morbidity in relation to change in blood pressure and serum cholesterol levels in treated hypertension. *JAMA*; 258: 1768-1776.

86-Scannapieco G, Pauletto P and Pagnan A (1988):

Lipoprotein in binding to cultured aortic smooth muscle cells from normotensive and hypertensive rats. *J hypertens*; 6 (4): S269-S271.

87-Schemer, (1967):

The blood morphology of laboratory. 3rd ed., P.43. Davis F.A. Company, Philadelphia

88-Schulz V., Hansel R., Tyler V.E.(2001):

Rational phytotherapy. A Physician's guide to herbal medicine. 5th edn, Springer-Verlag, Berlin.

89-Sharaf A. (1962):

The pharmacological characteristics of Hibiscus sabdariffa L.

Planta Med 10: 48-52.

90-Shepherd, J. (1994):

Lipoprotein metabolism: an overview.

Drugs 47:1–10.

91-Silva, J. M., (2000):

Statins, high- density lipoprotein and the low density lipoprotein/high density lipoprotein ratio.

American Journal of Cardiology 86, 593-594.

92-SOLVD investigators (1992):

Effect of enalapril on mortality and development of heart failure in asymptomatic patients with reduced left ventricular ejection fractions.

N. Engl. J. Med., 327:685-691.[Published erratum in *N. Engl. J. Med.*, 329:1768.].

93-Stein EA. (2002):

Managing dyslipidemia in high risk patients.

AM J Cardiol; 89 (supp1): 50C-57C.

94-Sudheesh, S., Vijayalakshmi, N.R.,(1999):

Lipid lowering action of pectin from *Cucumis Sativus*.

Food and Chemical 67:281-286.

95-Symposium. (various authors) (1988b):

HMG CoA reductase inhibitors-a new therapeutic class.

M. J. Cardiol., 62, 1J-49J.

96-Tall, A.R. and small, D.M. (1978):

Plasma high density lipoproteins.

N. engl. J. Med. 299: 1232.

97-Tietz, N.W.; Aldrich, J.; Bhagavan, N.V.; Coiner, D.;

Conn, R.B.; Kowalczyk, R.B.; Lehmann, H.P.;

Pruden, E.L. and Whitley, R.J. (1987): "Fundamentals of Clinical chemistry".

3re ed. W.B. Saunders Company, Philadelphia, London, Toronto. Ch. 14 PP. 448.

98-Testa, M.A., Anderson, R.B., Nackley, J.F., Holenberg, N.K. (1993):

The Quality-Of-Life Hypertension Study Group. Quality of life and antihypertensive therapy in men. A comparison of captopril with enalapril.

N. Engl. J. Med., 328:907-913.

99-Tseng, T.H., Wang, C.J., Kao, E.S., Chu, H.Y., (1996):

Hibiscus protocatechuic acid protects against oxidative damage induced by tert-butylhydroperoxide (t-BHT) in rat primary hepatocytes.

Chemical and Biological Interaction 101:136-148.

100-Wang CJ, Wang JM, Lin WL et al. (2000):

Protective effect of Hibiscus anthocyanins against ter-butyl hydroperoxide-induced hepatic toxicity in rats. *Food Chem Toxicol* 38: 411-418.

101-Wang, H.X., Ng, T.B (1999):

Natural products with hypoglycemic, hypotensive, hypocholesterolemic and antithrombotic activities.

Life Sciences 65:2663-2677.

102-Wang Y, Wang QJ. (2004):

The prevalence of prehypertension and Hypertension among US adults according to the joint national committee guidelines: new challenges of old problem.

Arch Inter Med. 164(19):2126-34.

103-Whitby. L.G., Percy-Robb, I.E. and Smith, A.F.(1985)

“Lecture Notes on clinical chemistry;

3rd Ed P.G. Publishing Pt. Ltd. Singapore. Hong Kong. New Delhi ch 12, PP. 242.

104-Zilva . J.F. and Pannall, P. 12 (1984):

“ Clinical chemistry in Diagnosis And Treatment “.

4th ed . Lloyd. Luke (Medical Books) LRD . London . ch. X., PP. 232.