

## References

- Abd-allah, M.S.; Menon, B.S.; Mahamud, F. and Singh, B. (1999):** Intestinal parasites in Malaysian children with cancer, *J.Trop.Ped.*, 45(4):241-242.
- Abdel Aaty, H.E.; Mahmoud, M.S.E.; Ramadan, N.I. and Abdel Latif , M.M. (1998):** Diagnosis of giardiasis in Egyptian children by detecting *Giardia* coproantigen using enzyme immunoassay. *Egypt.J.Med.Sci.*, 19(1): 291-304.
- Abu-Zeid, H.H.; Khan, M.U.; Omar, M.S. and Al-Madani, A.A. (1989):** Relationship of intestinal parasites in urban communities in Abha to socio-environmental factors. *Saudi .Med. J.*, 10: 477-480.
- Adam, R.D. (1991):** The biology of *Giardia* spp *Microbiol. Rev.*, 5:706-732.
- Adam, R.D.; Yang, Y.M. and Nash, T.E. (1992):** Cysteine-rich protein family of *G.lamblia* Loss of the CRP 170 gene in an antigenic variant *Mol Cell Biol.*, 12:1194-1201.
- Addiss, D.G.; Mathews, H.M. and Stewart, J.M. (1991):** Evaluation of enzyme-linked immunosorbent assay for *G.lamblia* antigen in stool *J. Clin.Microbiol.*, 29: 1137-1142.
- Adjei, A.; Lartey, M.; Adiku, T.K.; Rodrigues, O.; Renner, L.; Sifah, E.; Mensah, J.D.; Akanmori, B.; Otchere, J.; Bentum, B.K. and Bosompen, K.M. (2003):** *Cryptosporidium* oocysts and *Giardia* in Ghanaian AIDS patients with diarrhea. *East Afr. Med.J.*,80(7):369-372.

- Adrabbo, K. and Peura, D. (2002):** Giardiasis: A Review. Practical Gastroenterology.,15-29.
- Aggarwal, A.K.; Singh, M.; Gupta, N.; Saxena, R.; Puria, A.; Verma, K.; Dubey, C. and Saxena, K.C. (1994):** Management of giardiasis by an immunomodulatory herbal drug “Pippali rosayana”. J. Ethopharmacol., 44(3):143-146.
- Aggarwal, A.K.; Tripathi, D.M.; Sahai, R.; Gupta, N.; Saxena, R.; Puria, A.; Singh, M.; Misra, R.N.; Dubey, C.B. and Saxena, K.C. (1997):** Management of giardiasis by Pippali rosayana: A clinical study. J. Ethopharmacol., 56(3): 233-6.
- Ahmad, M.; El-Hady, M. and Morsy, T. (1990):** Parasitic infection and hemoglobin level among school children of different socio-economic classes in Abha, Saudi Arabia. J. Egypt. Soc. Parasitol., 20: 61-67.
- Aldeen, W.E.; Carroll, K.; Robison, A.; Morrison, M. and Hale, D. (1998):** Comparison of nine commercially available enzyme linked immunosorbent assays for detection of *G.lamblia* in fecal specimens. J. Clin. Microbiol., 36(5): 1338-1340.
- Alles, A.J.; Waldron, M.A.; Sierra, L.S. and Mattia, A.R. (1995):** Prospective comparison of direct immunofluorescence and conventional staining methods for detection of *Giardia* and *Cryptosporidium spp.* in human fecal specimens. J. Clin. Microbiol., 33:1632-1634.
- Al-Saeed, A.T.M.; Saeed, A.Y. and Mohammed, J.B. (2001):** Prevalence of gastrointestinal parasites among the population in Dohuk–

Kurdistan region Iraq. Zanco—journal for medical sciences (special issue)., 5:9-14.

**Al-Shammari, S.; Khoja, T.; El-Khwasky, F. and Gad, A. (2008):** Intestinal parasitic diseases in Riyadh, Saudi Arabia: prevalence, sociodemographic and environmental associates Tropical Medicine & International Health. Volume 6 Issue 3., 184 – 189.

**Alvarez-Guevara, T.; Alfonso-Fernandez, L.A. and Gomez-Echevarrira, A.H. (1994):** *G.lamblia* extract (giardine): its immunologic mechanism. Allergol., 22(4): 155-160.

**Ander, P.; Ervin, M.; Talvavera, F.; Halamka, J. and Dronen, S. (2004):** Giardiasis, sect. 5, June 25., 128-135. ([http: " www.Emedicine.com/emerg/tropic215.htm](http://www.Emedicine.com/emerg/tropic215.htm)).

**Aretio, R.; Perez, M.J. and Martin, E. (1994):** Evaluation of 2 immunologic techniques (ELISA, DIF) for the diagnosis of *G.lamblia* in feces. Enferm Infec.Microbiol. Clin., 12(7): 337-340.

**Arguello, G.R. and Ortega, P.M. (1997):** *G.duodenalis*. Analysis of humoral immune response in experimentally infected gerbils (*Meriones unguiculatus*). Arch. Med. Res., 28(2): 171-178 .

**Arrowood, M.J. (1997):** Diagnosis of *Cryptosporidium* and Cryptosporidiosis .Editor: R.Fayer, Publisher, CRC Press, Inc., Boca Raton, Fla., 43-64.

**Aucolt, J. (1996):** Giardiasis and other Protozoal Diseases. in: Nelson Textbook of Pediatrics, 15th edition, Volume 5., 970 - 972.

- Ayguna, G.M.; Yilmazb, H.; Yasara, M; Aslana, E.; Polata, K.; Midillia, A. and Altasa, K. (2005):** Parasite in nosocomial diarrhea. Are they underestimated? J. Hosp. Infect., 60(3):283-285.
- Azab, M.E.; Abdel-Fattah, S.M.; Maled, K.M.; El- Kholy, M.S.; Youssef, M.A.; Abo Amer, E.R. and Samy, G. (1991):** Prevalence of *G. lamblia* antibodies in serum and milk in lactating women from different social classes in Egypt. J. Egypt. Soc .Parasitol., 21:611-619.
- Azab, M.E.; Nour El-Hoda, A.M.; Abdel Hamid, M.V. and Khalifa, K.E. (1997):** Cost-effectiveness and validity of a commercially available enzyme-linked immunosorbent assay for detection of *G. lamblia* in stool. Egypt.J.Med.Sci., 18(2): 147-482.
- Backer, H.D. (2000):** Giardiasis: An Elusive cause of gastrointestinal distress. J. The physician and sport's medicine, vol.28, no. 7, july., 33(6):34-67.
- Bai, J.C. (1998):** Malabsorption syndrome. Digestion, 59(5): 46-530.
- Baquai, R.; Kazim, S.U. and Qureshi, H. (2002):** Role of cytokines in Giardiasis. J. Pak. Med. Associ., 50:113-115.
- Barr, S.C.; Bowmar, D.D.; Frongillo, M.F. and Joseph, S.L. (1998):** Efficacy of a drug combination of praziquantel, pyrantel pamoate, and febantel against giardiasis in dogs. Am. J. Vet. Res., 59(9): 1134-1136.
- Bassily, M.N. (2005):** Situation analysis of hospital acquired infection in some surgical departments in Menoufiya University Hospitals.

M.B.B.Ch. thesis Menoufiya Governorate, Public health department., 66-76.

**Beaver, P.C. (2004):** Protozoa and protozoan infection. In: Clinical Parasitology, (P.C .Beaver, R.C. Jung and E.W. Cupp, eds.), 9<sup>th</sup> ed., Lea and Febiger, Philadelphia., 135-217.

**Belding, D.L. (1965):** Text book of parasitology.3<sup>rd</sup> ed. Appleton century croft, new yourk., 123-137 and 408-421.

**Belosevic, M. and Faubert, G. (1987):** Lysis and immobilization of *G. muris* trophozoites in vitro by immunne serum from susceptible and resIstant mice. Parasite Immunol., 9:11-19.

**Berkman, D.S.; Lescone, A.G.; Gilman, R.H.; Lopez, S.L. and Black, M.M. (2006):** Effect of stunting, diarreal diseases, and protozoic infection during infancy on cognition in late childhood: a follow up study. Lancet., 359(9306): 564-571.

**Bertrand, I.; Laetitia-Albertini, N. and Janine-Schwartzbrod, L.L. (2005):** Journal of Clinical Microbiology, Vol. 43, No. 12., 5940-5944.

**Bialek, R.N.; Binder, K.; Diettz, A.; Joachin, J.; Nobloch, D. and Zelck, M.E. (2002):** Comparasion of fluorescence, Antigen and P.C.R. assay to detect *Cryptosporidium* in fecal sample. J. Diagn. Microbiol. Infect. Dis., 43: 283-288.

**Birkhead, G. and Vogt, R.L. (1989):** Epidemiological surveillance for endemic *G.lamblia* infection in Vermont. Amer. J. Epidemiol., 129:162.

- Blair, R.J. and Weller, P.F. (1987):** Uptake and esterification of arachidonic acid by trophozoites of *G.Iamblia* Mol. Biochem. Parasitol., 11: 18 -25.
- Boone, J.H.; Wilkins, T.D.; Nash, T.E.; Brandon, J.E.; Maclas, E.A.; Jerri, R.C. and Lyerly, D.M. (1999):** Techlab and alexon, *Giardia* enzyme-linked immunosorbent assay kits detect cyst wall protein 1. J. Clin. Microbiol., 37(3): 611-614.
- Boucher, S.E.M. and Gillin, F.D. (1990):** Excystation of in vitro derived *G.lambli*a cyst. Infect. Immunol., 58: 3516-3522 .
- Brieva, L.; Ara, J.R.; Bertol, V.; Canellas, A. and Del-Agua, C. (1998):** Polyneuropathy caused by vitamin B 12 deficiencies secondary to chronic atrophic gastritis and giardiasis. Rev. Neurol., 26(541): 1019-1020.
- Brooke, M.M. and Dorothy, M. (1980):** Intestinal and urogenital protozoa, In E. H. Lennette, A. Balows, W. J. Hausler, Jr., and J. P. Truant (ed.), Manual of clinical microbiology, 3rd ed. American Society for Microbiology, Washington, D. C., 675-687.
- Brown, H.W. and Neva, F.A. (1983):** Basic clinical parasitology, 5th ed., Appleton-Century-Crofts, Norwalk, Conn., p: 130.
- Buret, A. (1994):** Pathogenesis - How does *Giardia* cause disease? In: *Giardia: From molecules to disease*. Edited by Thompson R.C.A., Reynoldson J.A. and Lymbery A.J. P., 293-302.
- Buret, A.; Gall, D.G.; Nation, P.N. and Olson, M.E. (1990 a):** Intestinal protozoa and epithelial cell kinetics, structure and function. Parasitol. Today., 6: 375-380.

- Buret, A.; Gall, D.G.; Nation, P.N. and Olson, M.E. (1990 b):** Effects of murine giardiasis on growth, intestinal morphology, and disaccharidase activity. *J. Parasitol.*, 76: 403-409.
- Buret, A.; Gall, P.G. and Olson, M.E. (1991):** Growth, activities of enzymes in the small intestine, and ultrastructure of microvillous border in gerbils infected with *G.duodenalis*. *Parasitology Research.*, 77:109-114.
- Buret, A.; Hardin, J.A.; Olson, M.E. and Gall, D.G. (1992):** Pathophysiology of small intestinal malabsorption in gerbils infected with *G.lamblia*. *Gastroenterol.*, 103: 506-513.
- Burgner, D.; Pikos, N.; Eagles, G.; McCarthy, A. and Stevens, M. (1999):** Epidemiology of *Cryptosporidium parvum* in symptomatic pediatric oncology. *J. Pediatr Child Health.*, 35:300-302.
- Butcher, P.D. and Farthing, M.J.G. (1988):** DNA probes for the faecal diagnosis of *G.lamblia* infections in man. *Biochem. Soc. Trans.*, 17: 363-364.
- Caccio, S.M.; Giacomo, M.D. and Pozio, E.S. (2003):** Sequence analysis of the B.Giardin gene and development of P.C.R. restriction fragment length polymorphism assay to genotype *G.duodenalis* cyst from human fecal samples. *Int. J. Parasitol.*, 32:1023-1030.
- Cacopardo, B.; Patamia, T.; Banacorso, V.; Bonforte, S. and Brancoti, G. (1995):** Synergistic effect of albendazole plus metronidazole association in the treatment of metronidazole resistant giardiasis. *Clin. Ther.*, 146(12): 761-767.

- Caeiro, J.P.; Mathewson, J.J.; Smith, M.A.; Jiang, Z.D.; Kaplan, M.A. and Dupont, H.L. (1999):** Etiology of outpatient pediatric non-dysenteric diarrhea: A multicenter study in the United States. *Pediatr. Infect. Dis. J.*, 18(2): 94-97.
- Carroccico, A.; Montalto, G.; Iacono, G.; Ippolito, S.; Soresi, M. and Notarbartolo, A. (1997):** Secondary impairment of pancreatic function as a cause of severe malabsorption in the intestinal giardiasis: A case report. *Am.J.Trop.Med.Hyg.*, 56(6): 599-602.
- Chacin-Bonilla, M.C.; Soto-Tares, L.; Rios-Gardina, Y. and Sanchez-Chaverl, M. (1997):** *C.parvum* in children with diarrhea in Zulia state Venezuela. *Am.J.Trop.Med.* 65(4):465-469.
- Chapoutot, C.; Verdier, E.; Bismuth, M.; Ramdani, M.; Duhamel, H. and Gislou, J. (1997):** Recurrent acute *G.intestinalis* pancreatitis. *Gastroenterol. Clin. Biol.*, 21(5): 438-439.
- Char, S.; Cevallos, A.M. and Farthing, M.J. (1992 a):** An immunodominant antigen of *G. lamblia* is a heat shock protein. *Biotechnol. Ther.*, 3: 151- 157.
- Char, S.; Cevallos, A.M.; Yamson, P.; Sullivan, P.B.; Neale, G. and Farthing, M.J.G. (1992 b):** Impaired IgA response to *Giardia* heat shock antigen in children with persistent diarrhoea and giardiasis. *Gut.*, 34: 38-40.
- Cheesbrough, M. (1987):** Medical laboratory manual for tropical countries. 2<sup>nd</sup> ed. Vol. 1, Tropical Health Technology, Butterworth-Heinemann., 88:365-389.



- Cheesbrough, M. (1991):** Techniques used to identify parasite In: Medical Laboratory Manual for Tropical Countries. C. Halley and H. Jordan (eds.), Britain, Butterworth-Heinemann Ltd., 175-185.
- Chesnot, T. and Schwartzbrod, J. (2004):** Quantitative and qualitative comparison of density-based purification methods for detection of *cryptosporidium* oocysts in turbid environmental matrices. J. Microbiol. Methods., 58:375-386.
- Chin, A.C.; Teoh, D.A.; Scott, K.G.; Meddings, J.B.; Maconaghton, W.K. and Buret, A.G. (2002):** Strain -dependant induction of enterocyte apoptosis by *G.lambli*a distrupts epithelial barrier function in acsepase -3- dependant manner. Infect. Immun., 70 (7):3673-3680.
- Clarck, D.P. (1999):** New insight into human cryptosporidiosis. Clin Microbiol. Rev., 12:554-653.
- Corsi, A.; Nucci, C.; Knafelz, D.; Bulgarini, D.; Di-Iorio, L.; Polito, A.; Dc-Risi, K.; Ardenti-Morini, F. and Paone, F.M. (1998):** Ocular changes associated with *G.lambli*a infection in children. Br. J. Ophthalmol., 82(1): 59-62.
- Crouch, A.A.; Scow, W.K. and Whitman, L.J. (1990)** Sensitivity in vitro of *G.inieslinalis* to dynamic combinations of azithromycin, deoxycycline, mefloquine, tinidazole and furazoldine. Trans R. Soc .Trop. Med. Hyg., 84: 246-248.
- Czerkinsky, C.; Prince, S.J.; Michalek, S.M.; Jackson, S.; Russell, M.W.; Moldoveanu, Z.; McGhee, J.R. and Mestecky, J. (1987):** IgA antibody-producing cells in peripheral blood after

antigen ingestion: evidence of a common mucosal immune system in human. Proc. Nati. Acad. Sci. USA., 84: 2449 -2453.

**Dagaci, H.; Ustun, S.; Taner, M.S.; Ersoz, G.; Karacasu, F. and Budak, S. (2002):** Protozoan infection and intestinal permeability. Acta. Trop., 81:105.

**Dalmini, M.S.; Nkambule, S.J. and Grimason, A.M. (2005):** First report of cryptosporidiosis and giardiasis in paediatric patients in Swaziland. Int. J. Environ. Health Res., 15(5): 393-396.

**Daly, J.J.; Dye, A.; Pasley, J.N. and Berry, D.A. (1997):** The epidemiology of giardiasis in Arkansas. Proc Soc Exp Biol Med., 108:215.

**Danciger, M. and Lopez, M. (1975):** Numbers of *Giardia* in the feces of infected children. Am. J. Trop. Med. Hyg., 24: 237-242.

**Das, S.; Schteingart, D.; Hofmann, A.; Reiner, S.; Aley, B. and Glum, S. (1997):** *G.lamblia* Evidence for carrier - mediated uptake and release of conjugated bile acids. Exp.Parasitol., 87: 133-140.

**Davies, R.B. and Hibler, C.P. (2005):** Animal reservoirs and cross-species transmission of *Giardia*, In W. Jakubowski and J.C. Hoff (ed.), waterborne transmission of giardiasis. Environmental Protection Agency, Cincinnati., 104-126.

**Dixon, R.E. and Mallison, G.F. (1980):** nosocomial infection. Public health and preventive medicine., 290-304.

- Dixon, B.R.; Parenteau, M.; Martineau, C. and Fournier, J. (1997):** A comparison of conventional microscopy, immunofluorescence microscopy and flow cytometry in the detection of *G.lamblia* cysts in beaver fecal samples. J. Immunol. Methods., 202(1): 27-33.
- Dobell, C. (1920):** The discovery of intestinal protozoa of men. Proc. R. Soc. Med., 1:13.
- Donowitz, M.; Wicks, J.; Madara, J.L. and Sharp, G.W.G. (1985):** Studies on role of calmodulin in Ca regulation of rabbit ileal Na and Cl transport. Am. J. Physiol. G., 248: 726-740.
- Drugs for parasitic infections, (2007):** Treat Guide l Med. Lett. 2007 Sep; 5(Suppl):1-15.
- Eckmann, L. (2005):** Mucosal defense against *Giardia* parasite Immunol., 25 (5): 259-270.
- Eckmann, L. and Gillin, F.D. (2001):** Microbes and Microbial toxins in paradiagnosis for microbial mucosal infection. I. pathophysiological aspects of enteric infection with the lumen dwelling protozoan pathogen *G.lamblia* A.M.J. Physiol. Gastroenterol. Liver. Physiol.J., 286-289.
- Edlind, T.D. (1989):** Tetracyclines as antiparasitic agents: lipophilic derivatives are highly active against *G.lamblia* in vitro. Antimicrob. Agents Chemother., 33:2144-2145.

**Eliane, L. and Larson, R.N. (1999):** The Hospital Infection Control Practice Advisory Committee. Hospital Infection program national center for infectious diseases. Am. J. Infect. Control., CDC: 1-63.

**Ellis, J.E.; Wyder, M.A.; Jarrol, E.L. and Kaneshiro, L.S. (1996):** Change in lipid composition during in vitro encystation, and fatty acid desaturase activity of *G.lambli*a. Mol.Biochem. Parasitol., 81(1): 13-25.

**El-Naggar, S.M.; El-Bahy, M.M.; Abd Elasis, J. and El-Dardiry, M.A. (2006):** Detection of protozoal parasites in the stools of diarrhoeic patients using different techniques. J.Egypt. Soc. Parasitol., 36(2):487-516.

**El-Sibaei, M.M.; Rifaat, M.M; Haneed, D.M. and El-Din, H.M. (2003):** Nosocomial Sources Of Cryptosporidial Infection in Newly Admitted Patients in Ain Shams University Pediatric Hospital. J. Egypt. Soc. Parasitol., 33(1):177-188.

**Emmerson, A.M.; Tracy, L.S. and John, M. (1996):**"The second National Prevelance Survey of infection in Hospitals-Overview of the Results".J.Hosp.Infect., 32:175-190.

**Emori, T.G. and Gaynes, R.P. (1993):** An overview of nosocomial infections, including the role of the microbiology laboratory. Clin Microbiol. Rev., 6: 428-442.

- Erlandsen, S.L. and Feely, D.E. (1984):** Trophozoite motility and the mechanism of attachment. In Erlandsen S.L. & Meyer E.A.(eds). *Giardia* and giardiasis. New York, plenum press., 33-60.
- Esrey, A.; Collett, J. and Miliotis, D. (1989):** The risk of infection from *G.lamblia* due to drinking water supply, use of latrines among preschool children in rural Lesotho. Intern. J. Epidemiol., 18:248-253.
- Fanthan, H.B. and Parter, A. (1916):** The pathogenicity of *G.lamblia* to men and experimental animals. B.M.J., 2:139-141.
- Farthing , M.J.G. (1990):** Immunopathology of giardiasis. Springer Semin. Immunopathol., 12: 269-282.
- Farthing, M.J.G. (1993):** Giardiasis as a Disease. In: *Giardia: from Molecule to Disease*. Reynoldson, J.A. Thompson, R.C.A. and Lymbery, A. (eds.). London: CAB International., 15-37.
- Farthing, M.J.G. (1994):** Giardiasis as a disease In: *Giardia: From molecules to disease*. Edited by Thompson R.C.A., Reynoldson J.A. and Lymbery A.J. P., 15-19.
- Farthing, M.J.G. (1996):** Giardiasis. Gastrenterol. Clin. North. Am., 25(3): 493-515.
- Farthing, M.J.G. and Inge, P.M.G. (1986):** Anti-giardial activity of bile salt-like antibiotic sodium fusidate. J. Antimicrob. Chemother., 17: 165-171.
- Farthing, M.J.G.; Mata, L.J. and Urrutia, J.J. (1986):** Giardiasis: Impact on child Growth. In: *Diarrhea and malnutrition in*

childhood. Waker-Smith, J.A. and Mc Neish A.S. (eds); London, Bufferwortlis., 68-78.

**Farthing, M.J.G.; Goka, A.K.J.; Butcher, P.D. and Arvind, A.S. (1987):** Serodiagnosis of giardiasis. Serodiagn. Immunother. 1: 233-238.

**Farthing, M.J.G.; Cevallos, A.M. and Kelly, P. (1996):** Intestinal protozoan. In: Manson's tropical diseases. Cook G. (editor), 12 ed. Vo13, WB Saunders Company Ltd. London Philadelphia Tokyo., p: 1271.

**Farthing, M.J.G.; Cevallos, A.M. and Kelly, P. (2003):** Intestinal protozoan. In: Manson's tropical diseases, 21<sup>ST</sup> edition. Cook, G.C. and Zumla, A.I. (eds).Saunders, Elsevier science limited, London., 447-449.

**Faubert, G.M. (1996):** The immune response to *Giardia*. Parasitol. Today., 12: 140-145.

**Faubert, G.M. (2000):** Immune response to *G.dudena*lis. Clin. Microbial. Rev., 13(1):35-54.

**Faust, F.C. and Megabriru, L.G. (1965):** parasitological survey in califorina. Dep. Del. Veli. Am. J. Trop. Med. Hyg., 214:270.

**Favennec, L.; Magne, D. and Gobert, J.G. (1991):** Cytopathogenic effect of *G.intestinalis* in vitro. Parasitology Today., 141-147.

**Fawzi, M.; El-Sahn, A.A.; Ibrahim, H.F. and Shehata, A.I. (2004):** Vegetable-transmitted parasites among inhabitants of El-Prince, Alexandria and its relation to housewives' knowledge and practices. J. Egypt. Public Health Assoc., 79:13-29.

- Fedorko, D.P.; Williams, E.C.; Nelson, N.A.; Calhoun, L.B. and Yan, S.S. (2000):** performance of three enzyme immunoassay and two direct fluorescence assays for detection of *G.lamblia* in stool specimens preserved in ECOFIX. J. Clin. Microbiol., 38:2781-2783.
- Feng, Y.Y.; Ong, S.L.; Song, L.F.; Tan, X.L. and Ngwen, W.J. (2003):** Effect of particles on the recovery of *cryptosporidium* oocysts from source water samples of various turbidities. Appl. Environ. Microbiol., 69:1898-1903.
- Ferreira, M.M.; Ferreira, C.S. and Monteiro, C.A. (2000):** Tendência secular das parasitosis intestinais na infância na cidade de São Paulo. Rev. Saude Publ., 34:73-82.
- Flisiak, R.; Prokopowicz, D. and Drapalo, A. (1996):** Delayed- type hypersensitivity skin reaction estimated with multitest CMI in human giardiasis. Roczn. Akad. Med. Białymost., 14(2): 239-244.
- Foronda, P.; Bargues, M.D.; Abreu-Acosta, N.; Periago, M.V.; Valero, M.A.; Valladares, B. and Mas-Coma, S. (2008):** Identification and prevalence of genotypes of *G.intestinalis* of human isolates in Egypt. Parasitol Res. 2008 Oct., 103(5):1177-1181.
- Fox, L.M. and Saravolatz, L.D. (2005):** Nitazoxanide: a new thiazolide antiparasitic agent. Clin. Infect. Dis., 15; 40(8):1173-1180.
- Fridkin, S.K.; Welbel, S. and Weinstein, R.A. (1997):** Magnitude and prevention of nosocomial infections in the intensive care unit. Infect. Dis. Clin. North. Amer., 11(2): 479-496.

- Friedman, G.D. (1994):** Primer of Epidemiology, 4<sup>th</sup> edition, Chapter 3 (observations used in epidemiology), P:33.
- Friend, D.S. (1966):** The fine structure of *G.muris*. J.Cell.Biol., 29: 317-332.
- Furness, B.W.; Beach, M.J. and Roberts, J.M. (2000):** Giardiasis surveillance--United States, 1992-1997. MMWR CDC Surveill Summ. 2000 Aug., 1149(7):1-13
- Garcia, L.S. (1990):** Laboratory methods for diagnosis of parasitic Infections. In: Diagnostic Microbiology. Baron, E.J. and Tenover, S.M. (eds), 8 ed. Bialy and Scott's, The C.V. Mosby Co., St. Louis., 78-83.
- Garcia, L.S. (1998):** Giardiasis. In: Topley and Wilson's Microbiology and Microbial Infections, 9ed., Volume 5 Parasitology, Volume editors Cox F.E.G., Kreier J.P. and Wakelin D., 193-200.
- Garcia, L.S. and Bruckner, D.A. (1997):** Intestinal Protozoa: Flagellates and Ciliates. In: Diagnostic Medical Parasitology, 2<sup>nd</sup> ed., 13-39.
- Garcia, L.S. and Bruckner, D.A. (2001):** Nosocomial and laboratory acquired parasitic infections. Diagnostic Medical Parasitology. 3<sup>rd</sup> Ed, ASM Press Washington. , N.W., 434-447.
- Garcia, L.S. and Shimizu, R.Y. (1997):** Evaluation of nine immunoassay kits (Enzyme immunoassay and Direct fluorescence) for detection of *G.lamblia* and *C.parvum* in human fecal specimens. J.Clin.Microbiol., 53(6): 526-529.
- Gardener, T.B. and Hill, D.R. (2001):** Treatment of Giardiasis. Clin. Microbiol. Rev., 14(1): 114-128.



- Ghosh, S.; Debanth, A.; Sil, A.; De, S.; Chattopadhyay, D.J. and Das, P. (2005):** P.C.R. detection of *G.lamblia* in stool: tropity intergenic space region of multicopy rRNA gene. Mol. Cell. Probes. 14(3):181-189.
- Gibson, G.R.; Ramirez, D.; Maier, J.; Castillo, C. and Das, S. (1999):** *G.lamblia*: Incorporation of free and conjugated fatty acids into glycerol-based phospholipids. Exp.Parasitol., 92(1): 1-11.
- Gillin, F.D.; Reiner, D.S. and Boucher, S.E. (1988):** Small intestinal factors promote encystation of *G.lamblia* in vitro. Infect. Immunol., 56: 705-707.
- Gillin, F.D.; Boucher, S.E. and Reiner, S.S. (1989):** The role of bile, lactic acid and PH in completion of the life cycle in vitro. Exp.Parasitol., 69: 164-174.
- Goka, A.K.J.; Rolston, D.D.K. and Mathan, V.I. (1989):** Serum IgA response in human *G.lamblia* infection. Serodiag. Immunother., 3: 273-277.
- Goka, A.K.J.; Rolston, D.D.K.; Mathan, V.I. and Farthing, M.J.G. (1990):** The relative merits of fecal and duodenal juice microscopy in the diagnosis of giardiasis. Tran. R. Soc. Trop. Med. Hyg., 84: 66-67.
- Goldin, A.J.; Apt, W.; Aguilera, X.; Zulantay, I.; Warhurst, D.C. and Miles, M.A. (1992):** A capture ELISA detects *G.lamblia* antigens in formalin-treated faecal samples. Trans. Roy .Soc. Trop. Med. Hyg., 88: 164-165.

- Goldstein, F.; Thornton, J.J. And Szydlowski, T. (2005):** Biliary tract dysfunction in giardiasis. *Am. J. Dig. Dis.*, 23(6):559-560.
- Gordets, B.; Retore, P.; Cadranet, S.; Heneihofm, W.; Rahman, A. and Butzyler, J.P. (1984):** Routine culture of *G.lamblia* trophozoites from human duodenal aspirate. *Lancet.*, 111:137.
- Gorowara, S.; Ganguly, N.K.; Mahajan, R.C.; Goyal, J. and Walia, B.N. (1991):** Role of calcium and calmodulin in *G.lamblia* induced diarrhoea in mice. *J. Diarrhoeal Dis. Res.*, 9: 111-117.
- Granot, E.; Spira, D.T.; Faster, D. and Deckelbaun, R.J. (1998):** Immunologic response to infection with *G.lamblia* in children: Effect of different clinical settings. *J.Trop. Pediatr.* 44(4): 1- 246.
- Gray, M.C.; Brown, M.I. and Smith, H.V. (1994):**The development and use of an antigen capture enzyme-linked immunosorbent assay (ELISA)for *G.intestinals* coproantigen detection. *Trans.Roy.Soc.Trop.Med.Hyg.*, 88(1): 21.
- Green, E.L.; Miles, M.A. and Warhurst, D.C. (1985):** Immunodiagnostic detection of *Giardia* antigen in faeces by a rapid visual enzyme-linked immunoassay. *Lancet.*, 28: 691-693.
- Gunasekaran, T.S. and Hassall, E. (1992):** Giardiasis mimicking inflammatory bowel disease. *J. Pediatr.*, 120(3):424-426.
- Gurses, N.; Ozkan, Y. and Peksen, Y. (1991):** Investigation of intestinal parasites in primary schools of different social status and environmental conditions, *Mikrobiological Bulletin.*, 25: 57-62.

- Hanson, L.A.; Ahtsedt, S.; Carisson, B.; Jodal, U.; Lindberg, T.J. and Sohi, A. (1974):** Studies of secretory antibodies to *E.coli* in human urine compared to the serum antibody content. Adv.Exp. Med.Biol., 45: 399-408.
- Harbarth, S.; Sax, H. and Gastmeier, P. (2003):** quiz 321. J. Hosp. Infect., 54(4):258-266.
- Hardin, J.A.; Buret, A.G.; Olson, M.E.; Kimm, M. and Gall, D. (1997):** Mast cell hyperplasia and increased macromolecular uptake in an animal model of giardiasis. 3. Parasitol., 83(5): 908-912..
- Hart, C.A.; Gatei, W.; Wamae, C.N.; Mbae, C.; Waruru, A.; Mulinge, E.; Waithera, T.; Gatika, S.M.; Kamwati, S.K. and Revathi, G. (2006):** Giardiasis: prevalence, genotype analysis and symptoms associated with infections in children in Kenya. Am. J. Trop. Med. Hyg., 75(1): 78-82.
- Harter, L.; Frost, P. and Jakubowski, W. (1982):** *Giardia* prevalence among 1-to-3-year-old children in two Washington State counties. Am. J. Public Health., 72(4):386-388.
- Hashknes, P.J.; Spira, D.T.; Deckelbaum, R.J. and Granot, E. (1994):** Salivary IgA antibodies to *G.lamblia* in day care center children. Pediatr. J. of Infect. Dis., 13(11): 953-958.
- Hassan, M.M.; Farghaly, A.M.; Darwish, R.A.; Shoukrany, N.; El-Hayawan, I.A. and Nassar, A.K.H. (1995):** Detection of *Giardia* antigen in stool samples before and after treatment. J.Egypt.Soc.Parasitol., 25(1): 175-182.

- Hellard, M.E. (2000):** Prevalence of enteric pathogens among community based asymptomatic individuals. *Journal of gastroenterology and hepatology.*, 15(3):290–293.
- Hetsko, M.L.; McCaffery, J.M.; Svard, S.G.; Meng, T.C.; Que, X. and Gillin, F.J. (1998):** Cellular and transcriptional changes during excystation of *G.lambli*a in vitro; *Exp. Parasitol.*, 88(3): 172-183.
- Heyworth, M.F. (1989):** Intestinal IgA responses to *G.muris* in mice depleted of helper T lymphocyte and immunocompetent mice.3. *Parasitol.*, 75: 246-251.
- Hopkins, R.M.; Deplazes, P.; Metoni, B.P.; Reynoldson, J.A. and Thompson, R.C.A. (1993):** A field and laboratory evaluation of a commercial ELISA for detection of *Giardia* coproantigens in humans and dogs. *Trans. Roy. Soc. Trop. Med. Hyg.*, 87: 39-41.
- Ibraheem, H.M.H. (1989):** Study of epidemiology and reliability of reborting nosocomial infections in discharge abstract of Tanta University Hosoiat. Msc. Thesis community medicine and public health departement Tanta University., 41-57.
- ICAIR Life Systems. Inc. (1984):** Criteria Document on *Giardia*, U.S. EPA, Washington, DC., 98-150.
- Ichhpujani, R.L. and Bahatia, R. (2002):** Medical parasitology, 3<sup>rd</sup> edition ed., Labotatory diagnosis. Lordoson publishers., 7-9.
- Inpankaew, T.; Traub, R.; Thompson, R.C.; Sukthana, Y. and Canine, C. (2007):** parasitic zoonoses in Bangkok temples. *Southeast Asian. J. Trop. Med. Public Health.*, 38(2):247-255.

- Isselbacher, J.K. (1980):** Giardiasis. Principle. Int. Med., 7: 887.
- Jarrol, E.L.; Muller, P.J.; Meyer, M.R. and Kranz, P. (1981):** Glucose metabolism in *G.lambli*a. Mol. Biochem. Parasitol., 2: 187-196.
- Jarrol, E.L.; Manning, P. and Berrada, A. (1989):** Biochemistry and metabolism of *Giardia*. J.Protozoal., 36: 190- 197.
- Jimeanez, J.C.; Fantanie, J.; Grzych, J.M.; Defcase, E. and Capron, M. (2004):** Systemic and mucosal response to oral administration of excretory and secretory antigens from *G.intestinalis*. Clin. Diagnosis. Lab. Immunol., 11(1):157-160.
- John Erramouspe, M.A. and Pharm, D.M.S. (2004):**The Annals of Pharmacotherapy: Vol. 38, No. 4., 634-640.
- Johnoston, J.P.; Ballard, M.M.; Beach, M.J.; Cawser, L. and Wilken S.P.P. (2003):** Evaluation of three commercial assays for detection of *Giardia* and *Cryptosporidium* in fecal spp. J. Clin. Microbiol., 41: 626-632 .
- Jueco, N.L. (1976):** Evaluating of the Direct Fecal Smear, Kato-thick and Formalin Ether Concentration Technique as diagnostic tool for common parasitic infections. Acta Medica Philippina., 12(2):61-66.
- Kader, S.A.; Mansour, A.M.; Mohran, Z.; El-Taail, A. and Abdalla, K.F. (1998):** A study on the relation between proton pump inhibitor and gastric giardiasis. J. Egyp. Soc. Parasitol., 128: 149.

- Kaneda, Y.; Tanaka, T. and Saw, T. (1990):** Effects of berberine, a plant alkaloid on the growth of anaerobic protozoa in axenic culture. Tokai. Exp. Clin. Med., 15(6):417-423.
- Kanra, G. and Ecevit, Z. (1992):** Giardiasis. Kathi. Pediatr. Dergisi., 13: 243-256.
- Karabiber, N. and Aktas, F. (1991):** Foodborne giardiasis [letter; comment]. Lancet., 337(8737):376-377.
- Kasim, A.A. and Elhelu, M.A. (1983):** Giardiasis in Saudai Arabia. Acta. Tropica., 40:155-158.
- Katellaris, P.H. and Farthing, M.J. (1992):** Diarrhea and malabsorption in giardiasis: A multifactorial process. Gut., 45: 295-297.
- Katellaris, P.H.; Naeem, A. and Farthing, M.J. (1995):** Attachment of *G.lamblia* trophozoite to a cultured human intestinal cell line. Gut., 37(4): 512-518.
- Kaucner, C. and Stinear, T. (1998):** Sensitive and rapid detection of viable *G.lamblia* cysts and *C.parvum* oocysts in large-volume water samples with wound fiberglass cartilage filters and reverse transcriptase-PCR. Appi .Environ. Microbiol., 64(5): 1743-1749.
- Kaur, H.; Samra, H.; Ghosh, S.; Viyak, V.K. and Gangully, N.K. (1999):** Immune effector responses to an excretory- secretory product of *Giardia lamblia*. FEMS, Immunol. Med. Microbiol. 23(2): 93-105.
- Kaur, H.; Ghosh, S.; Samar, H.; Vinayak, V.K. and Ganguly, N.K. (2001):** Identification and characterization of an excretory – secretory product from *G.lamblia*. Parasitol., 123:347-356.

- King, M. (1975):** A medical laboratory for developing countries; ELBS, Oxford University Press.vol. 15., 45-55.
- Knodler, L.A.; Schofield, P.J. and Edwards, M.R. (1995):** L Arginine transport and metabolism in *G.intestinalis* support its position as a transition between prokaryotic and eukaryotic kingdoms: Microbiol., 141:2063.
- Korman, S.H.; Bar-Oz, B. and Mandelberg, A. (1990):** Giardiasis with protein-losing enteropathy. Diagnosis by fecal a determination. J. Pediatr. Gastroenterol. Nutr., 10: 249-252.
- Koudela, B. and Vitovec, J. (1998):** Experimental giardiasis in goat kids. Vet. Parasitol., 15:74(1): 9-18.
- Kunstlers, J. (1881):** Sur cing protozoaire parasites nouveaux.comptes rendus de seances de la socite de biologic etsec filiales, 95 :347-349.
- Langford, T.D.; Hously, M.P.; Boes, M.; Chen, J.; Kagnoff, M.F.; Gillin, F.D. and Eckmann, L. (2005):** Central importance of immunoglobulin A in host defense against *Giardia* spp. Infect. Immun., 20:11-18.
- Larsen, H.; Tsolaki, A.; Miller, R.; Lundgren, B. and Wakefield, A. (1998):** Clusters of *Pneumocystis carinii* pneumonia: analysis of person to person transmission by genotyping. Q.J.M., 91:813-820.
- Larson, E.L. (1995):** APIC guideline for handwashing and hand antisepsis in health care settings. Is J. Infecting Control., 23: 251-269.

- Lechevallier, M.W.; Norton, W.D. and Lee, R.G. (1991):** *Giardia* and *Cryptosporidium* spp. in filtered drinking water supplies. Appl. Environ. Microbiol.,57(9):2617-21.
- Lettau, L.A. (1991):** Nosocomial transmission and infection control aspects of parasitic and ectoparasitic diseases part I Blood and tissue parasites. Infect. Control. Hosp. Epidemiol.,12 (1): 11-121.
- Letts, M.; Davidson, D. and Lalonde, F. (1998):** Synovitis secondary to giardiasis in children. Am. J. Orthop., 27(6): 451.
- Lev, B.; Ward, H.; Keusch, G.T. and Pereira, M.E.A. (1986):** Lectin activation of *G.lamblia* by host protease: a novel host-parasite interaction. Science., 232: 71-73.
- Levine, N.D.; Cerliss, J.O.; Cox, F.F.G.; Derouse, G.; Grain, J.; Honigberg, D.M.; Leedale, G.F.; Loeblich, A.R. and Lynn, J.L. (1980):** Annually revised classification of the Protozoa J.protozoal., 27:37-58.
- Li, E.; Zhou, P.; Petrin, Z. and Singer, S.M. (2004):** Mast cell dependant control of *G.lamblia* infection in mice. Infect. Immun., 72(11): 6642-6649.
- Linden, J.V.; Wong, S.J.; Chu, F.K.; Schmidt, G.B. and Bianco, C. (2000):** transfusion-associated transmission of babesiosis in New York state transfusion. American association of blood banks, Bethesda, U.S.A., 40(3):285-289.



- Lindo, J.F.; Levy, D.A.; Baum, M.K. and Polmer, C.J. (1998):** Epidemiology of giardiasis and cryptosporidiosis in Jamaica. *Am. J. Trop. Med. Hyg.*, 59(5):717-721.
- Liu, L.X. and Weller, P.F. (1996):** Antiparasitic drugs. *N. Eng. J. Med.* 334:1178-1184.
- Lujan, H.D.; Mowatt, M.R. and Nash, T.E. (1997):** Mechanisms of *G.lamblia* differentiation into cysts. *Microbiol. Mol.Biol. Rev.*, 61(3):294-304.
- Mahbubani, M.; Bej, A.K.; Perhn, M.; Schaefer, K.; Jakubwski, W. and Atlas, R.M. (1991):** Detection of *Giardia* cysts by using the polymerase chain reaction and distinguishing live from dead cysts. *Appl. Environ. Microbiol.*, 57(12):3456.
- Mahfoz, A. (1998):** Clinical utility of enzyme-linked immunosorbent assay for detection of *Giardia* antigen in stool, in diagnosis of giardiasis in gastroenteritis patients. Thesis submitted for partial fulfillment of Master Degree in Clinical Pathogy, Faculty of Medicine, Ain Shams University., 70-85.
- Mahmud, M.A.; Chappell, C.L.; Hossain, M.M.; Huang, D.B.; Habib, M. and Dupont, H.L. (2001):** Impact of breast-feeding on *G. lamblia* infections in Bilbeis, Egypt. *Am. J. Trop. Med. Hyg.*, 65:257-260.
- Makled, M.K.; Abbas, M.M.; Abou El-Seoud, S.F. and Ismail, A.K. (1994):** Effect of immunosuppression of the virulence of *G.lamblia* cysts. *J. Egypt. Soc. Parasitol.*, 224:205-210.

- Mank, T.G. (2001):** Diagnostic advantages and therapeutic options for giardiasis. *Expert. Opin. Investig. Drugs.*, 10(8):1513-1519.
- Mantovani, M.P.; Gaundalini, S.; Ecuba, P.; Corvino, C. and Dimartino, L. (1989):** Lactose malabsorption in children with symptomatic *G.lamblia* infection: Feasability of yoghurt supplementation. *J. Pediatr. Gastroenterol. Nutr.*, 9:295-300.
- Martinez-Perez, A. and Justiniani-Cedeno, N.E. (1998):** Incidence of intestinal parasites in pediatric patients with hematologic neoplasmas from 1 to 15 years of age. *Rev. Alerg. Mex.*, 46:26-29.
- McGlade, T.R.; Robertson, I.D.; Elliot, A.D. and Thompson, R.C.A. (2003):** High prevalence of *Giardia* detection by P.C.R. *J.Vet. Parasitol.*, 110:197-205.
- McKnight, J.T. and Tietze, P.E. (1992):** Dermatologic manifestations of giardiasis. *J. Am. Board. Fain. Pract.*, 5(4):425-428.
- Meckes, M.; Caizada, F.; Tapia-Contreras, A. and Cedillo-Rivera, R. (1999):** Antiprotozoal properties of *Helmenthis glomeratum*. *Phytother. Res.*, 13(2):102-103.
- Meng, T.C.; Hesko, M.L. and Gium, F.D. (1993):** Antigenic switching of V.S.A.417, a trophozoite variable surface protein, following completion of life cycle of *G.lamblia*. *Infect. Immunol.*, 61:5394.
- Meng, J.G.; Haarhoff, J.; Konig, E.; Mertens, R. and Vander- Merwe, B. (2001):** Occurrence and removal of *Giardia* and *Cryptosporidium* at the Goreangab Reclamation Plant. *Water Sci. Technol. Water Suppl.*, 1: 97-106.

- Meyer, E.A. (1990):** Taxonomy and nomenclature, In E.A. Meyer (ed.), Giardiasis. Elsevier Publishing Co., New York, N.Y., 51-60.
- Meyer, E.A. and Jarrol, E.L. (1980):** Giardiasis. Am.J.Epidem., 3:1-12.
- Miotti, P.G.; Gilman, R.H.; Pickering, L.K.; Ruiz-Palacios, G.; Park, H.S. and Volken, R.H. (1986):** Prevalence of serum and milk antibodies to *G.lamblia* in different populations of lactating women. J. Infect. Dis., 152:1025-1031.
- Miyahara, T.; Kubokawa, M.; Koyanagi, S.; Migita, Y.; Oogoshi, K.; Sakai, H.; Ito, T.; Nakano, I. and Nawata, H. (1997):** A case of successfully treated giardiasis in pancreas. Fukuoka Igaku Zasshi., 88(9):313-318.
- Molan, A.L. and Farag, A.M. (1989):** Prevalence of intestinal parasites in school children of Erbil, Northern Iraq. Saudi medical journal., 10:107-110.
- Morimoto, N.; Komatsu, C.; Nishida, M. and Sugiura, T. (2001):** Detection of *G.lamblia* cyst in non fixed long term stored human feces by direct immunofluorescent stain. J. Infect. Disease., 54(2): 72-74.
- Muller, M. and Gottstein, B. (1998):** Antigenic variation and murine immune response to *G.lamblia*. Int. J. Parasitol., 28:1829-1839.
- Muller, M.; Stager, S. and Gottstein, B. (1996):** Serological analysis of antigenic heterogeneity of *G.lamblia* variant surface proteins. Infect. Immunol., 64(4):1385.

- Murray, T.S.; Groth, M.F.L; Weitzman, C. and Cappello, M. (2005):** Epidemiology and Manegement of Infectious Diseases in International Adoptees. ( ISSN:0893-8512). Clin. Microbiol.Rev., 18(3):510-20.
- Nash, T.E. (1997):** Antigenic variation in *G.lamblia* and host's immune response. Philos.Tans.R.Soc. Land. B. Biol. Sci., 332:352.
- Nash, T.E. (2001):** Treatment of *G.lamblia* infection, Con. Rev. Ped. Infect. Dis., 20(2): 193-195.
- Nash, T.E. and Rice, W.G. (1998):** Efficacies of zinc finger active drugs against *G.lamblia*. Antimicrob.Agents Chemother., 42(6):1488-1492.
- Nash, T.E.; Gilin, F.D. and Smith, P.D. (1983):** Excretory- secretory products of *G. lamblia*. J. Immunol., 131:2004-2010.
- Newman, R.D.; Moore, S.R. and Lima, A.A.M. (2001):** Alongtuidinal study of *G.lamblia* infection in north-east Brazillian children. Trop. Med. Int. Hlth., 6:624-634.
- Norhayati, M. (1998):** Prevalence and risk factors of *G.duodenalis* infection in a rural community. Southeast Asian journal of tropical medicine and public health., 29(4):735–738.
- Oberhuber, G. and Stolite, M. (1990):** Giardiasis: Analysis of histological changes in biopsy specimens of 80 patients. J.Clin. Pathol., 43:641.
- Oberhuber, G.; Vogelsang, H.; Stolte, M.; Mathenthaler, S.; Kummer, A.J. and Radaszkiewicz, T. (1996):** Evidence that intestinal

intraepithelial lymphocytes are activated cytotoxic T cells in ceeliac disease but not in giardiasis. Am. J. Pathol., 148(5):1351-1357.

**O`Handly, R.M.; Ceri, H.; Anette, C. and Olson, M.E. (2003):** Passive immunity and serological immune response in dairy calves associated with natural *G.dudenalisis* infection. Vet. Parasitol., 113(2): 89-98.

**Olivers, J.L.; Fernandez, R.; Fleta, J.; Ruiz, M.Y. and Clavel, A. (2002):** Vit B12 and folic acid in children with intestinal parasitic infection .J.Amm. Coll. Nutr., 21 (2)109-113.

**Olson, M.E. (2001):** Human and animal pathogens in manure conference on livestock options for the future. Winnapes, Manitoba., 1-6.

**Olson, M.E.; Morck, D.W. and Ceri, H. (1996):** The efficacy of *G. lamblia* vaccine in kittens. Can. J. Vet. Res., 60(4):249-256.

**Olson, M.E.; Morck, D.W. and Ceri, H. (1997):** Preliminary data on the efficacy of a *Giardia* vaccine in puppies. Can. Vet. J. 38(12):777-779.

**Omar, E.A. (1973):** Prevalence of common intestinal protozoal infections and the factors affecting it among the students of the various levels of education in Alexandria. Ph.D. Thesis, High Institute of Public Health, Alexandria University., 60-66.

**Orlandi, P.P.; Silva, T. and Magalhaes, G.F. (2001):** Enteropathogens associated with diarrheal diseases in infants of poor urban areas of

porto velho; Rondonia; apreliminary study. Mem. Inst. Oswaldo cruz., 96:621-623.

**Ortega, Y.R. and Adam, R.D. (1997):** overview and update. quiz 550. Clin Infect. Dis., 25(3):545-549.

**Orth, T.; Protzer, U.; Mayet, W.J.; Meyer, Z. and Buschenfelde, K.H. (1995):** Long-term damage to duoddenal mucosa in malabsorption syndrome as a sequel of *G.lamblia* infection. Z. Gastroenterol. 33(3):166-169.

**Ortiz, J.J.; Ayoub, A.; Gargala, G.; Chegne, N.L.; Favennec, L. and Randomized, C. (2005):** clinical study of nitazoxanide compared to metronidazole in the treatment of symptomatic giardiasis in children from Northern Peru. Aliment Pharmacol Ther., 15(9):1409-1415.

**Owen, R.L.; Allen, C.L. and Stevens, D.P. (1989):** Phagocytosis of *G.muris* by macrophages in peyer's patch epithelium in mice. Infection and Immunity., 33(2):591-601.

**Paget, T.A.; Kelly, M.L.; Jarrol, E.L. and Lindmark, D.G. (1993):** The effet of oxygen on the fermentation in the intestinalis protozoal parasite *G.lamblia*. Biochem. Parasitol., 57:65-72.

**Park, J.H.; Schofield, P.J. and Edwards, M.R. (1997):** *G.intestinalis*. Volume recovery in response to cell swelling. Exp.Parasitol., 86:192-198.

- Park, J.H.; Schofield, P.J. and Edwards, M.R. (1998):** *G.intestinalis* Characterization of NADP—dependent glutamate dehydrogenase. *Exp.Parasitol.*, 88(2):131-138.
- Peattie, D.A.; Alonso, R.A.; Hem, A. and Caulfield, J.P. (1989):** Ultrastructural localization of giardins to the edges of disk microRibbons of *G.lambilia* and the nucleotide and deduced protein sequence of alpha-giardin. *J.Cell.Biol.*, 109:2323-2335.
- Peters, C.S.; Sable, R.; Janda, W.M.; Chittom, A.L. and Kocka, F.E. (1986):** Prevalence of enteric parasites in homosexual patients attending an outpatient clinic. *J. Clin. Microbiol.*, 24(4):684-685.
- Petersen, L.R.; Cartter, M.L. and Hadler, J.L. (1988):** A food-borne outbreak of *G.lamblia*. *J. Infect. Dis.*, 157:846-848.
- Pickering, L.K. (2000):** Giardiasis and Balantidiasis. In : Nelson Textbook of Pediatrics, Section 13 Protozoan diseases, 16<sup>th</sup> edition, Volume 3., 1036-1038.
- Pillai, D.R. and Kain, K.C. (1999):** Immunochromatographic strip-based detection of *E.histolytica*, *E.dispar* and *G.lamblia* coproantigen . *J. Clin. Microbiol.*, 37(9):3017-3019.
- Pimenta, P.K; Da-Silva, P. and Nash, T.E. (1991):**Variant surface antigens of *G. lamblia* are associated with the presence of a thick cell coat. *Infect .Immunol.*, 59:3989.
- Pittet, D.; Francioli, P.; Von-Overbesk, J.; Reaber, P.A.; Ruef, C. and Widmer, A.E. (1995):** Infection control in Switzerland. *Infect Control Hosp Epidemiol* 1995; 16: 49-56.

- Popovic, O.S. and Milovic, V. (1990):** Propranolol and metronidazole for the treatment of metronidazole resistant giardiasis: J. Clin. Gastroenterol., 12:604-605.
- Porter, J.D.; Ragazzoni, H.P. and Buchanon, J.D. (1988):** *Giardia* transmission in a swimming pool. Am. J. Public Health., 78:659-662.
- Powell, D.W. (1987):** Intestinal water and electrolyte transport. In: Johnson, L Physiology of the Gastrointestinal Tract, Raven Press, New York., 1267-1305.
- Quick, R.; Paugh, K.; Addiss, D.; Kobasyashi, J. and Baron, R. (1992):** Restaurant associated outbreak of giardiasis. J. Infect. Dis., 166:673-676.
- Qureshi, H.; All, A.; Baqai, R. and Ahmed, W. (1997):** Efficacy of a combined diloxanide furoate-metronidazole preparation in the treatment of amoebiasis and giardiasis. J. Int. Med. Res., 25(3)167-170.
- Rabbani, G.H. and Islam, A. (1994):** Giardiasis in human: Population most at risk and prospect for control. In: *Giardia: from molecules to disease*. Edited by Thompson R.C.A., Reynoldson J.A., Lymbery A.J., 217-249.
- Rastogi, A.; Maihofra, V.; Uppal, B.; Aggarwal, V.; Kaira, K. and Mittal, S. (1999):** Etiology of chronic diarrhea in tropical children. Trop. Gastroenterol., 20(1): 45-49.



- Reiner, D.S.; Douglas, H. and Gillin, F.P. (1989):** Identification and localization of cyst-specific antigen of *G.lamblia*. Infect. Immunol., 57:963-968.
- Rendtorff, R.C. and Hott, D.J. (1954):** Experimental transmission of human intestinal protozon parasite; Attempts to transmute *E.coli* and *G. lamblia* cyst by water. A.M.J.T. Hgg., 60:327:338.
- Rivera-Luna, R.; Cardenas-Cardos, R.; Martinez-Guerra, G.; Ayon, A.; Leal, C. and Rivera-Ortegon, F. (1989):** Childhood acute leukaemia and intestinal parasitosis. Leukemia., 3:825-826.
- Roberts, L.S. and Janovy, J.J.R. (2002):** Foundations of parasitology .5<sup>th</sup> ed. W.M.C.Brown publ., 82-86.
- Roberts-Thomas, J.C.; Anders, R. and Bhathal, P. (1982):** Granulomatous hepatitis and cholangitis associated with giardiasis. Gastroenterol., 480-483.
- Robertson, L.J. and Gjerde, B. (2001):** Occurance of parasites on fruits and vegetables in Norway.J. Food protect., 64:1793-1798.
- Rocha, M.O.; Mello, R.T.; Guimaraes, T.M.; Toledo, V.P.; Moreira, M.C. and Costa, A. (1999):** Detection of a *G.lamblia* coproantigen by using a commercially available immunoenzymatic assay, in Belo Horizonte, Brazil. Rev. Inst. Med. Trop. Sao. Paulo., 41(3)151-154.
- Rodgers, M.; Flanigan, D.; Pfaller, S. and Kinkle, B. (1998):** Isolation and characterization of a *Flavobacterium* strain virulent against

*G.lamblia* cysts. ASM Abstracts in Microbial Ecology, No. N-141., p:389.

**Rodheaver, G.T.; Magee, C.; Golden, C.T.; Fox, J.; Edgerton, M.T. and Edlich, R.F. (1976):** Potentiation of wound infection by surgical drains. Am.J.Surg., p:131.

**Rodriguez, O.L.; Hage, I.I.; Gonzalez, Y.; Roque, M.E.; Vasquez, N.; Lopez, E. and Diprisca, M.C. (2004):** Secretory IgA Ab response venezuelar children infected with *G.dudenal*, J.Trop. Pediatr., 50(2):68-72.

**Rosales-Borjas, D.M.; Diaz-Rivadeneira, J.; Dona-Leyva, A.Z.; Villa, S.A.; Mascaro, C.; Osuna, A. and Ortiz-Ortiz, L. (1998):** Secretory immune response to membrane antigens during *G.lamblia* infection in humans. Infect. Immunol., 66(2):756-759.

**Rosenblatt, J.E.; Sloan, L.M. and Schneider, S.K. (1993):** Evaluation of an enzyme-linked immunosorbent assay for detection of *G. lambia* in stool specimens.Diagn .Microbiol .Infect .Dis., 16(4):337-341.

**Rosenthal, P.I. (1999):** Proteases of protozoan parasites. Adv.Parasitol., 43:105-159.

**Rosenthal, P.I. and Leibman, W.M. (1980):** Comparative study of stool examination, duodenal aspiration and pediatric enterotest for giardiasis in children. J. Pediatr., 96:278-279.

**Rosoff , J.D.; Sanders, C.A. and Sonnad, S.S. (1989):** Stool diagnosis of giardiasis using a commercially available enzyme immunoassay to detect *Giardia* specific antigen 65(GSA65). J. Clin.Microbiol., P:27.

- Rosoff, R.D. and Stibbs, H.H. (1986 a):** Isolation and purification of a *G. lamblia* specific stool antigen (GSA 65) useful in coprodiagnosis of giardiasis. J. Clin. Microbiol. 23:905-910.
- Rosoff, R.D. and Stibbs, H.H. (1986 b):** Physical and chemical characterization of a *G. lamblia* specific antigen useful in the coprodiagnosis of giardiasis. J. Clin. Microbiol., 24:1079-1083.
- Samuelson, J. (1999):** Why metronidazole is active against both bacteria and parasites. Antimicrob. Agents Chemother., 43:1533-1541.
- Scheffler, E.H. and Van-Etta, L.L. (1994):** Evaluation of rapid commercial enzyme immunoassay for detection of *G.lamblia* in formalin preserved stool specimens. J.Clin.Microbiol., 32(7):1807-1808.
- Seow, F.; Katelaris, P.H. and Ngu, M. (1993):** The effect of, *G. lamblia* trophozoites on trypsin, chymotrypsin and amylase in vitro. Parasitol., 106:233-238.
- Shalta, H.M.; El-Hodhod, M.T.; Mohsen, D.M. and Salah El-din, M.Y. (2004):** Potential diagnosis of *G.lamblia* infection through Ab detection in saliva, J. Egypt. Soc. Parasitol., 34(2):621-630.
- Shepherd, R.W.; Butler, D.G.; Cutz, E.; Gall, D.G. and Hamilton, J.R. (1979 ):** The mucosal lesion in viral enteritis. Extent and dynamics of epithelial response to virus invasion in transmissible gastroenteritis of piglets. Gastroenterol., 76:770-777.
- Shorchodzki, J.; Oldak, E.; Taraszkievicz, F.; Kurzatowska, B.; Sulik, A.; Zagorska, W. and Rozkiewicz, D. (1998):** Frequency

of giardiasis in children with chronic abdominal pain coming from North-East Poland. *Prazegel. Epidemiol.*, 52(3):309-315.

**Shrestha, B. (2001):** Intestinal parasitic infestation in healthy school children of Lalitpur district. *J. Nepal. Med. Assoc.*, 41: 266-270.

**Shukry, S.; Zaki, A.M.; Dupont, H.L.; Shoukry, I.; El-Tagi, M. and Hamed, S. (1986):** Detection of enteropathogens in fatal and potentially fatal diarrhea in Cairo, Egypt. *Clin. Microbiol.*, 24:959-962.

**Siempos, I.I.; Fragoulis, K.N. and Falagas, M.E. (2007):** World wide web resources on control of nosocomial infections. *Crit Care.*, 25;11(1): 101.

**Singer, S.M.; Elmendorf, H.G.; Coneal, J.T. and Nash, T.E. (2002):** Biological selection of variant – specific surface proteins in *G.lambliia*. *J. Infect. Dis.*, 183(1): 119-124.

**Smith, P.D. (1984):** Human Immune responses to *G.lambliia*. In: *Giardia and Giardiaes*, edited by Erlandsen S.L& .Meyer E.A., Plenum Press, New York, London., P: 216.

**Soliman, M.M.; Ti-Kilani, R.; Abou-Shady, A.F.; El-Mageid, S.A.; Handousa, A.A.; Hegazi, M.M. and Belosevic, M. (1998):** Comparison of serum antibody responses to *G.lambliia* of symptomatic and asymptomatic patients. *Am. J. Trop. Med. Hyg.*, 58(2):232-239.

**Sotto, A.; Alvarez, J.L.; Garcia, B.; Pomar, F. and Cendan, A. (1990):** Acute hepatic lesion caused by *G.lambliia*. *Rev. Esp. Enferm. Dig.*, 77(1):24-28.

**Springhouse, (2005):** Professional Guide to Diseases (Eighth Edition)  
.47(1):56-67.

**Stager, S. and Muller, N. (1997):** *G.lambiia* infection in B-cell deficient transgenic mice. *Infect. Immunol.*, 65:3944.

**Stager, S.; Fellesen, R.; Gottstein, B. and Muller, N. (1998 a):** *G.lambiia* variant surface protein H 7 stimulates a heterogenous repertoire of antibodies displaying differential cytological effects on the parasite. *Mol. Biochem. Parasitol.*, 85:113-124.

**Stager, S.; Gottstein, B.; Sager, H. and Jungi, T.W. (1998 b):** Influence of antibodies in mother's milk and antigenic variation of *G.lambliia* in murine mother-offspring model of infection. *Infect. Immun.*, 66(4):1287-1292.

**Stevens, T.L. and Gillin, F. (1990):** Giardiasis. In: Tropical and Geographical Medicine. Warren K. and Mahmoud A. (eds.) 2<sup>nd</sup> ed. MC Grow-Hill Comp., 344-349.

**Stevens, T.L.; Gison, G.R.; Adam, R.; Maier, J.; Ennis, M. and Das, S. (1997):** Uptake and cellular localization of exogenous lipids by *G.lambliia*, a primitive eukaryote. *Exp. Parasitol.*, 86:133-143.

**Stibbs, H.H.; Samdpour, I. and Manning, J.F. (1988):** Enzyme immunoassay for detection of *G.lambliia* cyst antigen in formalin-fixed and unfixed human stool. *J. Clin. Microbiol.*, 26:1665-1669.

**Stuart, J.M.; Orr, H.J.; Warburton, F.G.; Jeyakanth, S.; Pugh, C. and Morris, I. (2003):** Risk factors for sporadic giardiasis: a case-

control study in southwestern England. *Emerg Infect Dis.*, 9:229-233.

**Sulaiman, I.M.; Ronald, F.; Bern, C.; Gilman, R.H.; Trout, J.M.; Schantz, P.M.; Das, P.; Lal, A.A. and Xiao, L. (2003):** Triosephosphate isomerase gene characterization and potential zoonotic transmission of *G.duodenalis*. *Emerg. Infect. Dis.*, 9:1444-1452.

**Sullivan, P.B.; Marsh, M.N. and Phillips, M.B. (1991 a):** Prevalence and treatment of giardiasis in chronic diarrhea and malnutrition. *Arch. Dis. Child.*, 66:304-306.

**Sullivan, P.B.; Neale, G. and Cevallos, A.M. (1991 b):** Evaluation of specific serum anti-*Giardia* IgM antibody response in diagnosis of giardiasis. *Trans. R. Soc. Trop. Med. Hyg.*, 85:748-749.

**Sullivan, P.B.; Lunn, P.G. and Northrop, C.C.A. (1992):** Parasitic infection of the gut and protein-losing enteropathy. *J. Pediatr. Gastroenterol. Nutr.*, 15:404-407.

**Sun, T. (1980):** The diagnosis of giardiasis. *Am. J. Surg. Pathol.*, 4(3):265-271.

**Sun, T. (1988):** Diagnostic Parasitology. Igaku-Shoin Medical Publishers, Inc., New York., 32-38.

**Svard, S.G.; Meng, T.C.; Hetsko, M.L.; McCaffery, J.M. and Gillin, F.D. (1998):** Differentiation-associated surface antigen variation in the ancient leukaryote *G.Iamblia*. *Mol. Microbiol.*, 30(5):979-989.

- Taylan Ozkan, A.; Mungan, M.; Kilic, S.; Babur, C.; Demirceken, F. and Esen, B. (2005):** Giardiasis, *Giardia/Cryptosporidium* DFA yönteminin kullanımı. IV Ulusal Sindirim Yolu ile Bulaşan Enfeksiyonlar Simpozyumu, Mersin. Sözlü sunum no:11, Kongre kitabı., p:344 (In Turkish).
- Thompson, R.C.A. (2001):** The future impact of societal and cultural factors on parasitic disease—some emerging issues. Intern-national journal for parasitology., 31:949–959.
- Thompson, R.C.A. (2002):** Towards a better understanding of host specificity and transmission of *Giardia*: the impact of molecular epidemiology in *Giardia*, the cosmopolitan parasite, edited by Eolson, M. Eolson and P.M. Wallis. CAB publishing. 567-568.
- Thompson, R.C.A. (2005):** The zoonotic significance and molecular epidemiology of *Giardia* and Giardiasis. Vet. Parasitol., 126(1-2):15-35.
- Thompson, R.C.A. and Reynoldson, J.A. (1994):** *Giardia* and giardiasis. Adv. Parasitol., 32: 160-171.
- Thompson, R.C.A. and Monis, P.T. (2004):** variation in *Giardia* implication for taxonomy and epidemiology adv. Parasitol., 58:69-137.
- Thornton, S.A.; West, A.H. and Dupont, H.L. (1983):** Comparison of methods for identification of *G.lamblia* Am. J. Clin. Pathol., 80:858-860.

- Upcroft, J.A.; Campbell, R.W.; Benakli, K.; Upcroft, P. and Vanelle, P. (1999):** Metronidazole-susceptible and— resistant *Giardia*, *Trichomonas* and *Entamoeba* spp. *Antimicrob. Agents Chemother.* 43 (1):73-76.
- Van Keulen, H.; Gutell, R.; Campbell, S.; Erlandsen, L. and Meyer, E. (1993):** Unique phylogenetic position of diplomonadida based on complete small subunit ribosomal RNA sequence of *Giardia* and *hexamita* sp. *J.*, 7:223-231.
- Van Keulen, H.; Steimle, P.A.; Bulik, D.A.; Borowiak, P.K. and Jarrol, E.L. (1998):** Cloning of two putative *Giardia* glucosamine -6- phosphatase isomerase gene. Only one of which is transcriptionally activated during encystation. *J.Eukaryot Microbiol.*, 45(6):637-642.
- Venkatesan, P. (1998):** Albendazole. *J. Antimicrob. Chemother.*, 41:145-147.
- Venkatesan, P.; Finch, R.G. and Wakelin, D. (1997):** A comparison of mucosal inflammatory responses to *G.muris* in resistant B10 and susceptible BALB/c mice. *Parasite Immunol.*, 19(3):137-143.
- Veronesi, S.; Palmerio, B.; Negosanti, M. and Tosti, A. (2003):** Urticaria and giardiasis. *Dermatologica.*, 166(1):42-43.
- Vesey, C.J. and Peterson, W.L. (1999):** Review article: the management of Giardiasis. *Aliment. Pharmacol. Ther.*, 13:843-850.
- Vidal, A.M. and Catapani, W.R. (2005):** Enzyme immunoassay (ELISA) immunoassaying versus microscopy: advantages and



- Timothy, B.; Gardner, H.R. and David, R. (2001):** Microbiology Reviews. Vol. 14, No. 1., 114-128.
- Toni, R. and Teresa, G.O. (2003):** "Nosocomial Infection". Health care, food and nutritious focus., p:12.
- Torres, D.; Fernandez, M.; Brito, T. and Finlay, C. (1997):** Solid phase Immunoenzyme assay for detecting *G.lamblia* antigens. Rev. Cubana Med. Trop., 49(1):52-58
- Touz, M.C.; Gottig, N.; Nash, T.E. and Lujan, H.D. (2002):** identification and charactrization of anovel secretory granule Ca- binding protien from the early branching eukaryotics *G.lamblia*. J.Biol. Chem., 277(52):50557-50563.
- Tracy, J.W. and Webster, L.T. (1996):** Drugs used in the chemotherapy of protozoal infections, In J. G. Hardman, and L. E. Limbird (ed.), The pharmacological basis of therapeutics, 9th ed. McGraw-Hill Book Co., New York, N.Y., 987-1008.
- Tumwine, J.K.; Kekitiinwa, A.; Bakerra Kitaka, S.; Ndeezi, G.; Downing, R.; Feng, X.; Akiyoshi, D.E. and Tzipori, S. (2005):** Cryptosporidiosis, Giardiasis and microsporidiosis in Ugandan children with persistent diarrhea with and without concurrent infection with the human immunodeficiency virus. Am. J. Trop. Med. Hyg., 73(5): 921-925.
- Ungar, B.L.P.; Yolken, R.H.; Nash, T.E. and Quinn, T.C. (1984):** Enzyme-Linked Immunosorbent Assay for detection of *G.lamblia* in fecal specimens. J.Infect.Dis., 149 (1):90-97.

drawbacks for diagnosing giardiasis. Sao. Paulo. Med. J., 123(6):1516-1580.

**Vidal, M.A.C.; Gilman, R.H.; Ungar, B.L.P.; Verastegui, M.R.; Benet, A.C.; Marquis, G.; Penny, M.; Lanata, C. and Miranda, E. (1991):** Detection of *G.lamblia* antigen in children living in a Peruvian Periurban Shantytown (Pueblo Joven). J.Clin.Microbiol., 29(3):636-637.

**Visvesvara, G.S.; Smith, P.D.; Healy, G.R. and Brown, W.R. (1980):** An immunofluorescence test to detect serum antibodies to *G.lamblia*. Ann. Intern. Med., 93:802-805.

**Wang, C.C. and Aldritt, S. (1983):** Purine salvage networks in *G.lamblia*. J.Exp.Med.,158:1703-1712.

**Ward, W.; Alvarado, L.; Rowlings, N.D.; Engel, J.C. and McKerrow, J.H. (1997):** A primitive enzyme for a primitive cell: The protease required for excystation of *Giardia*. Cell., 89(3):437-444.

**Wasileswska, E.R.; Trippner, M.; Hofman, J.; Kaczmariski, M. and Stasiak-Barmuta, A. (1995):** Allergic constitution and immunological condition of children infected with *G.lamblia*. Roczn. Akad. Med. Bialynst., 40:649-651.

**Weiser, M. (1973):** Intestinal epithelial cell surface membrane glycoprotein synthesis. An indicator of cellular differentiation. J .of Biolog. Chem., 248:2536-2541.

**Weitzel, T.; Dittrich, S.; Mohl, I.; Adusu, E. and Jelinek, T. (2007):** Evaluation of seven commercial antigen detection tests for *Giardia*

and *Cryptosporidium* in stool samples. Clin, Microbial, Infect., 13(2): 217-218.

**Wenzel, R.P. (1985):** nosocomial infection, diagnosis-related groups and study on the efficacy of nosocomial infection control. Am.J. Med., 78(6): 3-7.

**Wolfe, M.S. (1984):** Symptomatology, Diagnosis and Treatment. In: *Giardia* and Giardiasis. Edited by Erlandsen S. and Meyer E. Plenum Press, New York., P:147.

**Wolfe, M.S. (1992):** Giardiasis. Clin Microbiol Rev., 5(1):93-100.

**World Health Organization (WHO), (1991):** Basic laboratory methods in medical parasitology. Reagents and solutions and their preparation., 100-105.

**World Health Organization (WHO), (1996):** The world health report, Geneva., 354-378.

**Wright, S.G. (1991):** Giardiasis. In: Hunter's Tropical Medicine, edited by Strickland, G.T., 7<sup>th</sup> ed., W.B. Saunders Company, Philadelphia., 565.

**Wright, S.G. (2000):** Giardiasis In Hunter's Tropical Medicine and Emerging Infectious Diseases. Eighth edition, edited by Strickland G.S., 589-593.

**Xiao, L. (1994):** *Giardia* infection in farm animals. Parasitology today., 10(11):436-438.

- Yassin, M.M.; Shubair, M.E.; Al-Hindy, A.I. and Jadallah, S. (1999):**  
Prevalence of intestinal parasites among school children in Gaza City. *J. Egypt. Soc. Parasitol.*, 29(2):365-373.
- Young, K.H.; Bullock, S.L.; Melvin, D.M. and Spruill, C.L. (1979):**  
Ethyl acetate as a substitute for diethyl ether in the Formalin-ether sedimentation technique. *J. Clin. Microbiol.*, 10:852-853.
- Youssef, M.Y.; Essa, M.M.; Sadaka, H.A.; Eissa, M.M. and Rizk, A.M. (1996):** Effect of ivermectin on combined intestinal protozoal infections (giardiasis and cryptosporidiosis). *J. Egypt. Soc. Parasitol.*, 26(3): 543-553.
- Zaki, A.M.; Dupont, H.L.; El-Alamy, M.A.; Arafat, R.R.; Amin, K.; Awad, M.M.; Bassiouni, L.; Imam, I.Z.; El-Malih, G.S.; El-Marsafie, A.; Mohieldin, M.S.; Naguib, T.; Rakha, M.A.; Sidaros, M.; Wasef, N.; Wright, C.E. and Wyatt, R.G. (1986):**  
The detection of enteropathogens in acute diarrhea in a family cohort population in rural Egypt. *Am. J. Trop. Med. Hyg.*, 35:1013-1022.
- Zalipaeva, T.L. (2006):** Clinical symptoms of Giardia infection in children. *Med. Parasitol.*, 3:29-32.