

References

- ***Abrams P, Cordozo L Fall M et al (2002):*** The standardization of terminology of lower urinary tract function: Report from the standardization subcommittee of the international continence society. *Neurourol rodyn*;21(2):167.
- ***Ajay K.S (2000):*** Choice of sling material for the treatment of intrinsic sphincter dysfunction in women. **AUA update series.**; Lesson 13, Vol. XIX.
- ***Albrich.S. Naumann.G,skala.C, Koelbl.H (2007):***TVT Secur:a novel approach for the Treatment of Female genuine stress urinary incontinence: *Int Urogynecol J pelivc floor Dysfunc* 18 (Supp1): S25-S26.
- ***Alcalay, M.; Monga, A. and Stanton,S (1995):*** Burch colposuspension: a 10-20 year follow up. *Br. J. Obstet. Gynecol*, Vol. 102: 740.
- ***Alexander.T, Baruch. M, Oded. K, etal (2004):*** Tension- free vaginal tape procedure for The treatment of female Stress urinary incontinence: long Term results: *Journal of urology*: 172:998-1000.
- ***Alois. M, Kamil. S , Jaromir. M, Tomas.K, et al (2009):*** intial experience with a short, Tension- free vaginal Tape (The Tension- free Vaginal Tape Secur System). *Eur J obstet Gynecal Reprod Biol*: 143: 121-125.
- ***Anderson KE, Appell R, Cardozo LD et al (1999)'*** Pharmacological treatment of urinary incontinence. In: *Incontinence, 1st International Consultation on Incontinence*. Abrams P, Khoury S & Wein A (eds), Plymbridge Distributors Ltd, UK, , pp447-486.

- **Anderson, J.T.; Heisterberg, S.; Hebjorn, S. et al. (1985):**Suprapubic versus transurethral bladder drainage after colposuspension/vaginal repair. *Acta. Obstet. Gynecol. Scand.*, 64: 139.
- **Ann Gormley (2002):** Biofeedback and behavioral therapy for the management of female urinary incontinence. *Uroi. Clin. North. Am.*;29:551.
- **Appell, R.A. (1999):** Management of female SUI. *Urol. Secrets.*, 43: 151.
- **Aronson MP, Bates SM, Jacoby AF, et al (1995) .** Periurethral andparavaginal anatomy: an endovagmal magnetic resonance imagine study. *Am J Obstet Gynecol.*; 173:1702-1708.
- **Artur, J.; Tomasz M.; Anna, F. and Wajciech, B. (2007):**Surgical treatment of stress urinary incontinence using the tension free vaginal tape obturator system (TVT-O) technique. *European J. Obstet. Gynec.*, 135: 127-131.
- **Ash Monga and Abdullsultan (2003):** The mechanism of continence. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Stanton: *Gynecology* 3rd edition, PP. 743.
- **Austin P.P.; Westney O.L.: Leng W.W., et al (2001):** Advantages of rectus fascial slings for urinary incontinence in children with neuropathic bladder. *J. Urol.* 165: 2369.
- **Baden WF, Walker T (1992):** The anatomy of uterovaginal support. **In vaginal defects.** J B Lippincott, pp 25-50
- **Baden, W.F. and Walker, T.A. (1992):**Surgical repair of vaginal defects.Philadelphia. J. B. Lippincot.

- **Bai SW, Kang JY, Rha KH. et al. (2002):** Relationship of urodynamic parameters and obesity in women with stress urinary incontinence. *JReprodMed.*:47:559-563.
- **Baldwin DD & Hadley HR (1997):** Epithelial inclusion cyst formation after free vaginal wall sling procedure for stress urinary incontinence. **J Urol**; 157:952.
- **Batra SC, Losif CS. (1983):** Female urethra: target for estrogen action. *J Urol*; 129:418-20.
- **Beck RP, McCormick S and Nordstrom L(1988):** The fascia lata sling procedure for treating recurrent genuine stress incontinence of urine. **Gbstet Gynecol**; 72:699.
- **Bendereu, T. (1994):** A modified percutaneous outpatient bladder neck suspension system. *J. Urol*, 152: 2316.
- **Bent A and Summitt R (2001):** Mechanism of female continence: in urogynecology and urodynamics: **Theory and practice**, 5th ed.. Philadelphia; Williams and Wilkins pub. chapter 36: 493-504.
- **Bent A E (2004):**Sling and Bulking Agent Placement Procedures :*Rev Urol*; 6(Suppl 5): S26-S46.
- **Bent AE, Sand PK, Ostergard DR, Brubaker LT. (1993):** Transvaginal electrical stimulation in the treatment of genuine stress incontinence in detrusor instability. *Int J Urosynecol.*:4:9-13.
- **Bergman, A.; Matthews, L.; Ballard, C.A. and Roy, S (1987):** Suprapubic versus transurethral bladder drainage after surgery for stress urinary incontinence. *Obstet. Gynecol*, 69: 546.

- **Bernstein IT. (1997):** The pelvic floor muscles thickness in health and urinary-incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training estrogen receptor studies . Neurobiological Urodyn; 16 : 237 - 275 .
- **Blaivas J.G. and Olsson C.A (1988):** Stress incontinence: classification and surgical approach. **Urol.** 139:727.
- **Blaivas JG and Jacobs BZ (1991):** Pubovaginal fascial sling for the treatment of complicated stress urinary incontinence. **J Urol**; 145:1214.
- **Blaivas JG, Appell RA, Fantl JA. et al (1997):** Definition and classification of urinary incontinence: Recommendations of the urodynamics society. **Neurourol Urodyn**;76:145.
- **Blaivas JG, Chancellor M (1996):** Cystometry. In Blaivas JG, Chancellor M. (eds.): Atlas of Urodynamics. Baltimore. William and Wilkins;pp:31.
- **Blaivas JG, Zayd AA, Labibk B (1981):** The bulbocavernosus reflex in urology: A prospective study of 299 patients. **J Urol**;126:197
- **Blaivas, JG.Romanzi, LJ.; Heriiz, DM.** Urinary incontinence: pathophysiology, evaluation, treatment overview, and nonsurgical management. In: Walsh PC. Retik AB, Vaughan ED Jr, Wein AJ.,
- **Bo K, Talseth T. (1997):** Change in urethral pressure during voluntary pelvic floor muscle contraction and vaginal electrical stimulation. **Int Urogynecol J Pelvic Floor Dysfunct**:8:3.

- **Bodelsson G, Henriksson L, Osseir S. (2002):** Short-term complications of the tension free vaginal tape operation for stress urinary incontinence in women. *Br J Obstet Gynaecol.*; 109:566-569
- **Boone T.B. and Kum Y.H. (1999):** Uroflowmetry in **Nitti VW (ed): Practical urodynamics** Philadelphia, Saunders, PP. 28.
- **Bortolotti A, Bernardini B, Colli E, et al (2000):** Prevalence and risk factors for urinary incontinence in Italy. *Eur Urol*; 37: 30.
- **Boustead G.B. (2002):** The tension-free vaginal tape for treating female stress urinary incontinence. **BJU International**; 89: 687.
- **Breda G.; Tamai A.; Xausa D., et al. (1993):** Pelviscopic colposuspension. *J. Endourol*; 7: S247.
- **Bregman A, Kooning PP, Ballard CA. (1993):** Negative Q-tip test as a risk factor for failed incontinence surgery in women, *J Reprod Med*;34:193-197
- **Brett vassallo and Mickey Karram (2003):**Urodynamic stress incontinence. In: **Robert W. Shrrr, W. Patrick Soutter, Stuart L. Stanton:Gynecology 3rd edition**, PP 679.
- **Bulent. C, oktay. D (2005):** Risk Factors in fluencing The Complication rates of tension- free Vaginal Tape Type Procedures. *Curropin obstet Gynecol*:17:530-4.
- **Bump R.C.; Hurt W.G.; Fentyl J.A., et aL (1991):** Assessment of pelvic muscle exercise performance after brief verbal instruction. **Am. J. Obstet. Gynecol**; 165:322.
- **Bump RC& McClish DK. (1992):** Cigarette smoking and urinary incontinence in women. *Am J Obstet Gynecol*; 167:1213- 1218

- ***Bymaster, F.P.; Dreshfield-Ahmad, L.J.; Threlkeld, P.G. et al. (2001):***Comparative efficacy of duloxetine and venlafaxine for serotonin and norepinephrine transporters in vitro and in vivo, human serotonin receptor subtypes, and other neuronal receptors. *Neuropsychopharmacology.*; 25: 871-880.

- ***Carbone, J.M.; Kavalier, G. and Hu, J.C. (2001):***Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. *J. Urol.*, 165: 1605.

- ***Carl, G. Klutke and Cary Lynn Siegel (1995):***Function a female pelvic anatomy. *Urol. Clin. North. Am.*, 22: 487

- ***Cespedes R,D, and McGuire E.J. (1999):*** Leak point pressures In **Nitti V.W (ed):** Practical Urodynamics Philadelphia, Saunders, P. 94.

- ***Chene. G, Amblard. As, Tardieu. J.R,Escalona. A, Viallon. B, Jacquetin, G (2007):*** long Term results of tension free Vaginal Tape (TVT) for The Treatment of female urinary stress incontinence. *EurJ obstet Gynecol Reprod Biol.* 134:87-94.

- ***Choe JM and Battino BS (2000):*** Antimicrobial mesh versus vaginal sling: a comparative outcome analysis. **J Urol;** 163:1829.

- ***Christopher K. Payne (2002):*** Urinary incontinence: Non surgical management. In **Walsh PC, Retik AB, Vaughan ED, Wein AJ: Campbell's Urology 8th ed.** Philadelphia, Saunders, PP. 1069.

- **Cindy, A.; Cross, Cespedes, R.D.; Sharan, F. et al (1998):**Transvaginal urethrolysis for urethral obstruction after anti-incontinence surgery. J. Urol, 159: 1199.
- **Coates K.W.; Harris R.L; Cundi G.W. and Bump (1997):** Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. Br. J. Urol; 80: 217.
- **Coli E, Artibani W, Goka J, et al(2003):** Are urodynamics tests a useful tool for the initial conservative management of non-neurogenic urinary incontinence? A Review of Literature. European Urol; 43: 63.
- **Corcos J. and Fournier C (1999):** Periurethral collagen injection for the treatment of female stress urinary incontinence: 4 years follow up results. Urol; 54: 815.
- **Cornella J L. (2004):** Management of Stress Urinary Incontinence: Rev Urol; 6(Suppl 5): S18-S25.
- **Crivellaro S.; Smith J.J.; Kocjantic E., et al. (2004):** Transvaginal sling using a cellular human dermal allograft: safety and efficacy in 253 patients. J. Urol; 172: 1374.
- **Cross CA, Cespedes RD, And English SF (1998):** Transvaginal urethrolysis for urethral obstruction after anti- incontinence surgery. J Urol; 159:1199.
- **Cummings J.M.; Boullier J.A. and Parr R.O (1998):** Surgicalcorrection of SUI in morbidity obese women. J. Urol.; 160: 754.
- **Cummings JM, Bouller JA, Parr RO, et al (1997):** Leak point pressures in women with urinary stress incontinence. Correlation with patient history. J Urol; 157: 818.

- **David A. and Rivas Michael B. Chancellor (1996):** Uroflowmetry. In **Jerry Blavias and Michael Chancellor: Atlas of urodynamics** 4th ed. Williams and Wilkins, PP. 48.
- **Dawn, M.; Bodell and Gary, E. Leach (2002):** Needle suspension procedures for female incontinence. *Urol. Ciin. N. Am*; 29: 575.
- **DeLancey JO. (1999):** Structural anatomy of the posterior pelvic compartment as it relates to rectocele. *Am J Obstet Gynecol*; 180:815-823.
- **DeLancey JO. (1994):** Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. *Am J Obstet Gynecol*. 170:1713-1723.
- **DeLancey JOL, Richardson AC (1992):** Anatomy of genital support. In **Hurt WG (ed): Urogynecology surgery**. Gaithsburg, IL , Rockville, MD, Aspen publishers, pp 19-23.
- **DeLancey, J.O.L. (1993):** Anatomy & biomechanics of genital prolapse. *Clin Obstet Gynecol*, 36:897-909
- **DeLancey, JO. (2001):** Anatomy. In: Cardozo L, Staskin D. , editors. *Textbook of Female Urology and Urogynaecology*. 1st ed. London:Isis Medical Media; pp. 112-124.
- **DeLancy, J.O.L. (1990):** Anatomy and physiology of urinary incontinence. *Clin. Obstet. Gynecol*, 33 (2): 298
- **Delorme E. (2001):** Transobturator urethral suspension: mini-invasive procedure in treatment of stress urinary incontinence. **Prog.Urol**; 11:1306.
- **Diokno AC, Dimaculangan RR, Lim EU, et al (1999):** Office based criteria for detecting Type II stress urinary incontinence without further evaluation studies. *J Urol*; 161: 1263.

- **Diokno, A.C.; Hollander, J.B. and Alderson, T.P. (1987)**
:Artificial urinary sphincter for recurrent female urinary incontinence: Indications and results. J. Urol., 138: 778.
- **Dmochowski R.R. and Appell R.A. (2000):** Injectable agents in the treatment of stress urinary incontinence in women: where are we now? Urol; 56: 32.
- **Dmochowski, R. (1996):** Cystometry. **Urol. Clin. North.**; 23: 243.
- **Dorsey, J.H. and Cundiff, G (1994):** Laparoscopic procedures for incontinence and prolapse. Curr. Opin. Obstet. Gynecol., 6: 223.
- **Dunn M, Brandt D, Nygaard N. (2002):**Treatment of exercise incontinence with a urethral insert. Phys Sports medicine:30 (1):45-48.
- **Dupont, M.C.; Albo, M.E. and Raz, S (1996):**Diagnosis of SUI an overview. Urol. Clin. North, 23: 3: 407.
- **Edward J.; McGuire Duane, R. Cespedes and Helene E, O'connell (1996):** Leak point pressures.UroJ. **Clin. North. Am**; 23 (12): 253.
- **Edward, J.; McGuire, Duane, R. Cespedes and Helene, E. O'connell (2002):** Leak point pressures.Urol. Clin. North. Am, 23 (12): 253.
- **El badawi, A (1988):** Neuromuscular mechanism. In: yalla S.V, McGure, E.j, Elbadawi, A. and Blaivas, J. G. **Neurology and urodynamics:principles and practice.** New york: Macmillan,3-35.
- **Elia G, Bergman J, Dye T (2002):** Familial incidence of stress incontinence. Am J Obstet Gynecol; 187:53.

- ***Elisabetta, T.; Marie, S.; Luigi, C.; Marco, T.; Birgitta, B.; Gunvor, E.; Felice, P. and Nicola, C. (2007):***Role of proteoglycans in the organization of periurethral connective tissue in women with stress urinary incontinence. *Maturitas* 58: 395–405.
- ***Enhoring G (1961):*** Simultaneous recording of intravesical and intra-urethral pressure. *Acta ChirScand*; 276:3.
- ***Faerber G.J. and Vashi A,R. (1998):*** Variations in valsalva leak point pressure with increasing vesical volume. *J. Urol*; 159: 1909.
- ***Faerber G.J (1996):*** Endoscopic collagen injection therapy in elderly women with type I stress urinary incontinence. *J. Urol*; 155: 512.
- ***Falkert, Seel bach. G (2006):*** TVT versus TOT for surgical Treatment of female stress urinary incontinence. *Eur Urol*: 87-90.
- ***Ferrari A and Frigerio L (1997):*** The triangular vaginal patch sling for stress urinary incontinence and hypermobile urethra. *Am J Obstet Gynecol*; 177:1426.
- ***Foster HE and McGuire EJ (1993):*** Management of urethral obstruction with transvaginal urethrolysis. *J Urol*; 150:1448-1451.
- ***George D Webster and Michael L Guralnick (2002):*** The neurourologic evaluation. In Walsh P.C, Petik AB, Vaughan E.D Jr, Wein A.J eds: *Campbell's Urology*, 8th ed. Philadelphia, WB Saunders, , pp 900-930.
-

- **Ghoniem, G.M.; Walters, F. and Lewis, V (1993):** The value of the vaginal pack test in large cystoceles. J. Urol;152:931–934
- **Ginodef Freitas and Philippe Zimmern (2003):** The role of urodynamics in women with stress urinary incontinence. **EUA Update series**; 1: 135
- **Gormely, E.A. (2002):** Biofeedback and behavioral therapy for the management of female urinary incontinence. Urol Clin North Am (29) 551-557.
- **Gosling JA (1984):** The anatomy of the bladder, urethra and pelvic floor, in Murdy, A.R., Stephenson, T.P. and Wein, J. A. (ed): principles Practice and Application. London, Churchill, pp 3-13.
- **Gosling, J.; Alm, P.; Bartch, G. (1999):** Gross anatomy of the lower urinary tract. In: Abrams P. Khoury S, Wein A, et al, editors. Incontinence: First International Consultation. Plymouth, UK:Health Publications Ltd; pp. 21-56
- **Gosling, J.A. and Dixon, J.S (1997):** Light and electron microscopic observation of the human external sphincter. J. Anat. 129: 216. Quoted from Linda cardozo, Embryology and anatomy. In Urogynecology,27.
- **Gosling, JA(1986):** The structure of the female lower urinary tract and pelvic floor. Urol. Clin. North. Am.; 12: 207.
- **Griffiths D.; Hofnerk, Van mastright R. et al. (1997):** Standardization of terminology of lower urinary tract: pressure-flow studies of voiding urethra! resistance, and u^ethral obstruction. Neurourol. Urodyn; 16: 1.

- **Guy, H.; François, H.; Martin, D. and André, B. (2007):**Urinary incontinence in women treated by ischemic compression over the bladder area: a pilot study. J. Chiropractic Medicine 6: 132–140.
- **Haab F, Trackman BA, Zimmern PE, et al(1997):** Results of pubovaginal sling for the treatment of intrinsic sphincteric deficiency determined by questionnaire analysis. J Urol; 158:1738.
- **Haab F, Zimmer P and Leach GE (1996):** Female stress incontinence due to intrinsic sphincteric deficiency: recognition and management. J Urol; 156:3-17.
- **Haab, F. ; Sananes, S.; Amarenco, G. ; Ciofu, C. and Uzan, S. et al (2001) :** Results of tension free vaginal tape procedure for the treatment of type II stress urinary incontinence at a minimum follow up of 1 year . European j. 165; 159-162
- **Hadley PR and Myers RC (1989):** Complications of vaginal surgery. Proceedings of the Western Section of the American Urological Association, , p 32.
- **Hakki. P, Baha.o, Ahmet. Y, Ahmet. S, et al (2002):** Magnetic resonance imaging for stress incontinence evaluation of patients before and after surgical correction: EuRo J of Radiology 44:: 44-47.
- **Hampel C, Weinhold N, Eggersmann C, Thuroff JW. (1997):**Definition of overactive bladder and epidemiology of urinary incontinence. Urology;50(suppl 6A);4-14.

- **Hannestad YS, Rortveit G, Daltveit AK, Hunskaar S. (2003):** Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. Br J Obstet Gynaecol; 10:247-254.
- **Harewood, L.M.; Crosthwaite, A.; Webb, D.R. et al (1993):** An early series extraperitoneal balloon laparoscopic needle suspension for SUI. J. Endourol, 7: S102
- **Hay-Smith, E.J.; Bo, K.; Berghmans, L.C, et al. (2003):**
: The Cochrane Library. Chichester, UK: John Wiley & Sons, Ltd; Pelvic floor muscle training for urinary incontinence in women (Cochrane Review).
- **Herschorn S, Carr LK. (2002):** Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In: Walsh PC, Retik AB, Vaughan ED Jr, Wein AJ., editors. Campbell's Urology. 8th ed. Philadelphia: WB Saunders Company; pp. 1092-1139.
- **Hinman F Jr (2002):** Atlas of Urosurgical Anatomy. Philadelphia, WB Saunders, 1993, p 196. Quoted from: James D: Anatomy of the lower urinary tract and male genitalia. In Walsh P.C, Retik AB, Vaughan E.D Jr, Wein A.J eds: Campbell's Urology, 8th ed. Philadelphia, WB Saunders, , pp 89-123 .
- **Hohenfellner R and Petri E (1980):** Sling procedures. In Stanton SL, Tanagho EA, eds: Surgery of Female Incontinence. Berlin, Springer-Verlag; pp 67: 71
- **Holschneider CH, Solh S, Lebhertz TTB and Montz (1994):** The modified Pereyra procedure in recurrent stress urinary incontinence: a 15 year review. Obst. Gynec., 83: 573.

- **Horbach NS (1991):** Suburethral sling procedures. In Urogyn ecology & Urodynamics Theory and Practice, 3rd ed. Edited by D.R. Ostergard and A. E. Bent. Baltimore: Williams & Wilkins, , pp 413-21, 1991.
- **Hughes PN & Abrams P. (2001):**cystometry. Text of Urology and Urogynaecology:198-204
- **Huisman A B (1983):** Aspect on the anatomy of the female urethra with special relation to urinary continence. **Contrib. Gynecol. Obstet**, 10:1.
- **Hunskar S, Burgio K, Clark A, et al (2005):** Epidemiology of urinary (UI) and faecal incontinence (FI) and pelvic organ prolapse (POP). In Abrams P, Cardozo L, Khoury S, Wein A (eds): Incontinence (Edition 2005) 3rd international consultation on incontinence. Health Publications, , PP: 255.
- **Iselin C.E. and Webster G.D. (1998):** Office management of female urinary incontinence. **Urol. Clin. North. Am**; 25: 625.
- **Jacek Mostwin, Andrew Yang, Roger Sanders et al. (1995):**Radiography, sonography, and Magnetic resonance imaging for stress incontinence. **UroL Clin. North. Am**; 22: 539
- **Jae, S.P.; Ja, H.K.; Soo, W.K. et al. (2004) :**Tension free vaginal tape procedure for the treatment of mixed urinary incontinence: significant of maximal urethral closure pressure. **J. Urol.**, 172: 1001.

- **James, D. Brooks (2002):** Anatomy of the lower urinary tract and male genitalia. In Walsh P.C., Retik A.B. Vaughan E.D, Wein A.J.: Campbell's Urology 7th ed. Philadelphia, Saunders, PP 89.
- **Jarvis GJ (1994):** Stress incontinence. In Mundy AR, Stephenson TP, Wein AJ, eds: **Urodynamics: Principles, Practice and Application**, 2nd ed. New York. Churchill Livingstone, pp 299-326
- **Jerry G.; Blaivas J.G. and Asniatgrout Z, (2002):** Urinary incontinence: Pathophysiology, evaluation and management overview. In Walsh PC, Retik AB, Vaughan ED, Wein AJ: **Campbell's Urology** 8th ed. Philadelphia, Saunders, PP 1027.
- **Jhon, R. and Robert, D:**Female urinary incontinence. Atlanta center for laparoscopic urogynecology.com
- **John T.; Stoffel John, F. Bresette and John J. smith (2002):** Retropubic surgery for stress urinary incontinence. **Urol. Clin. N. Am**; 29: 585.
- **Jorgensen J.B. and Jensen K.M. (1996):** Uroflowmetry. **Urol. Clin. North. Am**; 23: 23 7.
- **Junemann, K.P.; Persson-Ju»nemann, C.; Knebel, U. et al. (1995):** Erste Langzeitergebnisse mitdem Harnrohrenregulator VIVA1 bei weiblicher Streinkontinenz. **Akt Urol**; 26: 249
- **Kammercr-Doak DN, Dcrin-MH, Rogers RG, Cousin MO. (1999):** A randomized trial of Burch urethropexy and anterior colporrhaphy for stress urinary incontinence. **Obstet Gyneeol**;93:75-78

- **Karram M.M. and Bhatia N.N. (1990):** Patch procedure: Modified transvaginal fascia lata sling for recurrent or severe stress urinary incontinence. *Obstet Gynecol*; 75: 461
- **Karram MM, Segal JL, Vassallo BJ. (2003):** Complications and untoward effects of the tension-free vaginal tape procedure. *Obstet Gynecol.*; 101:929-932.
- **Karram, M.; Lucente, V.; Khandwala, S.; Nilsson, C.; Artibani, W. and Dmochowski, R. (2007):** An evaluation of the Gynecare TVT-secur system (Tension-free support for incontinence) for the treatment of stress urinary incontinence. *Int. Urogynecol. J.*, 18 (suppl.1) S1-S24.
- **Karram, M.M.; Angel, O.; Koonings, P.; et al (2002):** The modified Peryera procedure; a clinical and urodynamic review. *Br. J. Obstet. Gynecol.*, 99: 655.
- **Kathleen Niknejad, Louis S. Plzak III, David R. Staskin and Kevin R. Loughlin (2002):** AutoJogous and synthetic urethral slings for female incontinence. *Urologic Clinics of North America* Vol. 29, no. 3.
- **Kerman, W.N.; Vicoli, C.M.; Brass, L.M. et al. (2002):** Phenylpropanalamine and the risk of haemorrhagic stroke. *N. Engl. J. Med.*, 343: 1826.
- **Kerrebroeck, P. V: Duloxetine (2004):** An innovative approach for treating stress urinary incontinence. **BJU International**. 94: Supplement 1:31.
- **Kershen R.T, andAtala A. (1999):** New advances in injectable therapies for the treatment of incontinence and vesicoureteral reflux. **Urol. Clin. North. Am**; 26: 81.
- **Kerstin, E.; Britt, E.; Birgitta, N. and Eva, M. (2006):** Urinary incontinence in women with low back pain. *Manual therapy* 10: 1016.
- **Khullar V , Athanasiou S, Cardozo L . (1996):** Urinary sphincter

- volume and urodynamic diagnosis . *Neurourol urodyn* ; 15 : 334-336.
- **Khullar V, Digesu A, Chaliha C, Khan M, Hutchins A (2002):** Mixed incontinence: how should it be treated? **Neurourol Urodyn**; 21:378.
 - **Khullar V, Kelleher CJ (2003):** Urodynamic investigation. In Shaw RW, Soutter WP, Stanton SL (eds): *Gynecology* 3rd edition;pp:755.
 - **Kirschner-Hermanns R, Wein B, Niehaus S. (1993):** The contribution of magnetic resonance imaging of the pelvic floor to the understanding of urinary incontinence. *Br J Urol.*;72:715-718.
 - **Kjollhede P and Ryden G (1994):** Prognostic factors and long- term results of the Burch colposuspension. *Acta Obstet Gynecol Scand*; 73: 642-647.
 - **Klutke C, Golomb J, Barbaric Z, Raz S (1989):** The anatomy of stress incontinence: Magnetic resonance imaging of the female bladder neck and urethra. *J Urol*; 143: 563
 - **Klutke CG & Siegel CL. (1995):** Functional female pelvic anatomy. *Urol Clin North Am.*;22:487-498.
 - **Klutke, C.G. and Carlin, B.J. (2000):** Altered voiding after the tension free vaginal tape procedure: an increased resistance the mechanism of therapy *Obstet. Gynecol.*, 1 (4): 95.
 - **Kobashi KC & Govier FE. (2003):** Perioperative complications: the first 140 polypropylene pubovaginal slings. .1 *Urol.*;170:1918-1921

- **Lan. Z, Jinghe. L, Ning. H, Felix. W (2007):** Comparing Vaginal Tape and Trans obturator Tape for The Treatment of mild and moderate Stress incontinence: international Journal of Gynecology and obstetrics:14-17.
- **Larsen EH, Gasser TC and Madsen PO (1986):** Antimicrobial prophylaxis in urologic surgery. Urol Clin North Am; 13: 591.
- **Leach G.E.; Dmochowski R.R.; Appell R.A. et al. (1997):** Female stress urinary incontinence clinical guide-lines panel summary report on surgical management of female stress urinary incontinence. The American Urological Association. J. Urol.; 158: 875
- **Leach, G.E. and Appdl, R.A (1996):** Percutaneous bladder neck suspension. Urol. CJin. N. Am; 23: 511.
- **Lemack GE, Zimmern PE (2000):** Identifying patients who require urodynamic testing before surgery for stress incontinence based on questionnaire information and surgical history. Urol ; 55:506
- **Liapis A, Bakas. P, Giner. M, et al (2006) :** tesion- free Vaginal Tape Versus Tension. Free Vaginal Tape Obturator in Women With Stress Urinary incontinence. Gynecal obstet invest: 62:160-4.
- **Liapis AE, Asimiadis V, Loghis CD, et al. (1996):**A randomized prospective study of three operative methods for genuine stress incontinence. J Gynecol Surg; 12:7-13.
- **Lind LR, Rosenzweig BA, Bhatia NN (1997):** Urologically oriented neurological examination. In Ostrgard DR, Bent AE (eds.):

- Urogynecology and Urodynamics: Theory and Practice. 4th edition. Baltimore. Williams and Wilkins; pp 99.
- **Ling- Hong: *Ultrasound in urogynecology (2007)*:** An Update on Clinical Application: Med ultrasound J: 45-57.
 - **Locher JL, Burgio KL (1997):** Epidemiology of incontinence. In Ostrgard DR, Bent AE (eds.): Urogynecology and Urodynamics: Theory and Practice, 4th edition. Baltimore. Williams and Wilkins; pp 67.
 - **Louis J.; Bruno D.; Anca B.; David S. and Emile D. (2001):** Objective and subjective cure rates after tension free vaginal tape for treatment of urinary incontinence. Urol; 58: 702.
 - **Louis, P.L.; Zak, III. and David Staskin (2002):** Genuine stress incontinence: Theories of etiology and surgical correction. Urol. Clin. North. Am., 29: 527.
 - **Luber K M. (2004):** The Definition, Prevalence, and Risk Factors for Stress Urinary Incontinence. Rev Urol; 6(Suppl 3): S3-S9.
Severe complications following tension-free vaginal tape
 - **Ludviksson K (1997):** The value of clinical examination of the female incontinent patient: Acta Obstet Gynecol Scand; Suppl 166(76):19.
 - **Mainprize TC (1990):** Diagnosis of urinary incontinence: Clin Obstet Gynecol; 33 (2):308.
 - **Marsh.F, Assassa. P (2007):** An audit of introduction of TVT Secur in clinical practice. Int urogynecal J Pelvic floor Dysfunct 18 (Supp1): S26.
 - **Martan, A.; Masata, J. and Svabik, K. (2007):** Initial experience with TVT-secur system procedure and the reason for

- persistent stress urinary incontinence. *Int. Urogynecol. J.*, 18 (Suppl.1): S25-S105.
- **Marzio. A, Francesco. P, Marco .C, Elettra. M, et al (2007):** one year follow Up of Tension free vaginal Tape (TVT) and Trans-obturator Suburethral tape from inside to outside (TVT-O) for surgical Treatment of female stress urinary incontinence: A prospective Randomised trial: *European urology J*: 376-384.
 - **McGuire E.J. and Appell R.A. (1994):** Transurethral collagen injection for urinary incontinence. *J. Urol*; 43: 413.
 - **McGuire EJ (1980):** Urodynamic findings in patients after failure of stress incontinence operations. In Zinner NR, Sterling AM (eds): *Female Incontinence*. New York. Alan R Liss,pp 351.
 - **McGuire, E.J, Fitzpatrick C.C, Wang, J etal (1993):** Clinical assessment of urethral sphincter function.*j.urol* 150 1452 .
 - **McGuire, E.J. (1993):** Clinical assessment of female incontinence .What should Urologisits know A.U.A. today. 6(7).
 - **MeGuireEJ (1977):** Combined radiographic and manometric assessment of urethral sphincter function: *J Urol*; 18:632.
 - **Menahem, N. (2006):** TVT-Obturator: Short-Term Data on an Operative Procedure for the Cure of Female Stress Urinary Incontinence Performed on 300 Patients. *European Urology* 51:1083–1088.
 - **Michel, M.C. and Peters, S.L.M. (2004):** Role of serotonin and nor-adrenapine in SUI. *BJU International*, 94 Supplement,; I: 23.
 - **Michele. M, Pietro.B, Virginio. (2009):** A, Paola. P,Luisa. R, Lorenzo. S: TVT. Secur: a minimally invasive Procedure for

The Treatment of Primary Stress Urinary incontinence. One year data from a multi- Centre Prospective Trial. Inturogynecol J: S313- S317.

- **Mommsen S, Foldspang A, Elvingl Lam G (1993):** Association between urinary incontinence in women and a previous history of surgery. Br J Urol;72:30.
- **Monga A.K. and Stanton S.L. (1997):** Urodynamic prediction, outcome and analysis of mechanism for cure of stress incontinence by periurethral collagen. Br. J. Obstet. Gynecol; 104: 158.
- **Morgan, T.O.; Westney, O.L. and McGuire, EJ (2000):** Pubovaginal sling: 4 year outcome analysis and quality of life assessment. J. Urol, 163: 1845
- **Mostwin JL, Yang A, Sanders R, Genadry R. (1995):** Radiography, sonography, and magnetic resonance imaging for stress incontinence: contributions, uses, and limitations. Urol Clin North Am:22:539-549.
- **Mouritsen L, Frimodt-Moller C, Moller M. (1991):** Long-term effect of pelvic floor exercises on female urinary incontinence. Br J Urol.:144:99-101.
- **Neuman M (2007):** Training TVT secur: The First 150 Teaching operations: int urogynecol J pelvic floor Dysfunct 18 (Supp1): S27.
- **Neuman, M. (2007):** TVT and TVT-obturator: Comparison of two operative procedures. Eurpean J. Obstet. Gynec., Reprod. Biol ., 131: 89-92
- **Newman DK. (2000):** New technology for women for stress incontinence. Contemporary OB/GYN; 15:69-70, 74-75, 79.

- **Nichols DH: Preface. In Nichols DH (ed):** Clinical Problems, Injuries, and Complications of Gynecologic Surgery. Baltimore. Williams & Wilkins.
- **Nichols DH (1985):** Vaginal prolapse affecting bladder function. Urol Clin N Am; 12:329.
- **Niknejad K.; Pizak L.S.; Staskin D.R. and Loughlin K.R. (2002):** Autologous and synthetic urethral slings for female SUI. Urol. Clin. N.-Am; 29: 597
- **Nilsson C.G.; Falcor C. and Rezapour M. (2004):** Seven years follow-up of the tension-free vaginal tape procedure for the treatment of urinary incontinence. Obstet and gynecology; 104:1259.
- **Nitti V.W. (1998):** Cystometry and abdominal pressure monitoring. In Practical Urodynamic, Philadelphia. W.B. Saunders, PP. 38.
- **Nitti VW, Combs AJ (1996):** Correlation of valsalva leak point pressure with subjective degree of stress urinary incontinence in women. J Urol; 155: 281.
- **Nitti, V. W. and Combs, A,J. (1998) :** Urodynamics: when, why and how. InNitti V.W (ed.): Practical urodynamics. PhiJadephia, W.B.Saunders.; PP. 15.
- **Norton PA. (1993):**Pelvic floor disorders: the role of fascia and ligaments. Clin Obstet Gynecol;36:926-938.
- **O'Boyle AL, Woodman DO, O'Boyle JD, et al. (2002):**Peivic organ support in nulliparous pregnant women and nonpregnant women: a case control study. AmJObstet Gynecol; 187:99-102

- ***O'Connell H.E.; McGuire E.J. and Aboseif S. (1996):*** Transurethral collagen therapy in women.J. Urol; 154: 1463.
- ***Oelrich TM. (1983):*** The striated urogenital sphincter muscle in the female. Anat Rec;205:223-232
- ***O'Shaughnessy M, Terris MK, Talavera F, Talavera S, Wolf JS, ShulmanLP (2003):***Incontinence, Urinary: Comprehensive Review of Medical and Surgical Aspects. An e-medicine article. November 21,2003.
- ***Palama P C. R, Cassio L. Z. Riccetto, Mirian Dambros, Viviane Herrmann, Marcelo Thiel, Nelson R. Netto JR. (2002):***Tension-free vaginal tape (TVT): Minimally invasive technique for stress urinary incontinence (SUI): Vol. 28 (5): 458-463, September - October.
- ***Patrick J. (2000):***Culligan and Micheal Heit. Urinary Incontinence in Women: Evaluation and Management. Vol. 62/No. 11 .
- ***Pelosi MA 2nd, Pelosi MA 3rd. (2003):*** New transobturator sling reduces risk of injury. [Accessed April 7, 2004];OBG Manage. 15(9).
- ***Peter. H, Jaramir, M,ondreJ. N, Milos G. Alois.M, Jana.Z (2009):*** anatomical relationship and fixation of tension free vaginal tape secur. Int urogynecol j,00192- 009-0815.
- ***Petros PE, Ulmesten UT (1990):*** An integral theory of female urinary incontinence, experimental and clinical considerations. Acta Obstet Gynecol Scand; 153:7.
- ***Petros PE, Von Kinsky B (1999):*** Anchoring the midurethra restores bladder neck anatomy and continence. Lancet;354:997.
- ***Petros, P.E. and Ulmesten, U.I. (1990):*** Combined intravaginal sling and tuck operation. An ambulatory procedure for cure of

- stress and urge incontinence. Acta Obstet. Gynecol. Scand Suppl, 153: 53.
- **Pizak L, Staskin D (2002):** Genuine stress incontinence: Theories of etiology and surgical correction. Urol Clin N Am; 29:527.
 - **Porena, M. ; Costantini, E. ; Frea, B. and Giannantoni, A. (2007):**Tension free vaginal tape versus trans-obturator tape as surgery for stress urinary incontinence. European urology 5 : 481-491.
 - **Raz S, Little NA Juma S: Female Urology. In Walsh PC, Retik AB, Stamey TA, Vaughan ED (1992) :**Campbell's Urology,6th edition, Philadelphia, WB Saunders;pp:2782.
 - **Raz S (1992):** Complications of vaginal surgery. In Raz S (ed): Atlas of Transvaginal Surgery. Philadelphia, WB Saunders.
 - **Raz S (1992):** The anatomy of pelvic support and stress incontinence. In Raz S (ed): Atlas of Transvaginal surgery. Philadelphia. WB Saunders,pp 1-22.
 - **Raz, S.; Little, N.A. and Juma, S. (1992):** Female Urology. In walsh et al (eds): Campbell's urology, sixth edition, WB Saunders co, Phil PA, p2782.
 - **Raz, S.; Stothers, L. and Chopra, A. (1998):** Vaginal reconstructive surgery for incontinence and prolapse, in Walsh P.C., Retik, A.B., Vaughan, E.D, Wein, A.J. (eds): Campbell's Urology, 7th ed. Philadelphia Saunders, PP. 1059.
 - **Raz, S.; Sussman, E.M. and Erickson, D.B. (1992):** TheRaz bladder neck suspension results in 206 patients.J. Urol, 148: 845.
 - **Redman JF (1993):** Surgical anatomy of the female genitourinary system. In Buschsban H J, Schmidt J D: Gynecological and

obstetric urology, 3rd ed. Philadelphia, WB Saunders, pp 25-60.

- **Richard T. Kershen, Roger R. Domochowski and Rodney A. Appell: *Beyond collagen (2002)*:** Injectable therapies for the treatment of female stress urinary incontinence in the new millennium. Urol. Clin. N. Am; 29: 559.
- **Richardson AC, Edmonds PB, Eilliams NL (1981):** Treatment of stress urinary incontinence due to paravaginal fascial defect. Obstet Gynecol;57:357-363.
- **Rickards D & Rockall A. (2001):** Radiology and urogynaecology . textbook of urology and urogynaecology:286 - 297.
- **Rinne. K, Aukee. P, Heikkinen. A, Kalliola.T, et al (2007):** A Randomized Clinical trial Comparing TVT with TVT-O for Treatment of Stress Urinary incontinence: 12 month results. Int urogynecol J: S28-S29.
- **Robert D., Scott R, Willy D, (2008):** Minimally invasive treatment for female stress urinary incontinence. Obst., Gynecol. J. 257-272.
- **Roe, B.;Williams, K.; Palmer, M. (2003):** The Cochrane Library.Chichester, UK: John Wiley & Sons, Ltd; Bladder training for urinary incontinence in adults (Cochrane Review).
- **Romanes, G.J. (1986):** The pelvis and perineum in G.J Romanes. Manual of practical anatomy 15th edition. Oxford University Press, 2: 187.
- **Romanzi LR, Heritz DM and Blaivas JG (1995):** Preliminary assessment of the incontinent woman. Urol Clin North Am; 22:513-520.

- **Rortveit G, Daltveit AK, Hannestad YS, Hunskaar S. (2003):** Urinary incontinence after vaginal delivery or cesarean section. N Engl J Med;348:900-907
- **Royce P.C. and Reisner G.S. (1993):** Laparoscopic extraperitoneal bladder neck suspension. J. Endourology; 7: 5226.
- **Salmons, S., et al. (1995):** Muscle. In: Williams PL, Bannister LH. Berry MM, et al., editors. Gray's. Anatomy. 38th ed. New York: Churchill Livingstone;. pp. 737-900.
- **Salmons, S. (1995):** Muscle. In Williams P.L., Bannister L.H. Berry. M.M. et al. (ed): Gray's Anatomy, 38th ed. New York, Churchill Livingstone, PP. 737.
- **Saltz.S, Haff. R, Lucentev (2007):** Short Term assessment of Patients Undergoing The new tension free vaginal tape secured procedure for Treatment of stress urinary incontinence. Int urogynecol J pelvic floor Dysfunction 18 (Supp1): S27-S28.
- **Salvatore S , Khullar V, Cardozo L. (2001):** Ambulatory urodynamics textbook of urology and urogynaecology:276 - 284 .
- **Sarver R. and Govier F.E. (1997):** Pubovaginal slings: past, present and future. Int. Urogynecol. J; 8: 358.
- **Schmidtbauer CP (1986):** Complications of vaginal surgery. Semin Urol; 4(1):51.
- **Sender H and Lesley K (2002):** Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In Walsh P.C, Pettik AB, Vaughan E.D Jr, Wein A.J eds]: Campbell's Urology, 8th ed. Philadelphia, WB Saunders, pp 1059-1094.

- ***Sender Herschorn and Lesley, K. Carr (2002):*** Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.: Campbell's Urology 8th ed. Philadelphia, Saunders, PP. 109.
- ***ShuII R & Baden W. (1989):*** A six-year experience with para vaginal defect repair for stress urinary incontinence. Am J Obslet Gynecol.; 160:1432-1440.
- ***Smith, A.R.B. and Stanton, S.L. (1998):*** Laparoscopic colposuspension. Br. J. Obstet. Gynecol, 105: 383
- ***Snyder JA (1991):*** Urological perspective: urinary incontinence. Urol Grand Rounds;2:43.
- ***Soames, RW., et al. (1995):*** Skeletal system. In: Williams PL, Bannister LH, Berry MM, et al., editors. Gray's Anatomy. 38th ed. New York: Churchill Livingstone; pp. 425-736.
- ***Sola V, Ricci J P P, Guilloff E , Chiang H . (2007):*** TVT versus TVT-O for minimally invasive technique for stress urinary incontinence. Int Braz J Urol; 33: 246-53.
- ***Sola. V, Ricci. P, Pardo. J, (2008) :*** TVT- Secur in The stress Urinary incontinence Treatment and The Complications. Minimally invasive Gynecology J, S1- S159.
- ***Song J.T.; Rozanski T.A. and Belville W.D. (1995):*** Stress leak point pressure: A simple and reproducible method utilizing a fibroptic microtransducer. Urol; 46: 81.
- ***Soulie .M, Cuvillier .X, Benaissa. A, Mouly . P, larroque , Bernstein. J, et al (2001):*** The tension –free vaginal tape procedure in the treatment of female uniary stress incontinence : a french prospective multicentre study . Eur- uro, 39:709,

- **Soulie, M.; Delbert, J.; Cuvillier, X. et al. (2000):** Repair of female urinary incontinence with TVT: Preliminary results of a multicenter and prospective survey. *Prog. Urol*, 10:622.
- **Spencer, W.F. and Stream, S.B:** Diverticula of the female urethra roof managed endoscopically. *J. Urol*, 138: 147-148.
- **Stamey TA & Gittes . (1987):**Endoscopic suspension of the vesical neck for urinary incontinence in female. Report on 203 consecutive patients. *Ann Surg* 1980: 192: 465-71.
- **Stamey, T.A. (1992):** Urinary incontinence in the female: The Stamey endoscopic suspension . In : Campbell's urology. Walsh ,P.C.(Eds), W.B. Saunders Company, 6th edition, P.2829
- **Stanton, S.L. (1986):** Investigation of incontinence. In surgery of female incontinence, Stanton, S.L., Tanagho, E.A. (2nd ed), New York, Springer-Virlag; 23:56.
- **Stephenson T.P. (1994):** The interpretation of conventional urodynamics. In Mundy AR, Stephenson IP, Wein AJ (ed). *Urodynamics: Principles, practice and application*, 2nd ed. New York, Churchill, Livingstone, PP. 111.
- **Stothers L, Raz S (1995):** The anatomy of female continence. Published abstracts of the Western section American urologic Association:p 118.
- **Strohbehn K & DeLancey JOL. (1997):**The anatomy of stress incontinence. *Oper Tech Gynecol Surg*.;2:5-16
- **Stuart L Stanton (2003):** Vaginal prolapse. In Robert W. Shaw, W. Patrick Soutter, Stuart L. Santon: *Gynecology* 3rd edition. PP 813.

- **Subak LL, Whitcomb E, Shen H, et al (2005):** Weight loss: A novel and effective treatment for urinary incontinence. J Urol; 174: 190.
- **Swift S.E. and Ostergard D.R. (1995):** Evaluation of current urodynamic testing methods in the diagnosis of genuine stress urinary incontinence. Obstet. Gynecol; 86: 85.
- **Tanagho EA, Pugh RCB (2002):** Br J Urol 1963; 35:151. Quoted from: James D: Anatomy of the lower urinary tract and male genitalia. In Walsh P.C, Retik AB, Vaughan E.D Jr, Wein A.J eds; Campbell's Urology, 8th ed. Philadelphia, WB Saunders, pp 89-128.
- **Tanagho EA (1992):** Anatomy of the lower urinary tract. In Walsh PC, et al. (Eds.), Campbell's urology, 6th ed, W.B. Saunders CO., Philadelphia, Pp.40- 69.
- **Tayrac, R, Deffieux, X, Droupy, S. (2003):** A prospective randomized trial comparing tension-free vaginal tape and trans-obturator suburethral tape for surgical treatment of stress urinary-incontinence. Presented at: International Urogynecological Association 28th Annual Meeting; October 28-31,; Buenos Aires, Argentina. Abstract 65.

- **Thom D. (1998):** Variations in estimates of urinary incontinence prevalence in the community: effects of differences in definition, population characteristics, and study type. J Am Geriatr Soc.; 46:473-480
- **Thompson JD. (1992):** Relaxed vaginal outlet, rectocele, fecal incontinence, and rectovaginal fistula. In Thompson JD,

- Rock JA,eds: Te Linde's Operative Gynecology, 7th ed. Philadelphia, J.B.Lippincott,.
- ***Thyssen H, Bidmead J, Lose G, Moller Bek K, Dwyer P, Cardozo L. (2001):***A new intravaginal device for stress incontinence in women. BJU Int; 88:889-892.
 - ***Ulmesten U.; Henriksson L.; Johnson P. and Varhas, G. (1996):*** An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. In Urogynecol. J. Pelvic floor dysfunction,; 7 (2): 81.
 - ***Ulmesten U.; Johnson P. and Rezapour M. (1999):*** A three-years follow up of tension free vaginal tape for surgical repair of female stress urinary incontinence. Br. J. Obstet. Gynecol; 106: 345.
 - ***Ulmestin, U. and Petros, P. (1995):*** Intravaginal sling plasty (IVS). An ambulatory surgical procedure for treatment of female urinary incontinence. Scand J. Urol. Nephrol., 29: 75.
 - ***Van Geelen, J.M.; Theeuwes, A.G.M. and Eskes, T.K.A.B. (1998):*** The clinical and urodynamic effect of anterior vaginal repair and Burch colposuspension. Am. J. Obstet. Gynecol, Vol. 159, No.1, 137-144.
 - ***Van, P. and Kerreberoek (2004):*** Duloxetine: an innovative approach for treating stress urinary incontinence, BJU International 94, Supplement 1,: 31.
 - ***Versi E, Cardozo LD, Studd JWW, et al (1986):*** Internal urinary sphincter maintenance of female incontinence. Br Med J; 292:166.

- **Versi E, Orrego G, Hardy E et al (1996):** Evaluation of the home pad test in the investigation of female urinary incontinence. Br J Obstet Gynecol;103:162.
- **versi, E.; Griffiths, D.J. and Harvey, M.A .(1998):** A new external urethral occlusive device for female urinary incontinence . Obstetrics and Gynecology. 2:286-291.
- **Victor, W. and Nitti: Duloxetine (2004):** A new pharmacological therapy for SUI. Reviews in Urology; 6: 548.
- **Viera AJ, Larkins-Pettigrew M (2000):** Practical use of the pessary. Am Fam Phys; 61:2719-2729.
- **Virtanen Hs , Kiilhomaa PJA . (1996):** Ultrasound urodynamics . In : Blaivas JO (ed) Atlas of urodynamics . Baltimore : Williams and Wilkins: 117- 125.
- **Vivian, W.; Sung, M.D.; Michelle, A.; Glasgow, B.A.; Kyle, J.; Wohlrab, M.D.; Deborah, L. and Myers, M.D. (2007):** Impact of age on preoperative and postoperative urinary incontinence quality of life. Am. J. Obstet. Gynecol., 197:680.
- **Wahle GR, Young GPH and Raz S (1996):** Anatomy and pathophysiology of pelvic support. In: Raz S, editor. Female urology. Philadelphia: WB Saunders; p57-72.
- **Wang KH, Wang KH, Neimark M, Davila Gw. (2002):** Voiding dysfunction following TVT procedure. Int Urogynecol J Pelvic Floor Dysfunct; 13:353-7
- **Wang, Y.; Mitchell, D. and Hadley, R. (1993):** The anatomical basis for femoral neuropathy due to procedures performed in the modified lithotomy position. Int. Urogynecol . J, 4: 390.

- **Ward, K.L.; Hilton, P. and Browning, J. (2000):** A randomized trial of colposuspension and tension free vaginal tape for primary genuine stress incontinence. *Neuro-Urology and Urodynamics*, 19: 386.
- **Weber AM & Walters MD. (1997):**Anterior vaginal prolapse: review of anatomy and techniques of surgical repair. *Obstet Gynecol.*;89:311-318.
- **Webster GD, Guralnick ML. (2002):**The Neurologic Evaluation. In Walsh PC, Retik AB, Vaughan ED, Wein AJ. (eds.): *Campbell's Urology*. 8th ed. Philadelphia, WB Saunders;pp:900.
- **Wein A.J. (2002):** Neuromascular dysfunction of the lower urinary tract and its management in: In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.: *Campbell's Urology* 8th ed. Philadelphia, Saunders, PP 931.
- **Wein AJ. (1995):** Pharmacology of incontinence. *Urol Clin North Am* ; 22:557-577
- **Weinberger M.W. (1998):** Cystourethroscopy for the practicing gynecologist. *Clin. Obstet. Gynecol*; 41: 764.

- **Williams PL, Warwick R (2002):** *Gray's Anatomy*, 35th British ed. Philadelphia, WB Saunders, 1973, p 1364 Quoted from: James D: Anatomy of the lower urinary tract and male genitalia. In Walsh P.C, Retik AB, Vaughan E.D Jr, Wein A.J [eds]: *Campbell's Urology*, 8th ed. Philadelphia, WB Saunders , pp 89-128 .

- **Wilson, P.D.; Bo, K.; Hay-Smith, J. et al. (2002):** Conservative treatment in women. In: Abrams P, Cardozo L, Khoury S, Wein A, eds. Incontinence. 2nd ed. Plymouth, UK: Health Publication Ltd; 571-624
- **Winters J C. and Appell R.A. (1999):** Urinary incontinence and frequency and urgency syndrome in women: Practical urodynamic, Philadelphia, Saunders, PP. 184.
- **Winters J.C. and Appell R.A. (1995):** Periurethral injection of collagen in treatment of intrinsic sphincter deficiency in female patient. Urol. Clin. North. Am.; 22: 673.
- **Wise BG , Burton G, Cutner A , Cardozo LD. (1992):** Effect of vaginal ultrasound probe on lower urinary tract function . Bar J Urol : 70:12-16.
- **Wyman JF, Fantl JA, McClish DK, Bump RC. (1998):**Comparative efficacy of behavioral interventions in the management of female urinary incontinence. Am J Obstet Gynecol.; 179:999-1007.
- **Zimmern, P.E. (1987):** The role of voiding cystourethrography in the evaluation of the female lower urinary tract. Urol.; 5: 23.