

REFERENCES

REFERENCES

- Ahlfor CE (1994):** Criteria for exchange transfusion in jaundiced newborn. *Pediatrics* 93:488.
- Akerren Y (1954):** Prolonged jaundice in the newborn associated with congenital hypothyroidism, a syndrome of practical importance. *Acta Pediatr* 43:411.
- Alonso EM, Whittington P.F., Whittington S.H., Rivard W.A., Given G.(1991):** Entrohepatic circulation of non conjugated bilirubin in rats fed with human milk. *J Pediatr*. 118:452-30.
- Al-Salihi FL, Curran Y.P. (1975):** Airway obstruction by displaced eye mask during phototherapy. *Am J Dis Child* 129:1362.
- Amanullah A (1976):** Neonatal jaundice. *Am J Dis Child* 130: 1274.
- Anlyan AJ, Starr A. (1952).:** Beta-glucuronidase activity of spinal and ventricular fluids in human. *Cancer* 5:578.
- Aono S, Yamanda Y, Keino H., et al., (1994):** Anew type of defect in the gene for bilirubin uridine 5 diphosphate glucuronosyl transferase in apatient with Crigler Najjar syndrome type I, *Pediatr Res* 35: 629.
- Arias IM, (1971):** Inheritance and congenital hyperbilirubinemia. *NEngl J Med* 285:1416.
- Auerbach KG, Gartner LM. (1987):** Breast-feeding and human milk, their assoiction with jaundice in the neonate. *Clin Perinatol* 14:89-107.
- Ayyash H, Hadji Georgiou E., Sofatizs J et al., (1987):** Green light phototherapy in newborn infants with ABO hemolytic jaundice. *J Pediatr* 111:882.
- Azza HM, (1992) :** β -glucuronidase and hyperbilirubinemia in breast-fed versus-formula-fed babies. Thesis submitted for partial fulfilment of the master degree in pediatrics, under supervision of El-Kholy M and Hany H, Faculty of Medicine, Ain Shams University.

- Ballard JL, Rosenn B., Khoury JC, Miodavink M. (1993):** Diabetic fetal macrosmia: significance of disproportionate growth. *J Pediatr* 122/1 (115-119).
- Bank N, Bailine SH (1965):** Urinary beta-glucuronidase activity in patients with urinary tract infection. *N Engl J Med* 272:70.
- Barker IN, (1966):** Fetal and neonatal blood flow. *Am J Physiol* 210:897.
- Bartoletti AL, Stevenson DK, Ostrander CR, Johnson JP. (1979):** Pulmonary excretion of carbon monoxide in human infants as an index of bilirubin production. *J Periatr* 94:952.
- Begum A, Fattyarak TR (1970):** Arylsulfatase and beta-glucuronidase in serum in Kwashirkor. *Clin Chem* 28:263.
- Beherman RE, Kilegman RM, Nelson WE (1996):** Jaundice and hyperbilirubinemia in the newborn. *Nelson Text Book of Pediatrics*. 15th ed. Souders company. Harcourt. Brace Jovanovich inc. Philadelphia- London-Tortol:493-499.
- Bonnett R, Davis JF, Hursthous MB, Sheldrick GM (1978):** The structure of bilirubin. *Proc R Soc Lund (Biol)* 21:202.
- Boyland E, Wallace DM, Williams D.C.(1955):** The activity of the enzyme sulphatase and beta-glucuronidase in the urine, serum and bladder tissues. *Brit J Cancer* 9:62.
- Braver AF, (1962):** An overview optics and laser in medicine. In: *SPIE, optical and laser technology in medicine*. Vol. 605. From the national conference of laser, los Angles California.
- Brodersem R, (1980):** Bilrubin transport in the newborn infant reviewed with relation to kernicterus. *J Pediatr* 86:349.
- Brodersen R, (1983):** Drug induced displacement of bilirubin from albumin in the newborn. *Dev Pharmacol Ther* 4:217.
- Brown AK, Wu PYK. (1973):** Efficacy of phototherapy in prevention of hyperbilirubinemia. *Pediatr Res* 13:277.

- Campbell N, Stewart I. (1979):** Exchange transfusion in ill newborn infants using peripheral arteries and veins. *J Pediatr* 94:820-22.
- Cashore WJ, Ohw, Brodersen R., (1983):** Reverse albumin and bilirubin toxicity index in infant serum. *Acta Pediatr Scand* 72L:415.
- Cashore WJ, Stern L. (1984):** The management of hyperbilirubinemia. *Clin Perinatol* 11:339.
- Chalmers I, Campbell H, Tumbull AC. (1975):** Use of oxytocin and incidence of neonatal jaundice. *Br. Med J.* 2:116.
- Cloherly JP, (1991):** Neonatal hyperbilirubinemia. In: J.P. cloherly and A.N. Stark (Eds). *Manual of Neonatal Care*, 3rd edi. Littel Brown and Company. Boston- Toronto- London P 298-334.
- Cornblath M, Schwart ZR. (1976):** Disorders of carbohydrate metabolism in infancy. 2nd ed. Philadelphia, W. B. Sauders Co.
- Cowett RM, Stern L. (1981):** Carbohydrate homeostasis in the fetus and newborn. In: Avery G., *Neonatology, Pathophysiology and Management of the Newborn*. Philadelphia, Lippincott and Co. P. 584.
- Cowett RM, Shwartz R. (1982):** The infant of diabetic mother. *Pediatr Clin North Am* 29:1213-31.
- DeCarvalho M. (1985):** Fecal bilirubin excretion and serum bilirubin concentration in breast-fed and bottle-fed infants. *J Pediatr*, 107:786.
- Demarini S, Mimouni F., Tsang RC et al. (1994):** Impact of metabolic control of diabets during prregnancy on neonatal hypocalcemia: Randomized study. *Obstet Gynaecol* 83:918.
- Diamond I (1969):** Bilirubin binding and Kernicterus. *Pediatrics* 16:99.
- Dobson V, Cowett RM, Riggs LA. (1975):** Long term effect of phototherapy on visual function. *J Pediatr* 86:555.

Dodd KL. (1993): Neonatal jaundice, alight touch. Arch Dis Child 68:529-33.

Dutton GJ, Burchell B. (1977): Conjugation of bilirubin. In: Progress in drug metabolism. In: Bridges JW. and Chuss and Lf (eds). vol 2 P(1).(2),.

Ebbesen F, Knudsen A. (1992): The possible risk of bilirubin encephalopathy as predicted by plasma parameters in neonates with previous sever asphyxia. EURJ Pediatr 151/12 (910-912).

Eden AN, Weinstein V. (1964): Neonatal jaundice and critinism. NY State. J Med 64:2919.

Eriskentl, Hafstand F, Weldon M, Sweet AY, Meyers BC. (1981): Bilirubin toxicity. Acta Pediatr Scand 62:385.

Essawy M, El Gamal Y, Mokhtar GM, Hamza M, Machy H. (1990): Laser photoirradiation therapy in neonatal hyperbilirubinemia (animal and human study). The Egyption Journal . of Pediatrics 7:379-88.

Falist A, Polussord JP, Housset E. (1976): Breast-milk jaundice. Pediatr Res 10:594.

Fenton TR. (1992): Neonatal jaundice. In: A. G. M campbell and N. Mc Intosh (Eds). Forfar and Arneil's text book of pediatrics, 14 th ed. Churchill Livingstone. Edinburgh- London- Madrid P. 240-5.

Ferra M, Mizrahy O, Saposhnik A, Fein stein G. (1973): Serum beta-glucuronidase activity during pregnancy in gestational diabetes. Isr J Med Sci 15:746-8.

Fetus and newborn Committee, Canadian Pediatric Society (1986): Use of phototherapy for neonatal hyperbilirubinemia. Can Med Assoc T 134:1237-45.

Fishman WH. (1955): Beta-glucuronidase. Adv Enzymol 16:361.

Fisherman G, Robinson J, Arias IM. (1972): Immunologic studies of "Y" among cytoplasmic organic anionbinding protein. J Clin invest 51:677.

- Folitt A, Docourt JL, Etienne JP, et al. (1977):** Increase in the hepatic glucurondiation and clearance of bilirubin in clofibrate treated rats. *Biochem Pharmacol* 26:547-9.
- Frank CG, Turner BS, Merenstein GB. (1989):** Jaundice. In: G.B. Merenstein and S.L. Gardner (Eds) *Handbook of neonatal intensive care*, 2nd ed C V Mosby company. St. Louis-Baltimore-Philadelphia-Toronto P. 318-34.
- Freed LM, Moscioni D, Hamosh M, Gartner LM, Hamosh P. (1987)** Breast-milk jaundice revisited: no role for beta-glucuronidase or "unstimulated lipase". *Pediatr Res* 12:367 A.
- Funato M, Tamai H, Shimado S et al., (1994):** Vigintiphobia, unbound bilirubin and auditory brain stem responses. *Pediatrics* 93:50.
- Gabilan JC, Benatlar C, Linden baum A. (1990):** Clofibrate treament of noenatal jaundice. *Pediatrics* 86:647-8.
- Gaffiney PT, Shepherd RW, Todchope DI, Ward M. (1983):** Enzymes in human colostrum and milk sequential changes in concentration. *Aust Pediatr J* 19:196-201.
- Gale R, Dranitzki, Dollbergs, Stevenson DK. (1990):** Arandomized controlled application of the wallaby phototherapy system compared with standard phototherapy. *J Pedinatology* 10:239-42.
- Gale R, Seiman DS, Dollberd S, Stevenson DK. (1990):** Epidemiology of neonatal jaundice in the Jerusalem population. *J Pediatr Gastroentrol Nutr* 10:82-6.
- Garnner KD, Murray KR, Mayes AP, Rodwell Wv. (1993):** Catabbolism of heme, Hasper's. *Biochemistry* 23rd edition, chapter 34,345-348.
- Gartner LM. (1987):** Disorders of bilirubin metabolism. In: D G Nathan and F.A. Oski (Eds). *Hematology of infancy and chilhhood*. 3rd ed Philadelphia WB saunders company P.92.

- Gartner LM, Arias IM. (1966):** Studies of prolonged neonatal jaundice in the breast-fed infants. *J Pediatr* 68:54.
- Gertner LM. (1983):** Breast-milk jaundice. In: RL Levine and MJ Maisels (eds), *Hyperbilirubinemia in the newborn: Eighty-fifth Ross Conference on Pediatric Research*. Columbus, Ohio: Ros Laboratories.
- Gartner LM, Leeks. (1976):** bilirubin binding free fatty acids and a new concept for the pathogenesis of kernicterus. *Birth Defects* 12:264.
- Gartner LM, Lee KS. (1983):** Jaundice and liver disease: Neonatal perinatal medicine. 3rd ed. Louis C.V. Mosby- London P.752-94.
- Gartner LM, Lee Ks. (1992):** Jaundice and liver disease: In: Panaroff AA, Martin RJ, editors. *Neonatal perinatal medicine*. St, Louis. Mosby Year Book 1075-104.
- Geokas MC, Rinder Knecht H. (1973):** Plasma arylsulfatase and beta-glucuronidase in acute alcoholism. *Clin Chim Acta* 46:27.
- Gerrard J. (1952):** Kernicterus. *Brain* 75:526.
- Gitzelman nR, Wiesmann UN, Spy cher MA, Her SchkowitzN, Giedion A (1978): Usually milk cours of beta-glucuronidase deficiency in two brothers (mucopolysaccharidosisII) *Helv Pediatr Acta* 33:413.
- Glader BE, Naimon JL. (1991):** Erythrocyte disorder in infancy. In: H.W. Taeusch R.A. Ballard, M.E. Avery (Eds) *Schaffer and Avery's diseases of the newborn*. 6th ed. W.B. Saunders Company. Harcourt Brace Jovanovich inc. Philadelphia-London-Toronto P.798-827.
- Glaser JH, Sly WS.(1973) :** Beta-glucuronidase deficiency mucopolysaccharidosis: Methods for enzymatic diagnosis. *J. Lab Clin Med* 82:969.
- Gonick HC, Schapiro A. (1967):** Urinary enzymes in renal disease. *Clin Res* 15:358.

- Gonick HC, Stiehm ER, Saldanha LF. (1978):** Comparison of serum and urine fibrin split products and urinary beta-glucuronidase in the diagnosis of renal transplant rejection. In: Diagnostic significance of Enzymes and Proteins in urine. Current Problems in Clinical Biochemistry 9. UCDubach. U. Schmidt, Editors, Hans Huber Publisher, Bern, P. 257-272.
- Gourly GR, Arend RA. (1986):** Beta-glucuronidase and hyperbilirubinemia in breast-fed and formula-fed babies. Lancet I:644-6.
- Gourly GR. (1992):** Pathophysiology of breast milk jaundice. In: Polin RA, Fox WW editors fetal and neonatal physiology. Philadelphia WB, Saunders P.1173-9.
- Gourly GR, Odell GB. (1989):** Bilirubin metabolism in the fetus and neonate. In: Elebenthal (Ed) Human gastrointestinal development. Raven Press, New York P.581.
- Gowett RM, Schwart LR. (1982):** The infant of diabetic mother. Pediatr clin North Am 29:1213-13.
- Greizian: LI, Mitchell DG. Korbhauser M. (1992):** Neurodevelopment of infants: neuro sonographic and serum bilirubin studied. Pediatrics 89:299-34.
- Hamza M, Hamza M. (1982):** Application of lasers in the treatment of neonatal hyperbilirubinemia. In: Proc of XIV Congress of the union of Middle Eastern and Mediteranean Pediatric Societies, Kuwait.
- Hansen TWR, Bratlid D. (1986):** Bilirubin and brain toxicity (review article). Acta Pediatr Scand 75:513.
- Hargreaves T. (1973):** Effect of fatty acids on bilirubin conjugation Arch Dis Child 48:446-50.
- Hatzimichael A. (1962):** Comparison of vaginal and cervical beta-glucuronidase in relation to cancer of the cervix and uterus Am J ObstetGynecol 84:94.

- Haymarker W, Margales C, Pent shew A. (1961):** Kernicterus and its importance in cerebral spring field II. In : Pathology of Kernicterus and posticterus encephalopathy.
- Holtrop PC, Madison K, Maisels MJ. (1992):** Aclinical trial of fibroptic phototherapy versus conventional phototherapy. *Am Dis Child* 146:235-7.
- Holtrp PC, Ruedisueli K, Maisels MJ. (1992):** Double versus phototherapy in low birth weight newborns. *Pediatrics* 90:674-7.
- Huijing F, Warren RJ, Mcleed AGW. (1973):** Elevated activity of lysosomal enzymes in amniotic fluid of afetus with mucopolipidosis II (I cell disease) *Clin Chem Acta* 44:453.
- Ince Z, Coban A, Can G. (1995):** Breast-milk beta-glucuronidase and prolonged jaundice in the neonate. *Acta Pediatr* 84:237.
- Israel LG, Yamamoto T, Shanderberg I. (1963):** Shunt bilirubin, evidence for components. *Science* 138:1054.
- Jatili F, Garzoc, Huang CTL, Nichlos BL. (1985):** Free fatty acids in the development of beast milk jaundice *J Pediatr Gastroentrol Nutr* 4:435-40.
- Jelliffe, Jelliffe DB. (1979):** Feeding infants and children. In: Diseases of child in subtropics and tropics. The English language book society. Edward Arnold 3rd ed. London P.17.
- Jew JY, Williams TS. (1977):** Utrastructural aspects of bilirubin encephalopathy in cochlear nuclei of the Gunn rat. *J Anon* 124:599.
- Johns AW: Kitchen WH, Leslie DW. (1972):** Complications of umbilical vessel catheter. *Med. J Aust* 2:810.
- Jones EA, Sharger R, Bioomer JR, Berk PD. (1972):** Quantitive studies of the delivery of hepatic synthetized bilirubin. *J Clin. Invest.* 22:51.

- Jovanovic L, Druzin M, Peterson C. (1980):** Effect of euglycemia on the outcome of pregnancy in insulin dependent diabetic women as compared with normal control subject. *Am. J. Med.* 68:105.
- Kamaryt J. (1980):** Beta-glucuronidase activity in amniotic fluid. *J Clin. Chem. Clin. Biochem.* 18:611.
- Kappas A, Drummond GS, Manolar, Petme Zakis, Valaes R. (1988):** Sn.protoporphyrin in use in the management of hyperbilirubinemia in term newborn with direct Coombs'-positive ABO incompatibility. *Pediatrics* 81:485-97.
- Keenanw T, Nowak KK, Sutherland JM, Bryla DA, Fetterly K.L. (1985):** Morbidity and morality associated with exchange transfusion. *Pediatrics* 75 (suppl) : 417-21.
- Kent TH, Fisher L, Marr R. (1972):** Clucuronidase activity in intestinal contents of rat and man and relationship to bacterial flora. *Proc. Soc Exp Biol Med* 140-590 -94.
- Koivula T, Pitkonen E, Turto H, Toterman T. (1978):** The excretion of urinary N-acetyl-beta-glucosaminidase and beta-glucuronidase as a sign of empending rejection of kidney transplants. *Ann. Clin. Res.* 10:288.
- Koops BL, Battalgia FC. (1987):** Jaundice in the newborn infants: C.H. Kempe H.K. Silver and D.O. Brien (Eds). *Current pediatric diagnosis and treatment.* Maruzen Asian Edition. Longe medical publication- USA-Maruzen Asla-Singapore P. 72-3.
- Kopelman AE, Brown RS, Odell GB. (1972):** The bronze baby syndrome: A complication of phototherapy. *J Pediatr* 81:466.
- Labrune P, Myara A, Huguet Petal. (1992):** Bilirubin uridine disphosphate glucuronyl transferase hepatic activity in jaundice associated with conjenital hypothyroidism. *J. Pediatr. Gastroentrology Nutr* 14:79-82.
- Lambardo A, Goi GC, Marchesinis, CaimiL, Moro M, Tetta matG. (1981):** Influence of age and sex on five human plasma lysosomal enzymes assayed by automated procedures. *ClinChem Acta* 113:141.

- Landow SA, Callahan E WJ, Schmid R. (1970):** The formation of bilirubin from hemoglobin in vivo. *J Clin Invest* 14:1932.
- Landow SA, Sassa S, Drummond et al., (1987):** Proof that Sn protoporphyrin inhibits the enzymatic catabolism of heme in vivo: Suppression of ¹⁴CO generation from radiolabeled endogenous and oxygenous heme sources. *J Exp Med* 165:1195-1200.
- Landon NB, Gabbe SG. (1988):** Diabetes and pregnancy. *Med Clin North Am* 72:1493-511.
- Lascari A.D. (1986):** "Early breast-feeding jaundice", clinical significance. *J Pediatr*. 108:156-8.
- Lending M. (1967):** the relationship of Hypercapnia to the production of Kernicterus. *Dev Med Child Neural* 9:145.
- Leostern. (1987):** Kernicterus research and the sciences: a prospect for future development (editorial). *Pediatrics* 79:154.
- Levi AJ, Gatmaitan Z, Arias T. (1980):** Deficiency of hepatic organic anion-binding protein. *New Eng Res* 14:1.
- Levine RL, Fredrick WR, Rapoport SI. (1982) :** Entry of bilirubin into the brain due to opening of the blood brain barrier. *Pediatrics* 69:255.
- Lewis, FJW, Plaice CHJ. (1960):** Urinary beta-glucuronidase activity in cancer of the bladder and other diseases. *Brit. J. Cancer* 14:106.
- Lighter DA, Linnane WP, Ahlfors CE. (1984):** Bilirubin photooxidation products in the urine of jaundice neonates receiving phototherapy. *Pediatr. Res.* 18:696. 'Traitement preventif de L'ictere du nouveau ne premature par le clofibrate. Essai therapeutique controle en double aveule. *Arch fr Pediatr* 42:759-63.
- Lindenbaum A, Hernandorenak, Vial M et al., (1981):** traitement Caratif de L'ictere du nouveau-nee a terme par la clofibrate. Essai therapeutique controle en double aveugle. *Arch Fr Pediatr* 38:867-73.

- Lipstiz PJ, Cornet JM. (1960):** Blood Cluture from the umbilical vein in the newborn. *Pediatrics* 26: 657.
- Listowsky I, Gatmaitanz, Arias IM. (1978):** Ligandin retains and albumin looses bilirbin binding capacity in liver cystosol. *Proc Natl: Acad Sci: USA* 75:1213.
- Lucey JF.(1972):** The unsolved problem of kernicterus in the susceptible low birth weight infants. *Pediatrics* 49:646-51.
- Lucey JF. (1982):** Bilirubin and brain damage, areal mess. *Pediatrics* 69:381-2.
- Lucey JF.(1983):** Editorial comment. In: FAOSK: and J.A. stockman (Eds), *Year book of Pediatrics*, Chicago: Year Book Medical Publishers P. 37.
- Lucey JF, Oski FA. (1983):** Prospective study of free bilirubin and other risk factors in developmnt of kernicterus in premature infants. In: *Year Book of Pediatrics*, Stockman (Eds) Chiocago, Year Book Medical Publishers P. 23.
- Maisels MJ. (1975):** Neonatology, pathophysiology and management of the newborn. In: *Neonatal jaundice- Avery G.B. (ed). philadelphia J.B. Lippincott co* P. 335.
- Maisels MJ.(1983):** Clinical studies of the sequelae of hyperbilirubinemia. In: R.L. Leven and M.J. Maisels (Eds). *Hyperbilirubinemia in the newborn . 85 th Ross Conference on Pediatric Research. Columbus, Ohio: Ross Laboratories* P. 26.
- Maisels MJ. (1987):** Neonatal jaundice . In: G.B. Avery (Ede). *Neonatology. Philadelphia: Lippincott.*
- Maisels MJ. (1990):** Neonatal jaundice. Maisels M.J. (Ed) *clinic in perinatology* 17:1.
- Maisels MJ. (1992):** Neonatal jaundice. In: Sinclair J.C., Braken M.B., editors. *Effective care of the newborn infants. Oxford: Oxford University Press* 507-61.

- Maisels MJ, Giggord K. (1986):** Bilirubin levels in the newborn and breast feeding *Pediatrics* 78:837.
- Maisels MJ., Gifford K, Antle C, Leib GR. (1988):** Jaundice in the healthy newborn infants: A new approach to an old problem. *Pediatrics* 81:505-11.
- Manoel DD.(1985) :** Fecal bilirubin excretion and serum bilirubin concentrations in breast-fed and bottle-fed infants. *J Pediatr* 107:786.
- Mathis RK, Andress JM. (1976):** Liver disease in infants. *J Pediatr*. 90:864.
- Maurer HM. (1973):** Hyperbilirubinemia in the first 4 days of life *J Pediatr* 82:73.
- Mc Donagh AF, Lighter D.A. (1985):** Like A “shrivelled blood orange” - bilirubin-jaundice and phototherapy. *Pediatrics* 75:443.
- Merimee TJ, Kennedy AL, Mehl TD, Rosen bloom A. (1981):** Serum glycosidase activity in diabetes mellitus. *Diabetes* 30:115.
- Messener KH,Maisels MJ, Leure du Pree AE. (1978):** Phototherapy to the newborn primate retina. *Inves Ophthalmol Vis Sci* 17:178-82.
- Mowat AP. (1986):** Gastroenterology II, Disorder of the liver and biliary system. In : Robertson NRO (Ed) *Text book of neonatology*. Churchill Livingstone - London P. 394-406.
- Mowat AP. (1988):** Persistent jaundice in infancy. In: Millo P.J. Muller D P R (Eds) *Harries pediatric gastroenterology*, 2 nd ed. Churchill Livingstone- London P. 411:35.
- Musa BU, Doe RP, Seal US. (1965):** Purification and properties of human liver beta-glucuronidase. *J.Boil Chem* 240:2811-16.

- Nakamura H, Yanetani M, Uetani Y et al., (1992):** Determination of serum unbound bilirubin for prediction of kernicterus in low birth weight infants. *Acta Pediatr.* 34/6 (642-647).
- Neoman TB, Maisles MJ. (1992):** Evaluation and treatment of jaundice in the term newborn: A kinder gentler approach. *Pediatrics* 89:809-18.
- Newman TB. (1989):** Bilirubin and brain damage: What do we do? *Pediatrics* 83:1062.
- Newman AJ, Gross S. (1963):** Hyperbilirubinemia in breast-fed infants. *Pediatrics* 32:995-1001.
- Nwaesei CC, Van Aerde J, Boyden M. (1984):** Changes in auditory brain stem responses in hyperbilirubinemic infants before and after exchange transfusion. *Pediatrics* 74:800.
- Odell GB. (1970):** Studies in Kernicterus. *Pediatrics* 46:16.
- Odell GB. (1976):** Neonatal jaundice. In: *Progress in liver disease.* Schaffner (Ed) P.1.
- Odell GB. (1982):** Neonatal hyperbilirubinemia- *Pediatr. Res.* 16:670.
- Ohw, Karecki H. (1972):** Phototherapy and insensible water loss in the newborn infants. *Am J Dis Child* 129:230.
- Oski FA. (1991):** Disorders of bilirubin metabolism. In: H.W. Taeusch R.A. Ballard and M. E. Avery (Eds). *Schaffer and Avery's diseases of the newborn.* 6th edition W.B. Saunders company- Harcourt- Brace Jovanovich. Philadelphia- London- Toronto P. 749-75.
- Oski FA, Allen DM, Diamond LK. (1963):** Portal hypertension a complication of umbilical vein catheterisation. *Pediatrics* 31:397.
- Police CHJ. (1961):** A note on the determination of serum beta glucuronidase activity. *J.Clin Pathol* 14:661.

- Peevy KJ, Landaw SA, Gross SR. (1980):** Hyperbilirubinemia in infants of diabetic mothers. *Pediatrics* 66: 417-9.
- Perlman M. (1988):** Bilirubin beyond the blood brain barrier. *Pediatrics* 81:304.
- Perry W, Jenkins MW, StampTCB. (1979):** Lysosomal enzymes and pancreatitis during rifampicin therapy. *Lancet* I: 492.
- Poland RL, Odell GB. (1971):** Physiologic jaundice: the enterohepatic circulation of bilirubin. *N Eng J Med* 284:1-6.
- Poland RL, Schults GE, Gayatri G. (1984):** High milk lipase activity associated with breast-milk jaundice. *Pediatr Res* 14:1328.
- Price CP, Foster KJ. (1979):** Serum and urine glycosidase activity in diabetes mellitus. *Clin Biochem* 6:231.
- Purohit DM, Levkoff AH. (1977):** Pericardial effusion complicating umbilical venous catheterisation. *Arch Dis Child* 52:520.
- Ritter DA. (1982):** A prospective study of free bilirubin and other risk factors in the development of kernicterus in premature infants *Pediatrics* 69:260.
- Rogers K, Roberts GM, Williams GT. (1981):** Gastric juice enzymes. An aid in the diagnosis of gastric cancer? *Lancet* 1:1124.
- Romagnoli G, Polidre L, Cataldik et al., (1979):** Phototherapy induced hypocalcemia. *J Pediatr* 94:815.
- Rubo J, Abrecht K, Lasch P, Laufkotter E, Leititis J, Marsan D et al., (1992):** High-dose intravenous immunoglobulin therapy for hyperbilirubinemia caused by Rh-hemolytic disease. *J Pediatr* 121:93-7.
- Sack DA. (1993):** Fetal macrosomia and gestational diabetes: What's the problem? *Obstet Gynecol* 81:775.

- Scheidt PC. (1977):**Toxicity to bilirubin in neonates: Infants development during first year in relation to maximal neonatal serum bilirubin concentration . J Pediatr 91:292.
- Scheidt PC, Bryla DA, Nelson KB, Hirtz DG, Hoffman J. (1990):** Phototherapy for neonatal hyperbilirubinemia: Six years follow up the National Institute of child health and human development, clinical trial of phototherapy. Pediatrics 85:455-63.
- Schmid R. (1978):** Bilirubin metabolism: state of art. Gastroenterology 74:1307.
- Schmid R, Marver HS, Hammaker L. (1968):** Enhanced formation of rapidly labelled bilirubin. J Clin. Invest> 51:2450.
- Schneider AP. (1986):** Breast milk jaundice in the newborn. Areal entity. J Am Med Assoc 255:3270.
- Schwartz R, Cornblath M. (1992):** Infant of diabetic mother. J Pediatr Endocrinol 5/4 (197-216).
- Schwartz R, Cowett RM, Widness JA.(1982):** Infants of diabetic mothers. In: Brodoff B, and Bleicher S.: Diabetes Mellitus and Obesity. Baltimore, Williams and Wilkins.
- Seidman DS, Pa ZI , Stevenson DK, Laor A et al. (1991):** Neonatal hyperbilirubinemia, physical and cognitive performance at 17 years of age. Pediatrics 88:828-33.
- Sells VJ, Robinson NM, Brown Z et al., (1994):** Long term developmental follow up of infants of diabetic mothers. J Pediatr 125:59.
- Shankaran, JH. (1995):** Double phototherapy with high irradiance compared with single phototherapy in neonates with hyperbilirubinemia. Am J Perinatology 12/3 (178-180).
- Sender A. (1994):** Phototherapy of neonatal jaundice. DERMATOL 13/5 (295-299).

- Simon L, Figus AL. (1972):** Diagnostic value of determination of lactate dehydrogenase and beta-glucuronidase activity in gastric jaundice. *Digestion* 7:174.
- Sirrota L, Ferrera M, Lerer N, Dulitzky F. (1992):** Beta-glucuronidase and hyperbilirubinemia in breast-fed infants of diabetic mothers. *Arch Dis Child* 67:120-21.
- Srivastava KL, Misra PK, Kaul R, Bajpia PC. (1980):** Double surface phototherapy versus single-surface phototherapy in neonatal jaundice. *Indian J Med Res* 71:746-50.
- Stern L. (1972):** Drug interaction. Drugs of the newborn infants and the binding bilirubin to albumin. *Pediatrics* 49:916.
- Stevenson DK. (1983):** Estimation of bilirubin production in hyperbilirubinemia in the newborn. Report of 85th Ross Conference on Pediatric Research. Columbus, Ohio, Ross laboratories P. 74.
- Stvenson DK. (1986):** Bilirubin metabolism in infants of diabetic mothers. An overview. In:SG Gobbe and Woh (Eds). *Infants of diabetic mother: Report of 93rd Ross Conference on Pediatric Research*. Columbus, Ohio, Ross Laboratories P.109.
- Stevenson DK, Bartolett: al, Ostrander CR, Johnson JD. (1979):** Pulmonary excretion of carbon monoxide in the human infants as an index of bilirubin production II. *Infants of diabetic mothers. J Pediatr.* 94: 956-8.
- Stevenson DF, Ostrander CR, Hopper AO et al., (1981):** Pulmonary excretion carbon monoxide as an index of bilirubin production. Iia. Evidence of possible delayed clearance of bilirubin in infants of diabetic mothers. *J Prdiatr* 98:822.
- Swenne I. (1988):** The fetus of the diabetic mother: Growth and malformations. *Arch Dis Child* 63:1119.
- Tabbata M. Nakayama F. (1981):** Bacteria and gall stones, etiological significance. *Dig Dissci* 26:218-29.

- Takimoto MT, Matsuda I. (1971):** Beta-glucuronidase activity in the stool of the newborn infant. *Bio Neonate* 18:66-70.
- Tan KL. (1984):** Light-dose response relationship in phototherapy. In:FF Rubaltelli and G Jori (Eds). *Neonatal jaundice : New trends in phototherapy*. New York: Plenum Press P. 235-44.
- Tan KL. (1989):** Efficacy of fluorescent day light blue and green lamps in the management of non-hemolytic jaundice. *J Pediatr* 114:132.
- Tan KL, Lim SC. (1983):** Phototherapy for neonatal jaundice in infants with intestinal obstruction. *J Pediatr* 103:471.
- Tan KL, Lim GC, Boey KW. (1992) :** Efficacy of “high-intensity” blue light and “standard” daylight phototherapy for non-hemolytic hyperbilirubinemia. *Acta Pediatr* 81:870-4.
- Taylor P, Wolfson J, Bright XI. (1963):** Hyperbilirubinemia in infants of diabetic mothers. *Danish Med Bull* 10:18-23.
- Tenhunen R, Marver HS. (1968):** The enzymatic conversion of heme to bilirubin by microsomal hemeoxygenase. *Proc Natl Acad Sci USA* 61:748.
- Tenhunen R, Marver HS, Schmid R. (1969):** Microsomal heme oxygenase. *J Biol Chem* 244:6388.
- Thiessen H, Jacobsen J, Brodersen R. (1972):** Displacement of albumin-bound bilirubin by fatty acids. *Acta Pediatr Scand* 61:285.
- Turkel LSB, Guttenberg ME, Moynes DR, Hadgaman JE. (1980):** Lack of identifiable risk factors for kernicterus. *Pediatrics* 66:502.
- Valaes T, Petmezaki S, Henschke C et al., (1994):** Control of jaundice in preterm newborns by an inhibitor of bilirubin production: Studies with tin-mesoporphyrin- *Pediatrics* 93:1.
- Van Praagh. (1961):** Clinical presentation of kernicterus. *Pediatrics* 28:870.

- Vaughn RL. (1988):** Management of hyperbilirubinemia in newborn infants. *Am J Dis Child* 136:464.
- Walkoff AW, Chung C. (1978):** An organic anion binding isolated from rat liver cell plasma membrane. *Gastroenterology* 75:995.
- Watchko JF. (1983):** Neonatal hyperbilirubinemia. *Pediatrics* 71:680.
- Watchke JF, Oski. (1992) :** Kernicterus in preterm newborn. Past, present and future. *Pediatrics* 90:707-15.
- Weldon VV, Odell GB. (1968):** Mortality risk of exchange transfusion. *Pediatrics* 41:797.
- Wennberg RP. (1992):** Bilirubin recommendations present problem: New guidelines, simplistic and untested. *Pediatrics* 89:821.
- Williams RA, Cashare M, Stern L. (1982):** Neonatal hyperbilirubinemia. *Ped Clin North Am* 29:1191-203.
- Wilson DC, Afrasiabi M, Reid M, Mc C. (1992):** Breast-milk beta-glucuronidase and exaggerated jaundice in the early neonatal period. *Biol Neonate* 61:232-4.
- Wolkoff AW, Goresky CA, Sellin J et al. (1979):** Role of Ligandin in transference of bilirubin from plasma into liver *Am J Physiol* 236:638.
- Wood B, Culley P, Raginski C. (1979):** Factors affecting neonatal jaundice. *Arch Dis Child* III:54.
- Wu, PYK, Mossa. (1978):** Effect of phototherapy on nitrogen and electrolyte levels and water balance in jaundical preterm infants. *Periatrics* 61:193.
- Wu, PYK. (1981):** Phototherapy update. Factors affecting efficiency of phototherapy. *perinatal Neonatal* 5:49.
- Yoshinago T, Sassa S, Kappas A. (1982):** Purification and properties of bovine spleen heme oxygenase. Amino acid composition and sites of action of inhibitors of heme oxidation. *J BioChem* 257-7778-85.

Young CY. (1917): Phenobarbiton prophylaxis for neonatal hyperbilirubinemia. *Pediatrics* 84:372.

Zenone EA, Stool MS, Ostrow JD. (1977): Mechanism of excretion of unconjugated bilirubin during phototherapy. *Gastroentrology* 72:1180.

Zetterstrom R, Strindberg B, Arnold RG. (1958): Hyperbilirubinemia and ABO hemolytic disease in newborn infants of diabetic mothers. *Acta Pediatr*: 47:238.