

References

- Aagaard, C.; Brock, I.; Olsen, A; Ottenhoff ; T.H., Weldingh; K. and Andersen, P.(2004):** Mapping immune reactivity toward Rv2653 and Rv2654: two novel low-molecular-mass antigens found specifically in the *Mycobacterium tuberculosis* complex. J. Infect. Dis.; 189:812-9.
- Aagaard, C.; Govaerts; M. and Meikle, V. (2006):** Optimizing antigen cocktails for *Mycobacterium bovis* diagnosis in herds with different disease prevalence: ESAT6/CFP10 mixture shows optimal sensitivity and Specificity. J. Clin. Microbiol.; 44: 4326-35.
- Abate, G; Mshana, RN. and Miorner, H. (1998):** Evaluation of a colorimetric assay based on 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide (MTT) for rapid detection of rifampicin resistance in *Mycobacterium tuberculosis*. Int. J. Tuberc. Lung Dis.; 2: 1011-6.
- Abdallah, M.G. (1988):** Study of some forms of extrapulmonary tuberculosis. Thesis of master in Chest diseases, Cairo University.
- Abdel Azem, I.M. (2005):** Evaluation of a rapid bacteriophage assay for detection of *Mycobacterium tuberculosis* Thesis of master degree in Microbiology & Immunology, Cairo University.
- Abdel-Hakim, A. M.; Hassanin, K.; Hussein, M.F. and Ahmed F.A., (1995):** Value of Fibreoptic Bronchoscopy in Early Bacteriologic Diagnosis of Suspected Pulmonary Tuberculosis. Egypt. J. Chest Dis. Tub., 44, 2: 125-130.
- Abdel-Hameed, A.A. (1981):** Review of the results of radiology and sputum examination in Sohag dispensary in the years 1976 – 1980. Thesis of master degree in Chest diseases, Ain Shams University.
- Abdel-Monem, A.M. (2003):** Evaluation of fast Plaque TB method for the rapid Diagnosis of Tuberculosis and rifampicin resistance. Thesis of Master Degree in Chest Diseases, Zagazig University.

- Ahmed, S. F.(2003):** Primary drug resistance in newly diagnosed cases of pulmonary tuberculosis. Thesis of Master Degree in microbiology & Immunology, Cairo University.
- Aínsa, J.A.; Martin, C. and Gicquel, B. (2001):** Molecular approaches to tuberculosis. *Mol. Microbiol.*; 42: 561-70.
- Albert, H.; Heydenrych, A.; Brookes, R.; Mole, R.J.; Harley, B.; Subotsky, E.; Henry, R. and Azevedo, V. (2002):** Performance of a rapid phage-based test, fast plaque TB TM, to diagnose pulmonary tuberculosis from sputum specimens in south Africa. *Int. J. of Tuberc. Lung Dis.*, 6(6): 529-537
- Albert, H.; Trollip, A.P.; Seaman, T.; Abrahams, C.; Mole, R.J.; Jordaan, A.; Victor, T. and Hoosain, E. (2007):** Evaluation of a rapid screening test for rifampicin resistance in retreatment tuberculosis patients in the Eastern. *Int. J. of Tuberc. Lung Dis*; 97(9):858-63
- Alcaide, F.; Benítez, M.A.; Martín, R. and Escribà, J.M. (2000):** Evaluation of the BACTEC MGIT 960 and MB BAC/T system for routine detection of *Mycobacterium tuberculosis*. *J Clin Microbiol*; 38: 3131-2.
- Alcaide, J.; Altet, M. and Plans, P. (1996):** Cigarette smoking as a risk factor for tuberculosis in young and adults. *Tubercl. Lung Dis.*; 77(2): 112-18
- Alcais, A., Fieschi, C. and Casanova, J.L. (2005):** Tuberculosis in children and adults: two distinct genetic diseases. *J. Exp. Med.*; 202: 1617-21.
- Al-Helaly, A.; Hamdy. A and Negm, M. (1991):** Incidence of primary resistance to first row drugs used in treatment of pulmonary tuberculosis in Dakahlia Governorate. *Egypt J. Chest Dis. Tub.*; 38, 1:33-44.
- Al-Helaly, A.; Youssef, S.; Arafat, R.; El-Mallah, M. and Abou Seif, N. (1993):** Tuberculosis of the tonsils among Qualubia Children, Pathology and typing. *Egypt, J. Chest Dis. And Tubere.*, 42 (2): 12-8

- American Society for Microbiology, (1998):** Index of phage pages. From the web site created by Division M, which is responsible for its contents. Created 1.25.98, revised 5.5.01.
- American Thoracic Society (1981):** The tuberculin skin test. *Am. Rev. Respir. Dis.*, 124: 356.
- Andersen, P. and Doherty, T.M. (2005):** The success and failure of BCG - implications for a novel tuberculosis vaccine. *Nat. Rev. Microbiol.*; 3: 656-62.
- Anderson, C.; Inhaber, N. and Menzies, D. (1995):** Comparison of sputum induction with fiber-optic bronchoscopy in the diagnosis of tuberculosis. *Am. J. Respir. Crit. Care Med.*; 152: 1570-4.
- Andries, K.; Verhasselt, P. and Guillemont, J. (2005):** A diarylquinoline drug active on the ATP synthase of *Mycobacterium tuberculosis*. *Science*; 307: 223-7.
- Ängeby, K.A.; Klintz, L. and Hoffner, S.E. (2002):** Rapid and inexpensive drug susceptibility testing of *Mycobacterium tuberculosis* with a nitrate reductase assay. *J. Clin. Microbiol.*; 40: 553-5.
- Ardito, F.; Posteraro, B.; Sanguinetti, M.; Zanetti, S. and Fadda G. (2001):** Evaluation of BACTEC Mycobacteria Growth Indicator Tube (MGIT 960) automated system for drug susceptibility testing of *Mycobacterium tuberculosis*. *J. Clin. Microbiol.*; 39: 4440-4.
- Arend, S.M.; Andersen, P. and Van Meijgaarden, K.E. (2000):** Detection of active tuberculosis infection by T cell responses to early-secreted antigenic target 6-kDa protein and culture filtrate protein 10. *J. Infect. Dis.*; 181: 1850-4.
- Arloing, S. (1898):** Agglutination du bacilli de la tuberculose vraie. *C. R. Acad. Sci.*; 126: 1398-400.
- Armstrong, J.A. and Hart, P.D. (1975):** Phagosome-lysosome interactions in cultured macrophages infected with virulent tubercle bacilli. Reversal of the usual nonfusion pattern and observations on bacterial survival. *J. Exp. Med.*; 142: 1-16.

- Armstrong, J.A. and Hart, P.D (1971):** Response of cultured macrophages to *Mycobacterium tuberculosis*, with observations on fusion of lysosomes with phagosomes. J. Exp. Med; 134:713-40.
- Aronson, N.E.; Santosham, M. and Comstock, G.W. (2004):** Long-term efficacy of BCG vaccine in American Indians and Alaska Natives: A 60-year follow-up study. JAMA; 291: 2086-91.
- Assad, A.M. (1999).** Polymerase chain reaction for detecting rifampicin-resistant *M. tuberculosis* clinical isolates. Thesis of M.D. Degree in Microbiology and immunology, zagazig university.
- Atta, K.A.(1993).** The problem of rifadin resistance among tuberculous patients. Thesis of Master Degree in Microbiology and immunology, assuit university.
- Aubry, A.; Pan, X.S.; Fisher, L.M.; Jarlier, V. and Cambau, E. (2004):** *Mycobacterium tuberculosis* DNA gyrase: interaction with quinolones and correlation with antimycobacterial drug activity. Antimicrob. Agents Chemother.; 48: 1281-8.
- Awad, M.A.(1996):** Pathogenic and environmental mycobacteria. Thesis of M.D. Degree in microbiology & Immunology, Cairo University
- Ayad, S.S. (1993):** The type of tubercle Bacilli in patient with pulmonary tuberculosis. Thesis of M.D. Degree in Chest diseases, Ain Shams University.
- Badak, F.Z.; Goksal, S.; Sertoz, R. and Nafie, B. (1999):** Use of nucleic acid probes for identification of *M. tuberculosis* directly from MB/Bac T bottles. J. Clin. Microbiol.; 37: 5, 1602-5.
- Balcells, M.E.; Thomas, S.L.; Godfrey-Faussett, P. and Grant, A.D. (2006):** Isoniazid preventive therapy and risk for resistant tuberculosis. Emerg. Infect. Dis.; 12: 744-51.
- Balows, A. and Duerden, I.B (1998):** Mycobacterium. In: Microbiology and Microbial infections. Topley, D. and Wilson, J. 19th edition,; vol. 2, p: 549-576.

- Banaiee, N.; Bobadilla-del-Valle, M. and Bardarov, S. (2001):** Luciferase reporter mycobacteriophages for detection, identification, and antibiotic susceptibility testing of *Mycobacterium tuberculosis* in Mexico. J. Clin. Microbiol.; 39: 3883-8.
- Banaiee, N.; Bobadilla-del-Valle, M. and Riska, P.F. (2003):** Rapid identification and susceptibility testing of *Mycobacterium tuberculosis* from MGIT cultures with luciferase reporter mycobacteriophages. J. Med. Microbiol; 52: 557-6.
- Banerjee, A.; Dubnau, E. and Quemard, A. (1994):** inhA, a gene encoding a target for isoniazid and ethionamide in *Mycobacterium tuberculosis*. Science; 263: 227-30.
- Barrett, A.; Magee, J.G. and Freeman R. (2002):** An evaluation of the BD ProbeTec ET system for the direct detection of *Mycobacterium tuberculosis* in respiratory samples. J. Med. Microbiol.; 51: 895-8.
- Bauman, R.W. (2004):** Mycobacterium. In: Microbiology, 4th edition Benjamin Cummings, p: 555-9.
- Behr, M.A.; Wilson, M.A. and Gill, W.P. (1999):** Comparative genomics of BCG vaccines by whole genome DNA microarray. Science; 284: 1520-3.
- Bergmann, J.S. and Woods, G.L. (1998):** Clinical evaluation of the BD-ProbeTec Strand Displacement Amplification Assay for rapid diagnosis of tuberculosis. J. Clin. Microbiol.; 36: 2766-8.
- Blanchard, J.S. (1996):** Molecular mechanisms of drug resistance in *Mycobacterium tuberculosis*. Annu.Rev. Biochem.; 65: 215-39.
- Bobadilla, M.; Ponce-de-Leon, A. and Kato-Maeda, M. (2003) :** Comparison of sodium carbonate, cetyl-pyridinium chloride, and sodium borate for preservation of sputa for culture of *Mycobacterium tuberculosis*. J. Clin. Microbiol; 41: 4487-8.
- Borgdorff, M.W.; Nagelkerke N.J.;Dye C. and Nunn, P. (2000) :** Gender and tuberculosis: a comparison of prevalence surveys with notification data to explore sex differences in case detection. Int. J .Tuberc. Lung Dis.; 4: 123-32.

- Brennan, P.J. and Draper, P. (1994):** Ultrastructure of *Mycobacterium tuberculosis* In Tuberculosis, Pathogenesis, Protection and Control. American Society for Microbiology, 5th edition Washington DC. p 271-284
- Brock, I.; Munk, M.E.; Kok-Jensen, A. and Andersen, P. (2001):** Performance of whole blood IFN-gamma test for tuberculosis diagnosis based on PPD or the specific antigens ESAT-6 and CFP- 10. Int. J. Tuberc. Lung Dis.; 5: 462-7.
- Bull, T.J. and Shanson, D.C. (1992):** Evaluation of a commercial chemiluminescent Gen Probe system "AccuProbe" for the rapid identification of mycobacteria including "MAIC X", isolated from blood and other sites, from patients with AIDS. J. Hosp. Infect.; 21: 143-9.
- Burman, W.J.; Gallicano, K. and Peloquin, C. (2001):** Comparative pharmacokinetics and pharmacodynamics of the rifamycin antibacterials. Clin. Pharmacokinet.; 40: 327-41.
- Butler, W.R. and Guthertz, L.S. (2001):** Mycolic acid analysis by high-performance liquid chromatography for identification of *Mycobacterium* species. Clin. Microbiol. Rev.; 14: 704-26.
- Butler, W.R. and Kilburn, J.O. (1988):** Identification of major slowly growing pathogenic mycobacteria and *Mycobacterium gordonae* by high-performance liquid chromatography of their mycolic acids. J. Clin. Microbiol.; 26: 50-3.
- Camacho, L.R.; Ensergueix, D.; Perez, E.; Gicquel, B. and Guilhot, C. (1999):** Identification of a virulence gene cluster of *Mycobacterium tuberculosis* by signature-tagged transposon mutagenesis. Mol. Microbiol.; 34: 257-67.
- Cambau, E.; Sougakoff, W. and Jarlier, V. (1994):** Amplification and nucleotide sequence of the quinolone resistance-determining region in the *gyrA* gene of mycobacteria. FEMS Microbiol. Lett.; 116: 49-54.
- Canetti, G. (1965):** Present aspects of bacterial resistance in tuberculosis Am. Rev. Resp. Dis. 92:687.
- Carrière, C.; Riska, P.F. and Zimhony, O. (1997):** Conditionally replicating luciferase reporter phages: improved sensitivity for rapid detection and assessment of drug susceptibility of

- Mycobacterium tuberculosis*. J. Clin. Microbiol.; 35: 3232-9.
- Caruso, A.M.; Serbina, N.; Klein E.; Triebold, K.; Bloom, BR. and Flynn, J.L. (1999):** Mice deficient in CD4 T cells have only transiently diminished levels of IFN-gamma, yet succumb to tuberculosis. J.Immunol.; 162: 5407-16.
- Catanzaro, A.; Perry, S. and Clarridge, J.E (2000):** The role of clinical suspicion in evaluating a new diagnostic test for active tuberculosis: results of a multicenter prospective trial. JAMA; 283: 639-45.
- Caviedes, L.; Lee, TS. and Gilman, R.H. (2000):** Rapid, efficient detection and drug susceptibility testing of *Mycobacterium tuberculosis* in sputum by microscopic observation of broth cultures. The Tuberculosis Working Group in Peru. J. Clin. Microbiol.; 38: 1203-8.
- CDC, (2006):** Emergence of *Mycobacterium tuberculosis* with extensive resistance to second-line drugs worldwide, 2000-2004. MMWR Morb. Mortal Wkly Rep.; 55: 301-5.
- Chadha, V.K. (2001):** Tuberculin Test Indian J Pediatrics, 68 (1), 53-8.
- Chan, C.H.; Chan, R.C.; Arnold, M.; Cheung, H.; Cheung, S.W. and Cheng, AF. (1992 a):** Bronchoscopy and tuberculostearic acid assay in the diagnosis of sputum smear-negative pulmonary tuberculosis: a prospective study with the addition of transbronchial biopsy. Q. J. Med; 82: 15-23.
- Chan E.; Strand M. and Iseman M.D. (2008):** Treatment outcomes in extensively resistant tuberculosis. N. Engl. J. Med. 359: 657–659.
- Chan, X.; Xing, Y.; Magliozzo, R.S. and Bloom, B.R. (1992 b):** Killing of virulent *Mycobacterium tuberculosis* by reactive nitrogen intermediates produced by activated macrophages. J. Exp. Med.; 175: 1111-22.
- Chauhan, A.; Madiraju, M.V. and Fol, M. (2006):** *Mycobacterium tuberculosis* cells growing in macrophages are filamentous and deficient in FtsZ rings. J. Bacteriol.; 188: 1856- 65.
- Chedore, P. and Jamieson, F.B. (1999):** Routine use of Gen-Probe MTD2 amplification test for detection of *Mycobacterium*

- tuberculosis* in clinical specimens in a large public health mycobacteriology laboratory. *Diagn. Microbiol. Infect. Dis.*; 35: 185-91.
- Chen, P.; Gearhart, J.; Protopopova, M.; Einck, L. and Nacy, C. (2006):** Synergistic interactions of SQ109, a new ethylene diamine, with front-line antitubercular drugs in vitro. *J. Antimicrob. Chemother.*; 58: 332-7.
- Coban, A.Y.; Bilgin, K. and Uzun, M. (2005):** Susceptibilities of *Mycobacterium tuberculosis* to isoniazid and rifampin on blood agar. *J. Clin. Microbiol.*; 43: 1930-1.
- Coban, A.Y.; Cihan, C.C. and Bilgin, K. (2006):** Blood agar for susceptibility testing of *Mycobacterium tuberculosis* against first line drugs. *Int. J. Tuberc. Lung Dis.*; 10: 450-
- Cole, S.T.; Brosch, R. and Parkhill, J.(1998):** Deciphering the biology of *Mycobacterium tuberculosis* from the complete genome sequence. *Nature*; 393: 537-44.
- Collins, D.M.; Steyn, A.J.; Hondalus, M.K. and Bloom B.R. (2002):** *Mycobacterium tuberculosis* WhiB3 interacts with ProV to affect host survival but is dispensable for in vivo growth. *Proc. Natl. Acad. Sci .USA*; 5: 3147-52.
- Conde, M.B.; Soares, S.L. and Mello, F.C. (2000):** Comparison of sputum induction with fiberoptic bronchoscopy in the diagnosis of tuberculosis: experience at an acquired immune deficiency syndrome reference center in Rio de Janeiro, Brazil. *Am. J. Respir. Crit. Care Med.*; 162: 2238-40.
- Coper, A. and Poinar H.N. (2000):** Ancient DNA: do it right or not at all. *Science*; 289: 1139.
- Corbett, E.L., Watt, C.J. and Walker ,N.(2003):** The growing burden of tuberculosis: global trends and interactions with the HIV epidemic. *Arch. Intern. Med.*; 163: 1009-21.
- Crofton, J. and Douglas (2000):** Clinical features of tuberculosis. In: Crofton and Douglas`s Respiratory Disease Seaton, A.; Seaton, D. and Leith, A.G. 5th edition, Blackwell Scientific Publication. Chapter 17, P. 507.

- Curley, C. (2003):** New guidelines: what to do about an unexpected positive tuberculin skin test. *Cleve Clin .J. Med.*; 70: 49-55.
- Daley, C.L.; Small, P.M. and Scheeter, G.F. (1992):** An outbreak of tuberculosis with accelerated progression among persons infected with HIV: an analysis using restriction fragment-length pleomorphism. *N.Engl. J. med.* 326: 231-235.
- Damato, J.J.; Collins, M.T.; Rothlauf, MV. and McClatchy, J.K. (1983):** Detection of mycobacteria by radiometric and standard plate procedures. *J. Clin. Microbiol.*; 17: 1066-73.
- Daniel, T.M.; Bates, J.H. and Downes, K.A. (1994):** History, pathogenesis, protection and control of tuberculosis. *N.Engl. J. med*; 425: 1325-42
- Dannenberg, A.M. (1991):** Delayed-type hypersensitivity and cell-mediated immunity in the pathogenesis of tuberculosis. *Immunol. Today*; 12: 228-33.
- Dannenberg, A.M. and Rook G. (1994):** Pathogenesis of pulmonary tuberculosis: An interplay of tissue damaging and macrophage activating immune responses- Dual mechanisms that control bacillary multiplication in Bloon BR (ed), tuberculosis: pathogenesis, protection and control. Washington, DC, American Society for microbiology chapter 27, P. 228-39
- Dannrerberge, M.A. and Tomashefski, F.J. (1998):** Pathogenesis of pulmonary tuberculosis: In: Fishman, P.A., (eds); Fishman Pulmonary Diseases and Disorders, 3rd edition, New York, Mc Grow Hill press, chapter 160, pp. 2455-60.
- Darrow, M. A. (1948):** Staining the tubercle organism in sputum smears. *Stain Technol.* 24:93-94.
- Dawood, M.A. (2000):** Value of modern microbiological techniques in diagnosis of renal tuberculosis. Thesis of Master Degree in Clinical Pathology, Mansoura University
- De Beenhouwer, H.; Lhiang, Z. and Jannes, G. (1995):** Rapid detection of rifampicin resistance in sputum and biopsy specimens from tuberculosis patients by PCR and line probe assay. *Tuber. Lung Dis.*; 76: 425-30.

- Della Latta, P., (2004):** Mycobacteriology and mycobacterial susceptibility tests. In: Clinical Microbiology Procedures Handbook. Second edition. Henry D. Isenberg Editor in Chief, ASM Press.
- De Rossi, E.; Ainsa, J.A. and Riccardi, G. (2006):** Role of mycobacterial efflux transporters in drug resistance: an unresolved question. FEMS Microbiol. Rev.; 30: 36-52.
- Dheda, K.; Schwander, S.K.; Zhu, B.; Van Zyl-Smit, R.N. and Zhang, Y. (2010):** the immunology of tuberculosis: from bench to bedside. Respiriology ;15(3):433-50
- Dhir, V. K. and Stuppel, M. (1997):** New approach to laboratory diagnosis. Tuberculosis: Nov.: 23-24
- Dorman, S.E. (2010):** New diagnostic tests for tuberculosis: bench, bedside, and beyond. Clin. Infect. Dis.;50 (3): 173-7.
- Douglas, J.G. and McLeod, M.J. (1999):** Pharmacokinetic factors in the modern drug treatment of tuberculosis. Clin. Pharmacokinet; 37: 127-46.
- Drancourt, M.; Carrieri, P.; Gevaudan, M.J. and Raoult, D. (2003):** Blood agar and *Mycobacterium tuberculosis*: the end of a dogma. J. Clin. Microbiol.; 41: 1710-1.
- Draper, P. (1982):** The anatomy of mycobacteria. In The Biology of Mycobacteria. Ratledge C and Standford J. 1st edition, Academic Press, London, p 9-52.
- Draper, P. and Daffe, M. (2005):** The cell envelope of *Mycobacterium tuberculosis* with special reference to the capsule and outer permeability barrier. In Tuberculosis and the Tubercle bacillus. ASM Press, Washington DC, p 261-73.
- Drlica, K. and Malik, M. (2003):** Fluoroquinolones: action and resistance. Curr. Top.Med. Chem; 3: 249-82.
- Duncan, K. (2003):** Progress in TB drug development and what is still needed. Tuberculosis; 83: 201-7.
- Dye, C. (2006) :** Global epidemiology of tuberculosis. Lancet; 367: 938-40.

- Dye, C., Watt, C.J., Bleed, D.M., Mehran. Hosseini S. and Raviglione, M.C. (2005) :** Evolution of tuberculosis control and prospects for reducing tuberculosis incidence, prevalence, and deaths globally. *JAMA*; 293: 2767-75.
- El-Batawi, Y.A. (1981):** Manual of microbial infection of man. 4th ed., El-Naser Modern Bookshop, Cairo, Part III P. 85-9
- El-Daly, M.O.; Hafez, M.; Abuzaid, M.A.; El-Sabah, B.S. and Wagdan, A.A. (1998):** Tuberculosis in Children in Sharkia. *Egypt, J. Med. Sci.*, 9 (1): 22.
- El-Deek, B.S. (2002):** Some epidemiological features of tuberculosis as a reemerging disease in Dakahlia Governorate. Thesis of MD Degree in Community medicine and public health, Mansoura University
- El-Jawahri, J.J. (2003):** Update view of tuberculosis diagnosis. Thesis of Master Degree in Clinical Pathology, Mansoura University.
- El- Morsi, A. ; El-Kenawy , F.; El-Desoky, M. and Shaban , A. (1996):** Present situation of drug resistance of *Mycobacterium tuberculosis* of Dakahlia governorate. *Egypt. J. chest. Dis. Tub.* 45 (1):107-114.
- El-Sherbini, S.M. (1989):** Study of defaulters at Mansoura chest hospital. Thesis of Master Degree in Chest. Mansoura University.
- Escudero-Bueno, C.; Garcia-Clemente, M. and Cuesta-Castro, B.(1990):** Cytologic and bacteriologic analysis of fluid and pleural biopsy specimens with Cope's needle. Study of 414 patients. *Arch. Intern. Med.*; 150: 1190-4.
- Espasa, M.; Gonzalez-Martin, J. and Alcaide, F. (2005):** Direct detection in clinical samples of multiple gene mutations causing resistance of *Mycobacterium tuberculosis* to isoniazid and rifampicin using fluorogenic probes. *J. Antimicrob. Chemother.*; 55: 860-5.

- Espinal, M.A.; Laszlo, A. and Simonsen, L. (2001)** Global trends in resistance to antituberculosis drugs. World Health Organization-International Union against Tuberculosis and Lung Disease Working Group on Anti-Tuberculosis Drug Resistance Surveillance. N. Engl. J. Med.; 344: 1294-303.
- Evans, K.D.; Nakasone, A.S. and Suther, P.A. (1998):** Identification of *M. tuberculosis* and *mycobacterium avium*, directly from primary BACTEC. Infec. Dis.; 11: 203-5.
- Ferrick, D.A.; Schrenzel, M.D.; Mulvania, T.; Hsieh, B.; Ferlin, W. and Lepper, H. (1995):** Differential production of interferon-gamma and interleukin-4 in response to Th1- and Th2-stimulating pathogens by gamma delta T cells in vivo. Nature; 373: 255-7.
- Finch, D. and Beaty, C.D. (1997):** The utility of a single sputum specimen in the diagnosis of tuberculosis. Comparison between HIV infected and non HIV infected patients. Chest; 111: 1174-9.
- Finken, M.; Kirschner, P.; Meier, A.; Wrede, A. and Bottger, E.C. (1993):** Molecular basis of streptomycin resistance in *Mycobacterium tuberculosis*: alterations of the ribosomal protein S12 gene and point mutations within a functional 16S ribosomal RNA pseudoknot. Mol. Microbiol.; 9: 1239-46.
- Fishman, A.P.; Elias, J.A.; Fishman, J.A.; Grippi, M.A.; Kaiser, L.R. and Senior, R.M. (1998):** Microbiology of tuberculosis. In: Fishman's pulmonary disease and disorders, 3rd edition, McGraw-Hill, Health Professions Division, New York, San Francisco, London and Madrid. Chapter 159, p: 2441-45.
- Floyd, K. (2003):** Costs and effectiveness-the impact of economic studies on TB control. Tuberculosis; 83: 187-200.
- Forget, E. and Menzies, D. (2006):** Adverse reactions to first-line antituberculosis drugs. Expert. Opin. Drug Saf.; 5: 231-49.
- Gamal El-Dien, S.M. (1997).** PCR and diagnosis of tuberculosis. Thesis of M.D. Degree in Chest Diseases, Zagazig University.
- Gandhi, N.R.; Moll, A. and Sturm, A.W. (2006):** Extensively drug-resistant tuberculosis as a cause of death in patients co-infected

with tuberculosis and HIV in a rural area of South Africa. *Lancet*; 368: 1575-80.

- Ganeswrie, R.; Chui, C.S.; Balan, S. and Puthucheary, S.D. (2004):** Comparison of BACTEC MGIT 960 system and BACTEC 460 TB system for growth and detection of *Mycobacteria* from clinical specimens. *Malays J. Pathol.*; 26: 99-103.
- García de Viedma, D. (2003):** Rapid detection of resistance in *Mycobacterium tuberculosis*: a review discussing molecular approaches. *Clin. Microbiol. Infect.* ; 9: 349-59.
- Ginsburg, A.S.; Grosset, J. and Bishai, WR. (2003):** Fluoroquinolones, tuberculosis, and resistance. *Lancet Infect. Dis.*; 3: 432-42.
- Godfrey, P. (1994):** The detection of tuberculosis past present and future, In *Tuberculosis: Back to the Future*. Porter, J.D.H., McAdam, K.P.W.J., (Eds). John Wiley & Sons Ltd. London .
- Goh, K. S.; Fabre, M.; Huard, R.C.; Schmid, S.; Sola, C. and Rastogi, N. (2006):** Study of the *gyrB* gene polymorphism as a tool to differentiate among *Mycobacterium tuberculosis* complex subspecies further underlines the older evolutionary age of '*Mycobacterium canettii*'. *Mol. Cell Probes*; 20: 182-90.
- Goloubeva, V.; Lecocq, M.; Lassowsky, P.; Matthys, F.; Portaels, F. and Bastian, I. (2001):** Evaluation of mycobacteria growth indicator tube for direct and indirect drug susceptibility testing of *Mycobacterium tuberculosis* from respiratory specimens in a Siberian prison hospital. *J. Clin. Microbiol.*; 39: 1501-5
- Gomez-Pastrana, D.; Torronteras, R. and Caro P. (2001):** Comparison of Amplicor, in house polymerase chain reaction, and conventional culture for the diagnosis of tuberculosis in children. *Clin. Infect. Dis.*; 32: 17-22.
- Gonzales, R. and Hanna, B.A. (1987):** Evaluation of Gen-Probe DNA hybridization system for the identification of *Mycobacterium tuberculosis* and *Mycobacterium avium-intracellulare*. *Diagn. Microbiol.Infect.Dis.*; 8: 69-77.
- Good, R.C. and Shinnick, T.M. (1998):** *Mycobacteria*. In: Topley and Wilson's *Microbiology and Microbial Infections*. 19th ed. Balows, A. and Duerden, I.B. (eds.); vol. 2; pp: 549-576.

- Grange, J.M. (1984):** The humoral immune response in tuberculosis: its nature, biological role and diagnostic usefulness. *Adv. Tuberc. Res.*; 21: 1-78.
- Grange, J.M. (1998):** Tuberculosis. In: *Microbiology and Microbial infections*. Hausler, W. and Sussman, M., 9th edition Arnold; volume 3, p: 391-414.
- Grange, J.M. (2002):** *Mycobacteria*. In: *Microbiology..* Greenwood, D.; Slack, R.C. and Peutherer, J.F.: 16th ed; p: 200-10.
- Gryadunov, D.; Mikhailovich, V. and Lapa S. (2005):** Evaluation of hybridisation on oligonucleotide microarrays for analysis of drug-resistant *Mycobacterium tuberculosis*. *Clin. Microbiol. Infect.*; 11: 531-9.
- Guerrant, G.O. and Lambert, M.A. (1981):** Moss CW. Gas-chromatographic analysis of mycolic acid cleavage products in *mycobacteria*. *J Clin Microbiol*; 13: 899-907.
- Harada S. and Numata N. (1992):** Application of FDA/EB staining for the detection of viable or non-viable mycobacteria in clinical specimens *Kekkaku*.;67(2):113-7
- Hasan, Z.; Schlax, C. and Kuhn, L. (1997):** Isolation and characterization of the mycobacterial phagosome: segregation from the endosomal/lysosomal pathway. *Mol. Microbiol.*; 24: 545-53.
- Heaf, F. (1951):** Multiple puncture tuberculin test. *Lancet*; 2: 151-3.
- Heifets, L.B. (2000):** Conventional methods for antimicrobial susceptibility testing of *Mycobacterium tuberculosis*. In: *Multidrug-resistant Tuberculosis*, Ed.: Bastian I, Portaels F. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Heifets, L.B. and Cangelosi G. (1999):** Drug susceptibility testing of *Mycobacterium tuberculosis*: a neglected problem at the turn of the century. *Int J Tuberc Lung Dis.*; 3: 564-81.

- Heifets, L.B. (1996):** Clinical mycobacteriology. Drug susceptibility testing. Clin. Lab. Med.;16: 641-56.
- Heym, B.; Honore, N. and Truffot-Pernot, C. (1994):** Implications of multidrug resistance for the future of short-course chemotherapy of tuberculosis: a molecular study. Lancet; 344: 293-8.
- Hillemann, D.; Weizenegger, M.; Kubica, T.; Richter, E. and Niemann, S. (2005):** Use of the genotype MDR assay for rapid detection of rifampin and isoniazid resistance in *Mycobacterium tuberculosis* complex isolates. J. Clin. Microbiol.; 43: 3699-703.
- Hines, N.; Payeur, J.B. And Hoffman, L.J. (2006):** Comparison of the recovery of *Mycobacterium bovis* isolates using the BACTEC MGIT 960 system, BACTEC 460 system, and Middlebrook 7H10 and 7H11 solid media. J. Vet. Diagn. Inves.; 18: 243-50.
- Hopewell, P.; Migliori, G. and Raviglione, M.C. (2006):** Tuberculosis care and control. Bull World Health Organ; 84: 428.
- Horwitz, M.A., Harth, G.; Dillon, B.J. and Maslesa-Galic, S. (2000):** Recombinant bacillus calmette-guerin (BCG) vaccines expressing the *Mycobacterium tuberculosis* 30-kDa major secretory protein induce greater protective immunity against tuberculosis than conventional BCG vaccines in a highly susceptible animal model. Proc. Natl. Acad. Sci. USA; 97 13853-8.
- Hu, Y.; Coates, A. and Mitchison, DA. (2003):** Sterilizing activities of fluoroquinolones against rifampin-tolerant populations of *Mycobacterium tuberculosis*. Antimicrob. Agents Chemother.; 47: 653-7.
- Hudson, A.; Imamura, T.; Gutteridge, W.; Kanyok, T. and Nunn, P. (2003):** The current anti-TB drug research and development pipeline. World Health Organization on behalf of the Special Programme for Research and Training in Tropical Diseases; 1-44.
- Huebner, R.E.; Schein, M. and Bass, J.(1993):** The tuberculin skin test. Clin. Infect. Dis.; 17: 968-75.

- Ibrahim, Z.A. (1999):** Multidrug resistant mycobacteria among Egyptian tuberculous patients. Thesis of MD Degree in microbiology & Immunology, Cairo University.
- Idigoras, P.; Beristain, X.; Iturzaeta, A.; Vicente, D. and Perez-Trallero, E. (2000):** Comparison of the automated nonradiometric Bactec MGIT 960 system with Lowenstein-Jensen, Coletsos, and Middlebrook 7H11 solid media for recovery of mycobacteria. *Eur. J. Clin. Microbiol. Infect. Dis.*; 19: 350-4.
- Jackett, P.S.; Bothamley, G.; Batra, H.; Mistry, A.; Young, D. and Ivanyi J. (1988):** Specificity of antibodies to immunodominant mycobacterial antigens in pulmonary tuberculosis. *J. Clin. Microbiol.* ; 26: 2313-
- Jacobs, R. and Starke, J. (1993):** Tuberculosis in children. *Med. Clin. North Am.*; 77: 1335-51.
- Jalava, J. and Marttila, H. (2004):** Application of molecular genetic methods in macrolide, lincosamide and streptogramin resistance diagnostics and in detection of drug-resistant *Mycobacterium tuberculosis*. *APMIS*; 112: 838-55.
- Jarlier, V. and Nikaido, H. (1994):** Mycobacterial cell-wall structure and role in natural resistance to antibiotics. *FEMS Microbiol. Lett.*; 123: 11-8.
- Jia, L.; Tomaszewski, J. and Hanrahan, C. (2005):** Pharmacodynamics and pharmacokinetics of SQ109, a new diamine-based antitubercular drug. *Br. J. Pharmacol.*; 144: 80-7.
- Jordan, T.S. and Davies, P.D. (2010):** Clinical tuberculosis and treatment outcomes. *Int. J. Tuberc. Lung Dis.*;14(6):683-8.
- Jouanguy, E.; Doffinger, R.; Dupuis, S.; Pallier, A.; Altare, F. and Casanova J.L. (1999):** IL-12 and IFN gamma in host defense against mycobacteria and salmonella in mice and men. *Curr. Opin. Immunol.*; 11: 346-51.
- Jureen, P.; Engstrand, L.; Eriksson, S.; Alderborn, A.; Krabbe, M. and Hoffner, S.E. (2006):** Rapid detection of rifampin resistance in *Mycobacterium tuberculosis* by Pyrosequencing technology. *J. Clin. Microbiol.* ; 44: 1925-9.

- Kaech, S.M, Wherry, E. and Ahmed, R. (2002):** Effector and memory T-cell differentiation: implications for vaccine development. *Nat. Rev. Immunol.*; 2: 251-62.
- Kalantri, S.; Pai, M.; Pascopella, A.; Riley, L. and Reingold, A. (2005):** Bacteriophage based tests for the detection of *Mycobacterium tuberculosis* in clinical specimens: a systematic review and meta-analysis. *BMC Infect. Dis.*; 5: 59.
- Kana, B. and Mizrahi, V. (2004):** Molecular genetics of *Mycobacterium tuberculosis* in relation to the discovery of novel drugs and vaccines. *Tuberculosis (Edinb)*; 84: 63-75.
- Kastle, D.G. and Kubica, G.P. (1967):** Sputum collection for cultivation of mycobacteria: an early morning specimen or the 24-72 hour pool? *Am. J. Clin. Pathol.*; 48: 347-9.
- Kazda, J.F. (1983):** The principles of the ecology of mycobacteria. In: *The Biology of the Mycobacteria*. Ratledge, C. and Stanford, J. (eds.). Academic Press, London; 323-415.
- Keating, L.; Wheeler, P. and Mansoor, H. (2005):** The pyruvate requirement of some members of the *Mycobacterium tuberculosis* complex is due to an inactive pyruvate kinase: implications for in vivo growth. *Mol. Microbiol.*; 56: 163-74.
- Kent, P.T. and Kubica, G.P. (1985):** Public Health mycobacteriology: A guide for the level III laboratory. Washington DC, USA; p: 21-112.
- Khalil, I. F. (1988):** Tuberculosis Community medicine, Public Health Department, Kasr El-Aini Faculty of Medicine, Cairo University.
- Khamis N., Amin M., Zagloul Z, Girgis A. and Shetta M. (2004):** DNA sequencing and bacteriophage based technique for rapid detection of rifampicin resistant *Mycobacteria Tuberculosis* Egypt J. Med. Lab.Scl.(scl) 2 :12
- Kiely, J.L.; Sheehan, S.; Cryan, B. and Bredin, C.P. (1995):** Isolation of *Mycobacterium chelonie* in bronchoscopy unit and its subsequent eradication. *Tubercle. and Lung Disease* 76: 163-167.

- Kim S.; Park Y. and Song E.(2006):** Evaluation of the CombiChip mycobacteria drug resistance detection DNA chip for identifying mutations associated with resistance to isoniazid and rifampin in *Mycobacterium tuberculosis*. *Diagn. Microbiol. Infect. Dis.*; 54: 203-10.
- Kinomoto M. (1999)** Development of slide-method to distinguish alive and dead mycobacteria by fluorescent staining-A trial for solving the biohazard problem in TB laboratories. *Kekkaku* 74(8); 599-609
- Kochi, A.; Vareldzis, B. and Styblok I. (1994):** Multidrug resistant tuberculosis and its control. *Res. Microbiol.*, 144: 104-110.
- Konno, K, Feldmann, F. and McDermott, W. (1967):** Pyrazinamide susceptibility and amidase activity of tubercle bacilli. *Am. Rev. Respir. Dis.*; 95: 461-9.
- Kremer, K.; Arnold, C. and Cataldi, A. (2005 a):** Discriminatory power and reproducibility of novel DNA typing methods for *Mycobacterium tuberculosis* complex strains. *J. Clin. Microbiol.*; 43: 5628-38.
- Kremer, L.; Moss, C. and Besra, G. (2005 b):** A waxy tale by *Mycobacterium tuberculosis* In *Tuberculosis and the Tubercle bacillus*. ASM Press, Washington DC. p 287-305.
- Kubica, G.P.; Dye, W.E. and Cohn, M.L. (1963):** Sputum digestion and decontamination with N-acetyl-L-cysteine-NaOH for culture of mycobacteria. *Am. Rev. Respir. Dis.*; 87: 775-9.
- Kudoh, S. and Kudoh, T. (1974):** A simple technique for culturing tubercle bacilli. *Bull World Health Organ*; 51: 71-82.
- Lalvani, A.; Brookes, R. and Wilkinson, R.(1998):** Human cytolytic and interferon gammab secreting CD81T lymphocytes specific for *Mycobacterium tuberculosis*. *Proc. Natl .Acad. Sci. USA*; 95: 270-5.
- Lalvani, A.; Pathan, A. and McShane, H. (2001):** Rapid detection of *Mycobacterium tuberculosis* infection by enumeration of

antigen-specific T cells. Am. J. Respir. Crit. Care Med.; 163: 824-8.

Lambert, M.A.; Moss, C.W.; Silcox, V. and Good, R.C. (1986): Analysis of mycolic acid cleavage products and cellular fatty acids of *Mycobacterium* species by capillary gas chromatography. J. Clin. Microbiol.; 23: 731-6.

Langermans, J.A.; Doherty, T. and Vervenne, R.A. (2005): Protection of macaques against *Mycobacterium tuberculosis* infection by a subunit vaccine based on a fusion protein of antigen 85B and ESAT-6. Vaccine; 23: 2740-50.

Larsson, L; Jantzen, E. and Johnson, J. (1985): Gas chromatographic fatty acids profiles for characterization of mycobacteria: an interlaboratory methodological evaluation. Eur. J. Clin. Microbiol .; 4: 483-7.

Launay-Vacher, V.; Izzedine, H. and Deray, G. (2005): Pharmacokinetic considerations in the treatment of tuberculosis in patients with renal failure. Clin. Pharmacokinet; 44: 221-35.

Lauzardo, M. and Ashkin, D. (2000): A review of tuberculosis and the prospects for its elimination. Chest; 117: 1455-1473.

Laverdiere, M.; Poirier, L.; Weiss, K.;Beliveau, C.; Bedard, L. and Desnoyers, D. (2000): Comparative evaluation of the MB/BacT and BACTEC 460 TB systems for the detection of mycobacteria from clinical specimens: clinical relevance of higher recovery rates from broth based detection systems. Diagn. Microbiol. Infect. Dis.; 36: 1-5.

Leão, S.C.; Martin, A. and Mejia, G.I.(2004): Identification of *M. tuberculosis* complex and differentiation of species belonging to the complex. In: Practical handbook for the phenotypic and genotypic identification of mycobacteria. Ed: Vanden BROELLE, Brugges.; p: 39-44.

Lee, H.; Park, H.; Cho, S.; Bai, G. and Kim, J. (2000): Species identification of mycobacteria by PCR-restriction fragment length polymorphism of the *rpoB* gene. J .Clin. Microbiol.; 38: 2966-71.

- Lee, R.E.; Brennan, P.J. and Besra, G.S. (1996):** *Mycobacterium tuberculosis* cell envelope. Curr. Top. Microbil. Imm.; 215: 1-27.
- Lehmann, K.B. and Neumann, R. (1896):** Atlas and Grundis der Bakteriologie und Lehrbuch der speciellen bakteriologischen Diagnostik. Lehmann, Munchen, Germany. P102-9
- Lemus D., Martin A., Montoro E., Portaels F. . and Palomino C. (2004)** Rapid alternative methods for detection of rifampicin resistance in *Mycobacterium tuberculosis*. J Antimicrob. Chemother.;54:130–33.
- Leyten, E.; Lin, M. and Franken, K. (2006):** Human T-cell responses to 25 novel antigens encoded by genes of the dormancy regulon of *Mycobacterium tuberculosis*. Microbes. Infect.; 8: 2052-60.
- Liu, W.; Zhang, F. and Xin, Z. (2006):** Sequence variations in the MBL gene and their relationship to pulmonary tuberculosis in the Chinese Han population. Int. J. Tuberc. Lung Dis.; 10: 1098-103.
- Lomovskaya, O. and Bostian, K.A. (2006):**Practical applications and feasibility of efflux pump inhibitors in the clinic--a vision for applied use. Biochem. Pharmacol.; 71: 910-8.
- Luquin, M.; Gamboa, F.; Garcia Barcelo, M. and Manterola, J.M. (1996):** Comparison of biphasic non-radiometric system with Lowenstein-Jensen and Bactec-460 system for recovery of mycobacteria from clinical specimens. Tuberc. Lung Dis.; 11:449-451.
- Mac Gregor, R.R. (1975):** A year's Experience with Tuberculosis in a Private Urban Teaching Hospital in Post Sanatorium Era. Am. J. Med. 58: 221.
- Mahapatra, S.; Basu, J.; Brennan, P. and Crick D. (2005):** Structure, biosynthesis, and genetics of the Mycolic Acid-Arabinogalactan-Peptidoglycan complex. p 275-285. In Tuberculosis and the Tubercle bacillus. ASM Press, Washington DC.

- Makinen, J.; Marttila, H.; Marjamaki, M.; Viljanen, M. and Soini, H. (2006):** Comparison of two commercially available DNA line probe assays for detection of multidrug-resistant *Mycobacterium tuberculosis*. J. Clin. Microbiol. ; 44: 350-2.
- Mallofre, E.; Bambi, J. and Palacin, A. (1998):** Binspain: A study of necropsies. Med. Clin.; 90: 735.
- Marsik, F.J. and Denys, G.A. (1995):** Sterilization, decontamination and disinfection procedures for the microbiology laboratory. In: Manual of Clinical Microbiology. 6th ed, Murray, P.R. and Baron, E.J. eds. American Society for Microbiology; p 86-98.
- Martin, C. (2005):** The dream of a vaccine against tuberculosis; new vaccines improving or replacing BCG. Eur. Respir. J.; 26: 162-7.
- Martin, C. (2006):** Tuberculosis vaccines: past, present and future. Curr. Opin. Pulm. Med.; 12: 186-91.
- Master, R.N. (1992):** Section Editor. "Mycobacteriology". Clinical Microbiology Procedures Handbook, Vol. 1, ASM, Washington, D.C.
- Mandell, G.; Douglas, G. and Bennett, J. (1990):** Principle and practice of infectious disease. Third ed., Churchill Livingstone, New York, p: 1877-1898.
- Maugein, J.; Fourche, J.; Vacher, S.; Grimond, C. and Bebear, C. (2002):** Evaluation of the BDProbeTec ET DTB assay for direct detection of *Mycobacterium tuberculosis* complex from clinical samples. Diagn. Microbiol. Infect. Dis.; 44: 151-5.
- Mazzarelli, G.; Rindi, L.; Piccoli, P.; Scarparo, C.; Garzelli, C. and Tortoli, E. (2003):** Evaluation of the ProbeTec ET system for direct detection of *Mycobacterium tuberculosis* in pulmonary and extrapulmonary samples: a multicentre study. J. Clin. Microbiol.; 41: 1779-82.
- McCarthy, N.J. and Evans, G.I. (1998):** Methods for detecting and quantifying apoptosis. Curr. Top. Dev. Biol.; 36: 259.
- McNerney, R. (1996):** Diagnosis present difficulties and prospects for the future. Africa Health; p.22- 23.

- McNerney, R. (2001):** Phage replication technology for diagnosis and susceptibility testing. In: Parish T, Stocker NG, eds. *Mycobacterium tuberculosis* protocols. Methods in Molecular Medicine. Humana Press, Totowa, NY; pp. 145-154.
- McNerney ,R, Kambashi ,B.S.; Kinkese, J.; Tembwe, R. and Godfrey-Faussett P. (2004):** Development of a bacteriophage phage replication assay for diagnosis of pulmonary tuberculosis J. Clin. Microbiol.;42(5):2115-20.
- McWilliams, T.; Wells, A.; Harrison, A.; Lindstrom, S.; Cameron, R. and Foskin, E. (2002):** Induced sputum and bronchoscopy in the diagnosis of pulmonary tuberculosis. Thorax; 57: 1010-4.
- Mdluli, K.; Slayden, R. and Zhu ,Y.(1998):** Inhibition of a *Mycobacterium tuberculosis* beta ketoacyl ACP synthase by isoniazid. Science; 280: 1607-10.
- Mejia, G.; Castrillon, L.; Trujillo, H. and Robledo, JA. (1999):** Microcolony detection in 7H11 thin layer culture is an alternative for rapid diagnosis of *Mycobacterium tuberculosis* infection. Int. J. Tuberc. Lung Dis.; 3:138-42.
- Melo, F. and Afiune, J.B(1993):** Transmissão e imunopatogenia da tuberculose. J. Pneumol.; 19: 19-24.
- Michael, A. (1994):** Application of new technology to the detection, identification and antimicrobial susceptibility testing of mycobacteria. Am. J. Clin. Path. Vol. 101;3: 329-337.
- Miller, W.T. and MacGregor, R.R. (1978):** Tuberculosis: frequency of unusual radiographic findings. Am. J. Roentgenel.; 138: 867.
- Minnikin, D.E.; Al-Shamaony, L. and Goodfellow, M. (1975):** Differentiation of *Mycobacterium*, *Nocardia*, and related taxa by thin-layer chromatographic analysis of whole-organism methanolysates. J. Gen. Microbiol.; 88: 200-4.
- Mokrousov, I.; Sebban, M.; Rastogi,N. and Sola, C. (2004):** A data-mining approach to spacer oligonucleotide typing of *Mycobacterium tuberculosis*. Bioinformatics; 18: 235-43

- Montoro, E.; Lemus, D.; Echemendia, M.; Martin, A.; Portaels, F. and Palomino, J.C. (2005):** Comparative evaluation of the nitrate reduction assay, the MTT test, and the resazurin microtitre assay for drug susceptibility testing of clinical isolates of *Mycobacterium tuberculosis*. J. Antimicrob. Chemother.; 55: 500-5.
- Moore, D.A.; Evans, C.A. and Gilman, R. H. (2005):** Microscopic-observation drug-susceptibility assay for the diagnosis of TB. N. Engl. J. Med.; 355: 1539-50.
- Morcillo, N.; Zumarraga, M. and Alito, A. (2002):** A low cost, home-made, reverse-line blot hybridization assay for rapid detection of rifampicin resistance in *Mycobacterium tuberculosis*. Int. J. Tuberc. Lung Dis.; 6: 959-65.
- Morell, V.,(1994):** Mummy settle tuberculosis antiquity depot. Science, 263:1686-87
- Mshana, R.N.; Tadesse, G.; Abate, G. and Miorner, H. (1998):** Use of 3-(4,5-dimethylthiazol-2-yl)-2,5- diphenyl tetrazolium bromide for rapid detection of rifampin-resistant *Mycobacterium tuberculosis*. J. Clin. Microbiol.; 36: 1214-9.
- Muller, I.; Cobbold, S.; Waldmann, H. and Kaufmann, S.H. (1987):** Impaired resistance to *Mycobacterium tuberculosis* infection after selective in vivo depletion of L3T4+ and Lyt-2+ T cells. Multidrug resistant tuberculosis and its control. Infect. Immun.; 55: 2037-41.
- Musial, C.E.; Tice, L.S.; Stockman, L. and G.D. (1988):**Identification of mycobacteria from culture using the Gen-Probe rapid diagnostic system for *Mycobacterium avium* complex and *Mycobacterium tuberculosis* complex. J. Clin. Microbiol .; 26: 2120-3.
- Muzaffar, R.; Batool ,S.; Aziz, F.; Naqvi, A and Rizvi, A, (2001):** Evaluation of Fast plaque TB Assay for the Direct Detection of *Mycobacterium tuberculosis* in Sputum Specimens. 32nd IUATLD World conference on Lung Health, Paris, France
- Muzaffar, R.; Mole ,R.; Albert, H.; Harley, B.; Subotzky , E. and Azevedo ,V. (2002):**

Fast plaque TB Assay – a practical aid for the rapid diagnosis of TB in low income countries. 4th World Congress on TB, Washington DC, USA.

Nahid, P.; Pai, M. and Hopewell, P.C. (2006): Advances in the diagnosis and treatment of tuberculosis. Proc. Am. Thorac. Soc.; 3: 103-10.

Nakamura, M. and Kinomoto, M.(1990): Detection of viable or non viable mycobacteria by hydrolysis of fluorogenic substrate. Kekkaku 65 (5); 385-8

Napier, J.,and Mumbai, A.(2001): Fast plaque TB: A new and timely TB detection kit. Healthcare management newspaper. 80 (3);40-5

National Tuberculosis Control Guide of Egypt., (1998): Epidemiology of Tuberculosis. P. 8-12.

Nelson, S.; Deike, M. and Cartwright, C. (1998): Value of examining multiple sputum specimens in the diagnosis of pulmonary tuberculosis. J.Clin. Microbiol.; 36: 467-9.

Neyrolles, O.; Hernandez-Pando, R. and Pietri-Rouxel, F. (2006): Is adipose tissue a place for *Mycobacterium tuberculosis* persistence. PLOS Med.; 1: e43.

Nguyen, L .and Thompson, C.J. (2006): Foundations of antibiotic resistance in bacterial physiology: the mycobacterial paradigm. Trends Microbiol .; 14: 304-12.

Nuermberger, E. and Grosset J. (2004): Pharmacokinetic and pharmacodynamic issues in the treatment of mycobacterial infections. Eur J Clin Microbiol Infect Dis; 23: 243-55.

O'Brien, J.; Wilson, I.; Orton, T. and Pognan, F. (2000): Investigation of the Alamar Blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity. Eur. J. Biochem.; 267: 5421-6.

Oddo, M.; Renno, T.; Attinger, A.; Bakker, T.; MacDonald, H. and Meylan, R. (1998): Fas ligand induced apoptosis of infected

- human macrophages reduces the viability of intracellular *Mycobacterium tuberculosis*. J .Immunol.; 160: 5448-54.
- Ohara, N. and Yamada, T. (2001):** Recombinant BCG vaccines. Vaccine; 19: 4089-98.
- Olsen, A.W.; Williams, A.; Okkels, L.M.; Hatch, G. and Andersen, P. (2004):** Protective effect of a tuberculosis subunit vaccine based on a fusion of antigen 85B and ESAT-6 in the aerosol guinea pig model. Infect. Immun .; 72: 6148-50.
- Onoorato, I.M. and McCray, E. (1992):** Prevalence of HIV infection among patients attending tuberculosis clinics in USA. J. infect. Dis. 165: 87-92.
- Onyebujoh, P.; Zumla, A. and Ribeiro, I. (2005):** Treatment of tuberculosis: present status and future prospects. Bull World Health Organ; 83: 857-65.
- O'Sullivan, C.; Miller, D.; Schneider, P. and Roberts, G.D. (2002):** Evaluation of Gen-Probe Amplified *Mycobacterium tuberculosis* Direct Test by using respiratory and nonrespiratory specimens in a tertiary care centre laboratory. J.Clin.Microbiol.; 40: 1723-7.
- Pagel, W. and Hall, A.S. (1948):** Cases Illustrating Different Forms of Primary Infection. Tubercle (Lond.) 127, 153.
- Pai, M, Kalantri, S, Pascopella, L, Riley ,LW and Reingold ,A.L. (2005):** Bacteriophage-based assays for the rapid detection of rifampicin resistance in *Mycobacterium tuberculosis*: a meta-analysis. J. infect.;51(3):175-87.
- Pai, M.; Riley, L. and Colford, J. (2004):** Interferon-gamma assays in the immunodiagnosis of tuberculosis: a systematic review. Lancet Infect. Dis .; 4: 761-76.
- Palomino, JC, Martin, A, Camacho, M, Guerra ,H, Swings, J, Portaels, F. (2002):** Resazurin microtiter assay plate: simple and inexpensive method for detection of drug resistance in *Mycobacterium tuberculosis*. Antimicrob. Agents Chemother.; 46: 2720-2.

- Palomino, J.C. (2005):** Non conventional and new methods in the diagnosis of tuberculosis: feasibility and applicability in the field. *Eur. Respir. J.* ; 26: 1-12.
- Palomino, J. C.; Martin, A. and Portaels, F. (2004):** Rapid colorimetric methods for the determination of drug resistance in *Mycobacterium tuberculosis*. *Antimicrob. Agents Chemother.*; 4: 29-38.
- Palomino, J.C. and Portaels, F. (1999):** Simple procedure for drug susceptibility testing of *Mycobacterium tuberculosis* using a commercial colorimetric assay. *Eur. J. Clin. Microbiol Infect. Dis.*; 18: 380-3
- Prakash, S.; Katiyar, s; Purwar, S. and Singh J. (2009):** Clinical evaluation of the mycobacteriophage-based assay in rapid detection of *Mycobacterium tuberculosis* in respiratory specimens. *Indian Journal of Medical Microbiology* ;27: 134-8
- Pedroza-Gonzalez ,A.; Garcia-Romo ,G. and Aguilar-Leon, D. (2004):** In situ analysis of lung antigen-presenting cells during murine pulmonary infection with virulent *Mycobacterium tuberculosis*. *Int J Exp Pathol*; 85: 135-45.
- Perera, J. and Arachchi, D.M. (1999):** The optimum relative centrifugal force and centrifugation time for improved sensitivity of smear and culture for detection of *Mycobacterium tuberculosis* from sputum. *Trans. R. Soc. Trop. Med. Hyg.*; 93: 405-9.
- Pfyffer, G.; Welscher, H. and Kissling, P. (1997):** Comparison of the Mycobacteria Growth Indicator Tube (MGIT) with radiometric and solid culture for recovery of acid-fast bacilli. *J. Clin. Microbiol.*; 35: 364-8.
- Piersimoni, C.; Scarparo, C. and Callegaro, A. (2001):** Comparison of MB/BacT ALERT 3D System with radiometric BACTEC system and Lowenstein-Jensen medium for recovery and Identification of mycobacteria from clinical specimens: a multicentre study. *J. Clin. Microbiol.*; 39: 651-7.
- Pottumarthy, S.; Morris, A.; Harrison, A. and Wells,V.C.(1999):.** Evaluation of the tuberculin gamma interferon assay: potential

to replace the Mantoux skin test. J. Clin. Microbiol.; 37: 3229-32.

Protopopova, M.; Hanrahan, C. and Nikonenko, B. (2005): Identification of a new antitubercular drug candidate, SQ109, from a combinatorial library of 1,2-ethylenediamines. J. Antimicrob. Chemother.; 56: 968-74.

Pym, A.S.; Brodin, P. and Majlessi, L. (2003): Recombinant BCG exporting ESAT-6 confers enhanced protection against tuberculosis. Nat. Med.; 9: 533-9.

Ramaswamy, S.; Reich, R. and Dou, S. (2003): Single nucleotide polymorphisms in genes associated with isoniazid resistance in *Mycobacterium tuberculosis*. Antimicrob. Agents. Chemother.; 47: 1241-50.

Randal, K.H.; and Michael, G.J. (1991): Bacteriophages, In Medical Microbiology, third edition, chapter 5; p:96-98. Churchill livingstone. Inc., 1560 Broadway, New York, NY 10036

Raok, N; Viswanthan R. and Sen, P.K. (1982): Textbook of tuberculosis, the tuberculosis association of India 2nd ed., Viskas publishing House, P.207.

Rashwan, A.A. (1991): Statistical data analysis for patients follow up in the chest clinic of the new paediatric hospital. Thesis of Master Degree in Paediatrics. Cairo University.

Reljic, R.; Clark, S. and Williams, A. (2006): Intranasal IFN gamma extends passive IgA antibody protection of mice against *Mycobacterium tuberculosis* lung infection. Clin. Exp. Immunol.; 143: 467-73.

Retzinger, G.S.; Meredith, S.C. and Hunter, R.L. (1982): Identification of the physiologically active state of mycobacterial glycolipid trehalose-6.6'-dimycolate and the role of fibrinogen in the biologic activities of terhalose-6.6'-dimycolate monolayers. J. Immunol.; 129: 735-744.

Roberts, G.D.; Goodman, N.L. and Heifets, L. (1983): NEvaluation of the BACTEC radiometric method for recovery of mycobacteria and drug susceptibility testing of *Mycobacterium tuberculosis*

from acid-fast smear-positive specimens. J. Clin. Microbiol.; 18: 689-96.

Robledo, JA, Mejia, G, Paniagua, L, Guzman, A, Zapata E, Montes, F, Montes, C. (2006): Evaluation of a screening test for rapid detection of MDR-TB and the cost of its utilization in a group of patients. Int. J. Tuber. Lung Dis.; 11 : 236-9

Rogall ,T.; Flohr, T. and Böttger, E.C. (1990): Differentiation of mycobacterial species by direct sequencing of amplified DNA. J. Gen. Microbiol.; 136: 1915-20.

Rossau, R.; Traore, H. and De Beenhouwer, H. (1997): Evaluation of the INNO-LiPA Rif. TB assay, a reverse hybridization assay for the simultaneous detection of *Mycobacterium tuberculosis* complex and its resistance to rifampin. Antimicrob Agents Chemother; 41: 2093-8.

Rossman, D.M. and Mayock, L.R. (1995): Pulmonary tuberculosis In: Rossman, D.M. and MacGregor R.R. (eds). Tuberculosis Clinical Management and New Challenges, 1st edition, New York, MacGraw Hill Press, chapter 9. P.145-154.

Rothschild, B.M., Martin, L.D. and Lev, G. (2001): Mycobacterium tuberculosis complex DNA from an extinct bison dated 17,000 years before the present. Clin. Infect .Dis.; 33: 305-11.

Ruiz, , M.; Torres, M.;Llanos, A.;Arroyo, A.; Palomares, J. and Aznar, J. (2004): Direct detection of rifampin- and isoniazid-resistant *Mycobacterium tuberculosis* in auramine-rhodamine positive sputum specimens by real-time PCR. J. Clin. Microbiol.; 42: 1585-9.

Runyon, E.H. (1959): A nonymus mycobacteria in pulmonary disease. In: Medical clinics of North America 43: pp. 273-290. Quated from Grange. J.M.: The mycobacteria Principle of Bacteriology, Virology and Immunity. 8th ed. Parker and Collier, L.H. (G.Eds). Systemic Bacteriology. Vol.2 Parker, MT.and Dureden, B.I. (Eds). Edward Arnold, London. P.73.

Rusch-Gerdes S., Domen L. and Nardi G. (1999): Multicentric evaluation of the Mycobacterium growth indicator tube for

testing susceptibility of *Mycobacterium tuberculosis* to first line drugs. *J. of Clin. Microbiol.*; 37 (1): 45-8.

Saitoh, H. and Yamane, N. (2000): Comparative evaluation of BACTEC MGIT 960 System with MB/BacT and egg-based media for recovery of mycobacteria. *Rinsho Biseibutshu Jinsoku Shindan Kenkyukai Shi*; 11: 19-26.

Salem, E.S.; Al-Helaly, A.H.; Abdel-Rahman, H.; Sharaf Eldin, M.; Negm, M. and Okab, A. (1992): Annual tuberculosis infection rate in Qualiubia Governorate. *Medical J. Cairo University*, 60 (1): 55-9

Salim, A.; Aung, K. J.; Hossain, M. and Van Deun, A.(2006) Early and rapid microscopy-based diagnosis of true treatment failure and MDR-TB. *International Journal of Tuberculosis and Lung Disease*; 10: 1248-1254

Salo, W.L.; Aufderheide, A.C; Buikstra, J.and Holcomb, T.A.(1994): Identification of *Mycobacterium tuberculosis* DNA in a pre-Columbian Peruvian mummy. *Proc. Natl. Acad. Sci. U. S. A.* 41(1): 50-5.

Sandman, L. ; Schluger, W. ; Davidow, I. and Bonk, S. (1999): Risk Factors for Rifampin-mono-resistant Tuberculosis. *Am. J. Respir. Crit. Care Med.*, 159, (2), 468-472

Sarkar, S. ; Sharma, G. ; Gupta, P. and Sharma, K. (1980): Fiberoptic bronchoscopy in the diagnosis of pulmonary tuberculosis. *Tubercle*; 61: 97-9.

Saukkonen, J.; Cohn, D. and Jasmer, R. (2006): An official ATS statement: hepatotoxicity of antituberculosis therapy. *Am. J. Respir. Crit. Care Med.*; 174: 935-52.

Scanga, C.; Mohan, P. and Yu, K. (2000): Depletion of CD4(+) T cells causes reactivation of murine persistent tuberculosis despite continued expression of interferon gamma and nitric oxide synthase 2. *J. Exp. Med.* ; 192: 347-58.

Scarparo ,C.; Piccoli,P.; Rigon, A, Ricordi ,P. and Piersimoni ,C. (2002): Evaluation of the BACTEC MGIT 960 in comparison with BACTEC 460 TB for detection and recovery of mycobacteria from clinical specimens. *Diagn. Microbiol.Infect.*

Dis.; 44: 157-61.

Schoel, B.; Sprenger, S. and Kaufmann, S.H.(1994): Phosphate is essential for stimulation of V gamma 9V delta 2 T lymphocytes by mycobacterial low molecular weight ligand. Eur. J. Immunol.; 24: 1886-92.

Schramm,1 B., Swaddi, W, Jones, W. , Hewison, C., Bonnet ,M. (2008) Evaluation of the performance and feasibility of the fluorescein diacetate (FDA) vital staining method for follow up of Tuberculosis (TB) treatment. Epicenter Science, 263:1686-1687

Segal, W. and Bloch, H. (1956): Biochemical differentiation of *Mycobacterium tuberculosis* grown in vivo and in vitro. J Bacteriol.; 72: 132-41.

Selvakumar, N.; Gomathi, M.; Kumar ,V.; Rahman F. and Narayanan, P.R. (2006): Sensitivity of Ziehl-Neelsen method for centrifuged deposit smears of sputum samples transported in cetyl-pyridinium chloride. Indian J. Med. Res.; 124: 439-42.

Serbina, N.; Lazarevic, V. and Flynn, J.L. (2001): CD4(+) T cells are required for the development of cytotoxic CD8(+) T cells during *Mycobacterium tuberculosis* infection. J. Immunol.; 167: 6991-7000.

Shaharyar ,M.; Siddiqui ,A.; Ali, M.; Sriram, D. and Yogeewari, P. (2006): Synthesis and in vitro antimycobacterial activity of N1-nicotinoyl-3-(4'-hydroxy-3'-methyl phenyl)-5[(sub)phenyl]-2-pyrazolines. Bioorg. Med. Chem. Lett.; 16: 3947-9.

Shamputa, I.; Jugheli, L. and Sadradze ,N. (2006): Mixed infection and clonal representativeness of a single sputum sample in tuberculosis patients from a penitentiary hospital in Georgia. Respir. Res.; 7: 99.

Shamputa, I.; Rigouts, L. and Eyongeta, L.A. (2004): Genotypic and phenotypic heterogeneity among *Mycobacterium tuberculosis* isolates from pulmonary tuberculosis patients. J. Clin. Microbiol.; 42: 5528-36.

- Sherman, D.R.; Mdluli, K.; Hickey, M.J.; Barry, C. and Stover, C.K. (1999):** AhpC, oxidative stress and drug resistance in *Mycobacterium tuberculosis*. *Biofactors*; 10: 211-7.
- Simboli, N.; Takiff, H. and McNerney, R. (2005):** In-house phage amplification assay is a sound alternative for detecting rifampin-resistant *Mycobacterium tuberculosis* in low-resource settings. *Antimicrob. Agents Chemother.*; 49: 425-7.
- Small M., Shafer W., Hopewell C., Singh P., Murphy J., Desmond E., Sierra F. and Schoolnik K. (1993):** Exogenous reinfection with multidrug-resistant *Mycobacterium tuberculosis* in patients with advanced HIV infection. *N. Engl. J. Med.*; **328**: 1137-44.
- Smith, I. (2004):** What is the health, social, and economic burden of tuberculosis. p. 233-7, In: Frieden T. Toman's tuberculosis case detection, treatment, and monitoring: questions and answers. 2nd edition. Geneva, WHO,. WHO/HTM/TB/334.
- Smith, I.(2003) :** *Mycobacterium tuberculosis* pathogenesis and molecular determinants of virulence. *Clin. Microbiol. Rev.*; 16: 463-96.
- Smith, P.G. and Moss, A.R., (1994):** Epidemiology of tuberculosis, chap. 4, p. 47-59, cited from Bloom, B.R. Tuberculosis, pathogenesis, protection and control.
- Smithwick, R.W.; Stratigos, C. and David, H.L. (1975):** Use of cetylpyridinium chloride and sodium chloride for the decontamination of sputum specimens that are transported to the laboratory for the isolation of *Mycobacterium tuberculosis*. *J. Clin. Microbiol.* ; 1: 411-3.
- Snewin, V.A.; Cooper, H.N. and Hannan, M.M. (2002):** *Mycobacterium tuberculosis*. In: molecular Medical Microbiology. Sussman, M. (ed.) Academic Press; p 1731-1747.
- Somoskovi, A.; Hotaling, J.; Fitzgerald, M.; O'Donnell, D.; Parsons, L. and Salfinger, M. (2001):** Lessons from a proficiency testing event for acid-fast microscopy. *Chest*; 120: 250-7.

- Sreevatsan, S.; Pan, X.; Zhang, Y.; Deretic, V. and Musser, J.M. (1997):** Analysis of the oxyR-ahpC region in isoniazid-resistant and -susceptible *Mycobacterium tuberculosis* complex organisms recovered from diseased humans and animals in diverse localities. *Antimicrob. Agents Chemother.*; 41: 600-6.
- Srivastava, S.; Garg, A.; Ayyagari, A.; Nyati, K.K.; Dhole, T. and Dwivedi, S.K. (2006):** Nucleotide Polymorphism Associated with Ethambutol Resistance in Clinical Isolates of *Mycobacterium tuberculosis*. *Curr. Microbiol.*; 53: 401-5.
- Stefan, N.; El-Vira, R. and Sabine, R.G. (2000):** Differentiation among members of *M. tuberculosis* complex by molecular and biochemical features: evidence for two pyrazinamide susceptible subtypes of *M. bovis*. *J. Clin. Microbiol.* Jan; p: 152-157.
- Steingart, K.R.; Henry, M. and Neg, V. (2006):** Fluorescence versus conventional sputum smear microscopy for tuberculosis: a systematic review. *Lancet Infect. Dis.*; 6: 570-81.
- Stenger, S.; Mazzaccaro, R.J. and Uyemura, K. (1997):** Differential effects of cytolytic T cell subsets on intracellular infection. *Science*; 276: 1684-7.
- Stout, J.E.(2004):** Safety of rifampin and pyrazinamide for the treatment of latent tuberculosis infection. *Expert. Opin. Drug Saf.*; 3: 187-98.
- Strohl, W.A.; Rouse, H. and Fisher, B.D. (2001):** *Mycobacteria and actinomycetes*. In: Lippincott's illustrated review: microbiology. 1st ed. Harvey, R.A. and Champe, P.C.; p: 245-255.
- Sun, Z. and Zhang, Y. (1999):** Spent Culture Supernatant of *Mycobacterium tuberculosis* H37Ra Improves Viability of Aged Cultures of This Strain and Allows Small Inocula To Initiate Growth. 1999, American Society for Microbiology *J. Bacteriol.*; 181(24): 7626–7628.
- Takayama, K.; Wang, L. and David, H.L. (1972):** Effect of isoniazid on the in vivo mycolic acid synthesis, cell growth, and viability of *Mycobacterium tuberculosis*. *Antimicrob. Agents Chemother.*; 2: 29-35.

- Takiff, H. and Heifets, L. (2002):** In search of rapid diagnosis and drug-resistance detection tools: is the Fast plaque TB Assay the answer? *Int. J. Tuberc. Lung Dis.*; 6: 560-1.
- Takiff, H.E.; Salazar, L. and Guerrero, C. (1994):** Cloning and nucleotide sequence of *Mycobacterium tuberculosis* gyrA and gyrB genes and detection of quinolone resistance mutations. *Antimicrob. Agents Chemother.*; 38: 773-80.
- Telenti, A.; Marchesi, F.; Balz, M.; Bally, F.; Böttger, E. and Bodmer, T. (1993):** Rapid identification of mycobacteria to the species level by polymerase chain reaction and restriction enzyme analysis. *J. Clin. Microbiol.*; 31: 175-8.
- Telenti, A.; Philipp, W. and Sreevatsan, S. (1997):** The emb operon, a gene cluster of *Mycobacterium tuberculosis* involved in resistance to ethambutol. *Nat. Med.*; 3: 567-70.
- Torkko, P.; Suomalainen, S. and Iivanainen, E. (2002):** *Mycobacterium palustre* sp. nov., a potentially pathogenic slow-growing mycobacterium isolated from veterinary and clinical specimens, and Finnish stream water. *Int. J. Syst. Evol. Microbiol.*; 52: 1519-25.
- Tortoli, E. and Bartoloni, A. (1996):** High-performance liquid chromatography and identification of mycobacteria. *Rev. Med. Microbiol.* ; 7: 207-19.
- Tortoli, E.; Cichero, P. and Chirillo, M.G.(1998):** Multicentre comparison of ESP Culture System II with BACTEC 460TB and with Lowenstein-Jensen medium for recovery of mycobacteria from different clinical specimens, including blood. *J. Clin. Microbiol.* ; 36: 1378-81.
- Trollip A., Albert H. and Maskell T. (2001).** Bacteriophage-based technologies for the rapid diagnosis and drug susceptibility testing of tuberculosis. *Am Clin Lab.*;20:39–42
- Tsukamura, M. (1984):** Identification of Mycobacteria. The Mycobacteriosis Research Laboratory of the National Chubu. Hospital, Obu, Aichi 474, Japan.

- Tuberculosis Coalition for Technical Assistance (2006).** International Standards for Tuberculosis Care (ISTC). The Hague: Tuberculosis Coalition for Technical Assistance,
- Tufariello, J.M.; Chan, J. and Flynn, J.L. (2003):** Latent tuberculosis: mechanisms of host and bacillus that contribute to persistent infection. *Lancet Infect. Dis.*; 3: 578-90.
- Turenne, C.Y.; Cook, V.J. and Burdz, T.V. (2004):** *Mycobacterium parascrofulaceum* sp. nov., novel slowly growing, scotochromogenic clinical isolates related to *Mycobacterium simiae*. *Int. J. Syst. Evol. Microbiol.*; 54: 1543-51.
- Valdes, L.; Alvarez, D. and San, E. (1998):** Tuberculous pleurisy: a study of 254 patients. *Arch. Intern. Med.*; 158: 2017-21.
- Van Deun, A.; Hamid Salim, A. and Aung, K.J. (2005):** Performance of variations of carbol *et al.*, fuchsin staining of sputum smears for AFB under field conditions. *Int. J. Tuberc. Lung Dis.*; 9: 1127-33.
- Van Pinxteren, L.; Ravn, P.; Agger, E.; Pollock, J. and Andersen, P. (2000):** Diagnosis of tuberculosis based on the two specific antigens ESAT-6 and CFP10. *Clin. Diagn. Lab. Immunol.*; 7: 155-60.
- Van Soolingen, D.; Hoogenboezem, T. and de Haas, P.E. (1997):** A novel pathogenic taxon of the *Mycobacterium tuberculosis* complex, Canetti: characterization of an exceptional isolate from Africa. *Int. J. Syst. Bacteriol.*; 47: 1236-45.
- Van Soolingen, D.; van der Zanden, A.G. and de Haas, P.E. (1998):** Diagnosis of *Mycobacterium microti* infections among humans by using novel genetic markers. *J. Clin. Microbiol.*; 36: 1840-5.
- Vankayalapati, R.; Klucar, P. and Wizel, B. (2004):** NK cells regulate CD8⁺ T cell effector function in response to an intracellular pathogen. *J. Immunol.*; 172: 130-7.
- Victor, T.C. and van Helden, P.D. (2001):** Detection of Mutations in *Mycobacterium tuberculosis* by a Dot Blot Hybridization Strategy. In: *Mycobacterium Tuberculosis* Protocols. Methods

- in Molecular Medicine. New Jersey: Humana Press; Vol. 54 p. 155-64.
- Vincent, V.; Brown-Elliot, B.; Jost, KC. and Wallace, R.J. (2003):** Mycobacterium: Phenotypic and genotypic identification. pp: 560-84. In: Manual of Clinical Microbiology Murray P.R., JoBaron E., Jorgensen J.H., Pfaller M.A., Tenover F.C., Tenover R.H. 8th edition. ASM Press, Washington, DC p: 152-63
- Virtanen, S. (1960):** A study of nitrate reduction by mycobacteria. Acta. Tuberc. Scand. Suppl. 48: 1-119.
- Vossler, J.L. (2000):** *M. tuberculosis* and other non-tuberculous mycobacteria. In: Textbook of Diagnostic Microbiology. 2nd ed. Mahon, C. and Manuselis, G. (eds.), Saunders Company; p: 667-700.
- Waddell, R.D.; Lishimpi, K. and von Reyn, C.F. (2001):** Bacteremia due to *Mycobacterium tuberculosis* or *M. bovis*, Bacille Calmette-Guerin (BCG) among HIV- positive children and adults in Zambia. AIDS; 15: 55-60.
- Watt, B.; Rayner, A. and Harris, G. (1996):** Mycobacterium. In Mackie and McCartney: Practical Medical Microbiology. 14th ed. Collee, J.; Marmion, B.; Fraser, A. and Simmons, A. (eds.). Churchill Livingstone; p: 329-341.
- Watterson A., Wilson M., Yates M. and Drobniewski A. (1998):** Comparison of three molecular assays for rapid detection of rifampicin resistance in *Mycobacterium tuberculosis*. Clin Microbiol Antimicrob.; 5: 11-15
- Wayne, L.G. (1982):** Microbiology of tubercle bacilli. Am. Rev. Respir. Dis.; 125: 31-41.
- Welch, D.F.; Guruswamy, A.P.; Sides, S.J.; Shaw, C. and Gilchrist, M. (1993):** Timely culture for mycobacteria which utilizes a micro-colony method. J. Clin. Microbiol.; 31: 2178-84.
- Wilkinson, R.J.; Haslov, K. and Rappuoli, R. (1997):** Evaluation of the recombinant 38-kilodalton antigen of *Mycobacterium tuberculosis* as a potential immunodiagnostic reagent. J. Clin. Microbiol.; 35: 553-7.

- Willcox, P.A.; Benatr, S.R. and Potgiater, P.D. (1982):** Use of flexible fiberoptic bronchoscopy in the diagnosis of sputum negative pulmonary tuberculosis. *Thorax*. 37: 597-99
- Williams, A.; Reljic, R. and Naylor, I. (2004):** Passive protection with immunoglobulin A antibodies against tuberculous early infection of the lungs. *Immunology*; 111: 328-33.
- Williams, D.; Spring, L. and Collins, L. (1998):** Contribution of *rpoB* mutations to development of rifampicin cross-resistance in *Mycobacterium tuberculosis*. *Antimicrob. Agents Chemother.*; 42: 1853-7.
- Williams-Bouyer, N.; Yorke, R.; Lee, H. and Woods, G.L. (2000):** Comparison of the BACTEC MGIT 960 and ESP Culture System II for growth and detection of mycobacteria. *J. Clin. Microbiol.*; 38: 4167-70.
- Wilson, S.; Al-Suwaidi, Z. and McNerney, R. (1997):** Evaluation of a new rapid bacteriophage based method for the drug susceptibility testing of *M. tuberculosis*. *Nat. Med.*; 3: 465-8.
- Woods, G.; Fish, G.; Plaunt, M. and Murphy, M. (1997):** Clinical evaluation of Difco ESP Culture System II for growth and detection of mycobacteria. *J. Clin. Microbiol.*; 35: 121-4.
- World Health Organization , (1997):** Anti-tuberculosis drug resistance in the world. The WHO/IUATLD Global Project on anti-tuberculosis drug resistance surveillance 1994-1997. Publication no. WHO/TB/97.229 World Health Organization, Geneva, Switzerland.
- World Health Organization, (2006 a):** Global tuberculosis control: surveillance, planning and financing. Geneva, Switzerland: WHO; Publication WHO/HTM/TB/.362.
- World Health Organization , (2006 b):** Fact sheet, No 104.
- World Health Organization, (2004):** Global tuberculosis control - surveillance, planning, financing WHO Report.

- Yamamoto, Y.; Saito, H.; Tomioka, H.; Sato, K.; Yamane, T.; Yamashita, ; Hosoe, K. and Hidaka, T. (1992):** In vitro and in vivo activities of KRM 1648, a newly synthesized benzoxazinorifamycin, against *Mycobacterium marinum*. Zentralbl, Bakteriell, 554:625-631.
- Yan, J.; Huang, A.; Tsai, S.; Jin, Y. and Wu, J. (2000):** Comparison of the MB/BacT and BACTEC MGIT 960 system for recovery of mycobacteria from clinical specimens. Diagn. Microbiol. Infect. Dis.; 37: 25-30.
- Yassin, M. and Cuevas, L.E. (2003):** How many sputum smears are necessary for case finding in pulmonary tuberculosis? Trop. Med. Int. Health; 8: 927-32.
- Young, W.; Maslansky, A. and Lafar, M. (1970):** Development of a paper strip test for detection of niacin produced by mycobacteria. Appl. Microbiol. 10: 939-45.
- Yzquierdo L., Lemus D., Echemendia M., Montoro E., McNerney R., and Palomino J. Ann (2006):** Evaluation of phage assay for rapid phenotypic detection of rifampicin resistance in *Mycobacterium tuberculosis*. J. Clin. Microbiol.; 36: 1969-73.
- Zhang, Y. (2005):** The magic bullets and tuberculosis drug targets. Annu. Rev. Pharmacol. Toxicol.; 45: 529-64.
- Zhang, Y. and Telenti A. (2000):** Genetics of Drug Resistance in *Mycobacterium tuberculosis* in: Molecular Genetics of Mycobacteria. p 67-89
- Zink, A.R.; Grabner W.; Reischl U.; Wolf H. and Nerlich A.G. (2003) .** Molecular study on human tuberculosis in three geographically distinct and time delineated populations from ancient Egypt Epidemiol. Infect.; 130: 239-49.