

References

- Adair, C.G.; Gorman, S.P.; Feron, B.M. et al., (1999):** Implications of endotracheal tube biofilm for ventilator-associated pneumonia. *Intensive Care Med.* 25:1072–1076. doi: 10.1007/s00134-0051014.
- Adair, C.G.; Gorman, S.P.; Byers, L.M. et al., (2002):** Eradication of endotracheal tube biofilm by nebulised gentamicin. *Intensive Care Med.* 28:426–431. doi: 10.1007/s00134-002-1223-8.
- Adriaans, B. and Shah, H. (1988):** *Fusobacterium ulcerans* sp. Nov. from tropical ulcers. *Int. J. Syst. Bacteriol.* 38:447.
- Agvald-O'hman, C.; Wernerman, J.; Nord, C.E et al., (2003):** Anaerobic bacteria commonly colonize the lower airways of intubated ICU patients. *Clin microbial infect*;9:397-405.
- Akbar, D.H. (2001):** Bacterial pneumonia.comparison between diabetics and non diabetics. *Acta Diabetol*;38,77-82.
- Allen, S.D. (1995):** Gram positive non-sporeforming anaerobic bacilli *Manual of clinical microbiology*, 4th ed .American Society for microbiology, Washington, D.C. p:461.
- Alp, E. and Voss, A. (2006):** Ventilator Associated Pneumonia and Infection Control. *Ann. Clin. Microbiol. Antimicrob.* 2006; 5:7.

American Thoracic Society. (ATS)(2005): Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. Am. J. Respir. Crit. Care Med. 171:388-416.

Angus , D.; Marrie, T. and Obrosky , D. (2002): Sever community acquired pneumonia , use of intensive care services and evaluation of American and British Thoracic Society Diagnostic Criteria Am. J. Resp. Crit Care Med. 166:717-723.

Apostolopoulou , E.; Bakakos , P.; Katostaras, T .et al., (2003): Incidence and risk factors for ventilator-associated pneumonia in 4 multidisciplinary intensive care units in Athens, Greece. Respir. Care.;48:681–688.

Aranki, A.S.; Syed, A. and Kenny , E.B.(1969): Isolation of anaerobic bacteria from human gingiva and mouse secum by means of a simplified glove box procedure. App. Microbiol. 17:568.

Bagga, A .(2001):Lower respiratory tract infections . The Antiseptic : 98(1):22-27.

Banks, E.R.; Allen, S.D. and Siders, J.A. (1989): Charecterization of anaerobic bacteria by using a commercially available rapid tube test for tam acid decarboxylase. J. Clin. Microbiol. 27:361.

Bantar, C.E.; Relloso, S.; Castell, F.R. et al., (1991): Abscess caused by vancomycin resistant *Lactobacillus confuses*. J. Clin. Microbiol. 29:2063-6.

Baron, E.J.O.; Peterson, L.R. and Finegold, S.M.(1994)(a): Chlamydia and Mycoplasma. Ch: 39, P551-560 and Genus *Legionella*. Ch 40, P570-575. In : Diagnostic Microbiology. Bailey and Scott's 9th ed. Mosby.

Baron, E.J.O.; Peterson, L.R. and Fingold, S.M.(1994) (b): Processing clinical specimens for anaerobic bacteria : Isolation and identification procedures. In Baron EJ, Peterson LR, Fingold SM, (eds): Bailey and Scott's diagnostic microbiology , 9th ed. Mosby-Year book. Inc. ch:35;p:474-503.

Bartlett, J .; Dowell, S. and Mandell , L. (2000): Practical guidnlines for the management of community acquired pneumonia in adults. Clin. Infect. Dis .;31(2) :347-382.

Bartlett, J.G. (1993): Anaerobic bacterial infections of lung and pleural space. Clin. Infect. Dis;16(suppl 4) :S248- S255.

Bartlett, J.G. (1990): Anaerobic bacteria : general concepts : In : Mandell GL, Douglas RG, Bennett JE, (eds) . Principles and practice of infectious disease , 3rd ed . Churchill Livingstone. Ch : 219.p:1828-42.

Bartlett, J.G.; Onderdonk, A.B.; Louie , T. et al., (1978): A review : lesson from animal model of intra- abdominal sepsis. Arch. Surg. 113:270.

Beaman, L. (1984): The role of oxygen and its derivatives in microbial pathogenesis and host defense. Ann. Rev. Microbiol. 38:27.

Bernstein, J. M. (1992): Mucosal immunology of the upper respiratory tract. *International Review of Thoracic Disease* , 59(Suppl.3):3-13.

Beuret, P.; Carton, M.J.; Nourdine, K. et al., (2002) : Prone position as prevention of lung injury in comatose patients: a prospective, randomized, controlled study. *Intensive Care Med* 28:564–569.

Blanc , V.F. and Tremblay, N.A.G. (1994): The complication of tracheal intubation : A new classification with a review of the literature. *Anesth Analg* ; P:53 : 202.

Blot, F.; Raynard , B. and Chachaty, E. (2000) : Value of Gram stain examination of lower respiratory tract secretions for early diagnosis of nosocomial pneumonia . *Am . j. Respir . Crit. Care Med.* 162(5): 1731.

Bonten, M.J.; Gaillard, C.A.; De Leeuw, P.W. et al., (1997): Role of colonization of the upper intestinal tract in the pathogenesis of ventilator associated pneumonia. *Clin. Infect. Dis.* 24:309–319.

Bouza, E.; Perez, A.; Munoz , P. et al., (2003): Cardiovascular Infection Study Group Ventilator-associated pneumonia after heart surgery: A prospective analysis and the value of surveillance. *Crit. Care Med.* 31:1964–1970. doi: 10.1097/01.ccm.0000084807.15352.93.

Brennan, M.T.; Bahrani-Mougeot , F.; Fox, P.C. et al., (2004): The role of oral microbial colonization in ventilator-associated

pneumonia. Oral Surg. Oral Med .Oral Pathl. Oral Radiol .Endod. 98:665–672. doi: 10.1016/j.tripleo.2004.06.005.

Brewer, J.H. and Allgeier, D.L. (1966): Safe self- contained carbon dioxide- hydrogen anaerobic system. App. Microbiol. 14:985.

British Society for antimicrobial chemotherapy (BSAC): Interpretion of the result of susceptibility pattern of isolated organisms according to disc diffusion method.

Brook, G.F. and Walker, R.I.(1984): Pathogenicity of anaerobic gram positive cocci .Infect. Immunol.16: 320-24.

Brook, G.F.; Butel, J.S. and Morse, S.A. (1998): Infections caused by anaerobic bacteria . In . Brook GF, Butel JS, Morse SA, (eds). Jawetz, Melnick & Adelberg's medical microbiology . Simon & Schauster company. P: 267-72.

Brown, R.; Collee, J. and Pexton, R. (1996) : *Bacteroid, Fusobacterium* and other Gram negative anaerobic rods. Anaerobic cocci and identification of anaerobes . In: Practical Medical Microbiology , 14th ed , Collee G., Fraser G., Marmion P. and Simmons A. (eds). Churchill Livingstones.P501-511.

Burns , K.E.; Adhikari, N.K.; Keenan, S.P. et al., (2009): Use of non-invasive ventilation to wean critically ill adults off invasive ventilation: meta-analysis and systematic review. BMJ. May 21 : 338:b1574.

Burton, G.G.; Hodgkin, J.K; Ward, J.J. et al (1997) : Mechanical ventilation of the adult patient : initiation, management, complications and weaning in, respiratory care in clinical practice 4th ed. Lippincott-Raven Publishers, P: 661-641.

Butler, K.L.; K. E.; Sinclair, V.J. et al., (1999): The chest radiograph in critically ill surgical patients is inaccurate in predicting ventilator-associated pneumonia. Am. Surg. **65**:805-810.

Caceres, M.; Carrera, E.; Palma, A. et al., (1999): Antimicrobial susceptibility of anaerobic and aerobic bacteria isolated from patients with mixed infections in Nicaragua Rev. Esp. Quimioter; **12**: 332-339.

Campbell , G. (1994) : Overview of Community Acquired Pneumonia , prognosis and clinical features . Med . Clin . North AM. **78**(5) : 1035-1048.

Carroll, K.C.(2002): Laboratory diagnosis of lower respiratory tract infection : controversy and conundrums . J .Clin. Microbiol .**40**(9):3115-3120.

Carter, B.; Jones, C.; Pette, C. et al.,(1959): Comparison of PRAII, ANIdent, and rapiID-ANA system for identification of anaerobic bacteria. J. Clin. Microbiol.**22**:32.

Cato, E.P.; George, W.I. and Fingold, S.M. (1986): Genus clostridium. In Sneath PHA, Mair NS, Sharpe ME, et al(eds). Bergy's manual of systemic bacteriology . Vol. 2. Williams &Wilkins. Co. Baltimore. P:1141.

Cato, E.P.; Moore, L.V.H. and Moore, W.E.C.(1985): *Fusobacterium alocis* sp. Nov. and *Fusobacterium sulci* sp.nov. from the human gingival sulcus. J. Clin. Microbiol. 35:475.

Celig, D.M. and Schreckenberger, P.S. (1991): Clinical evaluation of the RapID-ANA II panel for identification of anaerobic bacteria . J. Clin. Microbiol. March; 29(3):457-462.

Cendrero, J.A.C.; Sole-Violan, J.; Benitez, A.B. et al., (1999): Role of different routes of tracheal colonization in the development of pneumonia in patients receiving mechanical ventilation. Chest 116:462-470.

Chastre, J. and Fagon , J. Y. (2002): Ventilator-associated pneumonia. Am. J. Respir. Crit. Care Med. 165:867-903.

Chastre, J.; Fagon, J.; and Bornet-Lesco, M.(1995) : Evaluation of bronchoscopic technique for the diagnosis of pulmonary infection in the diagnosis of nosocomial pneumonia . Am . J. Respir . Crit. Care Med,;152:231-240.

Cheebrough, M. (2006): Antimicrobial susceptibility testing , District laboratory practice in tropical countries . Part 2, 2nd ed. Ch. 7 p 132:143.

Chevret , S.; Hemmer, M.; Carlet , J. et al., (1993): Incidence and risk factors of pneumonia acquired in intensive care units. Results from a multicenter prospective study on 996 patients.

European Cooperative Group on Nosocomial Pneumonia.
Intensive Care Med.;19:256–264. doi: 10.1007/BF01690545.

Chollet-Martin, S.; Montravers, P.; Gibert, C. et al., (1993):
Subpopulation of hyperresponsive polymorphonuclear
neutrophils in patients with adult respiratory distress syndrome.
Role of cytokine production. Am. Rev. Respir. Dis. 146:990-
996.

Chow, A.W.; Patten, V. and Guze, L.B. (1975): Rapid screening of
Veillonella by ultraviolet fluorescence. J. Clin .Microbiol. 2:546.

Citron, D.M. (1984): Specimen collection and transport , anaerobic
culture techniques and identification of anaerobes. Rev. Infect.
Dis. 6:S51.

Collee , J.G.; Miles, R.S. and Watt, B. (1996): Test for
identification of bacteria . In Collee JG, Fraser AG, Marmion
BP, and Simons A, (eds). Mackie & McCartney. Practicle
medical microbiology . Cruickshank . Ch. 7.p:140-141.

Collee, J. and Marr, W. (1996) : Specimen collection , culture
containers and media. In: Mackie &MacCartney Practical
Medical Microbiology. 14th ed .Collee J., Fraser A., Marmion
B. and Simmons A. (eds). Churchill Livingstones. P95-112.

Combes, P.; Fauvage, B. and Oleyer, C. (2000): Nosocomial
pneumonia in mechanically ventilated patients, a prospective
randomised evaluation of the Stercath closed suctioning system.
Intensive Care Med. 26:878–882. doi: 10.1007/s001340051276.

Cook , D.J.; Walter , S.D.; Cook , R.J., et al., (1998)(a): Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. *Ann . Intern .Med.* 129 :433–440.

Cook, D.; De Jonghe, B.; Brochard, L. et al., (1998)(b): The influence of airway management on ventilation associated pneumonia: Evidence from randomized trials. *JAMA.* 279:781–787. doi: 10.1001/jama.279.10.781.

Cook, D.J.; Guyatt, G.; Marshall, J. et al., (1998)(c): A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. *N . Engl. J. Med.* 338:791–797. doi: 10.1056/NEJM199803193381203.

Craven, D.E. and Steger, K.A. (1997): Hospital-acquired pneumonia: perspectives for the healthcare epidemiologist. *Infect. Control .Hosp. Epidemiol.* 18:783–795.

Craven, D.E. (2006) : Preventing ventilator-associated pneumonia in adults. *Chest* 130:251–260.

Culpitt, S.V.; De Matos , C.; Russell, E.R. et al.,(2002): Effect of theophylline on induced sputum inflammatory indices and neutrophil chemotaxis in chronic obstructive pulmonary disease . *Am. J. Respir . Crit . Care Med .* 15;165(10):1371-1376.

De Jonge, E.; Schultz , M.J.; Spanjaard, L. et al., (2003): Effects of selective decontamination of digestive tract on mortality and

acquisition of resistant bacteria in intensive care: a randomised controlled trial. *Lancet*. 362:1011–1016. doi: 10.1016/S0140-6736(03)14409.

Dickman, M.D.; Chappelka, A.R.; Gerhard, J. et al., (1979): Compact anaerobic glove box for hospitals and research laboratories. *J. Clin. Microbiol.*9: 294.

Dinwiddie, R. (1990): Immune disease and the lung . In: *Diagnosis and Management of Pediatric Respirator Disease* . Churchill Livingstone, P127-146.

Dizerega, G.S.; Yonekura, M.L.; Roy, S. et al.,(1979): A comparison of clindamycin – gentamicin and penicillin- gentamicin in the treatment of postcesarean endomyometritis .*Am. J. Obstet. Gynecol.* 134:238.

Donowitz, G.R. and Mandell, G.L. (1990): Acute pneumonia . In Mandell GL, Douglas RG, Bennett JE, (eds) . *Principles and practice of infectious diseases* . 3rd ed . New York : Churchill Livingstone, ;540-555.

Dore', P.; Robert, R.; Grollier, G. et al., (1996) : Incidence of anaerobes in ventilator – associated pneumonia using protected specimen brush. *Am. J. Respir. Crit . Care Med* 153:1292-1298.

Driks, M.R.; Craven, D.E. and Celli, B.R. (1991): Nosocomial pneumonia in intubated patients given sucralfate as compared with antacids or histamine type 2 blockers : The role of gastric colonization. *N .Eng .J .Med*:317; 137.

- Eldstein, M.A.C.(1986):** Processing clinical specimens for anaerobic bacteria : Isolation and identification procedures. In Bailey and Scott's diagnostic microbiology , 7th ed. The C.V Mosby company. St Louis. P:500-34.
- Eley, A.; Clarry, T. an Bennett, K.W. (1989):** Selective and differential media for isolation of *Bacteroides ureolyticus* from clinical specimens. Eur. J. Clin. Microbiol. Infect. Dis. 8:83.
- Emori ,T.G.; Banerjee , S.N.; Culver, D.H. et al., (1991):** Nosocomial infections in elderly patients in the United States, 1986–1990. National Nosocomial Infections Surveillance System. Am. J . Med. 289S–293S. doi: 10.1016/0002-9343(91)90384-A.
- Erby, H.; Yalcin, A.; Serin, S. et al., (2003):** Nosocomial infections in intensive care unit in Turkish University Hospital :a 2-year survey . Intensive Care Med .;29:1482-1488.
- Esteban, A.; Anzuto, A.; Alia, I. et al.,(2000):** How Is Mechanical Ventilation Employed in the Intensive Care Unit? Am. J. Respir. Crit. Care Med., Volume 161, Number 5, May : 1450-1458.
- Eugene,W .; Roberts , C. and Martha,T. (1995):** Microbiology A human perspective Ch: 21 P: 470:496 .
- Ewig, S.; Torres, A.; El –Ebiary, M. et al., (1999):** Bacterial colonization pattern in mechanically ventilated patients with traumatic and medical head injury . AM . J. Respir. Crit .Care Med 159:188-198.

Fabergas, N.; Ewig, S.; Torres, A. et al., (1999): Clinical diagnosis of ventilator-associated pneumonia revisited: comparative evaluation using immediate postmortem biopsies. *Thorax*. 54:867–873.

Fagon , J.Y.; Chastre, J.; Trouillet , et al.,(1990): Characterization of distal bronchial microflora during acute exacerbation of chronic bronchitis . *Am. Rev. Respir . Dis* 142 :P: 1004-1008.

Fagon, J.Y.(2002): Prevention of ventilator-associated pneumonia. *Intensive Care Med*. 28:822–823. doi: 10.1007/s00134-002-1341-3.

Fagon, J.Y.; Chastre, J.; Hance, A.J. et al.(1993): Evalution of clinical judgment in the identification and treatment of nosocomial pneumonia in ventilated patients . *Chest* ;103:547-553.

Falguera, M.; Pifarre, R.; Martin, A. et al., (2005): Etiology and outcome of community acquired pneumonia in patients with diabetes mellitus. *Chest*. Nov. Vol. 128. No. 5. 3233-3239.

Farah, K.; Mougeot, B.; Bruce, J. et al., (2007): Molecular Analysis of Oral and Respiratory Bacterial Species Associated with Ventilator-Associated Pneumonia. *J Clin Microbiol*. May; 45(5): 1588–1593. doi: [10.1128/JCM.01963-06](https://doi.org/10.1128/JCM.01963-06).

Fartoukh, M.; Maitre, B.; Honore, S. et al., (2003): Diagnosing pneumonia during mechanical ventilation. *The Clinical*

Pulmonary Infection Score revisited. Am. J. Respir. Crit. Care Med. 168:173–179. doi: 10.1164/rccm.200212-1449OC.

Feldman, C.; Kassel, M.; Cantrell, J. et al., (1999) : The presence and sequence of endotracheal tube colonization in patients undergoing mechanical ventilation . Eur. Respir. J . 13: 546-551.

Ferrer, M.; Baur, T.T.; Torres, A. et al., (1999): Effect of nasogastric tube size on gastroesophageal reflux and microaspiration in intubated patients. Ann. Intern. Med. 130:991–994.

Fine, M.; Auble, T. And Yealy, D. (1997): A prediction rule to identify low- risk patients with community acquired pneumonia . N. Engl. J. Med .;36:243-250.

Finegold, S.M. and Edelstein., M.A.C (1985): Gram negative non-sporeforming anaerobic bacilli. Manual of clinical microbiology , 4th ed . American Society for microbiology , Washington , D.C. p:450-82.

Finegold, S.M.; Sugihara, P.T. and Sutter, V.L.(1965): Use of selective media for isolation of anaerobes from humans . In Finegold S.M. .;Sugihara,P.T. and Sutter, V.L. (eds). Isolation of anaerobes . Academic Press, London.p:99.

Fingold, S.M.; Baron, E.J. and Wexler, H.M. (1992): A clinical guide to anaerobic infections. Star publishing. Belmont, California.

Fingold, S.M.(1977): Anaerobic bacteria in human disease . New York : Academic press. P:15-45.

Finkelstein, R.; Rabino , G. ; Kassis , I . et al., (2000): Device-associated, device-day infection rates in an Israeli adult general intensive care unit. J. Hosp. Infect.:**44**:200–205. doi: 10.1053/jhin.1999.0682.

Galil, K. and Zalenik, D. (2002): Nosocomial pneumonia .Semin. Respir .Crit . Care. Med.;**23**(5):415-425.

Gallacher, I.J.; Klain, M.K. and Carlon, C.G. (1992): Present status of high frequency ventilation. Crit. Care .Med. 10:163.

Gallagher , I.J.(1992): Endotracheal intubation , Critical Care Clin. 676.

George , D.L. (1996): Nosocomial pneumonia. In: Mayhall CG, editor. Hospital Epidemiology and Infection Control. 3. Baltimore: Williams & Wilkins; p: 175–195.

Goldstein, E.G.; Citron, D.M.; Vaidya, S.A. et al.,(2006): In vitro activity of 11 antibiotics against 74 anaerobes isolated from pediatric intra -abdominal infections. Anaerobe 12,63-66.

Graven, D.E.; Kahe, B. and McCabe , W.R. (1996) : Risk factors for pneumonia in patients receiving continuous mechanical ventilation. Am .Rev. Respir Dis ;**132**:792.

Greenwood, D.; Slack, R.; Peutherer, J. et al.,(2007): Medical Microbiology . A guide to microbial infection : pathogenesis,

Immunity , Laboratory diagnosis and control . ch 36, non-sporing anaerobes p:352-358.

Gregory, M.E.; Moore, W.E.C. and Holdeman, L.V. (1978): Superoxide dismutase in anaerobes. Appl . Environ. Microbiol. 35:988.

Griffth, J.K.; Daly, J.S. and Dodge, R.A. (1992): Two cases of endocarditis due to Lactobacillus species : antimicrobial susceptibility . Rev. and discussion of therapy . Clin . Infect. Dis. 15:250.

Hanson, C.W. and Martin, W.J. (1976): Evaluation of enrichment, storage, and age of blood agar medium in relation to its ability to support growth of anaerobic bacteria. J. Clin. Microbiol. 4:394.

Harris, A.D.; Samore , M.H.; Nafziger, R. et al., (2000): A survey on handwashing practices and opinions of healthcare workers. J .Hosp. Infect. 45:318–321. doi: 10.1053/jhin.2000.0781.

Hayden, F.G. and Ison M.G.(2006): Respiratory Viral Infections. ACP Medicine. Ch7. A publication of the American College of Physicians.

Heath , J.M. and Mongia, R .(1998): Chronic bronchitis : primary care management , Am . Fam .Physician. 57(10): p:2365-2372, p: 2376-2378.

Hess, D.R. (1997): Mechanical ventilation of the adult patient: Initiation, management, complications and weaning. In :

Burton GG, Hodgkin JE and Ward JJ (eds) Respiratory Care in Clinical Practice 4th ed. Lippincott-Raven Publishers, 611-641 .

Hilbert, G.; Gruson, D.; Vargas, F. , et al., (2001): Noninvasive ventilation in immunosuppressed patients with pulmonary infiltrates, fever, and acute respiratory failure. N . Engl . J. Med. 344:481–487. doi: 10.1056/NEJM200102153440703.

Hoebrich, P.D. (1972): Infectious disease. Harper. Row. Publisher.

Hofstad, T.(1984): Pathogenicity of anaerobic gram negative rods: possible mechanisms. Rev. Infect. Dis. 6:189.

Holdeman, K.V.; Cato, E.P. and Moore, E.C. (1977): Anaerobic laboratory manual , 4th ed . Virginia polytechnic institute . State university , Blacksburg. 5:12-19.

Holdman, L.V.; Cato, E.P. and Johnson, J.L. (1984): Taxonomy of anaerobes . Rev. Infect . Dis. 6 (suppl 1) :3.

Hostetler , M.A. (2008): Use of noninvasive positive-pressure ventilation in the emergency department. Emerg. Med. Clin. North .Am. Nov :26(4):929-39, viii.

Howard, B.J. and Ducates, M.J. (1987): Anaerobic bacteria. In Howard BJ, and Ducates MJ(eds). Clinical and pathogenic microbiology . The C.V., Mosby company . St. Louis, Washington D.C. Toronto. P:371.

- Iregui, M.; Sherman, S.G.; . Fraser, V.J. et al., (2002):** Clinical importance of delays in the initiation of appropriate antibiotic treatment for ventilator-associated pneumonia. *Chest* 122:262-268.
- Irwin, R. and Madison, J. (2000):** The diagnosis and treatment of cough . *N. Engl. J. Med* .;343:1715-1721.
- Jacobs, J.; De Brauwer, E.; Cornelissen, E. et al., (2000):** Accuracy and precision of quantitative calibrated loops in transfer of bronchoalveolar lavage fluid . *J. Clin. Microbiol* . ;38:2117-2121.
- Jimenez, L.L. and Ramage, J.E. (2004):** Benefits of postpyloric enteral access placement by a nutrition support dietitian. *Nutr. Clin . Pract.* 19:518–522.
- Johnson , J.L.; Moore, L.V.H.; Kaneko, B. et al.,(1990):** *Actinomyces georgiae* sp . Nov , *Actinomyces gerecseriae* sp. Nov, designation of two genospecies of *Actinomyces naeslundii*, and inclusion of *A. naeslundii* serotypes II and III *Actinomyces viscosus* serotypes II in *A. naeslundii* genospecies II . *Int. J. Bacteriol.* 40:273.
- Joshi, N.; Caputo, G.M.; Weitekamp, M.R. et al., (1999):** Infections in patients with diabetes mellitus. *N. Engl. J. Med*;341,1906-1912.
- Jourdain, B.; Joly- Guillou M . and Donbret M.(1997):** Usefulness of quantitative culture of BAL fluid for diagnosis of nosocomial pneumonia in ventilated patients. *Chest*.;111:411-418.

Jousemies-Somer, H.R. and Finegold, S.M.(1991): Anaerobic gram negative bacilli and cocci . In Balows A, hausler WJ, Herrman KL, et al,(eds) : Manual of clinical microbiology , 5th eds. P:538.

Kaufman, D. (2002): Pneumonia in Medline plus Medical Encyclopedia (Accessed at <http://WWW.Nim.nih.gov/medlineplus/ency/article/000079.htm>\2003_04_17).

Keller ,C. and Brimacombe, J. (1998) : Bronchial mucus transport velocity in paralyzed anesthetized patients: a comparison of the laryngeal mask airway and cuffed tracheal tube. Anaesth. Analg 86:1280–1282.

Kharach, M. and Graff, J. (1995): Emergency management of the airway. Crit. Care Clin.11:53-66 .

Knutson , D. and Braun, C .(2002): Diagnosis and management of Acute Bronchitis . American Family Physician .65(10):2039-2044.

Kohlhammer , Y.; Schwartz, M.; Raspe, H. Et al., (2005) :Risk factors of community acquired pneumonia (CAP).Dtsch.Med Wochenschr . feb .25 ; 130(8) :381-386.

Kollef , M .H.(1993): Ventilator-associated Pneumonia: A multivariate analysis.JAMA. ;270: 1965–1970. doi: 10.1001/ jama.270 .16.1965.

Kollef , M.H.; Sharple s, L.; Vlasnik , J . et al., (1997)(a): The impact of nosocomial infections on patient outcomes following cardiac surgery. *Chest*. 112:666–675.

Kollef, M.H.; Von Harz, B.; Prentice, D. et al., (1997)(b): Patient transport from intensive care increases the risk of developing ventilator-associated pneumonia. *Chest*. 112:765–773.

Kollef, M. H. (2005): What is ventilator-associated pneumonia and why is it important? *Respir. Care* 50:714-724.

Kotirana, A.; Haapasalo, M.; Lounatmaa, K. et al.,(1995): Crystalline surface protein of *Peptostreptococcus anaaerobius* . *Microbiology* . 141:1065-66.

Kress, J.P.; Pohlman, A.S.; O'Connor, M.F. et al., (2000): Daily interruption of sedative infusions in critically ill patients undergoing mechanical ventilation. *N. Engl .J .Med*. **342**:1471–1477. doi: 10.1056/NEJM200005183422002.

Laslie , P. and James , L. (2007): Color Text book of Histology chapter 15 , Respiratory system .p : 345-365 .

Leal-Noval, S.R.; Marquez-Vacaro, J.A.; Garcia-Curiel , A. et al., (2000): Nosocomial pneumonia in patients undergoing heart surgery. *Crit Care Med*. **28**:935–940. doi: 10.1097/00003246-200004000-00004.

Lee, K.E.; Baron, E.J.; Summanen, P. et al., (1990): Selective medium for isolation of *Bacteroides fragilis*. *J. Clin. Microbiol.*28:1747.

Lefcoe, M.S.; G.A.; Fox, D.J. et al., (1994): Accuracy of portable chest radiography in the critical care setting. Diagnosis of pneumonia based on quantitative cultures obtained from protected brush catheter. Chest 105:885-887.

LiPuma, J.J.; Dulaney, B.J.; McMenamin, J.D. et al., (1999): Development of rRNA-based PCR assays for identification of *Burkholderia cepacia* complex isolates recovered from cystic fibrosis patients. J. Clin Microbiol . 37:3167–3170.

Loesche, W.J. (1969): Oxygen sensitivity of various anaerobic bacteria. App. Microbiol. 18:723.

Lofmark, S.; Edlund, C. and Nord, C.E. (2010) : Metronidazole is still the drug of choice for treatment of anaerobic infections. Clin .Infect. Dis . Jan 1;50 Suppl 1:S16-23.

Luna, C.M.; Videla, A.; Mattera, J. et al., (1999): Blood cultures have limited value in predicting severity of illness and as a diagnostic tool in ventilator-associated pneumonia. Chest 116:1075-1084.

Macfarlane , J . (2000) : Acute lower respiratory tract infections . In Concise Oxford Text Book of Medicine . 3rd ed Edited by J. Ledingham and D. Warrel. (eds). USA. Oxford University Perss. P: 220-245.

Macfarlane, J. (2001): In: Dilworth J. and Baldwin D. Dilworth and Baldwin's lung infection in respiratory medicine . Netherlands . Harwood Academic Publishers. P: 312 -322.

Mandell, L.A.; Wunderink, R.G.; Anzueto, A. et al., (2007): Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults. *Clinical Infectious Diseases* 44 Suppl 2: S27–72. [doi:10.1086/511159](https://doi.org/10.1086/511159).

Mangels, J.I.; Cox, M. and Siders, L.H. (1984): Methanol fixation : an alternative to heat fixation of smears before staining. *Diagn. Microbiol. Infect. Dis.* 2:129.

Marik, P. and Careau, P.(1999): The role of anaerobes in patients with ventilator associated pneumonia and aspiration pneumonia; *Chest* 115:178-183, DOI 10.1378/chest.115.1.178.

Marik, P.E. (2001): Aspiration pneumonitis & Aspiration pneumonia . *N. Engl. J. Med.* 344:665-671.

Maton, Anthea, Hopkins, S., et al., (2009): Human Biology and Health. Englewood Cliffs,: Prentice Hall. pp. 108–118. ISBN 0-12-981176-1.

McCord, J.M.; Keele, B.B. and Fridovich, I.(1971): An enzyme-based theory of obligate anaerobiosis: the physiological function of superoxide dismutase. *Proc. Natl. Acad. Sci. USA.* 68:1024.

McLeod, J.W. and Gordon, J. (1923): The problem of intolerance of oxygen by anaerobic bacteria. *J. Pathol. Bacteriol.* 26:332.

Meduri, G.U. (1995): Diagnosis and differential diagnosis of ventilator-associated pneumonia. *Clin. Chest Med.* 16:61-93.

Messori, A.; Trippoli, S.; Vaiani, M. et al., (2000): Bleeding and pneumonia in intensive care patients given ranitidine and sucralfate for prevention of stress ulcer: meta-analysis of randomised controlled trials. *BMJ.* 321:1–7. doi: 10.1136/bmj.321.7269.1103.

Mier, L. ; Dreyfuss, D.; Darchy, B. et al., (1993): Is penicillin G adequate initial treatment for aspiration pneumonia? A prospective evaluation using a protected specimen brush and quantitative cultures. *Intensive Care Med* 19:279-284.

Miyashita, N.; Niki, Y.; Nakajima, M. et al., (1998): Chlamydia pneumoniae infection in patients with diffuse panbronchiolitis and COPD. *Chest* : 114:969-971.

Monkla, B.J.; Braham, P.; Rabe, L.K. et al., (1991): Rapid presumptive identification of black pigmented gram negative anaerobic bacteria by using 4- methylumbelliferone derivatives. *J. Clin. Microbiol.* 29:1955-58.

Monso, E.; Ruiz, J.; Rosell, A. et al., (1995): Bacterial infection in chronic obstructive pulmonary disease. A study of stable and exacerbated outpatients using the protected specimen brush. *Am. J. Respir. Crit. Care Med.* **152**:1316-1320.

Moore, W.E.C.; Holdeman, L.V. and Kelly, R.W. (1984): Genus *Fusobacterium*. *Bergey's manual of systemic bacteriology*. Vol. 1. Williams & Wilkins Co. Baltimore.

Mufson, M.A. (2000): Viral pharyngitis, Laryngitis, Croup and Bronchitis In:Cecil Textbook of Medicine. (eds). Goldman, L . Bennett, J. C. WB Saunders Company. P1793-1794.

Murdoch , D.; Laing , R.; Mills, G. et al., (2001): Evaluation of a rapid immunochromatographic test for detection of *Streptococcus Pneumoniae* antigen in urine samples from adults with community – acquired pneumonia . J. Clin. Microbiol. 39: 3495-3498.

Murray, P.R. (1978): Growth of clinical isolates of anaerobic bacteria on agar media : effect of media composition , storage conditions , and reduction under anaerobic condition. J. Clin. Microbiol. 8:708.

Nagendra, S.; Bourbeau, P.; Brecher, S. et al., (2001) : Sampling variability in the microbiological evaluation of expectorated sputa and endotracheal aspirates. J . Clin Microbiol. 39:2344-2347.

Neblett, T.R. and Brown, W.J. (1980): Fundamental of anaerobic bacteriology . American Society of microbiology. Washington D.C.

Neill, A.; Martin, J. and Weir, R. (1996): Community acquired pneumonia : Aetiology and usefulness of severity criteria on admission. Thorax; 51: 1010-1016.

Nseir, S.C.; Di Pompeo, P.; Pronnier, S. et al., (2002): Nosocomial tracheobronchitis in mechanically ventilated patients: incidence, aetiology and outcome. Eur. Respir. J. 20:1483-1489.

Onderdonk, A.B.; Johnston, J.; Mayhew, J.W. et al., (1976): Effect of dissolved oxygen and Eh on *Bacteroid fragilis* during continuous culture. Appl. Environ. Microbiol. 31:168.

Onderdonk, A.B.; Kasper, D.L. and Sullivan, N.M. (1984): Use of a model of intra-abdominal sepsis for studies of pathogenicity of *Bacteroides fragilis*. Rev. Infect. Dis. 6(suppl 1):S 91.

Onderdonk, A.B.; Kasper, D.L.; Cisneros, R.L. et al., (1977): The capsular polysaccharide of *Bacteroid fragilis* as a virulence factor: comparison of the pathogenic potential of capsulated and uncapsulated strains. J. Infect. Dis. 136:82.

Orozco-Levi, M.; Torres, A.; Ferrer, M. et al., (1995): Semirecumbent position protects from pulmonary aspiration but not completely from gastroesophageal reflux in mechanically ventilated patients. Am. J. Respir. Crit. Care Med 152:1387–1390.

Pantosti, A.; Menozzi, M.G.; Frat, A. et al., (1997): Detection of enterotoxigenic *Bacteroides fragilis* and its toxin in stool samples from adults and children in Italy. Clin. Infect. Dis. 24:12-6.

Papazian, L.; Thomas, P.; Garbe, L. et al., (1995): Bronchoscopic or blind sampling techniques for the diagnosis of ventilation –

associated pneumonia. Am. J .Respir .Crit.Care Med;152: 1982-1991.

Phelan, P.D.; Landau, L.I. and Olinsky , A. (1990): Respiratory illness in children . Blackwell Scientific Publication, 3rd ed .

Pittet, D.; Hugonnet, S.; Harbarth, S. et al., (2000): Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. Lancet. 356:1307–1312. doi: 10.1016/S0140-6736(00)02814-2.

Plant , P.K.; Owen, J.L. and Elliott, M.W. (2000): Early use of non-invasive ventilation for acute exacerbations of chronic obstructive pulmonary disease on general respiratory wards: a multicentre randomised controlled trial. Lancet. Jun 3:355(9219) : 1931-5.

Pugin, J.; Auckenthaler, R.; Mili, N. et al., (1991):Diagnosis of ventilator-associated pneumonia by bacteriologic analysis of bronchoscopic and non-bronchoscopic "blind" bronchoalveolar lavage fluid. Am. Rev. Respir. Dis. 143:1121–1129.

Rand, K. (1997): Rejection criteria for endotracheal aspirates Diagn. Microbiol . Infect. Dis.;27:55-61.

Read , C .and Pennington , J. (1998): Community acquired pneumonia in respiratory tract infection . 4th ed . Read and Pennington J. (eds) . UK, health press . p 210-215.

Read , R. and Finch, R. (1998) : Bacterial infections of the respiratory tract . In Topley and Wilson's Microbiology and Microbial infection . Edited by L. Collier. A. Balows and M .Sussman Vol.3, 9th Edition. Great Britain . Bath Perss , Avon.

Rello , J., and Diaz , E. (2003): Pneumonia in the intensive care unit. *Crit. Care. Med.* ;**31**:2544–2551. doi: 10.1097/01.CCM.0000089928.843 26.D2.

Rello , J.; Diaz, E.; Roque, M. et al., (1999): Risk factors for developing pneumonia within 48 hours of intubation. *Am . J. Respir. Crit. Care Med.* 159:1742–1746.

Rello, J.; Ausina, V.; Ricart, M. et al., (1994): Risk factors for infection by *Pseudomonas aeruginosa* in patients with ventilator associated pneumonia. *Intensive Care Med.* 20:193–198. doi: 10.1007/BF01704699.

Rello, J.; Sonora, S.; Jubert, P. et al., (1996): Pneumonia in intubated patients: role of respiratory airway care. *Am. J. Respir. Crit. Care Med.* 154:111–115.

Rello, J.; Bodi , M. and Mariscal, D. (2003): Microbiology testing and outcome of patients with sever community acquired pneumonia .*Chest*; 123:174-180.

Reynolds, H.Y.(2000): Advances in understanding pulmonary host mechanisms : dendritic cell function and immunomodulation . *Curr. Opin . Pul. Med .* 6(3):209-216.

Richards , M.J.; Edwards , J.R.; Culver, D.H. et al., (1999): Nosocomial infections in medical intensive care units in the United States. Crit. Care. Med. 27:887–892. doi: 10.1097/00003246-199905000-00020.

Richards , M.J.; Edwards , J.R.; Culver, D.H. et al., (2000): Nosocomial infections in combined medical-surgical intensive care units in the United States. Infect. Control. Hosp. Epidemiol.21:510–215. doi: 10.1086/501795.

Robert, R.; Grollier , G.; Dore, P. et al., (1999): Nosocomial pneumonia and isolation of anaerobic bacteria in ICU patients : therapeutic consideration and outcome . J. Crit. Care 14:114-119.

Robert, L. (2003): Fundamentals of Mechanical ventilation a short course on the theory and application , Introduction to ventilators. 1ST ed. P: 7-16 .

Robert, R.; Grollier, G.; Godet, C. et al., (2003): Colonization of lower respiratory tract with anaerobic bacteria in mechanically ventilated patient .Intensive care medicine Dol 10.1007/S00134-003-1729-8.

Rolfe, R.D.; Hentges, D.J. and Barrett, J.T.(1978): Oxygen tolerance of human intestinal anaerobes. Am . J. Clin. Nut. 30:1762.

Rosenthal , V.D.; Guzman, S. and Orellano, P.W.(2003): Nosocomial infections in medical-surgical intensive care units in Argentina: attributable mortality and length of stay. Am. J . Infect. Control. 31:291–295. doi: 10.1067/mic.2003.1.

Rotestein, O.D.; Nasmith, P.E.; Grinstein, S. et al., (1987): The *Bacteroides* by –product succinic acid inhibits neutrophil respiratory burst by reducing intracellular PH .Infect . Immun. 55:864.

Rouby, J.; Rossignon, M; and Nicolas, M. (1989): Prospective study of protected bronchoalveolar lavage in diagnosis of nosocomial pneumonia. Anesthesiology ;71:679-685.

Rouby, J.J.; Laurent, P.; Gosnach, M. et al., (1994): Risk factors and clinical relevance of nosocomial maxillary sinusitis in the critically ill. Am . Rev . Respir . Dis. 150:776–783.

Sapey , E. And Stockley , R.A.(2006): COPD exacerbation .2:Aetiology :Thorax. 61:250-258.

Seip, W.F. and Evans, G.L. (1980): Atmospheric analysis and redox potentials of culture media in the GasPak system . J. Clin. Microbiol .11:226.

Sethi , S. and Murphy, T.F. (2001): Bacterial infection in chronic obstructive pulmonary disease in 2000: a state-of-the art review. Clin . Microbiol .Rev.: 14:336-363.

Shanson , D. (1999): Infections of LRT . In : Microbiology in Clinical practice . 3rd ed Shanson , D. (ed) Butterworth – Hienemann. England.

Shaw, H.N. and Collins, M.D. (1990): *Prevotella* , a new genus to include *Bacteroides melaninogenicus* and related species

formerly classified in the genus *Bacteroides*. Int . J. Syst. Bacteriol. 40:205.

Shaw, H.N. and Ghabria, S.E. (1992): Biochemical and chemical studies on strains designated *Prevotella intermedia* and proposal of a new pigmented species, *Prevotella nigrescens* sp. Nov. Int. J. Bacteriol. 42:542.

Simon , H.; Cannistra, S.; Etkin, M. et al., (2000): Pneumonia (Accessed at [http://Wellnessucdious.edu \wellconnected\ pneumonia 64. html \2003_06_26](http://Wellnessucdious.edu/\wellconnected/pneumonia%2064.html)).

Simon, G.L.; Klempner, M.S.; Kasper, D.L. et al.,(1982): Alteration in opsonophagocytosis killing by neutrophils of *Bacteroides fragilis* associated with animal and laboratory passage : effect of capsular polysaccharide. J. Infect . Dis. 145:72.

Singh, N.; Rogers, P.; Atwood, C.W. et al., (2000): Short-course empiric antibiotic therapy for patients with pulmonary infiltrates in the intensive care unit: a proposed solution for indiscriminate antibiotic prescription. Am. J. Respir. Crit. Care Med. 162:505–511.

Sirvent , J.M.; Torres, A.; El-Ebiary, M. et al., (1997): Protective effect of intravenously administered cefuroxime against nosocomial pneumonia in patients with structural coma. Am . J. Respir. Crit . Care Med. 155:1729–1734.

Skerrett, S. (1997): Diagnostic testing to establish a microbial cause is helpful in the management of community acquired pneumonia .
Semin . Respir. Infect. 12:308-321.

Smith, L.D. (1967): Anaerobes and oxygen. The anaerobic bacteria.
The institute of microbiology hygiene of Montreal university.
Montreal.

Sonnenwirth, A.C. (1972): Gram positive , nonsporeforming anaerobic bacilli. Manual of clinical microbiology .3rd edition . American society for microbiology, Washington D.C. p:440.

Spencer, R.C. (1996): Predominant pathogens found in the European
Prevalence of Infection in Intensive Care Study. Eur. J. Clin .
Microbiol . Infect .Dis. 15:281–285. doi: 10.1007/BF01695658.

Spilker , C.; Hinthorn, D. and Pingleton, S. (1996): Intermittent
enteral feeding in mechanically ventilated patients: the effect on
gastric PH and gastric cultures. Chest : 110:243-248.

Sprunt, k. and Redman, W. (1998) : Evidence suggesting the
importance of role of interbacterial inhibition in maintaining the
balance of normal flora . Ann Intren med 68: P:579-590.

Stauffer, J.L.; Olson, D.E. and Petty , T.L. (1991): Complications
and consequences of endotracheal intubation tracheostomy;
70:65-76.

- Stempel, H.E.; Martin, E.T.; Kuypers, J., et al., (2009):** Multiple viral respiratory pathogens in children with Bronchiolitis . Acta. Paediatr. 98: 123.
- Steven , M.; Koenig and Jonathon , D. (2006):** Ventilation – Associated Pneumonia : Diagnosis , Treatment , and Prevention . Clin Microbiol Rev . October ;19(4): 637-657 .
- Stockley, R.A.(2002):** Neutrophils and the pathogenesis of COPD . Chest 121:151-5S.
- Styrt, B. and Gorbach, S.L.(1989):** Recent development in the understanding of the pathogenesis and treatment of anaerobic infections . N. Eng. J. Med. 321:240-98.
- Sundquist, G. (1985) :** Degradation of human immunoglobulins M and G and complement factors C3 and C5 by black-pigmented *Bacteroides* . J . Med. Microbiol 19:85-94.
- Summanen, p.; Baron, E.J.; Citron, D.M.et al., (1993):** Wadsworth anaerobic bacteriology manual. 5th ed . Star publishing co. Belmont . California.
- Sutter , V.L. and Fingold, S. (1996):** Susceptibility of anaerobic bacteria to 23 antimicrobial agents. Anti Microb. Agents Chemother . 10, 736-752.
- Sutter, V.L. and Finegold, S.M.(1971):** Antibiotic susceptibility tests for rapid presumptive identification of gram negative anaerobic bacilli. Appl. Microbiol. 21:13.

Sutter, V.L.; Citron, D.M. and Finegold, S.M. (1980): Wadsworth anaerobic bacteriology manual. 3rd ed. The C.V. Mosby Co.St. Louis. 2:37-50.

Sutter, V.L.; Citron, D.M.; Edelstein, M.A.C. et al.,(1985): Wadsworth anaerobic bacteriology manual. 4th ed . Star publishing co. Belmont . California.

Tally, F.O.; Goldin, B.R. ; Jacobus, N.V. et al.,(1977): Superoxide dismutase in anaerobic bacteria of clinical significance . Infect. Immun. 16:20.

Thadapalli, H.; Gorbach, S.L.; Broido, P.W. et al.,(1973): Abdominal trauma , anaerobes and antibiotics . Surg. Gynecol. Obstet. 137:270.

Torres , A.; Puig de la Bellacasa, J.; Xaubet, A. et al., (1989): Diagnostic value of quantitative cultures of bronchoalveolar lavage and telescoping plugged catheters in mechanically ventilated patients with bacterial pneumonia. Am. Rev. Respir.Dis. 140:306–310.

Torres, A.; Aznar, R.; Gatell, J.M. et al., (1990): Incidence, risk, and prognosis factors of nosocomial pneumonia in mechanically ventilated patients. Am. Rev. Respir .Dis. 142:523–528.

Torres, A., and El-Ebiary, M. (2000): Bronchoscopic BAL in the diagnosis of ventilator-associated pneumonia. Chest 117:198S-202S.

Tortora, G.J. ; Funke , B.R. and Case , C.L.(1992) : Microbial Disease of the Respiratory system . In: Microbiology 4th ed . The Benjamin /Cumming Publishing CO . Inc.

Trick, W.E.; Vernon, M.O.; Hayes, R.A. et al., (2003): Impact of ring wearing on hand contamination and comparison of hand hygiene agents in a hospital. Clin . Infect. Dis. 36:1383–1390. doi: 10.1086/374852.

Valles, J.; Artigas, A.; Rello, J. et al., (1995): Continous aspiration of subglottic secretions drainage in prevention ventilator-associated pneumonia. Ann. Intern . Med. 122:179–186.

Valles, J.; Rello, J.; Fernandez, R. et al., (1994): Role of brochoalveolar lavage in mechanically ventilated patients with suspected pneumonia. Eur .J. Clin .Microbiol. Infect. Dis. 13:549–558. doi: 10.1007/BF01971305.

Verhoef , J. (1993) : prevention of infection in neurotropic patient. Clin. Infect. Dis. ; 17(2):359-367.

Vincent , J.L.; Bihari , D.J.; Suter, P.M. et al., (1995): The prevalence of nosocomial infection in intensive care units in Europe. JAMA. 274:639–644. doi: 10.1001/jama.274.8.639.

Visscher , D.W. and Myers J.L.(2006): Bronchiolitis . The proceeding of the American Thoracic Society 3:41-47.

Weber , D.J. and Rutala, W.A. (1996): Nosocomial infections associated with respiratory therapy. In: Mayhall CG, editor.

Hospital Epidemiology and Infection Control. 3. Baltimore: Williams & Wilkins; p: 748–758.

Whaley, D.N. and Gorman, G.W. (1977): An expensive device for evacuating the gassing anaerobic systems with systems with in-house vacuum. J. Clin. Microbiol. 5:668.

WHO (2003): Alert , verification and public health management of SARS in the post -out break period.

William , K. ; Ovalle ; Patrick, C . et al., (2008) : Netter`s Essential Histology . ch. 15 Respiratory System p :333-352.

Wilson, W.R.; Martin, W.J.; Wilkowske, C.J. et al., (1972): Anaerobic bacteremia. Mayo Clin . Proc.47:639.

Wimberley, N.; Faling, L. and Bartlett, J.(1979): A fibroptic bronchoscopy technique to obtain uncontaminated lower airway secretions for bacterial culture . Am. Rev. Resp. Dis.;119:337-343.

Wunderink, R.G.; L. S.; Woldenberg, J. et al., (1992): The radiologic diagnosis of autopsy-proven ventilator-associated pneumonia. Chest **101**:458-463.

Yoneyama, T.; Yashilda, M. and Matsui, T.(1999) :Oral care and pneumonia . Lancet ;345:515-518.

Young, B. and John ,W. (2000): Functional Histology , 4th ed . Respiratory system ch:12 P 222-236.

Ziadi, A. and Reller, B.(1996): Rejection criteria for endotracheal aspirates from pediatric patients. J . Clin. Microbiol ;34:352-354.

Zwillish,C.W.;Pierson, D.J.; Creagh, C.E. et al., (1994):Complication of assisted ventilation. Am. J. Med; P:57:161.