

REFERENCES

- Allen, J.R.; Hightower, A.W.; Martin, S.M. and Dixon, R.E. (1981):** Secular trends in nosocomial infections: 1970-1979. *Am J Med*;70(2):389-92.
- Allen, K.D.; Bartzokas, C.A.; Graham, R.; Gibson, M.F. and Gilbertson, A.A. (1987):** Acquisition of endemic *Pseudomonas aeruginosa* on an intensive therapy unit. *J Hosp Infect*;10(2):156-64.
- Ambler, R.P. (1980):** The structure of beta-lactamases. *Philos Trans R Soc Lond B Biol Sci*;289(1036):321-31.
- Ambler, R.P.; Coulson, A.F.; Frere, J.M.; Ghuysen, J.M.; Joris, B.; Forsman, M.; Levesque, R.C.; Tiraby, G. and Waley, S.G. (1991):** A standard numbering scheme for the class A beta-lactamases. *Biochem J*;276 (Pt 1):269-70.
- Anderson, K. (1962):** The contamination of hexachlorophene soap with *Pseudomonas pyocyanea*. *Med J Aust*;49(2):463-5.
- Andrews, J.M.; Bradley, J.E. and Wise, R. (1993):** Comparison of 'E' test with conventional agar MIC. *J Antimicrob Chemother*;31(5):802-3.
- Anyiwo, C.E.; Coker, A.O. and Daniel, S.O. (1982):** *Pseudomonas aeruginosa* in postoperative wounds from chlorhexidine solutions. *J Hosp Infect*;3(2):189-91.
- Araj, G.F. (1984):** Use of 9-chloro-9-(4-diethylaminophenyl)-10-phenylacridan as a primary medium for recovery of *Pseudomonas aeruginosa* from clinical specimens. *J Clin Microbiol*;20(3):330-3.
- Arakawa, Y.; Murakami, M.; Suzuki, K.; Ito, H.; Wacharotayankun, R.; Ohsuka, S.; Kato, N. and Ohta, M. (1995):** A novel integron-like element carrying the metallo-beta-lactamase gene blaIMP. *Antimicrob Agents Chemother*;39(7):1612-5.
- Babini, G.S. and Livermore, D.M. (2000):** Antimicrobial resistance amongst *Klebsiella* spp. collected from intensive care units in Southern and Western Europe in 1997-1998. *J Antimicrob Chemother*;45(2):183-9.
- Barrangou, R.; Fremaux, C.; Deveau, H.; Richards, M.; Boyaval, P.; Moineau, S.; Romero, D.A. and Horvath, P. (2007):** CRISPR provides acquired resistance against viruses in prokaryotes. *Science*;315(5819):1709-12.
- Bartlett, J.M. (2003):** Technical notes for the detection of nucleic acids. *Methods Mol Biol*;226:65-76.
- Bartlett, J.M. and White, A. (2003):** Extraction of DNA from whole blood. *Methods Mol Biol*;226:29-32.
- Basim, E.H. and Basim, H. (2001):** Pulsed-Field Gel Electrophoresis (PFGE) Technique and its use in Molecular Biology. *Turk J Biol*;25:405-18.

- Bassett, D.C.; Stokes, K.J. and Thomas, W.R. (1970):** Wound infection with *Pseudomonas* multivorans. A water-borne contaminant of disinfectant solutions. *Lancet*;1(7658):1188-91.
- Bauer, T.M.; Ofner, E.; Just, H.M.; Just, H. and Daschner, F.D. (1990):** An epidemiological study assessing the relative importance of airborne and direct contact transmission of microorganisms in a medical intensive care unit. *J Hosp Infect*;15(4):301-9.
- Belkum, A.; Pelt-Verkuil, E. and Hays, J.P. (2009):** The application of randomly amplified DNA analysis in the molecular epidemiology of microorganisms. *Methods Mol Biol*;551:37-47.
- Bergmans, D.C.; Bonten, M.J.; Van Tiel, F.H.; Gaillard, C.A.; Van Der Geest, S.; Wilting, R.M.; De Leeuw, P.W. and Stobberingh, E.E. (1998):** Cross-colonisation with *Pseudomonas aeruginosa* of patients in an intensive care unit. *Thorax*;53(12):1053-8.
- Berkelman, R.L.; Lewin, S.; Allen, J.R.; Anderson, R.L.; Budnick, L.D.; Shapiro, S.; Friedman, S.M.; Nicholas, P.; Holzman, R.S. and Haley, R.W. (1981):** Pseudobacteremia attributed to contamination of povidone-iodine with *Pseudomonas cepacia*. *Ann Intern Med*;95(1):32-6.
- Bertrand, X.; Thouverez, M.; Talon, D.; Boillot, A.; Capellier, G.; Floriot, C. and Helias, J.P. (2001):** Endemicity, molecular diversity and colonisation routes of *Pseudomonas aeruginosa* in intensive care units. *Intensive Care Med*;27(8):1263-8.
- Bingen, E.H.; Denamur, E. and Elion, J. (1994):** Use of ribotyping in epidemiological surveillance of nosocomial outbreaks. *Clin. Microbiol. Rev.*;7(3):311-27.
- Blanc, D.S.; Francioli, P. and Zanetti, G. (2007):** Molecular Epidemiology of *Pseudomonas aeruginosa* in the Intensive Care Units - A Review. *Open Microbiol J*;1:8-11.
- Blanc, D.S.; Petignat, C.; Janin, B.; Bille, J. and Francioli, P. (1998):** Frequency and molecular diversity of *Pseudomonas aeruginosa* upon admission and during hospitalization: a prospective epidemiologic study. *Clin Microbiol Infect*;4(5):242-7.
- Bodey, G.P.; Jadeja, L. and Elting, L. (1985):** *Pseudomonas* bacteremia. Retrospective analysis of 410 episodes. *Arch Intern Med*;145(9):1621-9.
- Bonomo, R.A.; Rudin, S.A. and Shlaes, D.M. (1997):** Tazobactam is a potent inactivator of selected inhibitor-resistant class A beta-lactamases. *FEMS Microbiol Lett*;148(1):59-62.
- Boschi, L.; Mercuri, P.S.; Riccio, M.L.; Amicosante, G.; Galleni, M.; Frere, J.M. and Rossolini, G.M. (2000):** The *Legionella* (Fluoribacter) gormanii metallo-beta-lactamase: a new member of the highly divergent lineage of molecular-subclass B3 beta-lactamases. *Antimicrob Agents Chemother*;44(6):1538-43.
- Bou, G. and Martinez-Beltran, J. (2000):** Cloning, nucleotide sequencing, and analysis of the gene encoding an AmpC beta-lactamase in *Acinetobacter baumannii*. *Antimicrob Agents Chemother*;44(2):428-32.
- Boukadida, J.; De Montalembert, M.; Gaillard, J.L.; Gobin, J.; Grimont, F.; Girault, D.; Veron, M. and Berche, P. (1991):** Outbreak of gut colonization by *Pseudomonas aeruginosa* in immunocompromised children undergoing total digestive decontamination: analysis by pulsed-field electrophoresis. *J Clin Microbiol*;29(9):2068-71.

- Bradford, P.A. (2001):** Extended-spectrum beta-lactamases in the 21st century: characterization, epidemiology, and detection of this important resistance threat. *Clin Microbiol Rev*;14(4):933-51, table of contents.
- Bradford, P.A. and Dean, C.R. (2008):** Resistance of Gram-Negative Bacilli to Antimicrobials. In: Fong, I.W. and Drlica, K. (Eds.) *Antimicrobial Resistance and Implications for the Twenty-First Century*. pp: 97- 159. New York: Springer.
- Brokopp, C.D. and Farmer, J.J. (1979):** Typing methods for *Pseudomonas aeruginosa*. In: Doggett, R.G. (Ed.) *Pseudomonas aeruginosa: clinical manifestations of infections and current therapy*. pp: 89-133. New York: Academic Press, Inc.
- Brun-Buisson, C.; Legrand, P.; Philippon, A.; Montravers, F.; Ansquer, M. and Duval, J. (1987):** Transferable enzymatic resistance to third-generation cephalosporins during nosocomial outbreak of multiresistant *Klebsiella pneumoniae*. *Lancet*;2(8554):302-6.
- Bukholm, G.; Tannaes, T.; Kjelsberg, A.B. and Smith-Erichsen, N. (2002):** An outbreak of multidrug-resistant *Pseudomonas aeruginosa* associated with increased risk of patient death in an intensive care unit. *Infect Control Hosp Epidemiol*;23(8):441-6.
- Burdon, D.W. and Whitby, J.L. (1967):** Contamination of hospital disinfectants with *Pseudomonas* species. *Br Med J*;2(5545):153-5.
- Bush, K. (1989a):** Classification of beta-lactamases: groups 1, 2a, 2b, and 2b'. *Antimicrob Agents Chemother*;33(3):264-70.
- Bush, K. (1989b):** Classification of beta-lactamases: groups 2c, 2d, 2e, 3, and 4. *Antimicrob Agents Chemother*;33(3):271-6.
- Bush, K.; Jacoby, G.A. and Medeiros, A.A. (1995):** A functional classification scheme for beta-lactamases and its correlation with molecular structure. *Antimicrob Agents Chemother*;39(6):1211-33.
- Canica, M.M.; Lu, C.Y.; Krishnamoorthy, R. and Paul, G.C. (1997):** Molecular diversity and evolution of blaTEM genes encoding beta-lactamases resistant to clavulanic acid in clinical *E. coli*. *J Mol Evol*;44(1):57-65.
- Carle, G.F.; Frank, M. and Olson, M.V. (1986):** Electrophoretic separations of large DNA molecules by periodic inversion of the electric field. *Science*;232(4746):65-8.
- Carmeli, Y.; Troillet, N.; Eliopoulos, G.M. and Samore, M.H. (1999):** Emergence of antibiotic-resistant *Pseudomonas aeruginosa*: comparison of risks associated with different antipseudomonal agents. *Antimicrob Agents Chemother*;43(6):1379-82.
- Castanheira, M.; Mendes, R.E.; Walsh, T.R.; Gales, A.C. and Jones, R.N. (2004a):** Emergence of the extended-spectrum beta-lactamase GES-1 in a *Pseudomonas aeruginosa* strain from Brazil: report from the SENTRY antimicrobial surveillance program. *Antimicrob Agents Chemother*;48(6):2344-5.
- Castanheira, M.; Toleman, M.A.; Jones, R.N.; Schmidt, F.J. and Walsh, T.R. (2004b):** Molecular characterization of a beta-lactamase gene, blaGIM-1, encoding a new subclass of metallo-beta-lactamase. *Antimicrob Agents Chemother*;48(12):4654-61.

- Castro, V.A.; Thrasher, A.N.; Healy, M.; Ott, C.M. and Pierson, D.L. (2004):** Microbial characterization during the early habitation of the International Space Station. *Microb Ecol*;47(2):119-26.
- CDC (1986):** Bacteremia associated with reuse of disposable hollow-fiber hemodialyzers. *MMWR Morb Mortal Wkly Rep*;35(25):417-8.
- Cha, J.Y.; Kotra, L.P. and Mobashery, S. (2008):** Resistance to β -Lactam Antibiotics Mediated by β -Lactamases: Structure, Mechanism and Evolution. In: Wax, R.G.; Lewis, K.; Salyers, A.A. and Haber, H.W. (Eds.) *Bacterial Resistance to Antimicrobials*. 2nd edn, pp: 103-32. Boca Raton: CRC Press, Inc.
- Chaibi, E.B.; Sirot, D.; Paul, G. and Labia, R. (1999):** Inhibitor-resistant TEM beta-lactamases: phenotypic, genetic and biochemical characteristics. *J Antimicrob Chemother*;43(4):447-58.
- Chastre, J. and Fagon, J.Y. (2002):** Ventilator-associated pneumonia. *Am J Respir Crit Care Med*;165(7):867-903.
- Cheesbrough, M. (2006):** Antimicrobial susceptibility testing. In: *District Laboratory Practice in Tropical Countries*. Part 2., pp: 132-43. Cambridge University Press.
- Chetchotisakd, P.; Phelps, C.L. and Hartstein, A.I. (1994):** Assessment of bacterial cross-transmission as a cause of infections in patients in intensive care units. *Clin Infect Dis*;18(6):929-37.
- Chu, G.; Vollrath, D. and Davis, R.W. (1986):** Separation of large DNA molecules by contour-clamped homogeneous electric fields. *Science*;234(4783):1582-5.
- Claeys, G.; Verschraegen, G.; De Baere, T. and Vanechoutte, M. (2000):** PER-1 beta-lactamase-producing *Pseudomonas aeruginosa* in an intensive care unit. *J Antimicrob Chemother*;45(6):924-5.
- Clinical and Laboratory Standards Institute (2009):** Performance Standards for Antimicrobial Disk Susceptibility Tests; Approved Standard—Tenth Edition. CLSI document M02-A10. Wayne, Pennsylvania, USA: Clinical and Laboratory Standards Institute.
- Clinical and Laboratory Standards Institute (2010):** Performance Standards for Antimicrobial Susceptibility Testing; Twentieth Informational Supplement. CLSI document M100S20. Wayne, Pennsylvania, USA: Clinical and Laboratory Standards Institute.
- Collee, J.G.; Miles, R.S. and Watt, B. (1996):** Tests for the identification of bacteria. In: Collee, J.G.; Fraser, A.G.; Marmion, B.P. and Simmons, A. (Eds.) *Mackie & McCartney Practical Medical Microbiology*. Ch 7, pp: 131-49. New York: Churchill Livingstone.
- Cormican, M.G.; Marshall, S.A. and Jones, R.N. (1996):** Detection of extended-spectrum beta-lactamase (ESBL)-producing strains by the Etest ESBL screen. *J Clin Microbiol*;34(8):1880-4.
- Correa, C.M.; Tibana, A. and Gontijo Filho, P.P. (1991):** Vegetables as a source of infection with *Pseudomonas aeruginosa* in a University and Oncology Hospital of Rio de Janeiro. *J Hosp Infect*;18(4):301-6.
- Costerton, J.W.; Stewart, P.S. and Greenberg, E.P. (1999):** Bacterial biofilms: a common cause of persistent infections. *Science*;284(5418):1318-22.

- Crawford, J.; Ozer, H.; Stoller, R.; Johnson, D.; Lyman, G.; Tabbara, I.; Kris, M.; Grous, J.; Picozzi, V.; Rausch, G. and Et Al. (1991):** Reduction by granulocyte colony-stimulating factor of fever and neutropenia induced by chemotherapy in patients with small-cell lung cancer. *N Engl J Med*;325(3):164-70.
- Crivaro, V.; Di Popolo, A.; Caprio, A.; Lambiase, A.; Di Resta, M.; Borriello, T.; Scarcella, A.; Triassi, M. and Zarrilli, R. (2009):** Pseudomonas aeruginosa in a neonatal intensive care unit: molecular epidemiology and infection control measures. *BMC Infect Dis*;9:70.
- Crowley, B.D. (2001):** Extended-spectrum beta-lactamases in blood culture isolates of Klebsiella pneumoniae: seek and you may find! *J Antimicrob Chemother*;47(5):728-9.
- Cryz, S.J., Jr.; Furer, E.; Sadoff, J.C.; Fredeking, T.; Que, J.U. and Cross, A.S. (1991):** Production and characterization of a human hyperimmune intravenous immunoglobulin against Pseudomonas aeruginosa and Klebsiella species. *J Infect Dis*;163(5):1055-61.
- Curran, B.; Jonas, D.; Grundmann, H.; Pitt, T. and Dowson, C.G. (2004):** Development of a multilocus sequence typing scheme for the opportunistic pathogen Pseudomonas aeruginosa. *J Clin Microbiol*;42(12):5644-9.
- Cuttelod, M.; Senn, L.; Terletskiy, V.; Nahimana, I.; Petignat, C.; Eggimann, P.; Bille, J.; Prod'hom, G.; Zanetti, G. and Blanc, D.S. (2011):** Molecular epidemiology of Pseudomonas aeruginosa in intensive care units over a 10-year period (1998-2007). *Clin Microbiol Infect*;17(1):57-62.
- Danel, F.; Hall, L.M. and Livermore, D.M. (1999):** Laboratory mutants of OXA-10 beta-lactamase giving ceftazidime resistance in Pseudomonas aeruginosa. *J Antimicrob Chemother*;43(3):339-44.
- Datta, N. and Kontomichalou, P. (1965):** Penicillinase synthesis controlled by infectious R factors in Enterobacteriaceae. *Nature*;208(5007):239-41.
- De Vos, D.; Lim, A.; Pirnay, J.P.; Duinslaeger, L.; Revets, H.; Vanderkelen, A.; Hamers, R. and Cornelis, P. (1997):** Analysis of epidemic Pseudomonas aeruginosa isolated by isoelectric focusing of pyoverdine and RAPD-PCR: modern tools for an integrated anti-nosocomial infection strategy in burn wound centres. *Burns*;23(5):379-86.
- De Vos, P. and De Ley, J. (1983):** Intra- and Intergeneric Similarities of Pseudomonas and Xanthomonas Ribosomal Ribonucleic Acid Cistrons. *Int J Syst Bacteriol*;33(3):487-509.
- Denamur, E.; Picard, B.; Gouillet, P.; Bingen, E.; Lambert, N. and Elion, J. (1991):** Complexity of Pseudomonas aeruginosa infection in cystic fibrosis: combined results from esterase electrophoresis and rDNA restriction fragment length polymorphism analysis. *Epidemiol Infect*;106(3):531-9.
- Denton, M.; Kerr, K.; Mooney, L.; Keer, V.; Rajgopal, A.; Brownlee, K.; Arundel, P. and Conway, S. (2002):** Transmission of colistin-resistant Pseudomonas aeruginosa between patients attending a pediatric cystic fibrosis center. *Pediatr Pulmonol*;34(4):257-61.
- Didelot, X. and Maiden, M.C. (2010):** Impact of recombination on bacterial evolution. *Trends Microbiol*;18(7):315-22.

- Douglas, M.W.; Mulholland, K.; Denyer, V. and Gottlieb, T. (2001):** Multi-drug resistant *Pseudomonas aeruginosa* outbreak in a burns unit--an infection control study. *Burns*;27(2):131-5.
- Drenkard, E. (2003):** Antimicrobial resistance of *Pseudomonas aeruginosa* biofilms. *Microbes Infect*;5(13):1213-9.
- Drieux, L.; Brossier, F.; Sougakoff, W. and Jarlier, V. (2008):** Phenotypic detection of extended-spectrum beta-lactamase production in Enterobacteriaceae: review and bench guide. *Clin Microbiol Infect*;14 Suppl 1:90-103.
- Dubois, V.; Arpin, C.; Noury, P. and Quentin, C. (2002a):** Clinical strain of *Pseudomonas aeruginosa* carrying a bla(TEM-21) gene located on a chromosomal interrupted TnA type transposon. *Antimicrob Agents Chemother*;46(11):3624-6.
- Dubois, V.; Poirel, L.; Marie, C.; Arpin, C.; Nordmann, P. and Quentin, C. (2002b):** Molecular characterization of a novel class 1 integron containing bla(GES-1) and a fused product of aac3-Ib/aac6'-Ib' gene cassettes in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;46(3):638-45.
- Edwards-Jones, V. and Greenwood, J.E. (2003):** What's new in burn microbiology? James Laing Memorial Prize Essay 2000. *Burns*;29(1):15-24.
- Emmanouilidou-Arseni, A. and Koumentakou, I. (1964):** Viability of *Pseudomonas aeruginosa*. *J Bacteriol*;87(5):1253.
- Engel, J.E. (2003):** Molecular pathogenesis of acute *Pseudomonas aeruginosa* infection. In: Hauser, A.R. and Rello, J. (Eds.) *Severe Infections Caused by Pseudomonas aeruginosa*. pp: 201-29. Boston, MA: Kluwer Academic Publishers.
- Enright, M.C.; Day, N.P.; Davies, C.E.; Peacock, S.J. and Spratt, B.G. (2000):** Multilocus sequence typing for characterization of methicillin-resistant and methicillin-susceptible clones of *Staphylococcus aureus*. *J Clin Microbiol*;38(3):1008-15.
- Enright, M.C. and Spratt, B.G. (1999):** Multilocus sequence typing. *Trends Microbiol*;7(12):482-7.
- Eschbach, M.; Schreiber, K.; Trunk, K.; Buer, J.; Jahn, D. and Schobert, M. (2004):** Long-term anaerobic survival of the opportunistic pathogen *Pseudomonas aeruginosa* via pyruvate fermentation. *J Bacteriol*;186(14):4596-604.
- Evans, D.J.; Frank, D.W.; Finck-Barbancon, V.; Wu, C. and Fleiszig, S.M. (1998):** *Pseudomonas aeruginosa* invasion and cytotoxicity are independent events, both of which involve protein tyrosine kinase activity. *Infect Immun*;66(4):1453-9.
- Fader, R.C.; Latimer, J.; Bannister, E. and Lucia, H. (1988):** Evaluation of 9-chloro-9-[4-(diethylamino)phenyl]- 9,10-dihydro-10-phenylacridine hydrochloride (C-390) in broth and agar media for identification of *Pseudomonas aeruginosa*. *J Clin Microbiol*;26(9):1901-3.
- Fakhr, M.K.; Nolan, L.K. and Logue, C.M. (2005):** Multilocus sequence typing lacks the discriminatory ability of pulsed-field gel electrophoresis for typing *Salmonella enterica* serovar Typhimurium. *J Clin Microbiol*;43(5):2215-9.

- Favero, M.S.; Carson, L.A.; Bond, W.W. and Petersen, N.J. (1971):** *Pseudomonas aeruginosa*: growth in distilled water from hospitals. *Science*;173(999):836-8.
- Fiett, J.; Palucha, A.; Miaczynska, B.; Stankiewicz, M.; Przondo-Mordarska, H.; Hryniewicz, W. and Gniadkowski, M. (2000):** A novel complex mutant beta-lactamase, TEM-68, identified in a *Klebsiella pneumoniae* isolate from an outbreak of extended-spectrum beta-lactamase-producing *Klebsiellae*. *Antimicrob Agents Chemother*;44(6):1499-505.
- Finck-Barbancon, V.; Goranson, J.; Zhu, L.; Sawa, T.; Wiener-Kronish, J.P.; Fleiszig, S.M.; Wu, C.; Mende-Mueller, L. and Frank, D.W. (1997):** ExoU expression by *Pseudomonas aeruginosa* correlates with acute cytotoxicity and epithelial injury. *Mol Microbiol*;25(3):547-57.
- Fisher, J.F.; Meroueh, S.O. and Mobashery, S. (2005):** Bacterial resistance to beta-lactam antibiotics: compelling opportunism, compelling opportunity. *Chem Rev*;105(2):395-424.
- Fishman, L.S. and Armstrong, D. (1972):** *Pseudomonas aeruginosa* bacteremia in patients with neoplastic disease. *Cancer*;30(3):764-73.
- Flaherty, J.P. and Stosor, V. (2004):** Nonfermentative Gram-Negative Bacilli. In: Mayhall, C.G. (Ed.) *Hospital Epidemiology and Infection Control*. 3rd edn, pp: 575-602. Philadelphia: Lippincott Williams & Wilkins.
- Fleiszig, S.M.; Wiener-Kronish, J.P.; Miyazaki, H.; Vallas, V.; Mostov, K.E.; Kanada, D.; Sawa, T.; Yen, T.S. and Frank, D.W. (1997):** *Pseudomonas aeruginosa*-mediated cytotoxicity and invasion correlate with distinct genotypes at the loci encoding exoenzyme S. *Infect Immun*;65(2):579-86.
- Fluit, A.C. and Schmitz, F.J. (2004):** Resistance integrons and super-integrons. *Clin Microbiol Infect*;10(4):272-88.
- Foca, M.; Jakob, K.; Whittier, S.; Della Latta, P.; Factor, S.; Rubenstein, D. and Saiman, L. (2000):** Endemic *Pseudomonas aeruginosa* infection in a neonatal intensive care unit. *N Engl J Med*;343(10):695-700.
- Fonseca, K.; Macdougall, J. and Pitt, T.L. (1986):** Inhibition of *Pseudomonas aeruginosa* from cystic fibrosis by selective media. *J Clin Pathol*;39(2):220-2.
- Fraylick, J.E.; Riese, M.J.; Vincent, T.S.; Barbieri, J.T. and Olson, J.C. (2002):** ADP-ribosylation and functional effects of *Pseudomonas* exoenzyme S on cellular RalA. *Biochemistry*;41(30):9680-7.
- Frye, S.R. and Healy, M. (2006):** Molecular Strain Typing Using Repetitive Sequence Based PCR. In: Tang, Y.W. and Stratton, C. (Eds.) *Advanced Techniques in Diagnostic Microbiology*. pp: 444–71. New York: Springer.
- Gad, G.F.; El-Domany, R.A.; Zaki, S. and Ashour, H.M. (2007):** Characterization of *Pseudomonas aeruginosa* isolated from clinical and environmental samples in Minia, Egypt: prevalence, antibiogram and resistance mechanisms. *J Antimicrob Chemother*;60(5):1010-7.
- Galan, J.E. and Collmer, A. (1999):** Type III secretion machines: bacterial devices for protein delivery into host cells. *Science*;284(5418):1322-8.

- Galani, I.; Kontopidou, F.; Souli, M.; Rekatsina, P.D.; Koratzanis, E.; Deliolanis, J. and Giamarellou, H. (2008):** Colistin susceptibility testing by Etest and disk diffusion methods. *Int J Antimicrob Agents*;31(5):434-9.
- Gales, A.C.; Menezes, L.C.; Silbert, S. and Sader, H.S. (2003):** Dissemination in distinct Brazilian regions of an epidemic carbapenem-resistant *Pseudomonas aeruginosa* producing SPM metallo-beta-lactamase. *J Antimicrob Chemother*;52(4):699-702.
- Gallagher, P.G. and Watanakunakorn, C. (1989):** *Pseudomonas* bacteremia in a community teaching hospital, 1980-1984. *Rev Infect Dis*;11(6):846-52.
- Galleni, M.; Lamotte-Brasseur, J.; Rossolini, G.M.; Spencer, J.; Dideberg, O. and Frere, J.M. (2001):** Standard numbering scheme for class B beta-lactamases. *Antimicrob Agents Chemother*;45(3):660-3.
- Gang, R.K.; Bang, R.L.; Sanyal, S.C.; Mokaddas, E. and Lari, A.R. (1999):** *Pseudomonas aeruginosa* septicaemia in burns. *Burns*;25(7):611-6.
- Garau, G.; Garcia-Saez, I.; Bebrone, C.; Anne, C.; Mercuri, P.; Galleni, M.; Frere, J.M. and Dideberg, O. (2004):** Update of the standard numbering scheme for class B beta-lactamases. *Antimicrob Agents Chemother*;48(7):2347-9.
- Garcia-Vallvé, S. (2009):** DendroUPGMA: A dendrogram construction utility. 3 jan 2011. Rovira i Virgili University. <<http://genomes.urv.cat/UPGMA/index.php>>.
- Gibson, J.R.; Slater, E.; Xerry, J.; Tompkins, D.S. and Owen, R.J. (1998):** Use of an amplified-fragment length polymorphism technique to fingerprint and differentiate isolates of *Helicobacter pylori*. *J Clin Microbiol*;36(9):2580-5.
- Gilson, E.; Clement, J.M.; Brutlag, D. and Hofnung, M. (1984):** A family of dispersed repetitive extragenic palindromic DNA sequences in *E. coli*. *EMBO J*;3(6):1417-21.
- Girlich, D.; Naas, T.; Leelaporn, A.; Poirel, L.; Fennewald, M. and Nordmann, P. (2002):** Nosocomial spread of the integron-located *veb-1*-like cassette encoding an extended-spectrum beta-lactamase in *Pseudomonas aeruginosa* in Thailand. *Clin Infect Dis*;34(5):603-11.
- Govan, J.R. (1974):** Studies on the pyocins of *Pseudomonas aeruginosa*: morphology and mode of action of contractile pyocins. *J Gen Microbiol*;80(1):1-15.
- Govan, J.R.W. (1996):** *Pseudomonas*, *Stenotrophomonas*, *Burkholderia*. In: Collee, J.G.; Fraser, A.G.; Marmion, B.P. and Simmons, A. (Eds.) *Mackie & McCartney Practical Medical Microbiology*. Ch 23, pp: 413-24. New York: Churchill Livingstone.
- Griffith, S.J.; Nathan, C.; Selander, R.K.; Chamberlin, W.; Gordon, S.; Kabins, S. and Weinstein, R.A. (1989):** The epidemiology of *Pseudomonas aeruginosa* in oncology patients in a general hospital. *J Infect Dis*;160(6):1030-6.
- Grinsted, J. and Bennett, P.M. (1986):** Introduction. In: Grinsted, J. and Bennett, P.M. (Eds.) *Methods in Microbiology*, vol. 21, *Plasmid Technology*. 2nd edn, pp: 1-10. London: Academic Press.

- Grissa, I.; Vergnaud, G. and Pourcel, C. (2009):** Clustered regularly interspaced short palindromic repeats (CRISPRs) for the genotyping of bacterial pathogens. *Methods Mol Biol*;551:105-16.
- Grogan, J.B. (1966):** Pseudomonas aeruginosa carriage in patients. *J Trauma*;6(5):639-43.
- Grothues, D.; Koopmann, U.; Von Der Hardt, H. and Tummler, B. (1988):** Genome fingerprinting of Pseudomonas aeruginosa indicates colonization of cystic fibrosis siblings with closely related strains. *J Clin Microbiol*;26(10):1973-7.
- Grundmann, H.; Kropec, A.; Hartung, D.; Berner, R. and Daschner, F. (1993):** Pseudomonas aeruginosa in a neonatal intensive care unit: reservoirs and ecology of the nosocomial pathogen. *J Infect Dis*;168(4):943-7.
- Guzzo, J.; Pages, J.M.; Duong, F.; Lazdunski, A. and Murgier, M. (1991):** Pseudomonas aeruginosa alkaline protease: evidence for secretion genes and study of secretion mechanism. *J Bacteriol*;173(17):5290-7.
- Hafiane, A. and Ravaoarinoro, M. (2008):** [Various typing methods of Pseudomonas aeruginosa strains isolated from cystic fibrosis patients]. *Med Mal Infect*;38(5):238-47.
- Hafiane, A. and Ravaoarinoro, M. (2009):** Characterization of Pseudomonas aeruginosa strains isolated from cystic fibrosis patients by different typing methods. *Pathol Biol (Paris)*;[Epub ahead of print].
- Hahn, H.P. (1997):** The type-4 pilus is the major virulence-associated adhesin of Pseudomonas aeruginosa--a review. *Gene*;192(1):99-108.
- Hall, B.G.; Salipante, S.J. and Barlow, M. (2004):** Independent origins of subgroup B1 + B2 and subgroup B3 metallo-beta-lactamases. *J Mol Evol*;59(1):133-41.
- Hall, R.M. and Collis, C.M. (1995):** Mobile gene cassettes and integrons: capture and spread of genes by site-specific recombination. *Mol Microbiol*;15(4):593-600.
- Hancock, R.E.; Mutharia, L.M.; Chan, L.; Darveau, R.P.; Speert, D.P. and Pier, G.B. (1983):** Pseudomonas aeruginosa isolates from patients with cystic fibrosis: a class of serum-sensitive, nontypable strains deficient in lipopolysaccharide O side chains. *Infect Immun*;42(1):170-7.
- Handal, T. and Olsen, I. (2000):** Antimicrobial resistance with focus on oral beta-lactamases. *Eur J Oral Sci*;108(3):163-74.
- Hanson, N.D. (2003):** AmpC beta-lactamases: what do we need to know for the future? *J Antimicrob Chemother*;52(1):2-4.
- Hardy, L.W. and Kirsch, J.F. (1984):** Diffusion-limited component of reactions catalyzed by Bacillus cereus beta-lactamase I. *Biochemistry*;23(6):1275-82.
- Harris, A.; Torres-Viera, C.; Venkataraman, L.; Degirolami, P.; Samore, M. and Carmeli, Y. (1999):** Epidemiology and clinical outcomes of patients with multiresistant Pseudomonas aeruginosa. *Clin Infect Dis*;28(5):1128-33.
- Hata, J.S. and Fick, R.B., Jr. (1991):** Airway adherence of Pseudomonas aeruginosa: mucoexopolysaccharide binding to human and bovine airway proteins. *J Lab Clin Med*;117(5):410-22.

- Hatano, K. and Pier, G.B. (1998):** Complex serology and immune response of mice to variant high-molecular-weight O polysaccharides isolated from *Pseudomonas aeruginosa* serogroup O2 strains. *Infect Immun*;66(8):3719-26.
- Hauser, A.R.; Cobb, E.; Bodi, M.; Mariscal, D.; Valles, J.; Engel, J.N. and Rello, J. (2002):** Type III protein secretion is associated with poor clinical outcomes in patients with ventilator-associated pneumonia caused by *Pseudomonas aeruginosa*. *Crit Care Med*;30(3):521-8.
- Head, N.E. and Yu, H. (2004):** Cross-sectional analysis of clinical and environmental isolates of *Pseudomonas aeruginosa*: biofilm formation, virulence, and genome diversity. *Infect Immun*;72(1):133-44.
- Hedberg, M. (1969):** Acetamide agar medium selective for *Pseudomonas aeruginosa*. *Appl Microbiol*;17(3):481.
- Helfand, M.S. and Bonomo, R.A. (2003):** Beta-lactamases: a survey of protein diversity. *Curr Drug Targets Infect Disord*;3(1):9-23.
- Helfand, M.S. and Rice, L.B. (2008):** Problematic Beta-Lactamases: An Update. In: Owens Jr., R.C. and Lautenbach, E. (Eds.) *Antimicrobial Resistance: Modern Principles and Management Strategies*. Ch 10, pp: 169-82. New York: Informa Healthcare USA, Inc.
- Hemalatha, V.; Padma, M.; Sekar, U.; Vinodh, T.M. and Arunkumar, A.S. (2007):** Detection of Amp C beta lactamases production in *Escherichia coli* & *Klebsiella* by an inhibitor based method. *Indian J Med Res*;126(3):220-3.
- Herbert, R.B. and Holliman, F.G. (1964):** Aeruginosin B — a natural occurring phenazinesulfonic acid. *Proc Chem Soc*;1964:19.
- Heritier, C.; Poirel, L. and Nordmann, P. (2004):** Genetic and biochemical characterization of a chromosome-encoded carbapenem-hydrolyzing ambler class D beta-lactamase from *Shewanella* algae. *Antimicrob Agents Chemother*;48(5):1670-5.
- Hernandez-Valladares, M.; Felici, A.; Weber, G.; Adolph, H.W.; Zeppezauer, M.; Rossolini, G.M.; Amicosante, G.; Frere, J.M. and Galleni, M. (1997):** Zn(II) dependence of the *Aeromonas hydrophila* AE036 metallo-beta-lactamase activity and stability. *Biochemistry*;36(38):11534-41.
- Hidron, A.I.; Edwards, J.R.; Patel, J.; Horan, T.C.; Sievert, D.M.; Pollock, D.A. and Fridkin, S.K. (2008):** NHSN annual update: antimicrobial-resistant pathogens associated with healthcare-associated infections: annual summary of data reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2006-2007. *Infect Control Hosp Epidemiol*;29(11):996-1011.
- Hiett, K.L. and Seal, B.S. (2009):** Use of repetitive element palindromic PCR (rep-PCR) for the epidemiologic discrimination of foodborne pathogens. *Methods Mol Biol*;551:49-58.
- Higgins, C.F.; Ames, G.F.; Barnes, W.M.; Clement, J.M. and Hofnung, M. (1982):** A novel intercistronic regulatory element of prokaryotic operons. *Nature*;298(5876):760-2.
- Hirakata, Y.; Izumikawa, K.; Yamaguchi, T.; Takemura, H.; Tanaka, H.; Yoshida, R.; Matsuda, J.; Nakano, M.; Tomono, K.; Maesaki, S.; Kaku, M.; Yamada, Y.; Kamihira, S. and Kohno, S. (1998):** Rapid detection and evaluation of clinical characteristics of emerging

multiple-drug-resistant gram-negative rods carrying the metallo-beta-lactamase gene blaIMP. *Antimicrob Agents Chemother*;42(8):2006-11.

Ho, P.L.; Chan, W.M.; Tsang, K.W.; Wong, S.S. and Young, K. (2002): Bacteremia caused by *Escherichia coli* producing extended-spectrum beta-lactamase: a case-control study of risk factors and outcomes. *Scand J Infect Dis*;34(8):567-73.

Holliman, F.G. (1957): Pigments from a red strain of *Pseudomonas aeruginosa*. *Chem Ind*;28:1668.

Horrevorts, A.M.; Borst, J.; Puyk, R.J.T.; De Ridder, R.; Dzoljic-Danilovic, G.; Degener, J.E.; Kerrebijn, K.F. and Michel, M.F. (1990): Ecology of *Pseudomonas aeruginosa* in patients with cystic fibrosis. *J Med Microbiol*;31(2):119-24.

Houang, E.T.; Buckley, R.; Smith, M. and O'riordan, S.M. (1981): Survival of *Pseudomonas aeruginosa* in plaster of Paris. *J Hosp Infect*;2(3):231-5.

Huang, Z.M.; Mao, P.H.; Chen, Y.; Wu, L. and Wu, J. (2004): [Study on the molecular epidemiology of SHV type beta-lactamase-encoding genes of multiple-drug-resistant *acinetobacter baumannii*]. *Zhonghua Liu Xing Bing Xue Za Zhi*;25(5):425-7.

Hulton, C.S.; Higgins, C.F. and Sharp, P.M. (1991): ERIC sequences: a novel family of repetitive elements in the genomes of *Escherichia coli*, *Salmonella typhimurium* and other enterobacteria. *Mol Microbiol*;5(4):825-34.

Hunter, P.R. (1990): Reproducibility and indices of discriminatory power of microbial typing methods. *J Clin Microbiol*;28(9):1903-5.

Hurst, V. and Sutter, V.L. (1966): Survival of *Pseudomonas aeruginosa* in the hospital environment. *J Infect Dis*;116(2):151-4.

Ibarz-Pavón, A.B. and Maiden, M.C. (2009): Multilocus sequence typing. *Methods Mol Biol*;551:129-40.

Jacoby, G.A. (2006): Beta-lactamase nomenclature. *Antimicrob Agents Chemother*;50(4):1123-9.

Janssen, P.; Maquelin, K.; Coopman, R.; Tjernberg, I.; Bouvet, P.; Kersters, K. and Dijkshoorn, L. (1997): Discrimination of *Acinetobacter* genomic species by AFLP fingerprinting. *Int J Syst Bacteriol*;47(4):1179-87.

Jarlier, V.; Nicolas, M.H.; Fournier, G. and Philippon, A. (1988): Extended broad-spectrum beta-lactamases conferring transferable resistance to newer beta-lactam agents in *Enterobacteriaceae*: hospital prevalence and susceptibility patterns. *Rev Infect Dis*;10(4):867-78.

Jesaitis, A.J.; Franklin, M.J.; Berglund, D.; Sasaki, M.; Lord, C.I.; Bleazard, J.B.; Duffy, J.E.; Beyenal, H. and Lewandowski, Z. (2003): Compromised host defense on *Pseudomonas aeruginosa* biofilms: characterization of neutrophil and biofilm interactions. *J Immunol*;171(8):4329-39.

Jiang, X.; Zhang, Z.; Li, M.; Zhou, D.; Ruan, F. and Lu, Y. (2006): Detection of extended-spectrum beta-lactamases in clinical isolates of *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;50(9):2990-5.

- Johnsen, J. (1977):** Utilization of benzylpenicillin as carbon, nitrogen and energy source by a *Pseudomonas fluorescens* strain. *Arch Microbiol*;115(3):271-5.
- Jordens, J.Z. (1998):** Genomic DNA Digestion and Ribotyping. In: Woodford, N.W. and Johnson, A. (Eds.) *Methods in molecular medicine*, vol. 15. *Molecular bacteriology*. pp: 33-50. Totowa, N.J.: Humana Press.
- Joseph, N.M.; Sistla, S.; Dutta, T.K.; Badhe, A.S.; Rasitha, D. and Parija, S.C. (2010):** Role of intensive care unit environment and health-care workers in transmission of ventilator-associated pneumonia. *J Infect Dev Ctries*;4(5):282-91.
- Kahan, A.; Philippon, A.; Paul, G.; Weber, S.; Richard, C.; Hazebroucq, G. and Degeorges, M. (1983):** Nosocomial infections by chlorhexidine solution contaminated with *Pseudomonas pickettii* (Biovar VA-I). *J Infect*;7(3):256-63.
- Kaufman, M.R.; Jia, J.; Zeng, L.; Ha, U.; Chow, M. and Jin, S. (2000):** *Pseudomonas aeruginosa* mediated apoptosis requires the ADP-ribosylating activity of *exoS*. *Microbiology*;146 (Pt 10):2531-41.
- Kaufmann, M.E. (1998):** Pulsed-field gel electrophoresis. In: Woodford, N.W. and Johnson, A. (Eds.) *Methods in molecular medicine*, vol. 15. *Molecular bacteriology*. pp: 33-50. Totowa, N.J.: Humana Press.
- Kazmierczak, B.I. and Engel, J.N. (2002):** *Pseudomonas aeruginosa* ExoT acts in vivo as a GTPase-activating protein for RhoA, Rac1, and Cdc42. *Infect Immun*;70(4):2198-205.
- Keeven, J.K. and Decicco, B.T. (1989):** Selective medium for *Pseudomonas aeruginosa* that uses 1,10-phenanthroline as the selective agent. *Appl Environ Microbiol*;55(12):3231-3.
- Kerr, K.G. and Snelling, A.M. (2009):** *Pseudomonas aeruginosa*: a formidable and ever-present adversary. *J Hosp Infect*;73(4):338-44.
- Kersulyte, D.; Struelens, M.J.; Deplano, A. and Berg, D.E. (1995):** Comparison of arbitrarily primed PCR and macrorestriction (pulsed-field gel electrophoresis) typing of *Pseudomonas aeruginosa* strains from cystic fibrosis patients. *J Clin Microbiol*;33(8):2216-9.
- Khalaf, S.S.A. (2004):** A Study of multidrug resistant *Pseudomonas aeruginosa* clinically isolated from hospitalized patients. Master Thesis in Microbiology & Immunology. Zagazig University.
- Kim, J.; Lim, Y.M.; Jeong, Y.S. and Seol, S.Y. (2005):** Occurrence of CTX-M-3, CTX-M-15, CTX-M-14, and CTX-M-9 extended-spectrum beta-lactamases in Enterobacteriaceae clinical isolates in Korea. *Antimicrob Agents Chemother*;49(4):1572-5.
- King, E.O.; Ward, M.K. and Raney, D.E. (1954):** Two simple media for the demonstration of pyocyanin and fluorescein. *J Lab Clin Med*;44(2):301-7.
- Knackmuss, H.J. and Hellwig, M. (1978):** Utilization and cooxidation of chlorinated phenols by *Pseudomonas* sp. B 13. *Arch Microbiol*;117(1):1-7.
- Knothe, H.; Shah, P.; Krcmery, V.; Antal, M. and Mitsuhashi, S. (1983):** Transferable resistance to cefotaxime, cefoxitin, cefamandole and cefuroxime in clinical isolates of *Klebsiella pneumoniae* and *Serratia marcescens*. *Infection*;11(6):315-7.

- Koeuth, T.; Versalovic, J. and Lupski, J.R. (1995):** Differential subsequence conservation of interspersed repetitive *Streptococcus pneumoniae* BOX elements in diverse bacteria. *Genome Res*;5(4):408-18.
- Kominos, S.D.; Copeland, C.E.; Grosiak, B. and Postic, B. (1972):** Introduction of *Pseudomonas aeruginosa* into a hospital via vegetables. *Appl Microbiol*;24(4):567-70.
- Kotetishvili, M.; Stine, O.C.; Chen, Y.; Kreger, A.; Sulakvelidze, A.; Sozhamannan, S. and Morris, J.G., Jr. (2003):** Multilocus sequence typing has better discriminatory ability for typing *Vibrio cholerae* than does pulsed-field gel electrophoresis and provides a measure of phylogenetic relatedness. *J Clin Microbiol*;41(5):2191-6.
- Krall, R.; Schmidt, G.; Aktories, K. and Barbieri, J.T. (2000):** *Pseudomonas aeruginosa* ExoT is a Rho GTPase-activating protein. *Infect Immun*;68(10):6066-8.
- Krawiec, S. (1985):** Concept of a Bacterial Species. *Int J Syst Bacteriol*;35(2):217-20.
- Krawiec, S. and Riley, M. (1990):** Organization of the bacterial chromosome. *Microbiol Rev*;54(4):502-39.
- Kropec, A.; Huebner, J.; Riffel, M.; Bayer, U.; Benzing, A.; Geiger, K. and Daschner, F.D. (1993):** Exogenous or endogenous reservoirs of nosocomial *Pseudomonas aeruginosa* and *Staphylococcus aureus* infections in a surgical intensive care unit. *Intensive Care Med*;19(3):161-5.
- Krueger, C.L. and Sheikh, W. (1987):** A new selective medium for isolating *Pseudomonas* spp. from water. *Appl Environ Microbiol*;53(4):895-7.
- Kuzin, A.P.; Nukaga, M.; Nukaga, Y.; Hujer, A.; Bonomo, R.A. and Knox, J.R. (2001):** Inhibition of the SHV-1 beta-lactamase by sulfones: crystallographic observation of two reaction intermediates with tazobactam. *Biochemistry*;40(6):1861-6.
- Labarca, J.A.; Pegues, D.A.; Wagar, E.A.; Hindler, J.A. and Bruckner, D.A. (1998):** Something's rotten: a nosocomial outbreak of malodorous *Pseudomonas aeruginosa*. *Clin Infect Dis*;26(6):1440-6.
- Lahti, C.J. (1996):** Pulsed field gel electrophoresis in the clinical microbiology laboratory. *J Clin Lab Anal*;10(6):326-30.
- Lambe, D.W., Jr. and Stewart, P. (1972):** Evaluation of Pseudose agar as an aid in the identification of *Pseudomonas aeruginosa*. *Appl Microbiol*;23(2):377-81.
- Landman, D.; Quale, J.M.; Mayorga, D.; Adedeji, A.; Vangala, K.; Ravishankar, J.; Flores, C. and Brooks, S. (2002):** Citywide clonal outbreak of multiresistant *Acinetobacter baumannii* and *Pseudomonas aeruginosa* in Brooklyn, NY: the preantibiotic era has returned. *Arch Intern Med*;162(13):1515-20.
- Lanyi, B. and Lantos, J. (1976):** Antigenic changes in *Pseudomonas aeruginosa* in vivo and after lysogenization in vitro. *Acta Microbiol Acad Sci Hung*;23(4):337-51.
- Lartigue, M.F.; Poirel, L.; Decousser, J.W. and Nordmann, P. (2005):** Multidrug-resistant *Shigella sonnei* and *Salmonella enterica* Serotype typhimurium isolates producing CTX-M beta-lactamases as causes of community-acquired infection in France. *Clin Infect Dis*;40(7):1069-70.

- Lau, G.W.; Ran, H.; Kong, F.; Hassett, D.J. and Mavrodi, D. (2004):** Pseudomonas aeruginosa pyocyanin is critical for lung infection in mice. *Infect Immun*;72(7):4275-8.
- Lauretti, L.; Riccio, M.L.; Mazzariol, A.; Cornaglia, G.; Amicosante, G.; Fontana, R. and Rossolini, G.M. (1999):** Cloning and characterization of blaVIM, a new integron-borne metallo-beta-lactamase gene from a Pseudomonas aeruginosa clinical isolate. *Antimicrob Agents Chemother*;43(7):1584-90.
- Lee, K.; Lee, W.G.; Uh, Y.; Ha, G.Y.; Cho, J. and Chong, Y. (2003):** VIM- and IMP-type metallo-beta-lactamase-producing Pseudomonas spp. and Acinetobacter spp. in Korean hospitals. *Emerg Infect Dis*;9(7):868-71.
- Liu, P.V. (1969):** Changes in somatic antigens of Pseudomonas aeruginosa induced by bacteriophages. *J Infect Dis*;119(3):237-46.
- Liu, P.V.; Matsumoto, H.; Kusama, H. and Bergan, T. (1983):** Survey of Heat-Stable, Major Somatic Antigens of Pseudomonas aeruginosa. *Int J Syst Bacteriol*;33(2):256-64.
- Liu, P.V. and Wang, S. (1990):** Three new major somatic antigens of Pseudomonas aeruginosa. *J Clin Microbiol*;28(5):922-5.
- Liu, P.Y. and Wu, W.L. (1997):** Use of different PCR-based DNA fingerprinting techniques and pulsed-field gel electrophoresis to investigate the epidemiology of Acinetobacter calcoaceticus-Acinetobacter baumannii complex. *Diagn Microbiol Infect Dis*;29(1):19-28.
- Livermore, D.M. (2002):** Multiple mechanisms of antimicrobial resistance in Pseudomonas aeruginosa: our worst nightmare? *Clin Infect Dis*;34(5):634-40.
- Livermore, D.M. (2004):** The need for new antibiotics. *Clin Microbiol Infect*;10 Suppl 4:1-9.
- Livermore, D.M. (2008):** Defining an extended-spectrum beta-lactamase. *Clin Microbiol Infect*;14 Suppl 1:3-10.
- Loutit, J.S. and Tompkins, L.S. (1991):** Restriction enzyme and Southern hybridization analyses of Pseudomonas aeruginosa strains from patients with cystic fibrosis. *J Clin Microbiol*;29(12):2897-900.
- Louws, F.J.; Fulbright, D.W.; Stephens, C.T. and De Bruijn, F.J. (1994):** Specific genomic fingerprints of phytopathogenic Xanthomonas and Pseudomonas pathovars and strains generated with repetitive sequences and PCR. *Appl Environ Microbiol*;60(7):2286-95.
- Lowbury, E.J. (1951):** Contamination of cetrinide and other fluids with Pseudomonas pyocyanea. *Br J Ind Med*;8(1):22-5.
- Lupski, J.R. and Weinstock, G.M. (1992):** Short, interspersed repetitive DNA sequences in prokaryotic genomes. *J Bacteriol*;174(14):4525-9.
- Mabilat, C.; Lourencao-Vital, J.; Goussard, S. and Courvalin, P. (1992):** A new example of physical linkage between Tn1 and Tn21: the antibiotic multiple-resistance region of plasmid pCFF04 encoding extended-spectrum beta-lactamase TEM-3. *Mol Gen Genet*;235(1):113-21.
- Macarthur, R.D.; Lehman, M.H.; Currie-McCumber, C.A. and Shlaes, D.M. (1988):** The epidemiology of gentamicin-resistant Pseudomonas aeruginosa on an intermediate care unit. *Am J Epidemiol*;128(4):821-7.

- Mahenthiralingam, E.; Campbell, M.E.; Foster, J.; Lam, J.S. and Speert, D.P. (1996):** Random amplified polymorphic DNA typing of *Pseudomonas aeruginosa* isolates recovered from patients with cystic fibrosis. *J Clin Microbiol*;34(5):1129-35.
- Maiden, M.C.; Bygraves, J.A.; Feil, E.; Morelli, G.; Russell, J.E.; Urwin, R.; Zhang, Q.; Zhou, J.; Zurth, K.; Caugant, D.A.; Feavers, I.M.; Achtman, M. and Spratt, B.G. (1998):** Multilocus sequence typing: a portable approach to the identification of clones within populations of pathogenic microorganisms. *Proc Natl Acad Sci U S A*;95(6):3140-5.
- Marchandin, H.; Jean-Pierre, H.; De Champs, C.; Sirot, D.; Darbas, H.; Perigault, P.F. and Carriere, C. (2000):** Production of a TEM-24 plasmid-mediated extended-spectrum beta-lactamase by a clinical isolate of *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;44(1):213-6.
- Markou, N.; Apostolakis, H.; Koumoudiou, C.; Athanasiou, M.; Koutsoukou, A.; Alamanos, I. and Gregorakos, L. (2003):** Intravenous colistin in the treatment of sepsis from multiresistant Gram-negative bacilli in critically ill patients. *Crit Care*;7(5):R78-83.
- Martin, B.; Humbert, O.; Camara, M.; Guenzi, E.; Walker, J.; Mitchell, T.; Andrew, P.; Prudhomme, M.; Alloing, G.; Hakenbeck, R. and Et Al. (1992):** A highly conserved repeated DNA element located in the chromosome of *Streptococcus pneumoniae*. *Nucleic Acids Res*;20(13):3479-83.
- Maschmeyer, G. and Braveny, I. (2000):** Review of the incidence and prognosis of *Pseudomonas aeruginosa* infections in cancer patients in the 1990s. *Eur J Clin Microbiol Infect Dis*;19(12):915-25.
- Maslow, J.N. and Arbeit, R.D. (1995):** Molecular Epidemiology for the Clinician: I. Selected Techniques. *Infectious Diseases in Clinical Practice*;4(2):128-33.
- Mayer, L.W. (1988):** Use of plasmid profiles in epidemiologic surveillance of disease outbreaks and in tracing the transmission of antibiotic resistance. *Clin Microbiol Rev*;1(2):228-43.
- Mazel, D. (2006):** Integrons: agents of bacterial evolution. *Nat Rev Microbiol*;4(8):608-20.
- Mcmanus, A.T.; Mason, A.D., Jr.; Mcmanus, W.F. and Pruitt, B.A., Jr. (1985):** Twenty-five year review of *Pseudomonas aeruginosa* bacteremia in a burn center. *Eur J Clin Microbiol*;4(2):219-23.
- Mcpherson, M.J. and Møller, S.G. (2000):** Genome analysis. In: *PCR*. Ch 10, pp: 241-68. Oxford, UK: BIOS Scientific Publishers.
- Medeiros, A.A. (1997):** Evolution and dissemination of beta-lactamases accelerated by generations of beta-lactam antibiotics. *Clin Infect Dis*;24 Suppl 1:S19-45.
- Meyer, K.S.; Urban, C.; Eagan, J.A.; Berger, B.J. and Rahal, J.J. (1993):** Nosocomial outbreak of *Klebsiella* infection resistant to late-generation cephalosporins. *Ann Intern Med*;119(5):353-8.
- Michaud, S. and Berg, D. (2007):** Molecular Methods for Bacterial Strain Typing. In: Schwalbe, R.; Steele-Moore, L. and Goodwin, A.C. (Eds.) *Antimicrobial Susceptibility Testing Protocols*. Ch 15, pp: 341-61. Boca Raton, FL: CRC Press.

- Mileham, A.J. (1995):** Identification of microorganisms using random primed PCR. *Methods Mol Biol*;46:257-67.
- Moore, E.R.B.; Tindall, B.J.; Martins Dos Santos, V.a.P.; Pieper, D.H.; Ramos, J.-L. and Palleroni, N.J. (2006):** Nonmedical: *Pseudomonas*. In: Dworkin, M.; Falkow, S.; Rosenberg, E.; Schleifer, K. and Stackebrandt, E. (Eds.) *The Prokaryotes*. 3rd edn, pp: 646–703. New York: Springer.
- Morihara, K. and Homma, J.Y. (1985):** *Pseudomonas* proteases. In: Holder, I.A. (Ed.) *Bacterial Enzymes and Virulence*. pp: 41-79. Boca Raton, Fla: CRC Press.
- Mugnier, P.; Dubrous, P.; Casin, I.; Arlet, G. and Collatz, E. (1996):** A TEM-derived extended-spectrum beta-lactamase in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;40(11):2488-93.
- Naas, T.; Poirel, L.; Karim, A. and Nordmann, P. (1999):** Molecular characterization of In50, a class 1 integron encoding the gene for the extended-spectrum beta-lactamase VEB-1 in *Pseudomonas aeruginosa*. *FEMS Microbiol Lett*;176(2):411-9.
- Nallapareddy, S.R.; Duh, R.W.; Singh, K.V. and Murray, B.E. (2002):** Molecular typing of selected *Enterococcus faecalis* isolates: pilot study using multilocus sequence typing and pulsed-field gel electrophoresis. *J Clin Microbiol*;40(3):868-76.
- Navarro, F. and Miró, E. (2002):** Update on CTX-M-type [beta]-lactamases. *Reviews in Medical Microbiology*;13(2):63-73.
- National Committee for Clinical Laboratory Standards (2005):** Performance standards for antimicrobial susceptibility testing; 15th informational supplement (M100-S15). . Wayne, Pa: National Committee for Clinical Laboratory Standards.
- Ndip, R.N.; Dlonga, H.M.; Ndip, L.M.; Akoachere, J.F. and Nkuo Akenji, T. (2005):** *Pseudomonas aeruginosa* isolates recovered from clinical and environmental samples in Buea, Cameroon: current status on biotyping and antibiogram. *Trop Med Int Health*;10(1):74-81.
- Neuwirth, C.; Madec, S.; Siebor, E.; Pechinot, A.; Duez, J.M.; Pruneaux, M.; Fouchereau-Peron, M.; Kazmierczak, A. and Labia, R. (2001):** TEM-89 beta-lactamase produced by a *Proteus mirabilis* clinical isolate: new complex mutant (CMT 3) with mutations in both TEM-59 (IRT-17) and TEM-3. *Antimicrob Agents Chemother*;45(12):3591-4.
- Newman, K.A.; Tenney, J.H.; Oken, H.A.; Moody, M.R.; Wharton, R. and Schimpff, S.C. (1984):** Persistent isolation of an unusual *Pseudomonas* species from a phenolic disinfectant system. *Infect Control*;5(5):219-22.
- Nicas, T.I. and Iglewski, B.H. (1985):** The contribution of exoproducts to virulence of *Pseudomonas aeruginosa*. *Can J Microbiol*;31(4):387-92.
- NNIS (2000):** National Nosocomial Infections Surveillance (NNIS) system report, data summary from January 1992-April 2000, issued June 2000. *Am J Infect Control*;28(6):429-48.
- NNIS (2004):** National Nosocomial Infections Surveillance (NNIS) System Report, data summary from January 1992 through June 2004, issued October 2004. *Am J Infect Control*;32(8):470-85.

- Nordmann, P. and Naas, T. (1994):** Sequence analysis of PER-1 extended-spectrum beta-lactamase from *Pseudomonas aeruginosa* and comparison with class A beta-lactamases. *Antimicrob Agents Chemother*;38(1):104-14.
- Nordmann, P. and Poirel, L. (2002):** Emerging carbapenemases in Gram-negative aerobes. *Clin Microbiol Infect*;8(6):321-31.
- Nordmann, P.; Ronco, E.; Naas, T.; Duport, C.; Michel-Briand, Y. and Labia, R. (1993):** Characterization of a novel extended-spectrum beta-lactamase from *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;37(5):962-9.
- Ogle, J.W.; Janda, J.M.; Woods, D.E. and Vasil, M.L. (1987):** Characterization and use of a DNA probe as an epidemiological marker for *Pseudomonas aeruginosa*. *J Infect Dis*;155(1):119-26.
- Ojeniyi, B.; Baek, L. and Hoiby, N. (1985):** Polyagglutinability due to loss of O-antigenic determinants in *Pseudomonas aeruginosa* strains isolated from cystic fibrosis patients. *Acta Pathol Microbiol Immunol Scand B*;93(1):7-13.
- Olayinka, A.T.; Onile, B.A. and Olayinka, B.O. (2004):** Prevalence of multidrug-resistant *Pseudomonas aeruginosa* isolates in surgical units. *Annals of African Medicine*;3(1):13-6.
- Olive, D.M. and Bean, P. (1999):** Principles and applications of methods for DNA-based typing of microbial organisms. *J Clin Microbiol*;37(6):1661-9.
- Oliver, A.; Weigel, L.M.; Rasheed, J.K.; McGowan Jr, J.E., Jr.; Raney, P. and Tenover, F.C. (2002):** Mechanisms of decreased susceptibility to cefpodoxime in *Escherichia coli*. *Antimicrob Agents Chemother*;46(12):3829-36.
- Olson, B.; Weinstein, R.A.; Nathan, C.; Chamberlin, W. and Kabins, S.A. (1984):** Epidemiology of endemic *Pseudomonas aeruginosa*: why infection control efforts have failed. *J Infect Dis*;150(6):808-16.
- Palleroni, N.J. (1984):** Genus I. *Pseudomonas* Migula 1894. In: Krieg, N.R.H., J.G. (Ed.) *Bergey's Manual of Systematic Bacteriology*, Vol. 1. pp: 141–99. Baltimore, MD, USA: Williams & Wilkins.
- Palleroni, N.J. (2005):** Genus I. *Pseudomonas* Migula 1894. In: Brenner, D.J.; Krieg, N.R. and Staley, J.T. (Eds.) *Bergey's Manual of Systematic Bacteriology*, Vol. 2. 2nd edn New York, USA: Springer.
- Palleroni, N.J.; Kunisawa, R.; Contopoulou, R. and Doudoroff, M. (1973):** Nucleic Acid Homologies in the Genus *Pseudomonas*. *Int J Syst Bacteriol*;23(4):333-9.
- Parrott, P.L.; Terry, P.M.; Whitworth, E.N.; Frawley, L.W.; Coble, R.S.; Wachsmuth, I.K. and McGowan, J.E., Jr. (1982):** *Pseudomonas aeruginosa* peritonitis associated with contaminated poloxamer-iodine solution. *Lancet*;2(8300):683-5.
- Paterson, D.L. (2006):** The epidemiological profile of infections with multidrug-resistant *Pseudomonas aeruginosa* and *Acinetobacter* species. *Clin Infect Dis*;43 Suppl 2:S43-8.
- Paterson, D.L. and Bonomo, R.A. (2005):** Extended-spectrum beta-lactamases: a clinical update. *Clin Microbiol Rev*;18(4):657-86.

- Paterson, D.L.; Hujer, K.M.; Hujer, A.M.; Yeiser, B.; Bonomo, M.D.; Rice, L.B. and Bonomo, R.A. (2003):** Extended-spectrum beta-lactamases in *Klebsiella pneumoniae* bloodstream isolates from seven countries: dominance and widespread prevalence of SHV- and CTX-M-type beta-lactamases. *Antimicrob Agents Chemother*;47(11):3554-60.
- Paterson, D.L.; Ko, W.C.; Von Gottberg, A.; Casellas, J.M.; Mulazimoglu, L.; Klugman, K.P.; Bonomo, R.A.; Rice, L.B.; McCormack, J.G. and Yu, V.L. (2001):** Outcome of cephalosporin treatment for serious infections due to apparently susceptible organisms producing extended-spectrum beta-lactamases: implications for the clinical microbiology laboratory. *J Clin Microbiol*;39(6):2206-12.
- Peix, A.; Ramirez-Bahena, M.H. and Velazquez, E. (2009):** Historical evolution and current status of the taxonomy of genus *Pseudomonas*. *Infect Genet Evol*;9(6):1132-47.
- Peleg, A.Y.; Franklin, C.; Bell, J.M. and Spelman, D.W. (2005):** Dissemination of the metallo-beta-lactamase gene blaIMP-4 among gram-negative pathogens in a clinical setting in Australia. *Clin Infect Dis*;41(11):1549-56.
- Pennington, J.E. (1979):** Lipopolysaccharide *Pseudomonas* vaccine: efficacy against pulmonary infection with *Pseudomonas aeruginosa*. *J Infect Dis*;140(1):73-80.
- Pfaller, M.A.; Jones, R.N.; Doern, G.V.; Sader, H.S.; Kugler, K.C. and Beach, M.L. (1999):** Survey of blood stream infections attributable to gram-positive cocci: frequency of occurrence and antimicrobial susceptibility of isolates collected in 1997 in the United States, Canada, and Latin America from the SENTRY Antimicrobial Surveillance Program. SENTRY Participants Group. *Diagn Microbiol Infect Dis*;33(4):283-97.
- Philippon, L.N.; Naas, T.; Bouthors, A.T.; Barakett, V. and Nordmann, P. (1997):** OXA-18, a class D clavulanic acid-inhibited extended-spectrum beta-lactamase from *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;41(10):2188-95.
- Phillips, R.M.; Six, D.A.; Dennis, E.A. and Ghosh, P. (2003):** In vivo phospholipase activity of the *Pseudomonas aeruginosa* cytotoxin ExoU and protection of mammalian cells with phospholipase A2 inhibitors. *J Biol Chem*;278(42):41326-32.
- Pier, G.B. and Ramphal, R. (2005):** *Pseudomonas aeruginosa*. In: Mandell, G.L.; Bennett, J.E. and Dolin, R. (Eds.) *Mandell, Bennett, & Dolin: Principles and Practice of Infectious Diseases*. 6th edn New York: Churchill Livingstone.
- Pinna, A.; Usai, D.; Sechi, L.A.; Zanetti, S.; Jesudasan, N.C.; Thomas, P.A. and Kaliyamurthy, J. (2009):** An outbreak of post-cataract surgery endophthalmitis caused by *Pseudomonas aeruginosa*. *Ophthalmology*;116(12):2321-6 e1-4.
- Pitout, J.D.; Gregson, D.B.; Poirel, L.; McClure, J.A.; Le, P. and Church, D.L. (2005a):** Detection of *Pseudomonas aeruginosa* producing metallo-beta-lactamases in a large centralized laboratory. *J Clin Microbiol*;43(7):3129-35.
- Pitout, J.D.; Nordmann, P.; Laupland, K.B. and Poirel, L. (2005b):** Emergence of Enterobacteriaceae producing extended-spectrum beta-lactamases (ESBLs) in the community. *J Antimicrob Chemother*;56(1):52-9.

- Pitt, T.L. (1988):** Epidemiological typing of *Pseudomonas aeruginosa*. *Eur J Clin Microbiol Infect Dis*;7(2):238-47.
- Pitt, T.L. and Gaston, M.A. (1995):** Bacteriophage Typing. In: Howard, J. and Whitcombe, D.M. (Eds.) *Diagnostic bacteriology protocols*. pp: 15-26. New Jersey: Humana Press Inc.
- Pitt, T.L.; Macdougall, J.; Penketh, A.R. and Cooke, E.M. (1986):** Polyagglutinating and non-typable strains of *Pseudomonas aeruginosa* in cystic fibrosis. *J Med Microbiol*;21(2):179-86.
- Pitt, T.L. and Simpson, A.J. (2006):** *Pseudomonas* and *Burkholderia* spp. In: Gillespie, S.H. and Hawkey, P.M. (Eds.) *Principles and Practice of Clinical Bacteriology*. 2nd edn, pp: 427-43. London: John Wiley & Sons.
- Plotkin, S.A. and Austrian, R. (1958):** Bacteremia caused by *Pseudomonas* sp. following the use of materials stored in solutions of a cationic surface-active agent. *Am J Med Sci*;235(6):621-7.
- Plotkowski, M.C.; Tournier, J.M. and Puchelle, E. (1996):** *Pseudomonas aeruginosa* strains possess specific adhesins for laminin. *Infect Immun*;64(2):600-5.
- Ploy, M.C.; Lambert, T.; Couty, J.P. and Denis, F. (2000):** Integrins: an antibiotic resistance gene capture and expression system. *Clin Chem Lab Med*;38(6):483-7.
- Poirel, L.; Brinas, L.; Verlinde, A.; Ide, L. and Nordmann, P. (2005):** BEL-1, a novel clavulanic acid-inhibited extended-spectrum beta-lactamase, and the class 1 integron In120 in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;49(9):3743-8.
- Poirel, L.; Girlich, D.; Naas, T. and Nordmann, P. (2001):** OXA-28, an extended-spectrum variant of OXA-10 beta-lactamase from *Pseudomonas aeruginosa* and its plasmid- and integron-located gene. *Antimicrob Agents Chemother*;45(2):447-53.
- Poirel, L.; Lebessi, E.; Castro, M.; Fevre, C.; Foustoukou, M. and Nordmann, P. (2004a):** Nosocomial outbreak of extended-spectrum beta-lactamase SHV-5-producing isolates of *Pseudomonas aeruginosa* in Athens, Greece. *Antimicrob Agents Chemother*;48(6):2277-9.
- Poirel, L.; Mammeri, H. and Nordmann, P. (2004b):** TEM-121, a novel complex mutant of TEM-type beta-lactamase from *Enterobacter aerogenes*. *Antimicrob Agents Chemother*;48(12):4528-31.
- Poirel, L.; Rodriguez-Martinez, J.M.; Al Naiemi, N.; Debets-Ossenkopp, Y.J. and Nordmann, P. (2010):** Characterization of DIM-1, an integron-encoded metallo-beta-lactamase from a *Pseudomonas stutzeri* clinical isolate in the Netherlands. *Antimicrob Agents Chemother*;54(6):2420-4.
- Poirel, L.; Ronco, E.; Naas, T. and Nordmann, P. (1999):** Extended-spectrum b-lactamase TEM-4 in *Pseudomonas aeruginosa*. *Clin Microbiol Infect*;5(10):651-2.
- Poirel, L.; Weldhagen, G.F.; De Champs, C. and Nordmann, P. (2002):** A nosocomial outbreak of *Pseudomonas aeruginosa* isolates expressing the extended-spectrum beta-lactamase GES-2 in South Africa. *J Antimicrob Chemother*;49(3):561-5.
- Pollack, M.; Huang, A.I.; Prescott, R.K.; Young, L.S.; Hunter, K.W.; Cruess, D.F. and Tsai, C.M. (1983):** Enhanced survival in *Pseudomonas aeruginosa* septicemia associated with high levels of circulating antibody to *Escherichia coli* endotoxin core. *J Clin Invest*;72(6):1874-81.

- Postic, D.; Edlinger, C.; Richaud, C.; Grimont, F.; Dufresne, Y.; Perolat, P.; Baranton, G. and Grimont, P.A. (1990):** Two genomic species in *Borrelia burgdorferi*. *Res Microbiol*;141(4):465-75.
- Pratt, R.F. (2002):** Functional evolution of the serine -lactamase active site. *J Chem Soc Perkin Trans*;2:851-61.
- Price, D. and Ahearn, D.G. (1988):** Incidence and persistence of *Pseudomonas aeruginosa* in whirlpools. *J Clin Microbiol*;26(9):1650-4.
- Priebe, G.P.; Meluleni, G.J.; Coleman, F.T.; Goldberg, J.B. and Pier, G.B. (2003):** Protection against Fatal *Pseudomonas aeruginosa* Pneumonia in Mice after Nasal Immunization with a Live, Attenuated *aroA* Deletion Mutant. *Infect. Immun.*;71(3):1453-61.
- Pruitt, B.A., Jr.; Mcmanus, A.T.; Kim, S.H. and Goodwin, C.W. (1998):** Burn wound infections: current status. *World J Surg*;22(2):135-45.
- Qi, C.; Stratton, C.W. and Zheng, X. (2006):** Phenotypic testing of bacterial antimicrobial susceptibility. In: Tang, Y.W. and Stratton, C.W. (Eds.) *Advanced Techniques in Diagnostic Microbiology*. Ch 5, pp: 63-83. New York: Springer.
- Rademaker, J.L.W. and Savelkoul, P.H.M. (2004):** PCR amplification-based microbial typing. In: Pershing, D.H.; Tenover, F.C.; Versalovic, J.; Tang, Y.W.; Unger, E.R.; Relman, D.A. and White, T.J. (Eds.) *Molecular Microbiology Diagnostic Principles and Practice*. pp: 197–221. Washington, DC, USA: ASM Press.
- Ramphal, R.; Mcniece, M.T. and Polack, F.M. (1981):** Adherence of *Pseudomonas aeruginosa* to the injured cornea: a step in the pathogenesis of corneal infections. *Ann Ophthalmol*;13(4):421-5.
- Ramphal, R.; Small, P.M.; Shands, J.W., Jr.; Fischlschweiger, W. and Small, P.A., Jr. (1980):** Adherence of *Pseudomonas aeruginosa* to tracheal cells injured by influenza infection or by endotracheal intubation. *Infect Immun*;27(2):614-9.
- Rello, J.; Ausina, V.; Ricart, M.; Castella, J. and Prats, G. (1993):** Impact of previous antimicrobial therapy on the etiology and outcome of ventilator-associated pneumonia. *Chest*;104(4):1230-5.
- Reuben, R. (2008):** Infections due to *Pseudomonas* Species and Related Organisms. In: Fauci, A.S.; Kasper, D.L.; Longo, D.L.; Braunwald, E.; Hauser, S.L. and Jameson, L. (Eds.) *Harrison's Principles of Internal Medicine*. 17th edn, pp: 949-56. New York: McGraw-Hill.
- Reuter, S.; Sigge, A.; Wiedeck, H. and Trautmann, M. (2002):** Analysis of transmission pathways of *Pseudomonas aeruginosa* between patients and tap water outlets. *Crit Care Med*;30(10):2222-8.
- Richards, M.J.; Edwards, J.R.; Culver, D.H. and Gaynes, R.P. (1999):** Nosocomial infections in medical intensive care units in the United States. National Nosocomial Infections Surveillance System. *Crit Care Med*;27(5):887-92.
- Richards, M.J.; Edwards, J.R.; Culver, D.H. and Gaynes, R.P. (2000):** Nosocomial infections in combined medical-surgical intensive care units in the United States. *Infect Control Hosp Epidemiol*;21(8):510-5.

- Romling, U. and Tummeler, B. (2000):** Achieving 100% typeability of *Pseudomonas aeruginosa* by pulsed-field gel electrophoresis. *J Clin Microbiol*;38(1):464-5.
- Rossolini, G.M. (2005):** Acquired metallo-beta-lactamases: an increasing clinical threat. *Clin Infect Dis*;41(11):1557-8.
- Rossolini, G.M.; D'andrea, M.M. and Mugnaioli, C. (2008):** The spread of CTX-M-type extended-spectrum beta-lactamases. *Clin Microbiol Infect*;14 Suppl 1:33-41.
- Roy-Burman, A.; Savel, R.H.; Racine, S.; Swanson, B.L.; Revadigar, N.S.; Fujimoto, J.; Sawa, T.; Frank, D.W. and Wiener-Kronish, J.P. (2001):** Type III protein secretion is associated with death in lower respiratory and systemic *Pseudomonas aeruginosa* infections. *J Infect Dis*;183(12):1767-74.
- Sacha, P.; Wieczorek, P.; Hauschild, T.; Zorawski, M.; Olszanska, D. and Trynieszewska, E. (2008):** Metallo-beta-lactamases of *Pseudomonas aeruginosa*--a novel mechanism resistance to beta-lactam antibiotics. *Folia Histochem Cytobiol*;46(2):137-42.
- Samaha-Kfoury, J.N. and Araj, G.F. (2003):** Recent developments in beta lactamases and extended spectrum beta lactamases. *BMJ*;327(7425):1209-13.
- Sato, H.; Frank, D.W.; Hillard, C.J.; Feix, J.B.; Pankhaniya, R.R.; Moriyama, K.; Finck-Barbancon, V.; Buchaklian, A.; Lei, M.; Long, R.M.; Wiener-Kronish, J. and Sawa, T. (2003):** The mechanism of action of the *Pseudomonas aeruginosa*-encoded type III cytotoxin, ExoU. *EMBO J*;22(12):2959-69.
- Saunders, N.A. and Clewley, J.P. (1998):** DNA Amplification, General Concepts and Methods. In: Woodford, N.W. and Johnson, A. (Eds.) *Methods in molecular medicine*, vol. 15. *Molecular bacteriology*. pp: 33-50. Totowa, N.J.: Humana Press.
- Schiappa, D.A.; Hayden, M.K.; Matushek, M.G.; Hashemi, F.N.; Sullivan, J.; Smith, K.Y.; Miyashiro, D.; Quinn, J.P.; Weinstein, R.A. and Trenholme, G.M. (1996):** Ceftazidime-resistant *Klebsiella pneumoniae* and *Escherichia coli* bloodstream infection: a case-control and molecular epidemiologic investigation. *J Infect Dis*;174(3):529-36.
- Schoenen, D.; Stoeck, B.; Hienzsche, S. and Emmel, B. (1986):** [Decontamination of drinking water taps colonized with *Pseudomonas aeruginosa*]. *Zentralbl Bakteriol Mikrobiol Hyg B*;182(5-6):551-7.
- Sehulster, L. and Chinn, R.Y. (2003):** Guidelines for environmental infection control in health-care facilities. Recommendations of CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC). *MMWR Recomm Rep*;52(RR-10):1-42.
- Severino, P. and Magalhaes, V.D. (2002):** The role of integrons in the dissemination of antibiotic resistance among clinical isolates of *Pseudomonas aeruginosa* from an intensive care unit in Brazil. *Res Microbiol*;153(4):221-6.
- Sharples, G.J. and Lloyd, R.G. (1990):** A novel repeated DNA sequence located in the intergenic regions of bacterial chromosomes. *Nucleic Acids Res*;18(22):6503-8.
- Shibuya, Y.; Yamamoto, T.; Morimoto, T.; Nishino, N.; Kambara, T. and Okabe, H. (1991):** *Pseudomonas aeruginosa* alkaline proteinase might share a biological function with plasmin. *Biochim Biophys Acta*;1077(3):316-24.

- Shickman, M.D.; Guze, L.B. and Pearce, M.L. (1959):** Bacteremia following cardiac catheterization; report of a case and studies on the source. *N Engl J Med*;260(23):1164-6.
- Shooter, R.A.; Walker, K.A.; Williams, V.R.; Horgan, G.M.; Parker, M.T.; Asheshov, E.H. and Bullimore, J.F. (1966):** Faecal carriage of *Pseudomonas aeruginosa* in hospital patients. Possible spread from patient to patient. *Lancet*;2(7477):1331-4.
- Simpson, J.A.; Smith, S.E. and Dean, R.T. (1988):** Alginate inhibition of the uptake of *Pseudomonas aeruginosa* by macrophages. *J Gen Microbiol*;134(1):29-36.
- Simsek, F.; Yildirmak, T.; Cetmeli, G.; Iris, N. and Kanturk, A. (2009):** Successful treatment of pan - resistant *Pseudomonas aeruginosa* meningitis with intrathecal polymyxin b therapy. *The Internet Journal of Infectious Diseases*;7(2).
- Singh, A.; Goering, R.V.; Simjee, S.; Foley, S.L. and Zervos, M.J. (2006):** Application of molecular techniques to the study of hospital infection. *Clin Microbiol Rev*;19(3):512-30.
- Singleton, P. (2004):** The identification and classification of bacteria. In: *Bacteria in biology, biotechnology, and medicine*. 6th edn, pp: 481-512. Chichester, United Kingdom: Wiley.
- Siro, D.; Siro, J.; Labia, R.; Morand, A.; Courvalin, P.; Darfeuille-Michaud, A.; Perroux, R. and Cluzel, R. (1987):** Transferable resistance to third-generation cephalosporins in clinical isolates of *Klebsiella pneumoniae*: identification of CTX-1, a novel beta-lactamase. *J Antimicrob Chemother*;20(3):323-34.
- Sougakoff, W.; Goussard, S.; Gerbaud, G. and Courvalin, P. (1988):** Plasmid-mediated resistance to third-generation cephalosporins caused by point mutations in TEM-type penicillinase genes. *Rev Infect Dis*;10(4):879-84.
- Speert, D.P. and Campbell, M.E. (1987):** Hospital epidemiology of *Pseudomonas aeruginosa* from patients with cystic fibrosis. *J Hosp Infect*;9(1):11-21.
- Spencer, R.C. (1996):** Predominant pathogens found in the European Prevalence of Infection in Intensive Care Study. *Eur J Clin Microbiol Infect Dis*;15(4):281-5.
- Spencer, F.B.; Haupt, S.; Claros, M.C.; Walter, S.; Lietz, T.; Schille, R. and Rodloff, A.C. (2000):** Epidemiologic characterization of *Pseudomonas aeruginosa* in patients with cystic fibrosis. *Clin Microbiol Infect*;6(11):600-7.
- Spigaglia, P. and Mastrantonio, P. (2003):** Evaluation of repetitive element sequence-based PCR as a molecular typing method for *Clostridium difficile*. *J Clin Microbiol*;41(6):2454-7.
- Srinivasan, A.; Wolfenden, L.L.; Song, X.; Mackie, K.; Hartsell, T.L.; Jones, H.D.; Diette, G.B.; Orens, J.B.; Yung, R.C.; Ross, T.L.; Merz, W.; Scheel, P.J.; Haponik, E.F. and Perl, T.M. (2003):** An outbreak of *Pseudomonas aeruginosa* infections associated with flexible bronchoscopes. *N Engl J Med*;348(3):221-7.
- Stanislavsky, E.S. and Lam, J.S. (1997):** *Pseudomonas aeruginosa* antigens as potential vaccines. *FEMS Microbiol Rev*;21(3):243-77.
- Stapper, A.P.; Narasimhan, G.; Ohman, D.E.; Barakat, J.; Hentzer, M.; Molin, S.; Kharazmi, A.; Hoiby, N. and Mathee, K. (2004):** Alginate production affects *Pseudomonas aeruginosa*

biofilm development and architecture, but is not essential for biofilm formation. *J Med Microbiol*;53(Pt 7):679-90.

Stern, M.J.; Ames, G.F.; Smith, N.H.; Robinson, E.C. and Higgins, C.F. (1984): Repetitive extragenic palindromic sequences: a major component of the bacterial genome. *Cell*;37(3):1015-26.

Stokes, H.W. and Hall, R.M. (1992): The integron In1 in plasmid R46 includes two copies of the oxa2 gene cassette. *Plasmid*;28(3):225-34.

Strand, C.L.; Bryant, J.K.; Morgan, J.W.; Foster, J.G., Jr.; Mcdonald, H.P., Jr. and Morganstern, S.L. (1982): Nosocomial *Pseudomonas aeruginosa* urinary tract infections. *JAMA*;248(13):1615-8.

Strateva, T. and Yordanov, D. (2009): *Pseudomonas aeruginosa* - a phenomenon of bacterial resistance. *J Med Microbiol*;58(Pt 9):1133-48.

Struelens, M.J.; Schwam, V.; Deplano, A. and Baran, D. (1993): Genome macrorestriction analysis of diversity and variability of *Pseudomonas aeruginosa* strains infecting cystic fibrosis patients. *J Clin Microbiol*;31(9):2320-6.

Sultan, A.M.A. (2007): Metallo-b-Lactamases in Multidrug Resistant Gram Negative Bacilli in Mansoura Emergency Hospital ICUs. Master Thesis in Microbiology & Immunology. Mansoura university.

Syrmis, M.W.; O'carroll, M.R.; Sloots, T.P.; Coulter, C.; Wainwright, C.E.; Bell, S.C. and Nissen, M.D. (2004): Rapid genotyping of *Pseudomonas aeruginosa* isolates harboured by adult and paediatric patients with cystic fibrosis using repetitive-element-based PCR assays. *J Med Microbiol*;53(Pt 11):1089-96.

Szabo, D.; Szentandrassy, J.; Juhasz, Z.; Katona, K.; Nagy, K. and Rokusz, L. (2008): Imported PER-1 producing *Pseudomonas aeruginosa*, PER-1 producing *Acinetobacter baumannii* and VIM-2-producing *Pseudomonas aeruginosa* strains in Hungary. *Ann Clin Microbiol Antimicrob*;7:12.

Taha, M.K. (2002): Molecular detection and characterization of *Neisseria meningitidis*. *Expert Rev Mol Diagn*;2(2):143-50.

Talon, D. and Bertrand, X. (2003): Epidemiology and control of *Pseudomonas aeruginosa* infections in the intensive care unit. In: Hauser, A.R. and Rello, J. (Eds.) *Severe Infections Caused by Pseudomonas Aeruginosa*. pp: 169-79. Boston: Kluwer Academic Publishers.

Talon, D.; Mulin, B.; Rouget, C.; Bailly, P.; Thouverez, M. and Viel, J.F. (1998): Risks and routes for ventilator-associated pneumonia with *Pseudomonas aeruginosa*. *Am J Respir Crit Care Med*;157(3 Pt 1):978-84.

Tenover, F.C.; Mohammed, M.J.; Gorton, T.S. and Dembek, Z.F. (1999): Detection and reporting of organisms producing extended-spectrum beta-lactamases: survey of laboratories in Connecticut. *J Clin Microbiol*;37(12):4065-70.

Tenover, F.C.; Raney, P.M.; Williams, P.P.; Rasheed, J.K.; Biddle, J.W.; Oliver, A.; Fridkin, S.K.; Jevitt, L. and MCGowan, J.E., Jr. (2003): Evaluation of the NCCLS extended-spectrum

beta-lactamase confirmation methods for *Escherichia coli* with isolates collected during Project ICARE. *J Clin Microbiol*;41(7):3142-6.

Thomson, C.J. and Amyes, S.G. (1992): TRC-1: emergence of a clavulanic acid-resistant TEM beta-lactamase in a clinical strain. *FEMS Microbiol Lett*;70(2):113-7.

Thomson, K.S. and Sanders, C.C. (1992): Detection of extended-spectrum beta-lactamases in members of the family Enterobacteriaceae: comparison of the double-disk and three-dimensional tests. *Antimicrob Agents Chemother*;36(9):1877-82.

Thomson, K.S. and Sanders, C.C. (1997): A simple and reliable method to screen isolates of *Escherichia coli* and *Klebsiella pneumoniae* for the production of TEM- and SHV-derived extended-spectrum beta-lactamases. *Clin Microbiol Infect*;3(5):549-54.

Thomson, K.S. and Smith Moland, E. (2000): Version 2000: the new beta-lactamases of Gram-negative bacteria at the dawn of the new millennium. *Microbes Infect*;2(10):1225-35.

Toleman, M.A.; Rolston, K.; Jones, R.N. and Walsh, T.R. (2003): Molecular and biochemical characterization of OXA-45, an extended-spectrum class 2d' beta-lactamase in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother*;47(9):2859-63.

Toleman, M.A.; Simm, A.M.; Murphy, T.A.; Gales, A.C.; Biedenbach, D.J.; Jones, R.N. and Walsh, T.R. (2002): Molecular characterization of SPM-1, a novel metallo-beta-lactamase isolated in Latin America: report from the SENTRY antimicrobial surveillance programme. *J Antimicrob Chemother*;50(5):673-9.

Trautmann, M.; Bauer, C.; Schumann, C.; Hahn, P.; Hoher, M.; Haller, M. and Lepper, P.M. (2006): Common RAPD pattern of *Pseudomonas aeruginosa* from patients and tap water in a medical intensive care unit. *Int J Hyg Environ Health*;209(4):325-31.

Trautmann, M.; Halder, S.; Hoegel, J.; Royer, H. and Haller, M. (2008): Point-of-use water filtration reduces endemic *Pseudomonas aeruginosa* infections on a surgical intensive care unit. *Am J Infect Control*;36(6):421-9.

Trautmann, M.; Halder, S.; Lepper, P.M. and Exner, M. (2009): [Reservoirs of *Pseudomonas aeruginosa* in the intensive care unit. The role of tap water as a source of infection]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*;52(3):339-44.

Trautmann, M.; Lepper, P.M. and Haller, M. (2005): Ecology of *Pseudomonas aeruginosa* in the intensive care unit and the evolving role of water outlets as a reservoir of the organism. *Am J Infect Control*;33(5 Suppl 1):S41-9.

Trautmann, M.; Royer, H.; Helm, E.; May, W. and Haller, M. (2004): *Pseudomonas aeruginosa*: new insights into transmission pathways between hospital water and patients. *Filtration*;1(Suppl 1):63-70.

Tredget, E.E.; Shankowsky, H.A.; Joffe, A.M.; Inkson, T.I.; Volpel, K.; Paranchych, W.; Kibsey, P.C.; Alton, J.D. and Burke, J.F. (1992): Epidemiology of infections with *Pseudomonas aeruginosa* in burn patients: the role of hydrotherapy. *Clin Infect Dis*;15(6):941-9.

Tzelepi, E.; Giakkoupi, P.; Sofianou, D.; Loukova, V.; Kemeroglou, A. and Tsakris, A. (2000): Detection of extended-spectrum beta-lactamases in clinical isolates of *Enterobacter cloacae* and *Enterobacter aerogenes*. *J Clin Microbiol*;38(2):542-6.

- Van Der Zanden, A.G.; Kremer, K.; Schouls, L.M.; Caimi, K.; Cataldi, A.; Hulleman, A.; Nagelkerke, N.J. and Van Soolingen, D. (2002):** Improvement of differentiation and interpretability of spoligotyping for Mycobacterium tuberculosis complex isolates by introduction of new spacer oligonucleotides. *J Clin Microbiol*;40(12):4628-39.
- Vander Wauven, C.; Pierard, A.; Kley-Raymann, M. and Haas, D. (1984):** Pseudomonas aeruginosa mutants affected in anaerobic growth on arginine: evidence for a four-gene cluster encoding the arginine deiminase pathway. *J Bacteriol*;160(3):928-34.
- Vedel, G.; Belaaouaj, A.; Gilly, L.; Labia, R.; Philippon, A.; Nevot, P. and Paul, G. (1992):** Clinical isolates of Escherichia coli producing TRI beta-lactamases: novel TEM-enzymes conferring resistance to beta-lactamase inhibitors. *J Antimicrob Chemother*;30(4):449-62.
- Versalovic, J.; Kapur, V.; Mason, E.O., Jr.; Shah, U.; Koeuth, T.; Lupski, J.R. and Musser, J.M. (1993):** Penicillin-resistant Streptococcus pneumoniae strains recovered in Houston: identification and molecular characterization of multiple clones. *J Infect Dis*;167(4):850-6.
- Versalovic, J.; Koeuth, T. and Lupski, J.R. (1991):** Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic Acids Res*;19(24):6823-31.
- Versalovic, J. and Lupski, J.R. (1995):** DNA fingerprinting of Neisseria strains by rep-PCR. *Methods Mol Cell Biol*;5(2):96-104.
- Versalovic, J. and Lupski, J.R. (2002):** Molecular detection and genotyping of pathogens: more accurate and rapid answers. *Trends Microbiol*;10(10 Suppl):S15-21.
- Viljoen, G.J.; Nel, L.H. and Crowther, J.R. (2005):** In: *Molecular Diagnostic PCR Handbook*. Netherlands: SpringerLink.
- Vos, P.; Hogers, R.; Bleeker, M.; Reijans, M.; Van De Lee, T.; Hornes, M.; Frijters, A.; Pot, J.; Peleman, J.; Kuiper, M. and Et Al. (1995):** AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res*;23(21):4407-14.
- Walsh, T.R. (2005):** The emergence and implications of metallo-beta-lactamases in Gram-negative bacteria. *Clin Microbiol Infect*;11 Suppl 6:2-9.
- Walsh, T.R.; Toleman, M.A.; Poirel, L. and Nordmann, P. (2005):** Metallo-beta-lactamases: the quiet before the storm? *Clin Microbiol Rev*;18(2):306-25.
- Walters, M.C., 3rd; Roe, F.; Bugnicourt, A.; Franklin, M.J. and Stewart, P.S. (2003):** Contributions of antibiotic penetration, oxygen limitation, and low metabolic activity to tolerance of Pseudomonas aeruginosa biofilms to ciprofloxacin and tobramycin. *Antimicrob Agents Chemother*;47(1):317-23.
- Watanabe, M.; Iyobe, S.; Inoue, M. and Mitsuhashi, S. (1991):** Transferable imipenem resistance in Pseudomonas aeruginosa. *Antimicrob Agents Chemother*;35(1):147-51.
- Watterson, S.A. and Drobniewski, F.A. (2000):** Modern laboratory diagnosis of mycobacterial infections. *J Clin Pathol*;53(10):727-32.

- Weber, D.J.; Rutala, W.A.; Samsa, G.P.; Wilson, M.B. and Hoffmann, K.K. (1992):** Relative frequency of nosocomial pathogens at a university hospital during the decade 1980 to 1989. *Am J Infect Control*;20(4):192-7.
- Weldhagen, G.F.; Poirel, L. and Nordmann, P. (2003):** Ambler class A extended-spectrum beta-lactamases in *Pseudomonas aeruginosa*: novel developments and clinical impact. *Antimicrob Agents Chemother*;47(8):2385-92.
- Welsh, J. and Mcclelland, M. (1990):** Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Res*;18(24):7213-8.
- White, P.A.; Mciver, C.J. and Rawlinson, W.D. (2001):** Integrons and gene cassettes in the enterobacteriaceae. *Antimicrob Agents Chemother*;45(9):2658-61.
- Whitecar, J.P., Jr.; Luna, M. and Bodey, G.P. (1970):** *Pseudomonas* bacteremia in patients with malignant diseases. *Am J Med Sci*;60(4):216-23.
- Whiteley, M.; Lee, K.M. and Greenberg, E.P. (1999):** Identification of genes controlled by quorum sensing in *Pseudomonas aeruginosa*. *Proc Natl Acad Sci U S A*;96(24):13904-9.
- Widmer, A.F.; Wenzel, R.P.; Trilla, A.; Bale, M.J.; Jones, R.N. and Doebbeling, B.N. (1993):** Outbreak of *Pseudomonas aeruginosa* infections in a surgical intensive care unit: probable transmission via hands of a health care worker. *Clin Infect Dis*;16(3):372-6.
- Wishart, M.M. and Riley, T.V. (1976):** Infection with *Pseudomonas maltophilia* hospital outbreak due to contaminated disinfectant. *Med J Aust*;2(19):710-2.
- Wisplinghoff, H.; Bischoff, T.; Tallent, S.M.; Seifert, H.; Wenzel, R.P. and Edmond, M.B. (2004):** Nosocomial bloodstream infections in US hospitals: analysis of 24,179 cases from a prospective nationwide surveillance study. *Clin Infect Dis*;39(3):309-17.
- Wommer, S.; Rival, S.; Heinz, U.; Galleni, M.; Frere, J.M.; Franceschini, N.; Amicosante, G.; Rasmussen, B.; Bauer, R. and Adolph, H.W. (2002):** Substrate-activated zinc binding of metallo-beta -lactamases: physiological importance of mononuclear enzymes. *J Biol Chem*;277(27):24142-7.
- Woods, D.E.; Straus, D.C.; Johanson, W.G., Jr. and Bass, J.A. (1981a):** Role of fibronectin in the prevention of adherence of *Pseudomonas aeruginosa* to buccal cells. *J Infect Dis*;143(6):784-90.
- Woods, D.E.; Straus, D.C.; Johanson, W.G., Jr. and Bass, J.A. (1981b):** Role of salivary protease activity in adherence of gram-negative bacilli to mammalian buccal epithelial cells in vivo. *J Clin Invest*;68(6):1435-40.
- Wu, F. and Della-Latta, P. (2002):** Molecular typing strategies. *Semin Perinatol*;26(5):357-66.
- Wunderink, R.G. and Mendoza, D.L. (2007):** Epidemiology of *Pseudomonas aeruginosa* in the intensive care unit. In: Rello, J.; Kollef, M.; Díaz, E. and Rodríguez, A. (Eds.) *Infectious Diseases in Critical Care*. pp: 218–25. Berlin Heidelberg: Springer-Verlag.
- Xu, H.; Davies, J. and Miao, V. (2007):** Molecular characterization of class 3 integrons from *Delftia* spp. *J Bacteriol*;189(17):6276-83.

- Yahr, T.L. and Parsek, M.R. (2006):** *Pseudomonas aeruginosa*. In: Dworkin, M.; Falkow, S.; Rosenberg, E.; Schleifer, K. and Stackebrandt, E. (Eds.) *The Prokaryotes*. 3rd edn, pp: 704-13. New York: Springer
- Yahr, T.L.; Vallis, A.J.; Hancock, M.K.; Barbieri, J.T. and Frank, D.W. (1998):** ExoY, an adenylate cyclase secreted by the *Pseudomonas aeruginosa* type III system. *Proc Natl Acad Sci U S A*;95(23):13899-904.
- Yang, Y. and Ames, G.F.-L. (1990):** The family of repetitive extragenic palindromic sequences: interaction with DNA gyrase and histonelike protein HU. In: Drlica, K. and Riley, M. (Eds.) *The bacterial chromosome*. pp: 211-25. Washington, D.C.: American Society for Microbiology.
- Yang, Y.; Janota, K.; Tabei, K.; Huang, N.; Siegel, M.M.; Lin, Y.I.; Rasmussen, B.A. and Shlaes, D.M. (2000):** Mechanism of inhibition of the class A beta -lactamases PC1 and TEM-1 by tazobactam. Observation of reaction products by electrospray ionization mass spectrometry. *J Biol Chem*;275(35):26674-82.
- Yong, D.; Toleman, M.A.; Giske, C.G.; Cho, H.S.; Sundman, K.; Lee, K. and Walsh, T.R. (2009):** Characterization of a new metallo-beta-lactamase gene, bla(NDM-1), and a novel erythromycin esterase gene carried on a unique genetic structure in *Klebsiella pneumoniae* sequence type 14 from India. *Antimicrob Agents Chemother*;53(12):5046-54.
- Yorioka, K.; Oie, S. and Kamiya, A. (2010):** Microbial contamination of suction tubes attached to suction instruments and preventive methods. *Jpn J Infect Dis*;63(2):124-7.
- Young, L.S. (1972):** Human immunity to *Pseudomonas aeruginosa*. II. Relationship between heat-stable opsonins and type-specific lipopolysaccharides. *J Infect Dis*;126(3):277-87.
- Zago, A. and Chugani, S. (2009):** *Pseudomonas*. In: Schaechter, M. (Ed.) *Encyclopedia of Microbiology*. 3rd edn, pp: 245-60. Oxford, UK: Elsevier.
- Zatkovic, B.; Molnarova, V.; Kmet, V.; Javorsky, P. and Pristas, P. (2000):** Diversity of DNA Sequences Among Restriction Endonucleases Producing *Selenomonas ruminantium* Isolates Detected by Enterobacterial Repetitive Intergenic Consensus Based Polymerase Chain Reaction (ERIC-PCR). *Anaerobe*;6(5):299-304.
- Zavascki, A.P.; Barth, A.L.; Goncalves, A.L.; Moro, A.L.; Fernandes, J.F.; Martins, A.F.; Ramos, F. and Goldani, L.Z. (2006):** The influence of metallo-beta-lactamase production on mortality in nosocomial *Pseudomonas aeruginosa* infections. *J Antimicrob Chemother*;58(2):387-92.
- Zegans, M.E.; Wagner, J.C.; Cady, K.C.; Murphy, D.M.; Hammond, J.H. and O'toole, G.A. (2009):** Interaction between bacteriophage DMS3 and host CRISPR region inhibits group behaviors of *Pseudomonas aeruginosa*. *J Bacteriol*;191(1):210-9.
- Ziegler, E.J.; Mccutchan, J.A.; Douglas, H. and Braude, A.I. (1975):** Prevention of lethal pseudomonas bacteremia with epimerase-deficient *E. coli* antiserum. *Trans Assoc Am Physicians*;88:101-8.
- Zimakoff, J.; Hoiby, N.; Rosendal, K. and Guilbert, J.P. (1983):** Epidemiology of *Pseudomonas aeruginosa* infection and the role of contamination of the environment in a cystic fibrosis clinic. *J Hosp Infect*;4(1):31-40.