

REFERENCES

- Abate Wondwossen, Abdulaziz A Alghaithy, Joan Parton, et al. (2010)** : Surfactant lipids regulate LPS-induced interleukin-8 production in A549 lung epithelial cells by inhibiting translocation of TLR4 into lipid raft domains. *Journal of lipid research* February; 51(2): 334–344.
- ACOG Committee on Practice Bulletins (2004)** : American College of Obstetrics and Gynecology Practice Bulletin No. 58. Ultrasonography in pregnancy. *Obstetrics and Gynecology* ; 104(4):1449–1458.
- Adamkin DH (2003)**: Issues in the nutritional support of the ventilated baby. *Clin Perinatal* ;25(1): 79-96 .
- Ainsworth SB (2005)** : Pathophysiology of neonatal respiratory distress syndrome: implications for early treatment strategies. *Treat Respir Med* ;4(6):423-37.
- Alan J. Ryan, Jheem D. Medh, Diann M. McCoy, et al. (2002)** : Maternal loading with very low-density lipoproteins stimulates fetal surfactant synthesis . *Am J Physiol Lung Cell Mol Physiol* ;283(2): L310-L318.
- Alaupovic P (1996)** : Significance of apolipoproteins for structure, function, and classification of plasma lipoproteins . *Methods Enzymol* ;263:32-60 .
- Albers JJ, Koschinsky MI and Marcovina SM (2007)**: Evidence mounts for a role of the kidney in lipoprotein (a) catabolism. *Kidney Int.* ;71 (10): 961–02.
- Alday Lillian , Annie Gin and Kristina Setrakyan (2006)** : Neonatal. Respiratory Distress Syndrome . Available at : [http :// www.smccd.net /accounts/hernandezr/rpth485/rds.pdf](http://www.smccd.net/accounts/hernandezr/rpth485/rds.pdf) .
- Allain, Poon LS, Chan CS, et al. (1974)**: Enzymatic determination of total serum cholesterol. *Clin Chem* ; 20: 470.
-

Ambalavanan Namasivayam and Rosenkrantz Ted (2009): Bronchopulmonary Dysplasia ,Clinical Presentation . *Journal of Pediatric and Child Health* Volume 19 issue 4, April, Pages 171-173 .

Apgar V (1953): A proposal for a new method of evaluating of the newborn infant. *Curr Res Anesth Analg* ;32: 260-267.

Appari M, Werner R, Wünsch L, et al. (2009): Apolipoprotein D (APOD) is a putative biomarker of androgen receptor function in androgen insensitivity syndrome. *J. Mol. Med* ;87 (6): 623–32.

Assman G (1988): Triglycerides and atherosclerosis. *Lipid Rev* ;2: 89-96.

Aziz A and Ohlsson A.(2008): Surfactant for pulmonary hemorrhage in neonates. *Cochrane Database of Systematic Reviews* ; Issue 2. Art. No. CD005254.

Bach D and Wachtel E (2003) : Phospholipid/cholesterol model membranes: formation of cholesterol crystallites. *Biochim Biophys Acta* ;1610 (2) 187–97 .

Ballard JL, Khoury JC, Wediq K, et al. (1991): New Ballard score expanded to include extremely premature infants. *J pediatr* ;119: 417-423.

Ballard PL,Gonzales LW, Godinez RI, et al. (2006): Surfactant composition and function in a primate model of infant chronic lung disease: effects of inhaled nitric oxide. *Pediatr Res* ;59:157.

Ballared RA, Truog WE, Cnaan A, et al. (2006): Inhaled nitric oxide in preterm infants undergoing mechanical ventilation. *NEJM* ;355:343-352.

Bansal N, Cruickshank JK, MaElduff P, et al. (2005): Cord blood lipoproteins and prenatal influences *Curr Opin Lipidol* ;16:400-8.

Barter P (2007) : For the TNT Investigators. HDL cholesterol, very low levels of LDL cholesterol, and cardiovascular events. *N. Engl. J. Med.* ;357, 1301-1310 .

Bashour M (2008): Retinopathy of Prematurity, eMedicine, Nov
Available at : <http://emedicine.medscape.com/article/1225022-overview>.

Bastida S, Cuesta C, Perea S, et al. (1996): Lipid and lipoprotein changes throughout the term-period in neonates from the Toledo Study. *Rev Esp Fisiol* ;52:23–29.

Bell EF and Acarregui MJ (2008) : Restricted versus liberal water intake for preventing morbidity and mortality in preterm infants. *Cochrane Database Syst Rev* ;23(1):CD000503.

Berg K (1963) : A new serum type system in man – the Lp system . *Acta Pathol Microbiol Scand* ;59: 369–82.

Berghaus TM, Demmelmaier H and Koletzko B (2000): Essential fatty acids and their long-chain polyunsaturated metabolites in maternal and cord plasma triglycerides during late gestation. *Biol Neonate* ;77:96–100.

Berry- Ann L Anderson and Ted Rosenkrantz (2010) : Neonatal Sepsis Treatment and Management. eMedicine Available at : <http://emedicine.medscape.com/article/978352-overview>.

Bhalca ZA and Yusuf K (2008): Neonatal respiratory distress syndrome in Krachi: some epidemiological considerations. *Pediatr Perinatal Epidemiol* ;11(1):37-43.

Bhandari V, Gavino RG, NedreLOW JH, et al. (2007): A randomized controlled trial of synchronized nasal intermittent positive pressure ventilation in RDS. *J Perinatol* ;27:697.

Boston V E. (2006): Necrotising enterocolitis and localised intestinal perforation: different diseases or ends of a spectrum of pathology. *Pediatr Surg Int* ; 22: 477–484 .

Bouillon R, Verstuyf A, Mathieu C, et al., (2006) : Vitamin D resistance. Best Practice and Research. *Clinical Endocrinology and Metabolism* ;20 (4): 627–45.

Boskabadi Hassan, Gholamali Maamouri and Shahin Mafinejad (2011): Neonatal Complications Related with Prolonged Rupture of Membranes. *Macedonian Journal of Medical Sciences*. Mar 15 ;4(1):93-98.

Bowman E and Fraser S (2009) : Neonatal handbook , Pneumothorax , Available at: www.rch.org.au/nets/handbook ,Accessed on :Januray.

Bradbury J (2002): Could treatment of neonatal RDS improve further? *Lancet* ;3:360(9330):390.

Brion LP and Soll RF (2008): Diuretics for respiratory distress syndrome in preterm infants. *Cochrane Database Syst Rev* ;32:(1): CD001454.

Brooks JM, Travadi JN, Patole SK, et al. (2005): Is surgical ligation of patent ductus arteriosus necessary? The western Australian experience of conservative management. *Arch Dis Child* ;90:F235-F2 .

Brown MS and Goldstien JL (1986): A receptor mediated pathway for cholesterol homeostasis. *Science* ; 232:10- 4.

Brunzell JD (1995): Familial lipoprotein lipase deficiency and other causes of the chylomicronemia syndrome. In: *The Metabolic and Molecular Bases of Inherited Diseases*, 7th ed, eds Scriver CR, Beaudet AL, Sly WS and Valle D. New York, McGraw-Hill 2: 1913-32.

Butte NF, Ellis KJ, Wong WW, et al. (2003): Composition of gestational weight gains impacts maternal fat retention and infant birth weight. *Am J Obstet Gynecol* ;189: 1423–1432.

Caffrey P, Aparicio JF, Malpartida F, et al. (2008): Biosynthetic engineering of polyene macrolides towards generation of improved antifungal and antiparasitic agents. *Current Topics in Medical Chemistry* ;8(8):639-53.

Camarota LM, Chapman JM, Hui DY, et al. (2004): Carboxyl ester lipase cofractionates with scavenger receptor BI in hepatocyte lipid rafts and enhances selective uptake and hydrolysis of cholesteryl esters from HDL3. *J Biol Chem* ; 279:27599–606.

Caplice NM, Panetta C, Peterson TE, et al. (2001) : Lipoprotein (a) binds and inactivates tissue factor pathway inhibitor: a novel link between lipoproteins and thrombosis. *Blood* ;98 (10): 2980–7.

Carnielli VP, Zimmermann LJ, Hamvas A, et al. (2009): Pulmonary surfactant kinetics of the newborn infant: novel insights from studies with stable isotopes. *J Perinatol* ; 29(suppl 2):S29–S3.

Catalano PM, Drago NM and Amini SB (1995) : Factors affecting fetal growth and body composition. *Am Obstet Gynecol* ;172:1459-1463.

Chapman C, Morgan LM and Murphy MC (2000): Maternal and early dietary fatty acid intake: Changes Lipid Metabolism and enzymes in adult rats. *J Nutr* ;130(2):146-151.

Christian Wilde (2003): Hidden Causes of Heart Attack and Stroke: Inflammation, *Cardiology's New Frontier*. Abigon Press. pp. 182–183 ISBN 0- 9594279.

Clausen T, Burski TK, Oyen N, et al. (2005) :Maternal anthropometric and metabolic factors in the first half of pregnancy and risk of neonatal macrosomia in term pregnancies. A prospective study. *Eur J Endocrinol* ;153:887-3894.

Cloherty J, Stark A, Eichenwald E (2008): Respiratory distress syndrome. In : *Manual of Neonatal Care*. 6th ed. Lippincott, Wilkins and Philadelphia PA.

Clyman RI and Chome N (2007): Patent ductus arteriosus: evidence for and against treatment. *J Pediatr* ;150:216-219.

Cochrane CG (2005): Pulmonary surfactant in allergic inflammation: new insights into the molecular mechanisms of surfactant function. *Am J Physiol Lung Cell Mol Physiol* ;288:L608.

Cogo PE, Facco M, Simonato M, et al. (2009) : Dosing of porcine surfactant: effect on kinetics and gas exchange in respiratory distress syndrome. *Pediatrics* ;124:e950–e957.

Coleman RA and Lee DP (2004) : Enzymes of triacylglycerol synthesis and their regulation . *Progress in Lipid Research* ;43 (2): 134–76 .

Cools F, Henderson-Smart DJ, Offringa M, et al. (2009): Elective high-frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev* ; 3:CD000104 .

Dabi D R, Parakh Manish and Goyal Vikas (2004): A cross sectional study of lipid and lipoproteins in pregnancies with intrauterine growth retardation. *J Obstet Gynecol Ind* Volume. 54, No.5:September Pg 467-472 .

Dallongeville J, Lussier-Cacan S and Davignon J (1992): Modulation of plasma triglyceride level by apo E phenotype. A meta analysis. *J Lipid Res* ;33:447.

Dahl M, Holmskov U, Husby S, et al. (2006): Surfactant protein D levels in umbilical cord blood and capillary blood of premature infants. The influence of perinatal factors. *Pediatr Res* ;59:806–810.

Daniels CB and Orgeig S (2002): The comparative biology of pulmonary surfactant: past, present and future. *Comp Biochem Physiol A* ;129: 9–36.

David J Annibale and Ted Rosenkrantz (2010): Periventricular Hemorrhage, Intraventricular Hemorrhage, eMedicine available at : <http://emedicine.medscape.com/article/976654-overview>.

Davidson KG, Acton SM, Barr HA, et al. (1997): Effect of lowering serum cholesterol on the composition of surfactant in adult rat lung. *Am J Physiol Lung Cell Mol Physiol* ; 272: L106– L114.

Davis PG and Henderson Smart DJ (2003): Nasal continuous positive airway pressure immediately after extubation for preventing morbidity in preterm infants. *Cochrane Database Syst Rev* (2):CD000143.

Davis PG, Lemyre B and De Paoli AG (2002): Nasal intermittent positive pressure ventilation versus nasal continuous positive airway pressure for preterm neonates after extubation. *Cochrane Database Syst Rev* (1):CD002272.

Deacon J (2005): Fungal Biology. Cambridge, MA: Blackwell Publishers. p. 342 .ISBN 1-4051-3066-0 .

Demacher PNM, Vos-Janssen HE, Hijmans AG, et al. (1980): Measurement of HDL-Cholesterol in serum, comparison of six isolation methods combined with enzymatic cholesterol analysis. *Clin Chem* 26: 178.

Descamps OS, Bruniaux M, Guilmot PF, et al (2004): Lipoprotein concentrations in newborns are associated with allelic variations in their mothers. *Atherosclerosis* ;172:287–298.

Després, Jean-Pierre (2009): The Atherogenic Triad of New Metabolic Risk Factors: Importance of Waist and Fasting Triglycerides as Screening Tools: *Visceral Adipose Tissue and Cardiometabolic Risk: Does It Really Matter? Part2*. Available at: <http://www.lipidsonline.org/slides/slide01.cfm?q=apolipoprotein&dp=59> Retrieved October 8 .

Devlin (2011) : Lipids. Publisher by Sarup and Sons .ISBN :8176256633: pp. 421–22 .

Diaz M, Leal C, Ramon J, et al (2005): Cord blood lipoprotein cholesterol relationship birth weight and gestational age of newborns. *Metabolism*; 38: 435-8.

Dibiasi Robert M (2009): Nasal continuous positive airway pressure (CPAP) for the respiratory care of the newborn infant. *Respir Care* 54:1209.

DiCianni G, Miccoli R, Volpe L, et al. (2005) : Maternal triglyceride levels and newborn weight in pregnant women with normal glucose tolerance *DIAMED* 22(1):21-5.

Doan M L, Guillerman RP, Dishop MK, et al. (2008): Clinical , radiological and pathological features of ABCA3 mutations in children . *Thorax* . April ; 63(4): 366 – 373.

Doan SM and Sinha SK (2003): Invasive and non invasive neonatal mechanical ventilation. *Resp Care* ; 48 (4): 426-39.

Donega Sirlei , Jane Oba and Raul C. Maranhão (2006): Concentration of Serum Lipids and Apolipoprotein B in Newborns. *Arquivos Brasileiros de Cardiologia*, Volume. 86, No. 6, June .

Dudell G and Stoll BJ (2007): Respiratory tract disorders. In: *Nelson Text book of pediatrics*, 18th ed, eds Nelson W, Behrman R, Kliegman R and Arvin A. Saunders Elsevier 728-741.

Dutta-Roy AK (1997): Fatty acid transport and metabolism in the feto-placental unit and the role of fatty acid-binding proteins. *J Nutr Biochem*; 8:548–57.

Easterbrook PJ (1999): Lipids and metabolism. In: *Basic Medical Sciences*, 2nd ed, eds Easterbrook, Churchill Livingstone, Harcourt Brace and Company Limited 243-54.

Edison. RJ, Kate Berg, Remaly A, et al. (2007): Adverse Birth Outcome Among Mothers With Low Serum Cholesterol. *PEDIATRICS* Vol. 120, No. 4 October, pp. 723-733 .

Eichinger A, Nasreen A, Kim HJ, et al. (2007) : Structural insight into the dual ligand specificity and mode of high density lipoprotein association of apolipoprotein D. *J. Biol. Chem*; 282, 31068–31075.

Emma Leah (2009): (cholesterol). *Lipidomics Gateway, lipidmaps* 3; 10:1038-1042.

Engle William A (2008): Surfactant Replacement Therapy for Respiratory Distress in the Preterm and Term Neonate. *PEDIATRICS* ,Vol. 121 , No. 2 February , pp. 419-432.

Engelbrecht, Eva. Kaltenborn, Matthias. Griesse, et al. (2010): The surfactant lipid transporter ABCA3 is N-terminally cleaved inside LAMP3-positive vesicles. *FEBS Letters*, Volume 584, Issue 20, Pages 4306-4312.

Ersch Joerg , Matthias Roth-Kleiner, Peter Baeckert,et al. (2007): Incidence of respiratory distress in neonates' *Acta Paediatrica* volume 96, issue 11, pages 1577-1581, November .

Fahy and Eoin (2005): A comprehensive classification system for lipids. *Journal of Lipid Research* ;46:839-862.

Farese RV Jr, Cases S, Ruland SL, et al. (1996): A novel function for apolipoprotein B: lipoprotein synthesis in the yolk sac is critical for maternal fetal lipid transport in mice. *J Lipid Res* ;37:347– 60.

Farmer JA and Gotto AM (1992): Risk factors for coronary artery disease. In : *Heart disease a textbook of cardiovascular medicine*, 4th ed, eds Farmer JA and Gotto AM. WB Saunders Company, Philadelphia. 1124.

Farooqui AA, HorrocksL, and Farooqui T (2000): Glycerophospholipids in brain: their metabolism, incorporation into membranes, functions, and involvement in neurological disorders *Chemistry and Physics of Lipids* ;106 (1): 1–29 .

Fernandez E, Schrader R and Watterberg K (2005): Prevalence of low cortisol values in term and near-term infants with vasopressor-resistant hypotension. *J Perinatol* ; 25:114.

Fezza F, De Simone C, Amadio D, et al. (2008): Fatty acid amide hydrolase: a gate-keeper of the endocannabinoid system . *Subcellular Biochemistry* ;45:101-32 .

Fiona J, Stanley ED and Alberman (1978): Factors in and Conditions Associated with Respiratory Distress Syndrome. *Develop. Med. Child Neurol* ; 20:313-322.

Forbes Amy, Mike Pickell, Mehry Foroughian, et al. (2007): Alveolar macrophage depletion is associated with increased surfactant pool sizes in adult rats. *J Appl Physiol* ;103:637-645.

Forrester JS, Milne SB, Ivanova PT, et al. (2004): Computational lipidomics: a multiplexed analysis of dynamic changes in membrane lipid composition during signal transduction. *Mol Pharmacol* ;65: 813-821.

Fraser J, Moira walls and William Mc Guire (2004): Respiratory complications of preterm birth. *BMJ* ;23:329 (7472):962-5.

Friedewald WT, Levi RT, Fredrikson DS , et al . (1972) :

Estimation of the concentration of low density lipoprotein cholesterol in plasma without use of the ultra centrifuge . *Clin Chem* ; 18 : 499 – 502 .

Gao WW, Tan SZ, Chen YB, et al. (2010): Randomized trail of nasal synchronized intermittent mandatory ventilation compared with nasal continuous positive airway pressure in preterm infants with respiratory distress syndrome . *Zhongguo Dang Dai Er Ke Za Zhi*. Jul;12(7):524-6.

Gareth Griffiths and Allan Keith Stobart (2003): Fatty Acid Biosynthesis and Triacylglycerol. In : *Handbook of Food Enzymology* Chapter 11. Assembly. eBook ISBN: 978-0-203-91045-0 .

Geary C, Caskey M, Fonseca R, et al. (2008): Decreased incidence of bronchopulmonary dysplasia after early management changes, including surfactant and nasal continuous positive airway pressure treatment at delivery: a historical cohort study. *Pediatrics* ;121(1):89-96.

Gerald L, Marie B, Jean F, et al. (2002): Value of HDL-C, Apolipoprotein A₁ and lipoprotein A₁ and lipoprotein A₁/A₁₁ in prediction of coronary heart disease. *Arterioscler Thromb Vasc Biol* ;22 (7): 1155-61.

German Perdomo H and Henry Dong (2009): Apolipoprotein D in Lipid Metabolism and Its Functional Implication in Atherosclerosis and Aging, *AGING Journal*,VOL.1, NO. 1, pp 17-27.

Glasser SW, Detmer EA, Ikegami M, et al. (2003): Pneumonitis and emphysema in sp-C gene targeted mice. *J Biol chem* ; 278:14291.

Glew HR (2002): Lipids metabolism II: pathways of Metabolism of special lipids. In: *Textbook of Biochemistry with Clinical Correlations*, 5th ed, ed Devlin. Wiley-Liss, New York. 17:728.

Gowenlock AH, McMurray JR and McLauchlan DM (2002): Lipids and Lipoproteins. In: *Varley's Practical Clinical Biochemistry*, 6th ed, eds Gowenlock AH, McMurray JR and McLauchlan DM. CBS Publishers and Distributors, India. ;21:545-5.

Greene, A (2007) : Medline Plus Medical Encyclopedia. Neonatal Respiratory Distress Syndrome. September 5. Available at: [http://www.nlm.nih.gov/medlineplus/](http://www.nlm.nih.gov/medlineplus/ency/article/001563.htm) Accessed

Gunes T,Koklu E and Ozturk MA(2007): Maternal and cord serum lipid profiles of preterm infant with respiratory distress syndrome *.Journal of perinatology ;27:415-421.*

Gupta S, Sinha SK, Tin W, et al. (2009): A randomized controlled trial of post-extubation bubble continuous positive airway pressure versus Infant Flow Driver continuous positive airway pressure in preterm infants with respiratory distress syndrome. *J Pediatr* ; 154: 645–650.

Haggarty P (2002) : Placental regulation of fatty acid delivery and its effect on fetal growth:a review. *Placenta ;23(Suppl A) :S28-S38.*

Hallman K and Hallman M (2004): Lung surfactant, respiratory failure, and genes. *NEJM ;350: 1278-1280.*

Hamvas Aaron , Hillary B. Heins, Susan H. Guttentag, et al. (2009): Developmental and Genetic Regulation of Human Surfactant Protein B in vivo. *Neotology Fetal and Neonatal Research* Volume 95 No 2 Pp, :117-124.

Hansen TN and Corbet A (2005):Control of breathing. In HW Taeusch et al., eds., *Avery's Diseases of the Newborn*, 8th ed., pp. 616–633. Philadelphia: Elsevier Saunders.

Hardell LI (1981): Serum lipids and lipoproteins at birth based on study of 2815 newborn infants. II. Relation between materno-fetal factors and

concentration of triglycerides and cholesterol. *Acta Paediatr Scand* ;285:11 20.

Hass MA and Longmore WJ (1979): Surfactant cholesterol metabolism of the isolated perfused rat lung. *Biochim Biophys Acta* ;573:166-174.

Hass MA and Longmore WJ (1980): Regulation of lung surfactant cholesterol metabolism by serum lipoproteins. *Lipids* ;15:401-446.

Havel RJ (1982): Approach to the patient with hyperlipidemia. *Med Clin North Am* ;66:319.

Hay WW J R (2009): Strategies for feeding the preterm infant. *Neonatology* ; 94: 245–254.

Henderson-Smart DJ, Cools F, Offringa M, et al. (2007): Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev* 8:(3):CD000104 .

Heng CK, Low PS and Saha N (2001): Variations in the promoter region of the apolipoprotein A₁ gene influence plasma lipoprotein (a) levels in Asian Indian Neonates from Singapore. *Pediatr Res* ;49: 514-8.

Heinrich S, Hartl D, Griesse M(2006): Surfactant protein A - from genes to human lung diseases. *Current Med Chem* ;13:3239–3252.

Hermansen CL and Lorah KN (2007) : Respiratory distress in the newborn. *Am Fam Physician* ;76 (7): 987–94.

Herrera CM, Gerhardt T, Claire N, et al. (2002): Effects of volume-guaranteed synchronized intermittent mandatory ventilation in preterm infants recovering from respiratory failure. *Pediatrics* ;110:529-33.

Herrera E, Amusquivar E, Lopez-Soldado I, et al. (2006) : Maternal lipid metabolism and placental lipid transfer. *Horm Res* ;65 (suppl 3):59 – 64.

Herrera E and Ortega-Senovilla H (2010): Disturbances in lipid metabolism in diabetic pregnancy - Are these the cause of the problem?.*Best Pract Res Clin Endocrinal Metabolism* Aug ; 24(4):515-25.

Hibbard JU, Wilkins I, Sun L, et al. (2010): Respiratory morbidity in late preterm births *JAMA*. Jul 28 ;304(4):419-25.

Higgins RD, Bancalari E, Willinger M, et al. (2007): Executive summary of the workshop on oxygen in neonatal therapies: controversies and opportunities for research. *Pediatrics* ;119:790-796 .

Hölzl G and Dörmann P (2007): Structure and function of glycoglycerolipids in plants and bacteria, *Progress in Lipid Research* ;46 (5) 225–43.

Honke K, Zhang Y, Cheng X, et al. (2004): Biological roles of sulfoglycolipids and pathophysiology of their deficiency. *Glycoconjugates Journal* ;21 (1–2): 59- 62.

Howman S (1999): Mechanical ventilation: A Review and Update for Clinicians Sonia F. Howman . Available at:<http://www.turner-white.com> .

Hummel L, Schwartze A, Schirrmeister W, et al. (1976): Maternal plasma triglycerides as a source of fetal fatty acids. *Acta Biol Med Ger* ;35: 1635–1641.

Hunter JE (2006): Dietary trans fatty acids: review of recent human studies and food industry responses. *Lipids* ;41 (11): 967–92.

Huxley R, Owen CG, Whincup PH, et al. (2004): Birth weight and subsequent cholesterol levels: exploration of the ‘fetal origins’ hypothesis. *JAMA* ;292:2755–2764.

Innis SM (2005): Essential fatty acid transfer and fetal development. *Placenta* ;26:S70-5.

Ivanova PT, Milne SB, Byrne MO, et al. (2007): Glycerophospholipid identification and quantitation by electrospray ionization mass spectrometry. *Methods in Enzymology* ;432: 21–57.

James Anitha, Hovnanian K, and Anita Siu (2010): Apnea of Prematurity Pharmacotherapy. *US Pharm* ;35(3):HS2-HS6.

Jobe AH and Ikegami M (1998): Mechanisms initiating lung injury in the preterm. *Early Hum Dev* ;53(1):81-94.

Jobe AH and Ikegami M (2001): Biology of surfactant. *Clin Perinatol* ;28:655.

Jobe AH (2006): Lung Development and Maturation. In: *Neonatal-Perinatal Medicine* (disease of the fetus, infants and adolescents), 8th ed, eds Martin RJ, Fanaroff AA and Walsh MC ;42(1):1069-1073.

Johnson HJ Jr, Simpson ER, Carr BR, et al. (1982): The levels of plasma cholesterol in the human fetus throughout gestation. *Pediatr Res* ;16:682–683.

Kambafwile , Judith Mwansa, Simon Cousens, et al. (2010):Antenatal steroids in preterm labour for the prevention of neonatal deaths due to complications of preterm . *Oxford Journals Medicine International Journal of Epidemiology* Volume39, Issue suppl1 Pp. i122-i133.

Kamel M, Shawky H and Hussein OA (2007): Devolvment of respiratory system. In: *Lectures on embryology*, 5th ed, eds Kamel M, Shawky H and Hussein OA ;62(1):11-21.

Kanadys WM (1998): Pre-pregnancy body mass, gestational weight gain and birth weight. *Ginekol Pol* ;69: 1223–1227.

Karagiorga G, Nakos G, Galiatsou E, et al. (2006): Biochemical parameters of bronchoalveolar lavage fluid in fat embolism. *Intensive Care Med* ;32:116–123.

Kaser S, Ebenbichler CF, Wolf HJ, et al. (2001): Lipoprotein profile and cholesteryl ester transfer protein in neonates. *Metabolism* ; 50:723–728.

Kauss RM, Perlman JA and Petitti D (1988): Effacts of estrogen dose and smoking on lipid and lipoprotein level in postmenopausal women. *Am J Obstet Gynencol* ;158:1606-11.

Kelishadi Roya, Zohreh Badiee and Skosrow Adeli (2007) :Cord blood lipid profile and associated factores :baseline data of a birth cohort study . *Paediatric and Perinatal Epidemiology* ;21:518-542.

Kennedy KA, Tyson JE, Chamnanvanikij S, et al. (2000): Early versus delayed initiation of progressive enteral feeding for parenterally fed low birth weight or preterm infants. *Cochrane Database Syst Rev* (2):CD001970.

Kessel I, Waisman D, Barnet-Grinnes O, et al . (2010) : Benefits of high frequency oscillatory ventilation for premature infants. *Isr Med Assoc J.* Mar;12(3):144-9

Kharb S., KaurA and Nanda S (2010): Comparison of cord blood atherogenic index in males and females. *IRANIAN CARDIOVASCULAR RESEARCH JOURNAL* ; 4(1):35-38 .

Khashan A S and Keeny C L (2005) : The effects of maternal body mass index on pregnancy outcome. *European Journal Of Epidemiology . Perinatal Epidemiology* ,Volume 24, Number 11 Pp, 697-705.

Kim So Young (2010) : Neonatal respiratory distress: recent progress in understanding pathogenesis and treatment outcome. *Korean Journal of Pediatrics* Vol. 53, No. 1 Pp 53-57.

Kinsella JP, Cutter GR, Walsh WF, et al. (2006): Early inhaled nitric oxide therapy in premature newborns with respiratory failure. *NEJM* ;355:354-364.

Kindel P (2010) : Mechanism of formation and secretion of chylomicron. *J Atherosclero (Suppl)*,June ;11 (1):11-6.

Kishore U, Greenhough TJ and Waters P (2006): Surfactant proteins SP-A and SP-D: Structure, function and receptors. *Mol Immunol* ; 43:1 .

Kitajima M, Oka S, Yasuhi I, et al. (2001) : Maternal serum triglyceride at 24--32 weeks' gestation and newborn weight in nondiabetic women with positive diabetic screens.*Obstet and Gynecol* May;97(5 Pt 1):776-80.

Kitaoka H, Burri PH and Weibel ER (1996): Development of the human fetal airway tree: Analysis of the numerical density of airway end tips. *Anat*; 244(2):207-13.

Konduri GG, Vohr B, Robertson C, et al. (2007): Early inhaled nitric oxide therapy for term and near-term newborn infants with hypoxic respiratory failure: neurodevelopmental follow-up. *J Pediatr* ;150:235-240.

Kugelman A, Feferkorn I, Riskin A, et al. (2007): Nasal intermittent mandatory ventilation versus nasal continuous positive airway pressure for respiratory distress syndrome: a randomized, controlled, prospective study. *J Pediatr*; 150: 521–526.

Kumar P and Kiran PS (2004): Changing trends in management of respiratory distress syndrome (RDS). *The Indian Journal of Pediatrics* ;71:49-54.

Kumar P and Seshadri R (2005): Neonatal morbidity and growth in very low birth-weight infants after multiple courses of antenatal steroids. *J Perinatology* ;25:698.

Lago P, Bettiol T, Salvadori S, et al. (2002): Safety and efficacy of ibuprofen versus indomethacin in preterm infants treated for patent ductus arteriosus: A randomized controlled trial. *Eur J Pediatr* ;161:202-207.

Lakshmi Ananth (2010) : Pulmonary Surfactant and Infant Respiratory Distress syndrome . eMedicine. available at : [http://www.suite101.com/content/pulmonary,surfactant and infant respiratory –distress-syndrome-a283901#ixzz1LkKblWmb](http://www.suite101.com/content/pulmonary,surfactant%20and%20infant%20respiratory%20-distress-syndrome-a283901#ixzz1LkKblWmb).

Lane DM, McConathy WJ, McCaffree MA, et al. (2002): Cord serum lipid and apolipoprotein levels in preterm infants with the neonatal respiratory distress syndrome. *J Matern Fetal Neonatal Med* ;11: 118–125.

Laskowska-Klita T, Szymborski J, Chelchowska M, et al. (2001) : Levels of lipid peroxides and of some antioxidants in placenta and cord blood of newborns whose mothers smoked during pregnancy. *Med Wieku Rozwoj* ;5(1):35–43.

Laughon M, Bose C, Allred E, et al. (2007): Factors associated with treatment for hypotension in extremely low gestational age newborns during the first postnatal week. *Pediatrics* ;119:273-280.

LeFlore JL, Salhab WA, Broyles RS, et al. (2002): Association of antenatal and postnatal dexamethasone exposure with outcomes in extremely low birth weight neonates *Pediatrics* ;110:275-279.

Legras B, Durou MR, Ruelland A, et al. (1995): Serum lipid, apolipoprotein and lipoparticle levels in the human fetus. *Prenat Diagn* ;15: 225–228.

Lista Gianluca , Francesca Castoldi, Paola Fontana,et al. (2010): Nasal continuous positive airway pressure (CPAP) versus bi-level nasal CPAP in preterm babies with respiratory distress syndrome: a randomised control trial *Arch Dis. Child Fetal Neonatal* ;95:F85-F89 .

Loughrey CM, Rimm E, Heiss G, et al. (2000): Race and gender differences in cord blood lipoproteins. *Atherosclerosis*;148:57-65.

Low Hong-Sang , Christopher JO, Baker Markus R, et al. (2009) : An OWL-Ontology for Classification Of Lipids. *Lipidomis* ; 38:109-112 .

Lu S, Yao Y, Meng S, et al. (2002): Over expression of apolipoprotein A-IV enhances lipid transport in newborn Swine intestinal epithelial cells. *J Biol Chem* ;277: 31929-37.

Madsen EM, Lindegaard MLS, Andersen CB, et al. (2004): Human placenta secretes apolipoprotein B-100-containing lipoproteins. *J Biol Chem* ;279:55271– 6 .

Malloy Jaret L, Ruud A, Veldhuizen W, et al. (2005): Pseudomonas aeruginosa protease IV degrades surfactant proteins and inhibits surfactant host defense and biophysical functions. *Am J Physiol Lung Cel Mol Physio* ; 288:L409-L418.

Mansbach CM and Siddiqi SA (2010): The biogenesis of chylomicrons, *Annu Rev Physiol.* Mar 17 ;72:315-33.

Mazela J, Merritt TA, Gadzinowski J et al. (2006): Evolution of pulmonary surfactants for the treatment of neonatal respiratory distress syndrome and pediatric lung diseases. *Acta Paediatr* ;95(9):1036-48.

Mcgladdery SH and Frohlich JJ (2001): Lipoprotein lipase and apo E polymorphisms relationship to hypertriglyceridemia during pregnancy. *J Lipid Res* ; 42:1905-1912.

McLean JW, Tomlinson JE, Kuang WJ, et al. (1987): cDNA sequence of human apolipoprotein(a) is homologous to plasminogen. *Nature* ;330 (6144): 132–7.

McClure P (2009): Hyaline Membrane Disease, eMedicine, May Available at : <http://emedicine.medscape.com/article/409409-overview>.

MCconathy J and Lane M (1983): Factors affecting the lipid and apolipoprotein levels in cord sera . *Pediatric Res*;17:83-91.

McIntosh N (1998): The newborn. In: *Forfar and Arneil s textbook of pediatrics*, 5th ed, eds Campbell AGM and McIntosh N2. 273-309.

McIntosh N (2001): High or low oxygen saturation for the preterm baby. *Arch Dis Child*; 84:F149-F150.

McQueen MJ, Hawken S, Wang X, et al. (July 2008) : Lipids, lipoproteins, and apolipoproteins as risk markers of myocardial infarction in 52 countries (THE INTERHEART study): a case-control study. *Lancet*; 372 (9634): 224–33.

Men-Jean Lee M and Debra G (2008): Antenatal use of glucocorticoids in women at risk for preterm deliver. *Cochrane Database Syst Rev* (3): CD004454.

Mendivil CO, Zheng C, Furtado J, Lel J, et al. (2009): Metabolism of Very-Low "Metabolism of Very-Low- Density Lipoprotein and Low-Density Lipoprotein Containing Apolipoprotein C-III and Not Other Small Apolipoproteins. *Arteriosclerosis, Thrombosis and Vascular Biology* ;30 (2): 239–45 .

Merrill AH and Sandhoff K. (2002): Sphingolipids: metabolism and cell signaling,in *New Comprehensive Biochemistry: Biochemistry of Lipids, Lipoproteins,and Membranes*, Vance, D.E. and Vance, J.E., eds. Elsevier Science, NY. Ch. 14.

Merzouk H, Madani S, Prost J, et al. (2000) : Impaired serum lipids and lipoproteins in macrosomia related to fetal maternal obesity .*Biology of the Neonate* ;77:17-24.

Miller HC and Futrakul P (1968): Birth weight, gestational age and sex as determining factors in the incidence of RDS of prematurely born infants. *J Pedia* ; 72:628-635.

Minto RE and Blacklock BJ (2008) Biosynthesis and function of polyacteylenes and allied natural products. *Progress in Lipid Research* ;47 (4): 233–306.

Montan S and Argl KS (2006): Neonatal respiratory distress syndrome. *Lancet* ;367:1878-1879.

Morley CJ (2006): Continuous positive airway pressure. In: *Manual of neonatal respiratory care*, 2nd ed, eds Donn SM and Sinhas. Mosby Elsevier 183-190.

Morley CJ, Davis PG, Doyle LW, et al. (2008): Nasal CPAP or intubation at birth for very preterm infants. *N Engl J Med* ; 358(7): 700–708.

Moya F (2009): Synthetic surfactants: where are we? Evidence from randomized, controlled clinical trials. *J Perinatol* May 29;Suppl 2:S23-8.

Muscati SK, Gray-Donald K and Koski KG (1996): Timing of weight gain during pregnancy: promoting fetal growth and minimizing maternal weight. *Int J Obes Relat Metab Disord* ;20: 526–532.

Nagourney BA, Kramer MS, Klebanoff MA, et al. (1996): Recurrent respiratory distress syndrome in successive preterm pregnancies. *J Pediatr* ;129:591.

Namasivayam Ambalavanan (2009): Bronchopulmonary Dysplasia . eMedicine, Available at: <http://emedicine.medscape.com/article/973717-overviewkrantz>.

Narasimhan R and Papworth S (2009) : Pulmonary haemorrhage in the neonate .*Pediatric and Child Health Journal*, volume 19 issue 4 , April, Pages 171-173 .

Neish Steven and Stuart Berger (2010): Patent Ductus Arteriosus (PDA), eMedicine available at: <http://emedicine.medscape.com/article/891096-overview>.

Nematollahzadeh Maryam, Anooshiravan Kazemnejed and Saeedeh Ziaei (2011): Relationship between body mass index and preterm delivery before and during pregnancy, *Zahedan Journal of Reserch in Medical Sciences* Volume. 12 NO. 5 January .

Neville MC (1999): Adaptation of maternal lipid flux to pregnancy: research needs. *Eur J Clin Nutr* ;53: S120–S123.

Newby J (2008): Nosocomial infection in neonates: inevitable or preventable? *J Perinat Neonatal Nures* Jul-Sep ;22(3):221-7;quiz 228-9.

Ng PC, Lee CH, Bnur FL, et al. (2006): A double blind randomized, controlled study of a (stress dose) of hydrocortisone for rescue treatment of refractory hypotension in preterm infants. *Pediatrics* ; 117:367-375.

Nimavat Dharmendra J and Ted Rosenkrantz (2009): Apnea of Prematurity ,eMedicine, available at <http://emedicine.medscape.com/article/974971-overview>.

Nkadi P, MerrittT and Pillers D (2009): An Overview of Pulmonary Surfactant in the Neonate: Genetics, Metabolism, and the Role of Surfactant in Health and Disease. *Mol Genet Metab.* June;97(2):95-101.

Notter RH, Wang Z, Egan EA, et al. (2002): Component-specific surface and physiological activity in bovine-derived lung surfactants. *Chem Phys Lipids* ;114(1):21-34 .

Ogura K., Miyatake T, Fukui O, et al, (2002): Low-density lipoprotein particle diameter in normal pregnancy and preeclampsia. *J Atheroscler. Thrombi* ; 9: 42-47.

Okazaki M ,Usui S, Tokunga K , Nakajima Y, et al.,(2004) : Hypertriglycerdemia in pregnancy doesnot contribute to the enhanced formation of remmant lipoprotein particles . *Clin Chim Acta* ;339:169-81.

Ohlsson A and Shah VS: Intrapartum antibiotics for known maternal group B streptococcal colonization. *Cochrane Database Syst Rev* ; 3:CD007467.

Olofsson SO and BorenJ (2009) : Lipid droplets as dynamic organelles connecting storage and efflux of lipids. *Biochim Biophysic Acta Jun* ;1791(6):448-58 .

Ophir E ,Oettinger M, Nisimov J et al, (2004): Cord blood lipid concentrations and their relation to body size at birth: possible link between intrauterine life and adult diseases. *Am J Perinatal* ;21:35-40.

Ortega AJ , Santago- Garcia , Musoliva J , et al . (1996) : Cholestrol increases the thermal stability of ca/mg –ATPase of cardiac microsome . *Biochim Biophysic Acte* ; 1283 : 45- 50 .

Pac-Kozuchowska E (2003): The concentration of lipids, lipoproteins and apolipoproteins in cord blood serum of newborns in the course of intrauterine period. *Ann Univ Mariae Curie Sklodowska* ; 58:25-32.

Paetzel M (2002): Respiratory distress syndrome (grade 1-4) of the premature and newborn (IRDS) . *Ped Rad* (serial online) vol 2, no. 11 Available at : [www.PedRad.info/?search= 1110223558](http://www.PedRad.info/?search=1110223558).

Pain MS and Dobbs LG (1997): Lipoprotein –stimulated surfactant secretion in alveolar type II cells mediation by heteromeric G protein. *Am J physiol* ; 237: L639.

Papoff P, Caresta E, Manganaro M, Cicchetti R, Mancuso M, Ferro V and Moretti C (2010) : Ventilatory care . *Minerva Pediatr.* Jun;62(3 Suppl 1):133-5 .

Pramanik AK (2009):Respiratory distress syndrome Available at : <http://emedicine.medscape.com/article/976034-followup>.

Pardo I.M.C.G, Geloneze B, Tambascia M A, et al. (2005) : Atherogenic lipid profile of Brazilian near-term newborns. *Barazalin Journal Of Medical and Biological Research* ; 38:755-760 ISSN 0100-879x.

Pearson A, Budin M and Brocks JJ (December 2003) : Phylogenetic and biochemical evidence for sterol synthesis in the bacterium *Gemmata obscuriglobus*, *Proc. Natl. Acad. Sci. U.S.A* ;100 (26):15352-7.

Peterson MM, Mack JL, Hall PR, et al. (2008): Apolipoprotein B is an innate barrier against invasive *Staphylococcus infection*. *Cell Host and Microbe* ; 4 (6): 507–9 .

Plavka R, Dokoupilová M, Pazderová L, et al . (2006) : High-frequency jet ventilation improves gas exchange in extremely immature infants with evolving chronic lung disease. *Am J Perinatol.* Nov;23(8):467-72 .

Punthumapol Chanvitya and Boonsri Kittichotpanich (2008) : Comparative Study of Serum Lipid Concentrations in Preeclampsia and Normal Pregnancy. *J Med Assoc Thai* ; 91 (7): 957-61.

Raetz CR, Garrett TA, Reynolds CM, et al. (2006) : Kdo2-Lipid A of *Escherichia coli*, a defined endotoxin that activates macrophages via TLR-4 . *Journal of Lipid Research* ;47 (5): 1097–111.

Rajiah Prabhakar and Eugene C Lin, (2009) : Imaging in Bronchopulmonary Dysplasia e Medicine. Available at : <http://emedicine.medscape.com/article/406564-overview> .

Rakhi Jain, Tripathi VN, Singh RD, et al. (2011): Lipid Profile and Apolipoproteins in Neonates in relation to Birth Weight and Gestational Maturity. *Journal of Pediatric Sciences* ; 3(2):e80 .

Ramanathan R, Sekar K, Soll RF, et al. (2006) : Expert opinions in managing neonatal respiratory distress syndrome: focus on noninvasive ventilation strategies. (Pamphlet). Publisher: Annenberg Center For Health Sciences at Eisenhower. Available at : www.starmeded.org/shared/4399.pdf accessed September.

Rao Av and Rao LG (2007) : Carotenoids and Human Health Pharmacological Research : *the Official Journal of the Italian Pharmacological Society* ;55 (3): 207–16 .

Reyes ZC, Claure N, Tauscher MK, et al. (2006) : Randomized, controlled trial comparing synchronized intermittent mandatory ventilation and synchronized intermittent mandatory ventilation plus pressure support in preterm infants. *Pediatrics* ;118:1409-17.

Rider L (1993): Treatment responses to surfactants containing natural surfactant proteins in preterm rabbits. *Am Rev Respir Dis* ;147:669-676 .

Rifai N, Bachorik S and Albers J (1999): Lipids, Lipoproteins, and apolipoproteins. In: *Tietz Textbook of Clinical Biochemistry*, 3rd ed, eds Burlis AC and Ashwood RE.WB Saunders Company America ; 25: 809-60.

Robert S Parter (2006) : Respiratory Distress Syndrome *Merck Manual For Diagnosis and Therapy* 18th Edition ,Published April 20.In: 06 ,ISBN 0-911910-18-2.

Rodie VA, Caslake MJ, Stewart F, et al. (2004): Fetal cord plasma lipoprotein status in uncomplicated human pregnancies and in pregnancies complicated by preeclampsia and intrauterine growth restriction. *Atherosclerosis* ;176:181–187.

Rojas Mario A , Meica M , Juan M, et al. (2005) : Risk Factors for Nosocomial Infections in Selected Neonatal Intensive Care Units in Colombia, South America . *Journal of Perinatology* ; 25, 537–541.

Rooney SA (1989): Fatty acid biosynthesis in developing fetal lung. *Am J Physiol Lung Cell Mol Physiol* ; 257:L195-201.

Rubin BK (2002): Physiology of airway mucus clearance . *Respir Care* Jul;47(7):761-8.

Rüdiger M, Wendt S, Köthe L, et al. (2007): Alterations of alveolar type II cells and intra alveolar surfactant after bronchoalveolar lavage and perfluorocarbon ventilation. An electron microscopical and stereological study in the rat lung. *Respir Care* ;8(1):40 .

Ryan AJ, Medh JD, McCoy DM, et al. (2002): Maternal loading with very low-density lipoproteins stimulates fetal surfactant synthesis *Am J Physiol Lung Cell Mol Physiol*; 283: L310–L318.

Saleh J, AL Riyami HD, Chaudhary TA, et al. (2008): Cord blood ASP is predicted by maternal lipids and correlates with fetal birth weight. Obesity. *Silver Spring* ;16(6):1193-8.

Sandri F, Plavka R, Simeoni U, et al. (2010): Prophylactic or early selective surfactant combined with NCPAP in very preterm infants *Pediatrics* ;Clinical Trials.gov: NCT00501982 .

Schaefer EJ, Lamon-Fava S and Johnson S (1994): Effects of gender and menopausal status on the association of apolipoprotein E phenotype with plasma lipoprotein levels: Results from the Framingham Offspring Study. *Arterioscler Thromb* ;14:1105-13.

Schaefer-Graf Ute M, Kristof Graf, Irina Kulbacka, et al. (2009) : Maternal Lipids as Strong Determinants of Fetal Environment and Growth in Pregnancies With Gestational Diabetes Mellitus. *Diabetes Care*. September ; 31(9): 1858–1863.

Schittmayer, M and Birner-Gruenberger R (2009): Functional proteomics in lipid research: Lipases, lipid droplets and lipoproteins. *J Proteomics* ; 72(6): 1006-1018.

Schmelzer K , Fahy E, Subramaniam S, et al. (2007) : The lipid maps initiative in lipidomics. *Methods Enzymol* ; 432: 171–183.

Schmid KE, Davidson WS, Myatt L, et al. (2003): The transport of cholesterol across a placental cell monolayer: implications for net transport of sterol from the maternal to fetal circulation. *J Lipid Res* ;44:1909 –18.

Segrest JP (2000): Non-LDL lipid risk factors: HDL, triglycerides, small dense LDL-c and Lp (a). *Clin Rev Sprin* 23-8.

Sekavat L, Zare F and Karbasi SA (2008): Maternal serum triglyceride at mid pregnancy and newborn weight in non diabetic and normal BMI women . *Nepal Journal of Obstetrics and Gynecology*, Vol 3, No 1 Pp:65-72 .

Simmer K and Rao SC (2005): Early introduction of lipids to parentally-fed preterm infants. *Cochrane Database Syst Rev*; (2):CD005256.

Singer BD and Corbridge TC (2009): Basic invasive mechanical ventilation. *South Med J* ;102(12):1238-45.

Singh J, Purohit M, Singh P, et al., (1994): Thappa DM. Cord blood cholesterol in term and preterm newborns. *Indian Pediatr* ;31:1278–1281.

Singh PP, Singh M and Mastana SS (2002): Genetic variation of apolipoproteins in North Indians. *Hum. Biol* ;74 (5): 673–82 .

Sharma Monika and Sohi Inderpreet (2007) : Quality of life of mothers of preterm and term babies. *Journal of Neonatology* Year 2007, Volume : 21, Issue : 4 Print ISSN : 0971-2179.

Shulenin S, Noguee LM, Annilo T, et al. (2004): ABCA3 gene mutations in newborns with fatal surfactant deficiency. *NEJM* 25; 350(13): 1296-303.

Smart EJ, Graf GA, McNiven MA, et al. (1999): Caveolins, liquid ordered domains, and signal transduction. *Mol Cell Biol* ;19:7289 –304.

Smolders B, Lemmens R and Thijs V (2007): Lipoprotein (a) and stroke: a meta-analysis of observational studies . *Stroke* ;38 (6): 1959–66.

Soll RF (2009): Current trials in the treatment of respiratory failure in preterm infants. *Neonatology* ; 95:368–372.

Soll R and Ozek E (2010) : Prophylactic protein-free synthetic surfactant for preventing morbidity and mortality in preterm infants. *Cochrane Database Syst Rev* ; 1:CD001079.

Sollid C P, Wisborg K, Hjort J, et al. (2004): Eating disorder that was diagnosed before pregnancy and pregnancy outcome. *American Journal of Obstetrics and Gynecology* ; 190: 206–210.

Sosenko IR, Rodriguez-Pierce M, and Bancalari E (1993): Effect of early initiation of intravenous lipid administration on the incidence and severity of chronic lung disease in premature infants. *J Pediatr* ; 123: 975–982.

Sweet DG, Virgilio Carnielli ,Gorm Greisen , et al. (2010) : European Consensus Guidelines on the Management of Neonatal Respiratory Distress Syndrome in Preterm Infants . *Neonatology* ;97:402–417 .

Swiezewska E and Danikiewicz W (2005): Polyisoprenoids: Structure Biosynthesis and Function . *Progress in Lipid Research* ;44 (4): 235–58.

Superko HR, Nejedly M and Garrett B (2002): Small LDL and its clinical importance as a new CAD risk factor: a female case study. *Progress in Cardiovascular Nursing* ;17 (4): 167–73.

Suresh GK and Soll RF (2005): Overview of surfactant replacement trials. *J Perinatol* ;25 (Suppl) 3:S40.

Stutchfield P, Whitaker R and Russell I (2005): Antenatal betamethasone and incidence of neonatal respiratory distress after elective caesarian section: pragmatic randomized trial. *BMJ* 24; 331(7518):662.

Steyrer E and Kostner GM (1988): Activation of lecithin cholesterol acyl transferase by apolipoprotein D: comparison of proteoliposomes containing apolipoprotein D, AI or CI. *Biochim Biophys Acta* ; 958:484491 .

Tzortzaki Eleni G, Eleni G, Elina Vlachaki, et al. (2007): Pulmonary Surfactant. *PNEUMON* , Vol. 20, Number 4, October – December .

Vaisar T, Pennathur S, Green PS, et al. (2007): Shotgun proteomics implicates protease inhibition and complement activation in the anti inflammatory properties of HDL. *J Clin Invest* ; 117:746756.

Valdivielso Pedro , José Rioja, Carlota García-Arias, et al. (2009): Omega 3 fatty acids induce a marked reduction of apolipoprotein B 48 when added to fluvastatin in patients with type 2 diabetes and mixed hyperlipidemia: a preliminary report. *Cardiovasc Diabetol* ; 8:12 Published online January 8.

Vance JE, Vance DE (2002) : Biochemistry of Lipids, Lipoproteins and Membranes. *Amsterdam*: Elsevier 51001207 OCLC 0444511393 ISBN.

Van Holde and Mathews,(1999) : Biochemistry ,K E Van Holde, C K Mathew Book Publishing Year 1999, ISBN 9780201702354 P p. 630–31.

Van Kaam AH, De Jaegere AP, Borensztajn D, et al. (2011): Surfactant Replacement Therapy in Preterm Infants: A European Survey. *Neonatology*. Jan 11;100(1):71-77.

Vjekoslava R and Jeren S (2002): Dyslipoproteinemia and coronary disease. *Angiology*; 53 (5): 557-62.

Voyno-Yasenetskaya TA, Dobbs LG, Williams MC, et al. (1991): Low density lipoprotein- and high density lipoprotein-mediated signal transduction and exocytosis in alveolar type II cells. *Am. J. Physiol. Suppl*;261: 105-109. p. 279.

Wadsack Christian , Andelko Hrzenjak, Astrid Hammer, et al. (2003) : Trophoblast-like human choriocarcinoma cells serve as a suitable in vitro model for selective cholesteryl ester uptake from high density lipoproteins. *European Journal of Biochemistry* volume 270 issue 3 pages 451-462.

Wadsack C, Hammer A and Levak-Frank S (2003): Selective cholesteryl ester uptake from high density lipoprotein by human first trimester and term villous trophoblast cells. *Placenta* ;24(2/3):131–43.

Walmsley RN and White GH (1994): Plasma Lipids. In: *A guide to diagnostic clinical chemistry*, 3rd ed, eds Walmsley RN and White Gh. Oxford, Blackwell Scientific Publication 13:348-67.

Wang X, Cui Y, Tong X, et al. (2007) : Glucose and lipid metabolism in small-for-gestational-age infants at 72 hours of age . *J Clin Endocrinol Metab.* Feb;92(2):681-4.

Warnick RG, McNamara RJ and wu LL (1996): Lipids and lipoproteins. In: *Clinical chemistry principles, procedures, correlations*, 3rd ed, eds Bioshop ML, Duben, Engrelkirk JL and Fody EP. Lippincott-Raven Publishers, Philadelphia and New Yourk 15:313-33 .

Wasan KM, Brocks DR, Lee SD, et al. (2008) : Impact of lipoproteins on the biological activity and disposition of hydrophobic drugs: