## REFERENCES

- Addenbrooke, T. I., Potts, D. M. and Puzrin, A. M. (1997). The influence of pre-failure soil stiffness on the numerical analysis of tunnel construction. Geotechnique, vol. 47, part 3, pp 693-712.
- Addenbrooke, T. I. and Potts, D. M. (2001). Finite element analysis of St James's Park Greenfield reference site. Building response to tunnelling case studies from the construction of the Jubilee Line extension, London. Chapter 12. Burland, J. B., Standing, J. R. and Jardine, F. M. (eds.), Thomas Telford Ltd, London.
- Attewell, P. B. and Selby, A. R. (1989). Tunnelling in compressible soils: Large ground movements and structural implications. Tunnelling and Underground Space Technology, vol. 4, part 4, pp 481-487.
- Attewell, P. B. and Woodman, J. P. (1982). Predicting the dynamics of ground settlement and its derivatives caused by tunnelling in soil. Ground Engineering, vol. 5, pp 13-22.
- Augard, C. E. (1997). Numerical modeling of tunneling process for assessment of damage to building. Ph.D. thesis, Keble College, Oxford University, London.
- **Automobile Association (2001).** *Going underground. TUNNELS: What role in town and country?*. Automobile Association Motoring Policy Unit, London, page 1.
- **Bloodworth, A. G. (2002).** Three dimensional analysis of tunneling effects on structure to develop design methods. Ph.D. thesis, Brasenose College, Oxford University, London.
- **Boscardin, M. D. and Cording, E. J. (1989).** Building Response to Excavation-induced Settlement. J. of Geotechnical Eng. vol. 115, part 1, pp 1-21.
- **Burland, J. B.** (1997). Assessment of risk of damage to buildings due to tunnelling and excavation. Earthquake Geotechnical Engineering, Ishihara (ed.), Balkema, Rotterdam, pp 1189-1201.
- Burland, J. B. and Wroth, C. P. (1974). Settlement of buildings and associated damage. Proc. Conf. on Settlement of Structures, Cambridge, pp 611-654.

- Burland, J. B., Broms, B. B. and De Mello, V. F. B. (1977). *Behaviour of foundations and structures*. State of the art report, Session 2, Proc. 9th Int. Conf. Soil Mechanics and Foundation Eng., Tokyo, pp 495-546.
- Burland, J. B., Standing, J. R. and Jardine, F. M. (2002). Assessing the risk of building damage due to tunnelling lessons from the Jubilee Line Extension, London. Proc 2nd Int. Conf. on Soil Structure Interaction in Civil Engineering, Zurich, pp 11-38.
- Burland, J. B., Standing, J. R. and Jardine, F. M. (eds.) (2001). Building response to tunneling case studies from the construction of the Jubilee Line extension, London. Vol. 1: Projects and Methods and Vol. 2: Case Studies. Thomas Telford Ltd, London.
- Chow, L. (1994). The prediction of surface settlements due to tunneling in soft ground. M.Sc.D. thesis, Barsenose College, Oxford University.
- Clough, G. W. and Schmidt, B. (1981). Design and performance of excavations and tunnels in soft clay. Soft Clay Engineering, Brand, E.W. and Brenner, R.P. (eds.), Elsevier Scientific, New York, pp 569-634.
- Cording, E. J. and Hansmire, W. H. (1975). *Displacements Around Soft Ground Tunnels*.

  Proc.: 5<sup>th</sup> Pan American Conf. Soil Mechanics and Foundation Engineering, Buenos Aires, vol. 4, pp 571–633.
- **Desari, G. R., Rawlings, C. G. And Bolton, M. D. (1996).** *Numerical modelling of a NATM tunnel construction in london clay.* Proc. of the International Symposium on Geotechnical Aspects of Underground Construction in Soft Ground. Balkema, Rotterdam, pp 491-496.
- **Dias, D. and Kastner, R. (2002).** *Tunnelling in soils ground movements and damage to buildings.* Proc. 2nd Int. Conf. Soil Structure Interaction in Urban Civil Engineering, Zurich, pp 249-253.
- Dias, D., Kastner, R. and Maghazi, M. (2000). Three dimensional simulation of slurry shield tunnelling. Geotechnical Aspects of Underground Construction in Soft Ground, Kusakabe, Fujita and Miyazaki (eds.), Balkema, Rotterdam, pp 351-356.
- El Nahhas, F., El Kadi, F. and Ahmed, A. (1992). Interaction of tunnel linings and soft ground. Tunnelling and Underground Space Technology, vol. 7, part 1, pp 33-43.

- Finno, R. J. and Clough, G. W. (1985). Evaluation of soil response to EPB shield tunnelling. Journal of Geotechnical Engineering, vol. 111, part 2, pp 155-173.
- Franzius, J. N., Potts, D. M., and Burland, J. B. (2006). The response of surface structures to tunnel construction." Proc. Inst. Civ. Eng. Geotech. Eng., vol. 159, part 1, pp 3-17.
- **Franzius**, **J.N.** (2003). *Behavior of buildings due to tunnel induced subsidence*. Ph.D. thesis, Imperial College, University of London.
- Guedes, P. F. M. and Santos Pereira, C. (2000). The role of the soil K<sub>0</sub> value in numerical analysis of shallow tunnels. Proc. of the International Symposium on Geotechnical Aspects of Underground Construction in Soft Ground. Balkema, Rotterdam, pp 379-384.
- Guglielmetti, V., Grasso. P., Mahtab, A. and Xu, S. (2008). Mechanized Tunnelling in Urban Areas. Taylor and Francis Group, London
- Hellawell, E. E., Hawley, A. J., Pooley, S. D., Garrod, B., and Legett, M. (2001). *Metros under construction around the world*. Proc. Inst. Civ. Engrs. Geotech. Engineering, vol. 149, pp 29-39.
- Houlsby, G. T., Burd, H. J. and Augarde, C. E. (1999). Analysis of tunnel induced settlement damage to surface structures. Proc. 12th European Conf. on Soil Mech. and Geotech. Engineering, Amsterdam, pp 147-152.
- Itasca (2006). FLAC<sup>3D</sup> User's Guide. Itasca Consulting Group, inc, Minnesota.
- Jardine, F. M. (2001). Structures and contracts of the Jubilee Line Extension. Building response to tunnelling case studies from the construction of the Jubilee Line extension, London. Chapter 2. Burland, J.B., Standing, J.R. and Jardine, F.M. (eds.), Thomas Telford Ltd, London.
- **Kapur, K. K.** (1966). Vibrations of a Timoshenko Beam, using finite element approach. Journal of the Acoustical Society of America, vol. 40, pp 1058-1063.
- **Katzenbach, R. and Breth, H. (1981).** *Nonlinear 3d analysis for NATM in Frankfurt Clay.*Proc. 10th Int. Conf. Soil Mech. and Found. Eng., vol. 1. Balkema, Rotterdam, pp 31-318.
- Komiya, K., Soga, K., Akagi, H., Hagiwara, T. and Bolton, M. D. (1999). Finite element modelling of excavation and advancement process of a shield tunnelling machine. Soils and Foundations, vol. 39, part 3, pp 37-52.

- **Kovacevic, N., Mair R. J. and Potts, D. M. (2001).** Finite element analysis of ground movements from tunnelling below Southwark Park. Building response to tunnelling case studies from the construction of the Jubilee Line extension, London. Chapter 13. Burland, J.B., Standing, J.R. and Jardine, F.M. (eds.), Thomas Telford Ltd, London.
- Kraus, H. (1967). Thin elastic shells. John Wiley and Sons, New York.
- Leblais, Y., Andre, D., Chapeau, C., Dubois, P., Gigan, J. P., Guillaume, J., Leca, E., Pantet, A. and Riondy, G. (eds.) (1995). Settlements Induced by Tunnelling. AFTES Recommendations.
- Lee, K. M., and Rowe, R. K. (1991). An analysis of three-dimensional ground movements: the Thunder Bay tunnel. Canadian Geotechnical Journal, vol. 28, pp 25-41.
- Mair, R. J. and Jardine, F. M. (2001). Tunnelling Methods. Building response to tunnelling

   case studies from the construction of the Jubilee Line extension, London. Chapter 10.

  Burland, J.B., Standing, J.R. and Jardine, F.M. (eds.), Thomas Telford Ltd, London.
- Miliziano, F. M., Soccodato, F. M. and Burghignoli, A. (2002). Evaluation of damage in masonry buildings due to tunnelling in clayey soils. Geotechnical Aspects of Underground Construction in Soft Ground, Kastner, Emeriault, Dias, Guilloux (eds.), Balkema, Rotterdam, pp 335-340.
- Moller, S. C. (2006). Tunnel induced settlements and structural forces in linings. Ph.D. thesis, Geotechnical Institute, Stuttgart University.
- National Authority for Tunnels (2007). *Annex 8A Soil Investigation Interpretative Report.*National Authority for Tunnels, Cairo.
- National Authority for Tunnels (2009). The Tunnel between Abbasia Station and Apdou Pasha Station Monitoring Measurements Monthly Report. National Authority for Tunnels, Cairo.
- O'Reilly, M. P. and New, B. M. (1982). Settlements above tunnels in the UK their magnitude and prediction. Tunnelling 82, The Institution of Mining and Metallurgy, London, pp 173-181.
- **Panet, M., and Guenot, A. (1982).** Analysis of convergence behind the face of a tunnel. Tunnelling 82, The Institution of Mining and Metallurgy, London, pp 197-204.

- **Peck, R. B.** (1969). *Deep excavations and tunnelling in soft ground*. Proc. 7th Int. Conf. Soil Mechanics and Foundation Engineering, State of the Art Volume, pp 225-290.
- **Pickering, D. J. (1970).** *Anisotropic elastic parameters for soil.* Geotechnique, vol. 20, part 3, pp 271-276.
- **Pickhaver, J. A.** (2006). *Numerical modeling of building response to tunneling*. Ph.D. thesis, Balliol College, Oxford University.
- Potts, D. M. and Addenbrooke, T. I. (1997). A structure's influence on tunnelling-induced ground movements. Proc. Inst. Civ. Engrs., Geotech. Engng., vol. 125, part 2, pp 109-125.
- Potts, D. M. and Zdravkovic, L. (1999). Finite element analysis in geotechnical engineering: theory. Thomas Telford, London.
- Powrie, W. and Batten, M. (2000). Comparison of measured and calculated temporary-prop loads at Canada Water Station. Geotechnique, Vol. 50, part 2, pp 127-140.
- Rankin, W. J. (1988). Ground movements resulting from urban tunnelling: prediction and effects. Engineering Geology of Underground Movements, Bell et al. (eds.), Geological Society Engineering Geology Special Publication No. 5, pp 79-92.
- Romero, V. S. and Hansmire, W. H. (2002). New methods for building protection from settlement due to underground transit construction. Technical Forum No. 1, San Francisco, pp 1-9.
- Rowe, R. K., Lo, K. Y. and Kack, G. J. (1983). A method of estimating surface settlement above tunnels constructed in soft ground. Canadian Geotechnical Journal, vol. 20, pp 11-22.
- Rowe, R. K. and Lee, K. M. (1992). An evaluation of simplified techniques for estimating three-dimensional undrained ground movements due to tunnelling in soft soils. Canadian Geotechnical Journal, vol. 29, pp 39-52.
- **Selby, A. R.** (1988). Surface movements caused by tunnelling in two layer ground. Engineering Geology of Underground Movements, Bell et al. (eds.), Geological Society Engineering Geology Special Publication No. 5, pp 71-77.
- Sinha, R. S. (1989). Underground structures design and instrumentations. Elsevier Science, New York.

- **Standing, J. R.** (2001). Elizabeth House, Waterloo. *Building response to tunnelling case studies from the construction of the Jubilee Line extension, London*. Chapter 30. Burland, J.B., Standing, J.R. and Jardine, F.M. (eds.), Thomas Telford Ltd, London.
- **Swoboda, G. (1979).** Finite element analysis of the New Austrian Tunnelling Method (NATM). Proc. 3rd Int. Conf. Num. Meth. Geomech., Aachen, vol. 2. pp 581-586.
- **Taylor, R. N. and Grant, R. J. (1998).** Centrifuge modelling of the influence of surface structures on tunnelling induced ground movements. Tunnels and Metropolises, Negro Jnr. and Ferreira (eds.), Balkema, Rotterdam, pp 261-266.
- **Thom, A. and Apelt, C. J. (1961).** Field computations in engineering and physics. D. Van Nostrand Company ltd, page 165, London.
- Timoshenko, S. (1957). Strength of materials part 1. D van Nostrand Co., London.
- **Vermeer, P. A., Bonnier, P. G. and Moller, S. C. (2002).** *On a smart use of 3D-FEM in tunnelling.* Proceedings of the 8th international symposium on numerical models in geomechanics NUMOG VIII. Balkema, Rotterdam, pp 361-366.
- **Xiang, Y., Jiang, Z. and He, H. (2008).** Assessment and control of metro-construction induced settlement of a pile supported urban overpass. Tunnelling and Underground Space Technology vol. 23, pp 300-307.