

REFERENCES

- Abdel Latif H.H. (2000):*** Study on the prevalence of bronchial asthma in secondary school students. Thesis submitted for partial fulfillment of master degree in chest diseases. Faculty of Medicine, Ain Shams University.
- Adams NP, Bestall JC (2005):*** Inhaled fluticasone at different dose, for chronic asthma in adults and children. Cochrane Data Base Syst. Rev 2005 (3): CD003534.
- Alexander (1928):*** Asthma epidemiology in the Farfast Clin. Exp. Allergy, 26 : 50 – 120. (coated from risk factor for asthma among children in Maputo Allergy 2004)
- Allen DB, Robert D (2003):*** Inhaled Corticosteroids : Post lessons and future issues. J Allergy Clin Immunol.; 112 (3 Suppl.): 51-40.
- Am J Respir. Crit – care Med Vol. 175. Pp 235 – 242, 2007*** originally published in Press as DOI: 10.1164/rccm.200603-4160C on September 22,2006.
- Am J. Respir. Crit. Care Med. Vol. 175. PP. 235 – 242, 2007*** Originally Published in Press and DOI: 10.1164 / rccm.200603 – 4160 C on September 22, 2006.
- Anderson HR, Gupta R, Strachan DP and Limb ES (January 2007):*** "50 years of asthma : UK trends from 1955 to 2004.

Throx 62(1): 85-90. doi: 10.1136, hx.2006.066407.PMID 17189533. PMC2111282.

Arshad SH, Bateman B and Matthews SM (2003): "Primary prevention of asthma and atopy during childhood by allergen avoidance in infancy : A randomized controlled study. "Thorax, 58 : 489 – 493.

Atef A., Khatab M., Sobhy S.A. and El-Baz H. (1995): Study of the prevalence of bronchial asthma and related risk factors in primary school children in El-Salam area in port Said. New Egypt. J. Medicine, 121 : 121- 125.

Babu K.S., Salvi S.S. (2000): Aspirin and asthma chest, 118 : 1470 – 1476.

Barnes P.J. and Pauwels, R.A. (2000): Theophylline in the Management of Asthma time for reappraisal. Eur. Resp. J. 7 : 579 – 91 .

Barnes PJ (2003): Theophylline and phosphodiesterase inhibitors. In : Middleton's : Allergy : Principles and practice, 6th ed, Adkinson, NF, Yunginger, JW, Busse WW, et al. (Eds). Mosby, 5 : Louis, P. 823.

Beuther DA (January 2010): "Recent in sight in obesity and asthma" Curr Opin Pulm Med. (1): 64-70. doi : 10.1097/MCP.ob013e3283338fa7PMID 19926826.

Bhalay G and Sandham DA (2002): Recent advances in corticosteroids for the treatment of asthma. *Cur. Opin. Investig. Drugs*, 3 : 1149 – 1156.

Bierman CW and Shapiro GG (1996): Evaluation and treatment of the patient with asthma. In *Allergy, asthma and immunology from infancy to adulthood*, 3rd edition, Jaunders Co., Philadelphia (Pubs), P. 145 - 155.

Bisgaard H (2003): Study group on montelukast and respiratory syncytial virus. A randomized trial of montelukast in respiratory syncytial virus. *J Respir. Crit Care Med*, 167 : 379 – 383.

Bisgaard H (2003): Study group on montelukast and respiratory syncytial virus. A randomized trial of monteulkast in respiratory syncytial virus. *J Respir Crit C are Med*. 167 : 379 – 383.

Bisgaard H and Nielsen KG (2000): Bronchoprotection with a leukotriene receptor ant agonist in asthmatic preschool children. *Am J Respir Crit Care Med.*; 161 : 1 – 4.

Bisgarrrd H, Nielsen KG (2000): Bronchoprotection with a leukatriene receptor antagonist in asthmatic preschool children. *Am J Respir. Crit Care Med.*, 161 : 1 – 4.

Bjermer I, Bisgaard H, Bouequeet J et al. (2003): Montelukast and fluticasone compared with salmeterol and fluticasone in protecting against asthma exacerbation in adults : one year, double blind, randomized, comparative trial. *BMJ*, 327 : 891 – 896.

Bjermer I, Bisgaard H, Bouequeet J et al. (2003): Montelukast and fluticasone compared with salmeterol and fluticasone in protecting against asthma exacerbation in adults : one year, double blind, randomized, comparative trial. *BMJ*, 327 : 891 – 896.

Blonchine, Ball, T.M., Castro-Rodriquez, J.A and Griffith, K.A. et al. (2000): Siblings, day – care attendance, and the risk of asthma and wheezing during childhood. *N. Engl. J. Med.* 343 : 538-43.

Blumenthal M.M. (2002): What we know about the genetic of asthma at the beginning at the 21st century. *Clin. Rev. Allergy Immunol.*, 22 : 11-31.

Boulet L.P., Phillips R., O'Byrne P. and Becker A. (2002): Evaluation of asthma control by physicians and patients : comparison with current guidelines. *Can Respir. J.*, 9 : 417 – 423.

Cates CJ, Lasserson TJ and Jaeschke R (2009): "Regulator treatment with salmeterol and inhaled steroids for chronic asthma. Serious adverse events". *Cochrane Data base Syst*

Rev (3): CD006922.doi:10.1002/14651858.
CD006922.pub2. PMID 19588410.

Chiappara G., Galiardo R., Siena A., Bonsignore M.R., Bousquet, J. et al. (2001): Airway remodeling in the pathogenesis of asthma. Curr. Opin. Allergy. Clin. Immunol.,I (1):85– 93.

Choudbury BA and Pan GD et al. (2010): N Engl J Med., 362 : 1169 – 71.

Coeffey M. and Peters – Golden M. (2003): Extending the understanding of leukotrienes in asthma. Curr. Opi. Allergy clin. Immunol.; 3 : 57 – 63.

Colice G.L. (2004): Categorizing asthma severity : an overview of national guidelines. Clin. Med. Res., 2 (3) : 155 – 63.

Corbett and Sara (March / April, 2005): "The Asthma Trap". Mother Jones. <http://motherjones.com/print/16323>.

Crescioli S, DeMarzo N, Boschetto P, et al. (1992): Theophylline : inhibits late asthmatic reaction induced by toluence disocyanate in sensitised subjects. Eur. J Pharmacol.; 228 : 45 – 50.

Dahlen SE, Malmstrom K, Nizankowska E et al. (2002): Am J. Respir Crit Care Med 165, 9- 14.

Dahlen SE, Malmstrom K, Nizankowska E et al. (2002): Am. J. Respir. Crit. Care Med. 165, 9 – 14.

D'Amato G., Liccordi G., DAmato M. and Gazzola M. (2002):
Out door air pollution, climatic changes and allergic
bronchial asthma. Eur. Respir. J., 20 : 763 – 776.

Duff A.L. and Platts – Mills T.A.E. (1992): Allergens and
asthma. Pediatr. Clin. North Am., 47 : 431 – 5.

***El Gamal Y., Reda S., Awad K., Mohamed N. and El-Bassiony
S. (1999):*** Cytokine priming at eosinophils in
branched asthma. N. Egypt, Med. J., 20 (1): 7 – 13.

***El-Gamal Y., Addel Azim A., Awad Z., Deraz T.E. and Abu
Garib M. (1992):*** Blood basophil count in atopic
infants and children. Egypt. J. Pediatr., 9 (102):61– 72.

El-Gamal Y., Awad Z., El Kerdawy T.A., Imam S.S. (1995):
Spontaneous basophil releasability of LTC₄ in
childhood atopic diseases, Egypt, Med. J. 12 (4): 588
– 93.

Expert Panel Report 3 (2007): Guidelines for the diagnosis and
management of asthma. Bethesda MD: National Institutes
of Health, National Asthma Education and Prevention
Program; NIH publication NO. 08 – 4051.

Fanta CH (2009): "Asthma". New England Journal of Medicine 360 (16): 1002-14.doi:10.1056/NEJMrao804579 PMID19264689.

Fantidis P, Ruiz Cacho J, Marin, M. et al. (1995): Intracellular magnesium content in patients with bronchial asthma between attacks. J. Respir. Soc. Med. 88; 441 – 445.

Fauda EM (1998): Estimation of GM – CSF in sera of asthma children and its correlation to their pulmonary function MD. Thesis, pediatrics, Faculty of Medicine, Ain Shams University.

Fish and Petere, Andrew D.P., Chaug M.S., McNinch J., et al. (2001): STCP-1 (MDC) CC chemokine acts specifically on chronically activated The lymphocytes and is produced by monocytes on stiulation with The cytokines IL-4 and IL-13. J. Immunol., 161 : 5027 – 5038.

Fursho, K. and Nishima, S. (2002): Japanese pediatric guidcline for the treatment and management of asthma. J. 1-11, 59 – 74 (In Japanese).

Getahun D, Demissie K and Rhoad GG (2005): "Recent trends in asthma hospitalization and mortality in the united states". Journal of asthma 42 (50 : 373 – 8.

Gina (2004): Global strategy for Asthma management and prevention. NIH publication No 02 – 3659 issued January, 1995 (updated 2002) Management segment (Chapter 7): updated 2004 from the 2003 document. Downloaded from www.ginasthma.org.

GINA (2005): Global initiative for Asthma. Pocket guide for asthma management and prevention in children. Based on work shop report : Global strategy for Asthma Management and prevention (updated).

GINA (2006): Global initiative for Asthma : Global strategy for asthma management and prevention. Global initiative for Asthma web site.

GINA (2009): Global initiative for Asthma : Global strategy for asthma management and prevention web site, P. 4 – 69.

GINA (2010): ©2010 Primary care respiratory society UK. All rights reserved. Spedersen. Prim Care Resp. J. 2010; 19 (1) : 3 – 9. Doi:10.4104/PCrJ.2009.00059.

Gold DR, Acevedo – Garcia, D. (2005): "Immigration to the united states and acculturation as risk factors for asthma and allergy". J. Allergy Clin Immunol., 116 (1) : 38 – 41.

Golding J., Wadarda – Kabondo N., Steme J.A.C., Kennedy C.T.C., Archer C.B., Dunnill M.G.S. (2004): Association of parental eczema, hay fever, and asthma

with atopic dermatitis in infancy : birth cohort study.
Arch. Dis. Child, 89 : 917 – 921.

Grigg J. (2004): Management of paediatric asthma. Postgrad.
Med. J., 80 : 535 – 540.

Hamid Q., Tulic M.K., Liu M.C., Moubel R. (2003):
Inflammatory cells in asthma : mechanisms and
implications for therapy. J. Allergy clin. Immunet.,
111 : 55 – 17.

Hamid, R., Romagnani S., Zeratted A. et al. (2000): The role
of lymphocytes in allergic disease. J. Allergy Clin.
Immunol., 105 : 399 – 408.

Hargreave FE and Parameswaran K (August 2006): "Asthma,
COPD and bronchitis are just components of airway
disease". European Respiratory Journal 28 (2): 264 – 267.

Hayden and Merrill (2009): "Asthma Guide".
<http://www.webmd.Com/asthma/guide/how-we-breath>.

Helms K., Wong G.W., Hui D.S., Chan H.H. et al. (2000):
Prevalence of respiratory and atopic disorders in
Chinese School Children. Clin. Exp. Allergy, 31 :
1225 – 1231.

Helms, P.J. (2000): Corticosteroid – sparing options in the
treatment of childhood asthma. Drugs, 59 : 15 – 22.

Hendeles L, Harman E, Huang D, O'Brien R, Blake K and Delafuente J (1995): Immunomodulation by theophylline in asthma : demonstration by withdrawal of therapy. *Am J Respir Crit Care Med.*; 151 : 1907 – 14.

Holgate and Finnerty et al. (2002): Novel mediators in chronic inflammation. *Allergy Clin. Immunol.* 105 : 399 – 408.

Huang JL (2005): Asthma severity and genetics in Taiwan. *J. Microbial. Immunol. Infect.*, 38 : 158 – 163.

Host and Halkines (2000): Inflammatory mechanisms in allergic diseases. *J. Bio., Chem.*, 272 : 15036 – 15042.

Kazaks AG, Uriu –Adams JY, Albertson TE, Shenoy SF and Stern JS (2010): Effect of oral magnesium supplementation on measures of airway resistance and subjective assessment of asthma control and quality of life in men and women with mild to moderate asthma : a randomized placebo controlled trial. *J Asthma*, 47 (1) : 83 – 92.

Kemp J.P. and Kemp J.A. (2001): Management of asthma in children. *Am. Fam. Physician*, 63 : 1341 – 8.

Kemp, J.P., Minkwitz, M.C., Bonuccelli, C.M. and Warren, M.S. (1999): *Chest* 115, 336 – 342.

Kercsmar CM (1998): "Asthma" In : *Kendig's disorders of the respiratory tract in children* 6th edition. Ed by : Chernick V,

Boat TF and Kedig JR. WB Saunders, Comp. Chapter 43, pp. 688 – 730.

Knorr B, Nguyeng HH, Kearns GL et al. (2001): Montelukast dose selection in children ages 2 to 5 years : comparison of population pharmacokinetics between children and adults. J Clin Pharmacol., 41 : 612 – 619.

Koeppen Schomerus G., Stevenson J. and Plomin R. (2001): Genes and environment in asthma a study of 4 year old twins. Arch. Dis. Child., 85 : 398 – 400.

Kull I., Wickman M., Lilja G., Nodvall S.L. and Pershagen G. (2002): Breast feeding and allergic diseases in infants – a prospective birth cohort study. Arch. Dis. Child., 87 : 478 – 481.

Lannero E., Kull I., Wickman M., Pershagen G. and Nordvall S.L. (2002): Environmental risk factors for allergy and socio-economic status in a Birth cohort (BAMSE). Pediatr. Allergy Immunol., 13 – 7.

Leang DY and Bloom JW (2003): Update on glucocorticoid action and resistance. J Allergy Clin Immunol.; 111 (1) : 3 – 22.

Leone F.T., Mauger E.A., Peters S.P., Chinchilli V.M., Fish J.E. et al. (2001): The utility of peak flow, symptom scores, and beta agonist use as outcome measures in asthma clinical research. Chest., 119 (4): 1027 – 1033.

- Levy S. and Volans G. (2001):** The use of anal gesises in patients with asthma. Drug. Sat., 24 (11): 829 – 41.
- Liggett S. (2000):** The pharmaco genetics at B2 – adrenergic receptors : relevance to asthma. J. Allergy Clin. Immunol., 105 : 487 – 92.
- Liu A.H., Spahn J.D., Leung D.Y. (2004):** Childhood asthma. In : "nelson Textbook of pediatrics" (EDS). Behrman RE, Kliegmen RM, and jenson HB, 17th edition, Philadelphia, 766 – 774.
- Liu AH, Saphn JD and Leung DY (2004):** Childhood asthma. In " Nelson Textbook of Pediatrics" (EDS). Behrman RE, Kliegmen RM, and Jenson HR, 17th edition, Philadelphia, 760 – 774.
- Maddox L. and Schwartz D.A. (2002):** The pathophysiology of asthma. Annu. Rev. Med. 53 : 477 – 498.
- Mak JC and Barnes PJ (1995):** Glucorticoids increase beta -2- adrenergic receptor transcription in human lung. Am J Physiol.; 268 (1-p-t-1) : L41 – L46.
- Martincz F.D., Graves P.E., Baldini M., Sdoman, S. and Erickson R. (1997) :** Association between genetic polymorphisms of the beta 2 – adrenoceptor and without a history of wheezing. J. clin. Invest., 100 (12): 3184 -8.

- Masoli M, Holt S and Beasley R (2004):** The dose response relationship of inhaled corticosteroids in asthma. *Curr Allergy asthma Rep.*; 4 (2) : 144 – 148.
- Mergan JW, Martinez FD and Tapper RS (1996):** Risk factors of developing wheezing and asthma in childhood. *Clin North Am.* 39 (6) : 1185 – 1203.
- Merk Sharp and Dohme Corp (2009 – 2010):** Subsidiary of Merck and Co – Inc. White house station N.J. USA.
- Migoya E and Kearns GL (2004):** Pharmacokinetics of montelukast in asthmatic patients *Clin. Pharmacol.*, 44 : 487 – 494.
- Migoya E and Kearns GL (2004):** Pharmacokinetics of moutelukast in asthmatic patients *Clin Pharmaed* 2004; 487 – 494.
- Moore PE, Laporte JD, Panettieri RA Jr, et al. (1999):** Glucocorticoids ablate IL-1 beta induced beta – adrenergic hyporesponsiveness in human airway smooth muscle cells, *Am J Physiol.*; 277 (5pt 1): L932 – L942.
- Murray C.S, Simpson A. and Custovic A. (2004):** Allergens viruses and asthma exacerbations *Proc. Am. Thorac. Soc.*, 1 (2) : 99 – 104.
- NAEPP (2007):** National asthma education and prevention program. Expert panel reports (report 3): guidelines for the diagnosis

and management of asthma. Bethesda (MD) National Heart, Lung, and Blood Institute, P. 337.

O'Byrne P.M., Inman M.D. (2003): Airway hyperresponsiveness. *Chest*, 123 : 4115 – 4165.

O'Dowd L.C., Fife D., Tenhave T., Panettieri R.A. Jr. (2003): Attitudes of physicians toward objective measures of airway function in asthma. *Am. J. Med.*, 114 (5) : 391 – 396.

Peden D.B. (2000): Development of atopy and asthma : candidate environmental influences and important periods of exposure. *Environmental Health Perspectives*, S108 : S3.

Perroni D., Olacentini G., Alfonsi L. et al. (2003): Rhinitis in preschool children : prevalence association with allergic diseases and risk factors. *Clin. Exp. Allerg.*, 33 : 1349 – 1354.

Phelen D., Bordignon P., Papi A., Mariani M. et al. (2003): The CC chemokine receptors CCR4 and CCR8 identify airway T cell. *J. Exp. Med.*, 185 : 1595 – 1604.

Pinnock H, Shah R (2007): "Asthma *BMJ* 334 (7598): 847 – 50. doi: 10. 11361 bmj. 39140.634896. BEPMID 17446617.

Price DB, Hernandez D, Maryar P et al. (2003): Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma Thorax, 58 : 211 – 216.

Price DB, Hernandez D, Maryar P et al. (2003): Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma. Thorax, 58: 211 – 216.

Rabe KF and Morton BE (1995): Methyl xanthine phosphodiesterase inhibitors block allergen – induced bronchoconstriction of human airways invitro. Am J Respir Crit Care Med.; 151 : Suppl. A388 abstract.

Raby B.A., Silveanu E.K., Kwiatkowski D.J., Longe C., Lazarus R. and Weiss S.T. (2004): ADAM33 polymorphisms and phenotype associations in childhood asthma. J. Allergy Clin. Immunol., 113 : 1071-8.

Rapini, Ronald P and Joseph L (2007): Dermatology : 2 volume set. St. Louis : Mosby. ISBN 1-460 – 2999-0.

Rapini, Ronald P, Bolognia, Jean L, Jorizzo and Joseph L (2007): Dermatology: 2 Volume Set. St Louis : Mosby, ISBN, 1 – 4160 – 29990.

Rivington RN, Boulet LP, Cote J, et al. (1995): Efficacy of uniphyl, salbutamol, theophylline and their combination in

asthmatic patients on high dose inhaled steroids. Am J Respir Crit Care Med.; 151 : 325 – 32.

Rodrigo GJ and Nannin LJ (2006): "Comparison between nebulized adrenaline and beta 2 agonists for the treatment of acute asthma. A meta analysis of randomized trials". Doi:10.1016/J.aJem.2005.10.008.PMJD16490653.

Saker, Dchan I.H.S., Ipwk, Lam C.W.K. and Wong G.W.K. (2001): Plasma concentration of thymus and activation regulated chemokine is elevated in childhood asthma. J. Allergy Clin. Immunol., 110 : 404 – 409.

Sapp J and niven AS (Apri 17, 2008): "Making the most of pulmonary funciton testing in the diagnosis of asthma. Journal of Respiratory Disease. <http://www.consultantlive.com/asthma/article/1145425/1404762>.

Scares, Kraft M., Cassell O.H., Pak J., Martin R.J. et al. (2001): Mycoplasma pneumoniae and Chlamydia pneumoniae in asthma effect of clarithromycin. Chest, 121 : 1782 – 1788.

Shore S.A. and Fredberg J.J. (2005): Obesity, smooth muscle, and airway hyper-responsiveness. J. Allergy Clin. Immunol., 115 (5) : 295 -7.

Sim D and Giffiths A (2003): Adrenal suppression from high dose inhaled fluticasone propionate in children with asthma. Eur Respir J; 21 (4) : 633 – 636.

Simpson BM, Custovic A, Simpson A, et al. (2001): NAC Manchester Asthma and Allergy Study (NACMAAS): "Risk factors for asthma and allergic disorders in adults. Clin Exp Allergy, 31 : 391 – 399.

Simpson CR and Sheikh A (2010): "Trends in the epidemiology of asthma in England : a national study of 333, 294 patients". JR Soc Med 103 (3): 98-106.doi :10.12581. Jrs. 2009.090348.PMID20200181.

Skoner D (2001): Montelukast in 2 – to 5 year old children with asthma. Pediatr. Pulmonary. Suppl., 21 : 46- 48.

Sly (2004): The definitions and pathophysiology of asthma. Pediatric department American Academy P. a 12, 9, 87.

Smith AD, Cowan JO and Brassett KP (2005): Use of exhaled nitric oxide measurements to guide treatment in chronic asthma. N Engl J Med.; 352(21) : 2163 – 2173.

Strauch E, Moske O, Thoma S et al. (2003): A randomized controlled trial on the effect of montelukast on sputum eosinophil cationic protein in children with corticosteroid – dependent asthma. Pediatr. Res., 54 : 198 – 203.

Strauch E, Moske O, Thoma S et al. (2003): A randomized controlled trial on the effect of montelukast on sputum eosinophil cationic protein in children with corticosteroid. Dependent asthma *Pediatr. Res.*, 54 : 198 – 203.

Sugimoto H and Shichijo K (1994): Pharmaco-kinetics of MCI – 8019 DS (sustained – release theophylline dry syrup) in childhood bronchial asthma. *JPN. J. Pediatr.*; 47 : 557 – 566 (In Japanese).

Sugimoto H, Shichijo K (1994): Pharmaco-kinetics of MCI – 8019DS (sustained –release theophylline dry syrup) in childhood bronchial asthma. *Jpn. J. Pediatr.*, 47 : 557 – 566 (in Japanese).

Sullivan P, Bekir S and Costello J (1994): Anti – inflammatory effects at low dose oral theophylline in atopic asthma. *Lancet*, 343 : 1006 -8 (Erratum, *Lancet* 1994; 343 : 1512).

Szeftor SJ, Martin RJ, Chinchilli VM, et al. (2002): Significant variability in response to inhaled corticosteroids for persistent asthma. *J Allergy Clin Immunol.*; 109 (3): 410 – 418.

Tippet and Guilbert (2009): Managing Asthma in children : Part 1 : Making the Diagnosis, Assessing Severity: Consultant for Pediatricians, 8 (5). <http://www.consultantlive.com/asthma/article/10162/1414747>.

Van Eerdewegh P., Little R.D., Duplis R.D., Del Mastro R.G., Fallsk et al. (2002): Association of the ADAM33

gene with asthma and bronchial hyperresponsiveness.
Nature, 418 : 426 – 30.

Vignola A.M., Mirabella F., Costanzo G., DiGiargi, R., Gjomarkaj M., Bellia V. and Bonsignore G. (2003): Airway remodeling in Asthma. Chest., 123 : 417 – 422.

Waikart L. and Blaiss M.S. (2004): Pharmacologic therapy for the treatment of asthma in children. Minerva Pediatr., 86 : 457 – 67.

Walia M., Lodha R. and Kabra S.K. (2006): Montelukast in pediatric asthma management. Indian J. Pediatr., 73 (4): 275 – 82.

Walker C., Bode E., Boer, L. et al. (2001): Allergic and non allergic asthmatics have distinct patterns of T cell activation and cytokine production in peripheral blood and bronchoalveolar lavage. Am. Rev. Resp. Dis., 146 : 109 – 15.

Weisberg S.C. (2000): Phamacotherapy of asthma in children, with special reference to leukotriene receptor antagonists. Pediatr. Pulmonal 29 : 46 – 61.

WHO (2004): Focusing on anaemia. Joint statement by the Wold Health Organization and the united Nations Children's Fund.

WHO (2009): World health organization fact sheet No 307 : Asthma 2009.<http://www.who.int/mediacentre/factsheets/fs307/en/print.html>. Retrieved 2 september 2010.

Wood LG and Gibson PG (July 2009): "Dietary Factors Lead to airway hyperactivity in asthma" *Pharmacol. Ther.* 123(1): 37 – 53. doi : 10.1016/j.pharmthera.2009.03.015. PMID 19375453.

Wood R.A. (2002): Pediatric asthma. *JAMA*, 288 : 745 – 747.

Yssel S., Durham, Corrigan C.J. et al. (2003): Phenotype of cells expressing mRNA for Th2 – type (interleukin 4 and interleukin 5) and Th1 – type (interleukin 2 and interferon gamma) cytokines in bronchoalveolar lavage and bronchial biopsies from atopic asthmatic and normal control subjects. *Am. J. Respir. Cell Mol. Biol.*, 12 : 477 – 487.

Zhao JJ, Rogers JD, Holland SD et al. (1997): Pharmacokinetics and bioavailability of montelukast sodium (MK-0476) in healthy young and elderly volunteers : *Biopharm Drug Dispos*, 18 : 769 – 777.