

REFERENCES:

- **Abiru ,N& Eisenbarth ,G.S(2001)** :Autoantibodies and autoantigens in type I diabetes: role in pathogenesis, prediction and prevention. Can J Diabetes Care ; 23; 59-65.
- **ADA Clinical Practice Recommendations(2003):** Hyperglycemic crisis in patients with diabetes mellitus. Diabetes Care;25(Suppl 1);S100-8.
- **Ahren ,B; Lundquist ,I; Hedner ,P; Valdemassan ,S& Scheroten B.(2005)** Glucose tolerance and insulin and c peptide responses after various insulin secretions stimuli in hyperthyroid and hypothyroid subjects before and after treatment. Diab. Res. Clin. Practice; 2; 95- 103.
- **Ajjan, R.A., Findlay, C & Metcalfe,R.A. (2002):** The modulation of the human sodium iodine symporteractivity by Graves' disease sera. J. Clin. Endocrinol. Metab; 83; 1217-1221.
- **Albertini, A; Ekins, R.P& et al.(1982)** : Free hormones in blood. Amsterdam: Elsevier Biomedical Press; 206 ; 303-309.
- **Alberti, G; Zimmet ,P; Shaw ,J& Lavery, L. A (2004):** Type 2 diabetes in the Young: The Evolving Epidemic; The International Diabetes Federation Consensus Workshop. Diabetes Care ; 27; 1798-811.
- **Allahabadia, A; Daykin ,J; Sheppard ,M.C; Gough ,S.C& Franklyn JA. (2001)** :Radioiodinetreatment of hyperthyroidism-prognostic factors for outcome. JClin Endocrinol Metab;86;3611-7.
- **Almind ,K;Doria ,A& Kahn ,C.R.(2001)** :Putting the genes for type II diabetes on the map. Nat Med; 7; 277-79.
- **Alsanea ,O& Clark ,O.H.(2001):** Treatment of Graves' disease: the advantages of surgery. Endocrinol Metab Clin North Am; 29;321-37.
- **American Diabetes Association (2002):** Gestational diabetes mellitus. Diabetes Care; 27[Suppl 1]; 88-90.

- **American Diabetes Association(2004):** Standards of Medical Care in Diabetes-2006. Diabetes Care; 29; 54-59.
- **"American Family Physician":(2002)** Subclinical Hyperthyroidism; Diane Shrier, M.D. George Washington University .
- **Andros, G.(2004):** Diagnostic and therapeutic arterial interventions in the ulcerated diabetic foot. Diabetes Metab Res Rev, 20(Sup[;1); S29-33.
- **Andersen ,S; Pedersen ,K.M; Brunn ,N.H & Laurberg, P(2002).** Narrow individual variations in serum T4 and T3 in normal subjects: a clue to understanding of subclinical thyroid disease. Journal of Clinical Endocrinology and Metabolism ; **87**; 1068–1072.
- **Armstrong, D. G., Lavery, L. A., & Harkless, L. B. (1996):** Treatment-based classification system for assessment and care of diabetic feet. Journal of the American Podiatric Medical Association; 86(7); 311-316.
- **Armstrong D, Lavery, L. A. & Harkless, L. B. (1998):** Validation of a diabetic wound classification system: The contribution of depth, infection and ischemia to risk of amputation. Diabetes Care; 21(5); 855-859.
- **Arem, R; Wiener, G.J& Kaplan, G(2005).** Reduced thyroid hormone in fatal illness. Metabolism;42:1102-8.
- **Arem ,R& Patsch, W.(2003)** Lipoprotein and apolipoprotein levels in subclinical hypothyroidism. Effect of levothyroxine therapy. Arch Intern Med;150:2097-100.
- **Ashwell, S.G; Amiel ,S.A& Bilou ,R.W.(2006) :**Improved glycaemic control with insulin glargine plus insulin lispro: a multicentre, randomized, cross-over trial in people with Type1 diabetes. Diabetes Med; 23; 285-292.
- **Atkinson, M.A; Bowman ,M.A; Campbell, L; Darrow BL; Kaufman ,D.L& Maclaren, N:(2001)**Cellularimmunity to a determinant common to glutamate decarboxylase and coxsackie virus in insulin-dependentdiabetes. J Clin Invest 94;2125-2129.
- **Bahaa. ;. Fade;, Samer, eL;Ahham; Matthew, D.; Ringel& Joseph Lindsay (2000)** Hyperthyroid Heart Disease, Clin. Cardiol; 23; 402–408.

- **Bahceci,M;Tuzcu,A;Pasa,S;Ayyildiz,O&Tuzcu,S.(2004)** :Polyglandular autoimmune syndrome type III accompanied by common variable immunodeficiency. *Gynecol Endocrinol*; 19(1);47-50.
- **Baisch, J.M;Weeks ,T& Giles, T.(1990)** :Analysis of HLA-DQ genotypes and susceptibility in insulin-dependent diabetes mellitus. *N Engl J Med* ; 322; 1836-41.
- **Baker, J.R. & Fosso, C.K.(2001)** :Immunological aspects of cancers arising from thyroid follicular cells. *Endocr. Rev*; 13;729-746.
- **Balducci-Silano ,P.L; Connor, E& Maclaren, N.K.(2002)** :Association between insulin dependent diabetes mellitus(Type 1) and other autoimmune diseases. In: *Diabetes Mellitus, a fundamental and Clinical Text*. Le Roith D, Taylor SI, Olefsky JM (eds). Lippincott-Raven, Philadelphia; 401-19.
- **Bamett, A.H; Eff, C& Leslie, R.DG (2001):** Diabetes in identical twins: a study of 200 pairs. *Diabetologia*; 20; 87-93.
- **Ban ,Y.& Tomer, Y. (2003)** :The contribution of immune regulatory and thyroid specific genes to the etiology of Graves' and Hashimoto's disease. *Autoimmunity*; 36(6-7); 367-79.
- **Barrett-Connor ,Et.(1985):** Obesity, atherosclerosis, and coronary artery disease. *Ann Intern Med*; 103; 1010-9.
- **Bartalena, L; Marcocci ,C; Bogazzi ,F; Manetti ,L; Tanda, ML; Dell'Unto, E (2005):** Relation between therapy for hyperthyroidism and the course of Graves' ophthalmopathy. *N Engl J Med*;338;73-8.
- **Bartalena, L., Bogazzi, F &Tanda, M.L.(1995).** Cigarette smoking and the thyroid. *Eur. J. Immunol*; 133; 507-512.
- **Bayer ,M (1985)** : Clinical experience with sensitive thyrotropin measurements : Diagnostic and therapeutic implications. *J Nuclear Med* ; 36;1248-56.
- **Bech, K; Damsbo, P& Eldrup ,E(2006):** Beta cell function and glucose and lipid oxidation in Grave's disease. *Clin. Endocrinol*; 44; 59-66.
- **Belfiore, A; Sava, L; Runello, F; Tomaselli, L & Vigneri, R. (2005)**Solitary autonomously functioning thyroid nodules and iodine

deficiency. Journal of Clinical Endocrinology and Metabolism; **56**; 283–287.

- **. Bemben ,D.A; Winn, P& Hamm, R.M. (1994)**Thyroid disease in the elderly. Part 1. Prevalence of undiagnosed hypothyroidism. J Fam Pract.;38:577-582.
- **Bigazzi ,P.E.(1990):** Autoimmunity in diabetes and polyendocrine syndromes: current concepts of pathogenesis and etiology. Immunol Ser; 52; 295-322.
- **Bode, B.W; Tamborlane; W.V& Davidson ,P.C.(2002) :** Insulin pump therapy in the 21st century. Strategies for successful use in adults, adolescents, and children with diabetes. Postgraduate Medicine; 111(5);69-77.
- **Bogazzi ,F; Bartalena ,L& Martino ,E.(2004):** Color flow Dopplersonography of the thyroid. In: Baskin HJ, ed. Thyroid Ultrasound and Ultrasound-Guided FNA Biopsy. Boston:Kluwer Academic Publishers; 227-229.
- **Bolli ,G.B.(1999):** How to ameliorate the problem of hypoglycemia in intensive as well as non-intensive treatment of type 1 diabetes. Diabetes Care;22(S2);B43-52.
- **Bonifacio ,E& Bingley, P.J.(2004):** Islet autoantibodies and their use in predicting insulin dependent diabetes. Actadiabetol ;34; 285-93.
- **Bright, G.M; Blizzard ,R.M; Kaiser ,D.L& Clarke ,W.L.(1982):** Organ-specific autoantibodies in children with common endocrine diseases. J Pediatr ; 100; 8-14.
- **Brix, T.H., Kyvik, K.O., Christensen, K& Hegedus, L. (2001):** Evidence for a major role of heredity in Graves' disease: apopulation-based study of two Danish Twin cohorts. J. Clin. Endocrinol. Metab;86; 930-934.
- **Brown, T.R., Zhao,G& Palmer, K.C.,(2004):** Thyroid injury , autoantigen availability and the initiation ofautoimmune thyroiditis. Autoimmunity; 27; 1-12.
- **Canadian Diabetes Association (2001) :** Clinical Practice Guidelines for the Perevention and Management of Hypoglycemia in Diabetes. Can J Diabetes; 26(1); S22-39.

- **Canadian Diabetes Association Clinical Practice Guidelines Expert Committee. Canadian Diabetes Association (2008):** clinical practice guidelines for the prevention and management of diabetes in Canada. Can J Diabetes;32(suppl 1); S65-70.61.
- **Canadian Diabetes Association Clinical Practice(2008) :** Guidelines Expert Committee. Canadian Diabetes Association 2008 Clinical Practice Guidelines for the Prevention and Management of Diabetes in Canada. Can J Diabetes ; 32(suppl 1);S29-S52.
- **Canadian Institute for Health Information.(2001):** Canadian Organ Replacement Registry (CORR): Annual Report, Ottawa, On. CIHI .
- **Canaris, G.J., Manowitz, N.R., Mayor, G.M. and Ridgway& E.C. (2000):** The Colorado thyroiddisease prevalence studies. Arch. Int. Med; 160; 526-534.
- **Canayanniotis, G.& Rao, V.P.(2001):** Searching for pathogenic epitopes in Thyroglobulin: Parametersand caveats. Immunol. Today; 18; 83-88.
- **Castano, L; Ziegler, A.G& Ziegler R.(1993):** Characterization of insulin autoantibodies in relatives of patients with type diabetes. Diabetes; 42; 1202-9.
- **Chan, J.M; Rimm, E.B& Colditz ,G.A.(1994) :** Obesity, fat distribution, and weight gain as risk factors for clinical diabetes in men. Diabetes Care; 17; 961-69.
- **Charbonnel ,B; Karasik, A& Liu, J.(2006) :** Efficacy and safety of the dipeptidyl peptidase-4 inhibitor sitagliptin added to ongoing metformin therapy in patients with Type 2 diabetes inadequately controlled with metformin alone. Diabetes Care; 29; 2638-2643.
- **Chen, Q.Y; Huang ,W; Baxter, F& Volpe R.(2001):** Maclaren MK. HLA-DRB 108, DRBIO3/DRS30101, and DRB30202 ore susceptibility genes for Graves' disease in North American Caucasians, where as DRB107 is protective. J Clin Endocrinol Metab ;84; 3182-6.
- **Chiasson, J.L; Josse ,R.G& Gomis, R.(2002) :** Acarbose for prevention of type 2 diabetes mellitus. Lancet; 359; 2072-77.

- **Chiovato, L., Bassi, P& Santini, F.(2003):** Antibodies producing complement-mediated thyroidcytotoxicity in patients with atrophic or goitrous autoimmune thyroiditis. *J. Clin. Endocrinol. Metab*;77; 1700-1705.
- **Christie ,M.R.(2000):**Humoral immune markers: antibodies to- glutamic acid decarboxylase. In: Palmer JP, ed. *Prediction, prevention, and genetic counseling in IDDM* Chichester, England;Wiley;77-96.
- **Clemens, J&Erifili ,H.(2001) :** Comparative Analysis of Organ specific autoantibodies and celiac disease-associated antibodies in type 1 diabetic patients, their first-degree relatives and healthy control subjects. *Diabetes care* ; 24; 27-32.
- **Coiro, V;Volpi, R& Marchesi, C.(2005) :** Influence of residual C-peptide secretion on nocturnal serum TSH peak in well-controlled diabetic patients. *Clin. Endocrinol*; 47: 305-10.
- **Colhoun ,H.M.(2004):** Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): Multicentre, randomised, placebo-controlled trial. *Lancet*; 364; 685-96.
- **Collison, K.S., Banga, J.P.& Barnett, P.S. (1991):** Autoantibody stimulation of the human thyrotropinreceptor: Regulation of adenylate cyclase activity, Thyroglobulin and thyroid peroxidase mRNA levels in primary cultures of Graves' thyroid tissue.*Clin. Exp. Immunol*; 86; 61-5.
- **Comess, L.J; Bennett, P.H& Burch ,T.A.(1996):** Congenital anomalies and diabetes in the Pima Indians of Arizona. *Diabetes*; 18;471-77.
- **Cooper DS.(2005):** Antithyroid drugs. *N Engl J Med*;352 ;905-17.
- **Cooper DS.(2001):** Subclinical hypothyroidism. *N Engl J Med* ;345; 260-5.
- **Cooper ,D.S; Halpern ,R; Wood ,L.C; Levin ,A.A& Ridgway EC.(2005):** L-Thyroxine therapy in subclinical hypothyroidism. A double-blind, placebo-controlled trial. *Ann Intern Med*;101:18-24.
- **Cryer, P. Davis, S & Shamoan.(2002) :** Hypoglycemia in diabetes. *Diabetes Care*; 26(6); 1902-1912.

- **Dabelea, D; Pettitt, D.J& Jones, K.L.(2000):** Type 2 diabetes mellitus in minority children and adolescents. An emerging problem. *Endocrinol Metab Clin North Am*; 28;709-29.
- **Danese, M.D; Ladenson ,P.W& Meinert, C.L.(2000):** Powe NR.Clinical review 115: effect of thyroxine therapy on serum lipoproteins in patients with mild thyroid failure; a quantitative review of the literature. *J Clin Endocrinol Metab.* ;85;2993-3001.
- **Dayan, C.M& Daniels, G.H(2001):** Chronic autoimmune thyroiditis. *N Engl J Med* ;335:99-107.
- **Davidson, P.C; Hebblewhite, H.R;Bode,B.W; Steed ,R.D;Welch, N& Richardson, P.(2002) :** An empirical basis for modifying the “1500” rule [Abstract]. *Diabetes* ;51(suppl. 2); A128; Abstract No. 518-P.
- **Davidson ,P.C; Hebblewhite ,H.R; Bode,B.W; Steed, R.D; Welch, N& Richardson, P.I.(2002):** New evidence based guidelines for prescribing insulin by CSII [Abstract]. *Diabetes*; 51(suppl. 2), A128-A129, Abstract No. 519-P.
- **DeFronzo ,R.A& Ferrannini ,E.(1997) :** Insulin resistance: a multifaceted syndrome responsible for NIDDM, Obesity, hypertension, dyslipidemia and atherosclerotic cardiovascular disease. *Diabetes Care* ; 14; 173-94.
- **de Whalley ,P(1995).** Do abnormal thyroid stimulating hormone level values result in treatment changes? A study of patients on thyroxine in one general practice. *British Journal of General Practice* ;45; 93–95.
- **Deschamps, I; Beressi, J.P& Khali, 1.(1991):** The role of genetic predisposition to type I (insulin-dependent) diabetes mellitus. *Ann Med*; 23; 427-35.
- **Dimitriadis ,G; Parry-Billings, M& Bevan, S.(1997):** The effects of insulin on transport and metabolism of glucose in skeletal muscle from hyperthyroid and hypothyroid rats. *Eur. J. Clinical. Invest*; 27; 475-83.
- **Dimitriadis ,G& Raptis ,S.A.(2001) :** Thyroid hormone excess and glucose intolerance. *Exp Clin. Endocrinol. Diabetes*; 109; S225-S239.
- **Di Napoli, M; Reda, G& Zannoni G(2002).** The euthyroid sick syndrome. Its diagnosis and clinical significance in an internal medicine department. *Minerva Med*;85:161-5.

- **Docter, R; Krenning, E.P& de Jong ,M(1998).** The sick euthyroid syndrome: changes in thyroid hormone serum parameters and hormone metabolism. Clin Endocrinol;39:499-518.
- **Dogra .S; Beydoun. S& Mazzola .J.(2005)** :Oxcarbazepine in painful diabetic neuropathy: a randomized, placebo-controlled study. Eur J Pain; 9;543-554.
- **Donckier ,J.E.(2003):** Endocrine diseases and diabetes. In: Text book of Diabetes mellitus. Pickup JC, Williams G (eds), Blackwell Publishing Company Chichester; 27.1 ; 27.25.
- **Dorchy ,H; Bourdoux ,P& Loniere, B.(2002):** Subclinical thyroid hormone abnormalities in type 1 diabetic children and adolescents. Relationship to metabolic control. Acta Paediatr Scand; 74;386-93.
- **Early Treatment Diabetic Retinopathy Study Research Group(2001):** Photocoagulation for diabetic macular edema. ETDRS report number 1. Arch Ohpthalmol.;103;1796-1806.
- **Ehtisham ,S; Hattersley, A.T& Dungcr, D.B.(2004)** : First UK survey of paediatric type 2 diabetes and MODY. Arch Dis Child Jun; 89 (6); 526-9.
- **Ekholm ,R. (1989)** : Thyroid physiology, anatomy and development. In : Endocrinology, De Groot LJ, Cahill GF, Odell WD, Martnil L, potts JT, Nelson DH, Stein Berger E and Wingerfred A. editors (2nd ed.) : Vol.1, Grune and Stratton; 36; P: 505-509.
- **Elliott ,R.B; Chase, H.P& Pilcher, C.C.(1992):** Effect of nicotinamide in preventing diabetes (IDDM) in children. J Autoimmun ; 3:61.
- **Eisenbarth ,G.S& Gottlieb ,P.A.(2004):** Autoimmune polyendocrine syndromes. N Engl J Med; 350; 2068-79.
- **Endocr Pract. (2002):** AACE Thyroid Guidelines; 8(No. 6) 459.
- **European Journal of Endocrinology (2002):** Subclinical Hyperthyroidism: Clinical Features and treatment Options; Bernadette Biondi; University of Naples.

- **Fagot-Campagna ,A;Pettitt ,D.J& Engeigau, M.M.(2000):** Type 2 diabetes among North American children and adolescents: an epidemiologic review and a public health perspective. J Pediatr; 136; 664-72.
- **Femer ,R.E.(1992):** Drug-induced diabetes. Baillieres Clin Endocrinol Metab; 6; 849-66.
- **Fernandez Castaner, M; Molina ,A; Jimenez ,L.L; Gomez, J.M& Soler, J.(2000):**Clinical presentation and early course of Type 1 diabetes in patients with and without thyroid autoimmunity. Diabetes Care;22;377-81.
- **Fioretto, P; Mauer, S.M& Bilous, R.W.(2001):** Reversal of lesions of diabetic nephropathy after pancreas transplantation. N Engl J Med; 339:69.
- **Fitzgerald, P.A.(2005):** Endocrinology. In: Tierny LM, McPhee SJ, Papadakis MA,eds. Current medical diagnosis and treatment. 44th ed. New York:McGraw-Hill; 1102-10.
- **Ford, E.S; Giles, W.H& Dietz, W.H.(2002):** Prevalence of the metabolic syndrome among US adults: findings from the Third National Health and Nutrition Examination Survey. JAMA; 16; 287; 356-59.
- **Foster, D.W& McGarry ,J.D.(2002):** The metabolic derangements and treatment of diabetic ketoacidosis. N Engl J Med ;309;159-69.
- **Foulis, A.K; McGill, M; Farquaharson ,M.A& Hilton, D.A.(2007):** The pathology of the endocrine pancreas inType 1 (insulin-dependent) diabetes mellitus. APIMS;104;161–167.
- **Franklyn, J.A; Daykin ,J; Drolc, Z; Farmer, M &Sheppard, M.C (1991):** Long-term follow-up of treatment of thyrotoxicosis by three different methods. Clin Endocrinol [Oxford];34:71-6.
- **Franklin, J.A; Daykin, J; Betteridge, J; Hughes ,E.A; Holder,R& Jones ,S.R,(1999):** Thyroxine replacement therapy and circulating lipid concentrations. Clin Endocrinol [Oxford];38:453-9.

- **Frykberg, R.G., Zgonis, T., Armstrong, D.G., Driver, V.R., Giurini, J.M., Kravitz, S.R., Landsman, A.S., Lavery, L.A., Moore, J.C., Schuberth, J.M., Wukich, D.K., Andersen, C. & Vanore, J.V.(2006):** Diabetic foot disorders: A clinical practice guideline (2006 revision), Foot & Ankle Surgery; 45(5); S1-S66.
- **Furugaki ,K; Shirasawa, S; Ishikawa, N; Ito, K; Kobota, S, Kuma,K; Tamai, H; Akamizu ,T; Hiratani ,H;Tanaka, M& Sasazuki, T. (2004):** Association of the T-cell regulatory gene CTLA4 with Graves' disease and autoimmune thyroid disease in the Japanese. J. Hum. Genet; 49 (3);166-8.
- **Gavin ,J.R; Alberti ,K.G& Davidson ,M.B.(1997):** Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. Diabetes Care ; 20: 1183-97.
- **George , S, Kenneth , S& Polonsky.(2004):** Diabetes Mellitus. In: Williams Textbook of Endocrinology, 10th edition; 30; 1495-98.
- **Giani, C., Fierabracci ,P& Bonacci ,R. (2000):** Relationship between breast cancer and thyroiddisease: Relevance of autoimmune thyroid disorders in breast malignancy. J. Clin. Endocrinol. Metab; 81, 990-994.9-17.
- **Guillermo ,E; Umpierrez, M.D; Helen, C. Lambeth, R.N &Frankie Stentz, P.H.D (2003):** Frequency of thyroid dysfunction in diabetic patients value of annual screening. Diabet. Med., 7:622.
- **Gilron, I; Bailey ,J.M& Tu, D.(2005):** Morphine, gabapentin, or their combination for neuropathic pain. N Engl J Med ;352;1324-1334.
- **Giordano C., Stassi G., De& Maria R.,(1997):** Potential involvement of Fas and its Ligand on the pathogenesis of Hashimoto's thyroiditis. Science; 275; 960-963.
- **Gomez-Perez ,F.J; Rull, J.A& Dies ,H.(1983)** Nortriptyline and fluphenazine in the symptomatic treatment of diabetic neuropathy. A double-blind cross-over study. Pain; 23;395-400.
- **Green WL.(1991)** Effects of drugs on thyroid hormone metabolism. In: Wu SY,ed. Current issues in endocrinology and metabolism: thyroid hormone metabolism. Regulation and clinical implications. Boston: Blackwell, pp; 239-45.

- **Grinstein ,G; Muzumdar, R&Aponte, L.(2003):** Presentation and 5-year follow-up of type 2 diabetes mellitus in African-American and Caribbean-Hispanic adolescents. *Horm Res*; 60 (3); 121-6.
- **Groop ,L.C; Bottazzo, G.F& Doniach ,D.(2003):** Islet cell antibodies identify latent type 1 diabetes in patients aged 35-75 years at diagnosis. *Diabetes*; 35; 237-41.
- **Haber ,R; Wilson, C; Weinstein ,S; Pritsker ,A& Cushman, S.(2005):** Thyroid hormone increases the partitioning of glucose transporters to the plasma membrane in ARL 15 cells. *Amer. J. Physiol*; 269; E605-E610.
- **Hansen ,H.P; Tauber-Lassen ,E; Jensen, B.R& Parving ,H.H.(2002):** Effect of dietary protein restriction on prognosis in patients with diabetic nephropathy, *Kidney Int*; 62;220.
- **Harper, M.B& Mayeaux, E.J.(2003) :** Thyroid disease. In: Taylor RB. *Family medicine:principles and practice*. 6th ed. New York: Springer; 1042-52.
- **Harris ,H.(1950)the**distribution of diabetes: a study of the relatives of 1241 diabetic propoiti. *Ann Eugenet*; 15;95-119.
- **Hay ,I.D.(2002)** American association assessment of current free thyroid hormone and thyrotropin measurements and guide lines for future clinical assays. *Clin Chem*; 37: 2003.
- **Helfand ,M& Redfern, C.C.(2003) :** Clinical guideline, part 2:screening for thyroid disease; an update. *American College of Physicians* [erratum in *Ann Intern Med*;129;144-158.
- **Herman ,W.H&Kennedy ,L.(2005):**Underdiagnosis of peripheral neuropathy in type 2 diabetes. *Diabetes Care*28:1480-1481.
- **Holl ,R,W; Bohm, B; Loos, U; Grabert, M; Heinze, E& Homoki J.(1994)** Thyroid autoimmunity in children and adolescents with type I diabetes mellitus. Effect of age, gender and HLA type. *Horm Res*; 52;113-8.
- **Hollowell J.G; Staehling ,N.W& Flanders, W.D. (2002)** Serum TSH, T₄, and thyroid antibodies in the United States population (1988 to 1994): National Health and Nutrition Examination Survey (NHANES III). *J Clin Endocrinol Metab*;87:489-499.

- **Holness ,M& Sugden ,M.(1987):** Continued glucose output after refeeding contributes to glucose intolerance in thyroid disease. *Biochem. J*; 247; 801-4.
- **Huopio ,H; Otonkoski, T& Vauhiconen, I.(2003):** A new subtype of autosomal dominant diabetes attributable to a mutation in the gene for sulfonylurea receptor 1. *Lancet*; 361: 301-7.
- **Huber, A; Menconi ,F& Corathers, S.(2008) :** Joint genetic susceptibility to type 1 diabetes and autoimmune thyroiditis: from epidemiology to mechanisms. *Endocr Rev.* Oct 29;(6);697-725.
- **J.Larry, J. & A.P. Weetman (2001):** Disorders of the Thyroid gland, In: Harrison's Principles of Internal Medicine, 15th Edn, Vol.2, Eds. E. Brunwald and A.Fauci Mc Graw-Hill Publication,USA. P; 2060-2084.
- **Jaeckel, E; Manns, M& Von Herrath ,M.(2002) :** Viruses and diabetes. *Ann NY Acad Sci*; 958; 7-25.
- **JaspanJ.B., Sullivan, K.& Garry ,R.F. (1996) :** The interaction of a type A retroviral particle and classII human leukocyte antigen susceptibility genes in the pathogenesis of Graves' disease. *J. Clin. Endocrinol. Metab*; 81; 2271-2279.
- **Kahn ,S.E; Haffner, S.M& Heise, M.A.(2006) :** Glycemic Durability of Rosiglitazone, Metformin, or Glyburide Monotherapy. *N Eng J Med.*; 355; 2427-2443.
- **Kahn ,S.E; Zinman, B& Lachin ,J.M.(2008):** Rosiglitazone Associated Fractures in Type 2 Diabetes. An Analysis from A Diabetes Outcome Progression Trial (ADOPT). *Diabetes Care*; 31; 845-851.
- **Kalman ,R&Mourits ,M.(2003)**Diabetes Mellitus: a risk factor in patients with Grave's orbitopathy. *Br. J. Ophthalmol*;83;463-5.
- **Karlin ,N.J; Weintraub, N& Chopra ,I.J. (2004)**Current controversies in endocrinology: screening of asymptomatic elderly for subclinical hypothyroidism. *J Am Med Dir Assoc.*;5:333-336.
- **Kami, M; Tanaka ,Y& Chiba, S.(2001)** Thyroid function after bone marrow transplantation: possible association between immune-mediated thyrotoxicosis and hypothyroidism. *Transplantation.*;71:406-11

- **Kaufman ,F.R.(2002) :**Type 2 diabetes mellitus in children and youth: a new epidemic. *J Pediatr Endocrinol Metab*; 15 (Suppl 2); 737.
- **King, H& Rewers, M.(2001) :** Global estimates for prevalence of diabetes mellitus and impaired glucose tolerance in adults. *Diabetes Care*; 16; 157-77.
- **Kinova ,S& Payer ,J.(1998):** Autoimmune thyroid disease in patients with type 1 diabetes mellitus. *Bratisl Lek Listy*; 99; 23-5.
- **Kitabchi ,A.E.(2003):** Management of hyperglycemic crisis in patients with diabetes. *Diabetes Care*;24;131-53.
- **Kordonoun ,O& Deiss.(2002):** Predictivity of thyroid autoantibodies for the development of thyroid disorders in children and adolescents with type 1 diabetes. *Diabet Med* ; 19;518-21.
- **Krolewski ,A.S& Warram, J.H.(1985):** Epidemiology of diabetes mellitus. In: Marble A, Krall . LP, Bradley RF, et al., eds. *Joslin's diabetes mellitus*, 12th ed. Philadelphia: Lea & Fcbiger; 12-42.
- **Krolewski ,A.S; Warram, K.H& Rand, L.I.(2001):** Epidemiologic approach to the etiology of type I diabetes mellitus and its complications. *N Engl J Med*; 317; 1390-8.
- **Ladenson ,P.W; Singer ,P.A; Ain ,K.B;Bagchi ,N; Bigos , S.T,&Levy , E.G (2000).** American Thyroid Association guidelines for detection of thyroid dysfunction. *Arch Intern Med.* ;160:1573–5.
- **Larsen ,P.R; Davies ,T.F&Hay ,I.D.(2003)**The thyroid gland. In:Wilson JD, Foster DW, Kronenberg HM, Larsen PR, eds. *Williams Textbook of Endocrinology*. 9th ed. Philadelphia:WB Saunders Co,2003;389-515.
- **Lee ,S; Scherberg, N& DeGroot, L.J (2001):** Induction of oral tolerance in human autoimmunethyroid disease. *Thyroid*; 8; 229-234.
- **Levey ,A.S; Bosch, J.P& Lewis ,J.B.(2005):** A more accurate method to estimate glomerular filtration rate from serum creatinine: a new predication equation. Modification of Diet in Renal Disease Study Group. *Ann Intern Med*; 130:461, 1999.
- **Levin ,L& Tomer, Y.(2003):** The etiology of autoimmune diabetes and thyroiditis. *Autoimmune Rev* 2: 377-86.

- **Levin, M. E. (2001).** Pathogenesis and general management of foot lesions in the diabetic patient. In J. H. Bowker & M. A. Pfeifer (Eds.), Levin and O'Nea's The Diabetic Foot. 6th ed. (pp.222). St. Louis, MO: Mosby, Inc.
- **Likitmaskul, S; ICiattisathavee, P& Chaichanwalanakul ,K (2003):** Increasing prevalence of type 2 diabetes mellitus in Thai children and adolescents associated with increasing prevalence of obesity. J Pediatr Endocrinol Metab ;16: 71-7.
- **Maassen, J.A.(2002):** Mitochondrial diabetes: pathophysiology, clinical presentation, and genetic analysis. Am J Med Genet; 115; 66-70.
- **Maclaren, N, Lan ,M& Coutant ,R.(2004):** Only multiple autoantibodies to islet cells (ICA), insulin, GAD65, IA-2 and IA-2beta predict immune-mediated (type 1) diabetes in relatives. J Autoimmun ;12; 279-87.
- **McDermott, M.T; Woodmansee, W.W; Haugen, B.R; Smart, A & Ridgway,E.C.(2003)** The management of subclinical hyperthyroidism by thyroid specialists. Thyroid 13 1133–1139.
- **Malthiery, Y.& Lissitzky S.(1987) :** Primary structure of human Thyroglobulin deduced from thesequence of its 8848-base complementary DNA. Eur. J. Biochem; 105;491-498.
- **Mandel, S.J; Larsen ,P.R& Seely ,E.W& Brent, G.A.(2005):** Increased need for thyroxine during pregnancy in women with primary hypothyroidism. N Engl J Med ;323;91-96.
- **Marcocci, C& Chiovato, L. (2000) :** Thyroid-directed antibodies, In: The Thyroid: A Fundamental andClinical Text. 8th ed. Eds. Braverman LE, Utiger RD, Lippincott Williams & Wilkins, Philadelphia; p 414-31.
- **Marechaud, R. (2000)**Low T3 syndrome. Rev Prat;48:2018-22.
- **Matsuzuka, F.M., Miyauchi ,A& Katyama, S.(2003):** Clinical aspects of primary thyroid lymphoma:Diagnosis and treatment based on our experience of 119 cases. Thyroid; 3; 93-99.
- **McIntosh,R., Waston, P& Weetman, A.(2004):** Somatic hypermutation in autoimm in autoimmune thyroiddisease. Immunol. Rev; 162; 219-231.

- **McLachian,S.M& Rapport, B.(1992):** The molecular biology of thyroid peroxidase: Cloning, expression and role as autoantigen in autoimmune thyroid disease. *Endo. Rev*; 13;192-206.
 - **Mengel, M.B& Schwiebert, L.P.(2001):** Ambulatory medicine: the primary care of families. 3d ed. New York: Lange Medical Books/McGraw Hill ;16: 71-7.
 - **Middleton, R.J; Foley, R.N& Hegarty, J.(2006):** The unrecognized prevalence of chronic kidney disease in diabetes. *Nephrol Dial Transplant* ;21:88.
 - **Mohn, A; Di Michele ,S; Di Luzio; R, Tumini ,S& Chiarelli F.(2002):** The effect of subclinical hypothyroidism on metabolic control in children and adolescents with Type 1 diabetes mellitus. *Diab. Med*; 19; 70-3.
 - **Molbak ,A.G; Christau, B& Mamer ,B.(2005):** Incidence of insulin-dependent diabetes mellitus in age groups over 30 years in Denmark. *Diabet Med* ; 11; 650-5.
- Mohn ,A;Di Marzio, A& Cerruto, M(2001).** Euthyroid sick syndrome in children with Hodgkin disease. *Pediatr Hematol Oncol*;18:211-15
- **Moraes ,C.T, Ricci ,E& Bonilla, E.(1992):** The mitochondrial tRNA mutation in mitochondrial encephalomyopathy, lactic acidosis, and stroke-like episodes (MELAS): Genetic, biochemical, and morphological correlations in skeletal muscle. *Am J Hum Genet*; 50;934-49.
 - **Morley, J.E. (1981):** Neuroendocrine control of thyrotrophin secretion. *Endocr Rev*; 2 : 396.
 - **Nathan ,D.M; Cleary, P.A& Backlund,J.Y.(2005):** Intensive diabetes treatment and cardiovascular disease in patients with Type 1 diabetes. *N Eng J Med*; 353; 2643-2653.
 - **Nelson ,J.C& Tomei ,R.T.(2001)** Direct determination of free thyroxine undiluted serum by equilibrium dialysis /radio immunoassay. *Clin Chem* 34 :1737-44.
 - **Neufeld ,M& Blizzard, R.,M.(2002):** Polyglandular autoimmune disease. In: Pinchera A, Doniach D, Fenzi DF, Baschieri L, eds. *Autoimmune aspects of endocrine disorders*. London, UK: Academic Press; 357-65.

- **Newman ,B; Selby ,J.V& King,M.C.(2005)** : Concordance for type 2 (non-insulin-dependent) diabetes mellitus in male twins. *Diabetologia*; 30; 763-8.
- **Nilsson, M., Husmark, J., Bjorkman, U& Ericson, L.E. (1998):** Cytokines and thyroid epithelial integrity: Interleukin-1 α induces dissociation of the junctional complex and paracellular leakage in filter-cultured human hydrolytes. *J. Clin. Endocrinol. Metab*; 83; 945-952.
- **Noel,R.R., Raphael,B. & Burek, C.L. (2002):** Iodine: an environmental trigger of thyroiditis. *Autoimmun. Rev. Feb Vol.1*; (1-2); 97-103.
- **Novitzsky ,D; Cooper, D.K.C& Human, P.A.(2003)** Triiodothyronine therapy for heart donor and recipient. *J Heart Transplant*2003;7:370-6.
- **Oiknine.(2005):** A critical appraisal of the role of insulin analogues in the management of diabetes mellitus. *Drugs* ; 65(3); 325-340.
- **Olga ,K& Egbert ,B.(2002):** Thyroid autoimmunity in children and adolescents with type 1 diabetes. *Diabetes care* ; 25; 1346-50.
- **Omar, M.A., Hammond, M.G., Desai, R.K., Motala, A.A., Aboo, N& Seedat, M.A. (1990);** HLA class I and II antigens in South African blacks with Graves' disease. *Clin Immunopathol* ;54; 98-102.
- **Onuma, H., Ota, M., Sugeno, A& Inoko, H. (1994):** Association of HLA-DPB-0501 with early-onset Graves' disease in Japanese. *Hum Immunol* ;39;195-201.
- **O'Sullivan ,J.B.(2001):**diabetes mellitus after GDM. *Diabetes*; 40 (Suppl 2); 131-35.
- **Palit ,T.K, Miller ,C.C III& Miltenburg, D.M.(2000):** The efficacy of thyroidectomy for Graves' disease: a meta-analysis. *J Surg Res*;90;161-5.
- **Park, Y.S, Wang, C.Y& Ko, K.W.(2008)** : Combinations of HLA DR and DQ molecules determine the susceptibility to insulin~dependent diabetes mellitus in Koreans. *Hum Immunol* ; 59; 794-801.

- **Paul ,Ladenson & Matthew, Kim(2008)** : Disorders of Thyroid in “Cecil Medicine”by Lee Goldman , Dennis Ausiello(eds).23rd ed. Saunders ELSevier, Ch. 244.
- **Paulo Alexandre Abrahamsohn (2005)**: Histology of Endocrine Glands in “Basic Histology Text & Atlas” by: Luiz Carlos Junqueira, Jose Carneiro (Eds).11th edition. Publisher: McGraw-Hill.Ch.20.
- **PD, Lee ,L.A& Hamill, R.W.(2005)** Thyroid test abnormalities in traumatic brain injury: correlation with neurologic impairment with sympathetic nervous system activation. Am J Med;84:201-8.
- **Peeters, R.P& Wouters, P.J.(2005)**: Serum FT3 and rT3 are prognostic markers in critically ill patients. J Clin Endocrinol Metab; 90 (8); 4559-65.
- **Pei-Win, Wang, Rue-Tsuan, Liu& Suh-Hang Hank ,Juo,(2004)**: Cytotoxic T Lymphocyte- Associated Molecule-4 Polymorphism and Relapse of Graves’ Hyperthyroidism after Antithyroid withdrawal, The J. Clin. Endocrinol. Metab; Vol.8 No.1; 169-173.
- **Perros, P., McCrimmon, R., Shaw, G., and Frier, B(2001)** Frequency of thyroid dysfunction in diabetic patients value of annual screening. Diabet. Med., 7:622–627.
- **Perros,P; McCrimmon ,R.J& Shaw ,G (1995).** Frequency of thyroid dysfunction in diabetic patients: value of annual screening. Diabet Med.;12:622-627.
- **Peter H& William C.(2005)**: Definition, diagnosis and classification of diabetes mellitus and glucose homeostais. In: Joslin's Diabetes Mellitus, 14th edition; 2005; 19; 331-66.
- **Pettitt ,D.J; Baird, H.R& Aleck, K.A.(1999)**: Excessive obesity in offspring of Pima Indian women with diabetes during pregnancy. N Engl J Med ; 308; 242-45.
- **Pettitt ,D.J; Knowler ,W.C& Baird ,H.R.(1980)**: Gestational diabetes: infant and maternal : complications of pregnancy in relation to third-trimester glucose tolerance in the Pima Indians. Diabetes Care; 3; 458-64.
- **Pincus ,G& White, P.(2003)** : On the inheritance of diabetes meHitus. Further analysis of family histories. Am J Med Sci 1034; 188; 159-169.

- **Poulsen ,P; Kyvik ,K.O& Vaag mA.(2004)** : Heritability of type 2 (non-insulin dependent) diabetes mellitus and abnormal glucose tolerance-a population-based twin study. *Diabetologia*; 42; 125-7.
- **Prasad ,K.V& Prabhakar, B.S, (2003):** Apoptosis and autoimmune disorders, *Autoimmunity*; 36(6-7);323-30.
- **Proces S, Delgrange E, VanderBorgh TV, Jamart J, Donckier JE.(2008)** Minor alterations in thyroid function tests associated with diabetes mellitus and obesity in outpatients without known thyroid illness. *Acta Clin Belg* Mar-Apr; 56 (2): 86-90.
- **Rabinowe ,S.L& Eisenbarth, G.S.(1984):** Polyglandular autoimmunity. *Adv Intern Med* ; 31:,293-307.
- **Randin ,J; Tappy, L; Scazziga, B; Jequier, E& Felber, J.(1987):** Insulin sensitivity and exogenous insulin clearance in Grave's disease. Measurements by the glucose clamp technique and continuous glucose calorimetry. *Diabetes*; 35; 178-81.
- **Registered Nurses Association of Ontario (2005):** Assessment and management of foot ulcers for people with diabetes. Toronto, Canada: Registered Nurses Association of Ontario.
- **Richard S. Snell (2007):** Endocrine Glands in the Head and Neck in "Clinical Anatomy By Regions" by Richard S. Snell (main editor).Publisher: Lippincott Williams & Wilkins. 8th edition; 815-20.
- **Riley ,W.J; Maclaren ,N.K; Lezotta ,D.C; Spillar, R.P& Rosenbloom ,A.L.(1981):** Thyroid autoimmunity in insulin dependent diabetes mellitus: the case for routine screening. *J Pediatr*; 98; 350-54.
- **Romijn ,J.A& Wiersinga ,W.M.(2003)** Decreased nocturnal surge of thyrotropin in non-thyroidal illness. *J Clin Endocrinol Metab* 70:35-42.
- **Roti ,E;Minelli ,R; Gardini ,E& Braverman, L.E.(2002):** The use and misuse of thyroid hormone. *Endocr Rev*;14:401-23.
- **Ross ,D.S.(2002):** Hyperthyroidism, thyroid hormone therapy, and bone. *Thyroid*;4:319-26.
- **Ross, D.S(2000).** Subclinical thyrotoxicosis. In Werner and Ingbar's *The Thyroid: A Fundamental and Clinical Text*, pp 1016–1020,

- **Sacks ,D.B.(2001):** Carbohydrates. In: Burtis CA, Ashwood ER. Teitz Fundamentals of Clinical Chemistry, 5th ed Philadelphia: WB Saunders Company ;23; 427-61.
- **Sanjeevi ,C.B; Landin-Olsson, I& Kockum, 1.(2005) :** Effects of the second HLA-DQ haplotype on the association with childhood insulin-dependent diabetes mellitus. Tissue Antigens ; 45; 148-52.
- **Sawin, C.T; Geller, A; Wolf ,P.A; Belanger ,A.J; Baker ,E& Bacharach P, .(2004):** Low serum thyrotropin concentrations as a risk factor for atrial fibrillation in older persons. N Engl J Med;331:1249-52.
- **Schlienger, J.L; Anceau ,A; Chabrier ,G; North, M.L& Stephan F.(2006):** Effect of diabetic control on the level of circulating thyroid hormones. Diabetologia ;22; 486-8.
- **Shimomura, H; Nakase ,Y; Furuta, H; Nishi ,M; Nakao&T Hanabusa T (2003):** rare case of autoimmune polyglandular syndrome type 3. Diabetes Res Clin Pract; 61(2);103-8.
- **Shanoudy, H; Soliman, A& Moe, S(2001).** Early manifestations of "sick euthyroid" syndrome in patients with compensated chronic heart failure. J Card Fail;7:146-52.
- **Silva,L.M.,ChavejJ.,CanalliM.H.&ZanettiC.R.(2003):**Determination of IgG sub classes and avidity of antithyroidperoxidase antibodies in patients with subclinical hypothyroidism – a comparison with patient with overt hypothyroidism. Horm Res; 59(3); 118-24.
- **Slatosky, J, Shipton ,B& Wahba ,H.(2000)** Thyroiditis: differential diagnosisand management [published correction appears in Am Fam Physician2000;62:318]. Am Fam Physician; 61:1047-52.
- **Sperling ,M.A.(1984)** Diabetic Ketoacidosis. Pediatr Clin North Am ;31(3);591-610.
- **Stassi, G& De Maria, R(2002) :** Autoimmune thyroid disease:new models of cell death inautoimmunity. Nat. Rev. Immunol; 2(3); 195-204.
- **Staub, J.J; Althaus ,B.U; Engler ,H; Ryff ,A.S; Trabucco. P&Marquardt .K,(2000):** Spectrum of subclinical and overt hypothyroidism: effect on thyrotropin, prolactin, and thyroid reserve, and metabolic impact on peripheral target tissues. Am J Med;92:631-42.

- **Steiner ,D.F; Tager, H.S& Chan ,S.J.(1990):** Lessons learned from molecular biology of insulin-gene mutations. *Diabetes Care*; 13; 660-09.
- **Stephanie, L; Lee& Sonia Ananthakrishnan (2009):** Hyperthyroidism, *eMedicine Specialties Endocrinology Thyroid*.
- **Strieder, T.G & Prummel, M.F.(2003) :** Risk factors for and prevalence of thyroid disorders in a crosssectional study among healthy female relatives of patients with autoimmune thyroid disorder. *ClinEndocrinol (OXF) Sep*; 59(3); 396-401.
- **Surks, M.I; Ortiz, E; Daniels, G.H; Sawin ,C.T; Col ,N.F; Cobin, R.H; Franklyn, J.A; Burman ,K.D; Denke, M.A; Cooper ,R.S & Weissman, N.J(2004).** Subclinical thyroid disease. Scientific review and guidelines for diagnosis and management. *Journal of the American Medical Association* ; **291**; 228–238.
- **Suzuki, Y; Nanno, M; Gemma, R& Yoshimi ,T.(1992) :** Plasma Free fatty acids, inhibitor of extrathyroidal conversion of T4 to T3 and thyroid hormone binding inhibition in patients with various nonthyroidal illnesses. *Endocrinol Jpn* ;39; 445-53.
- **Tahirovic, H, Ducic ,V& Smajic, A.(1991) :** Euthyroid sick syndrome in type 1 diabetes mellitus in children and adolescents. *Acta Paediatr Hung*; 31 (1); 67-73.
- **Tanaka, S, Kobayashi ,T& Momotsu ,T.A (2000) :** novel subtype of type I diabetes mellitus. *N Engl J Med*; 342; 1835-37.
- **Tandon, N., Mehera, N.K., Taneja, V., Vaidya,M.C.,Kochupillai, N. (1990):** HLA antigens in Asian IndianPatients with Graves' disease. *Clin Endocrinol (oxf)* ;33; 21-26.
- **Tamai ,H; Kasagi ,K; Takaichi ,Y;Takamatsu, J; Komaki, G & Matsubayashi S.(2002):** Development of spontaneous hypothyroidism in patients with Graves' disease treated with antithyroidal drugs: clinical, immunological, and histological findings in 26 patients. *J Clin Endocrinol Metab* ;69:49-53.
- **Taylor, R.B. (2000):** the 10-minute diagnosis manual: symptoms and signs in the time-limited encounter. Philadelphia: Lippincott Williams & Wilkins.

- **The ADVANCE Collaborative group.(2008)** : Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes. *N Eng J Med*; 358; 2560-2572.
- **The Diabetes Control and Complications(1993)** : Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin dependant diabetes mellitus. *N Engl J Med*;329;977-986.
- **The Diabetic Retinopathy Study Research Group.(1990):** Photocoagulation treatment of proliferative diabetic retinopathy: the second report of Diabetic Retinopathy Study findings. *Ophthalmology*.;85;82-106.
- **Thorsby, E& Ronningen, K.S.(1993)** : Particular HLA-DQ molecules play a dominant role in determining susceptibility or resistance to type I (insulin-dependent) diabetes mellitus. *Diabetologia* ; 36; 371-77.
- **Todd, J.A.(1990)** : Genetic control of autoimmunity in type I diabetes. *Immunol Today*; 11;122-29.
- **Tomer,Y., Davies, T.F.(1993)** : Infection, thyroid disease and autoimmunity. *Endocr. Rev*; 14;107-120.
- **Tosi ,F; Moghetti ,P;Castello, R; Negri, C; Bonora ,E& Muggeo, M.(2003):** Early changes in plasma glucagon andgrowth hormone response to oral glucose in experimental hyperthyroidism. *Metabolism*.; 45; 1029-33.
- **Torring ,O; Tallstedt ,L; Wallin ,G; Lundell, G; Ljunggren ,J,G& Taube, A.(1996)**Graves' hyperthyroidism: treatment with antithyroid drugs, surgery, orradioiodine—a prospective, randomized study. *J Clin Endocrinol Metab*;81;986-93.
- **Tunbndge, W.M; Evered, D.C& Hall, R.(1999)** : The spectrum of thyroid disease in a community: The Whickham Survey. *Clin Endocrinol*;1 7; 481-93.
- **Tunbridge, W.M; Evered& D.C, Hall, R.(1999)**The spectrumof thyroid disease in a community: the Whickham survey.*Clin Endocrinol (Oxf)*.;7;81-493.

- **Turner, R.C; Cull, C.A& Frighi, V (2005)** : Glycemic control with diet, sulfonylurea, metformin, or insulin in patients with type 2 diabetes mellitus: progressive requirement for multiple therapies (UKPDS 49). UK Prospective Diabetes Study (UKPDS) Group. JAMA; 281; -12.
- **Udiong,C. E.J; Udoh A. .E. and Etukudoh M. E (2007)**: evaluation of thyroid function in diabetes mellitus in calabar, Nigeria. Indian Journal of Clinical Biochemistry, 22 (2) 74-78
- **Ueda, H., Howson, J.M& Esposito, L., (2003)** : Association of the T-Cell regulatory gene CTLA-4with susceptibility to autoimmune disease. Nature, May 29; 423(6939); 506-11.
- **Umpierrez ,G.E; Latif, K.A& Murphy ,M.B(2003)**. Thyroid dysfunction in patients with type 1 diabetes: a longitudinal study. Diabetes Care. Apr;26(4):1181-5.
- **Utiger ,R.D.(2004)** : Hypothyroidism. In: DeGroot LJ, ed.Endocrinology. Vol 1. 2nd ed. Philadelphia: WB SaundersCo; 702-721.
- **Unwin, N; Shaw, J& Zimmet ,P (2002)**: impaired glucose tolerance and impaired fasting glycaemia: the current status on definition and intervention. Diabet Med ;19:708-23.
- **Verge ,C.F; Gianani, R& Kawasaki, E.(1996)** : Number of autoantibodies (against insulin. GAD or ICA512/IA2) rather than particular autoantibody specificities determines risk of type I diabetes. J Autoimmun ; 9; 379-83.
- **Visser, T.J.(2001)** Pathways of thyroid hormone metabolism. Acta Med Austriaca;23:10-16
- **Volpe, R.(1994)** : Evidence that the immunosuppressive effects of antithyroid drugs are mediated through actions on the thyroid cell, modulating thyrocyte-immunocyte signaling. Thyroid; 4; 217-221.
- **Wang, R; Nelson, J.C& Weiss, R.M.(2006)**: Accuracy of free thyroxine measurements across natural ranges of thyroxine binding to serum proteins. Thyroid; 10; 31-39.
- **Wartofsky , L; Glinoeer , D; Solomon, B; Nagataki , S; Lagasse , R; Nagayama , Y& Izumi ,M (2001)**. Differences and similarities in the

diagnosis and treatment of Graves' disease in Europe, Japan, and the United States. *Thyroid*;1:129–35.

- **Warram ,J.H; Rich ,S.S& Krolewski ,AS.(2001):** Epidemiology and genetics of diabetes mellitus. In: Kahn CR, Weir G, eds. Joslin's diabetes mellitus, 13th ed. Philadelphia: Lea & Febiger ;201-15.
- **Weetman ,A.P& Jenkins ,R.C.(2002):** Disease associations with autoimmune thyroid disease. *Thyroid* ; 12;977-88.
- **Weetman ,A.P& Wiersinga ,W.M.(1998):** Current management of thyroid-associated ophthalmopathy in Europe: results of an international survey. *Clin Endocrinol* ; 49;21-8.
- **Weetman ,A.P. DeGroot, L.(1999)** Autoimmunity to the thyroid gland. In: *Thyroid disease manager*. Chicago: Endocrine Education.; 9; 379-83.
- **Weetman ,A.P. (2000) :** Endocrinology. In: *Handbook of HLA and Disease*, 2nd Edn. Eds: Lechler RI., Warrens A. Academic Press, London. 45; 1029-33
- **Weetman, A.P., Ajjan, R.A& Watson, P.F.,(2000):** Cytokines and Graves' disease . *Baillieres ClinEndocrinol Metab* ;11;481-497.
- **Weetman A.P., FreemanM.A& BorysiewiczL.K. (1990):** Functional analysis of intercellularadhesion molecule-1 expressing human thyroid cells. *Eur. J. Immunol*; 20; 271-275.
- **Weetman, A.P&McGregor, A.M. (1994):**Autoimmune thyroid disease: Further developments in our understanding. *Endocr. Rev*;15;788-830.
- **Wei ,J.N; Sung, F.C& Lin, C.C.(2003):** National surveillance for type 2 diabetes mellitus in Taiwanese children. *JAMA*; 290; 1345-50.
- **Weyer, C; Bogardus, C& Mott ,D.M.(1999):** The natural history of insulin secretory dysfunction and insulin resistance in the pathogenesis of type 2 diabetes mellitus. *J Clin Invest* ;104; 787-94.
- **WHO Study Group.(2005) :** Diabetes mellitus. Technical Report Series 727. Geneva: World' Health Organization; 329;977-986 .

- **Woeber, K.A.(2001):** Update on the management of hyperthyroidism and hypothyroidism. Arch Intern Med;160;1067-71.
- **Wu, Z., Podack ,E.R& McKenzie, J.M. (2001) :** Perforin expression by thyroid infiltrating T cells in autoimmune thyroid disease. Clin. Exp. Immunol; 98; 470-477.
- **Yanagawa ,T; Hidaka ,V; Guimaraes ,V; Soliman , M& DeGroot IJ.(2001) :** CTLA-4 gene polymorphism associated with Graves' disease in a Caucasian population. J Clin Endocrinol Metab ;80; 41-5.
- **Yu ,L& Gianani ,R.(1993):** GAD autoantibody levels in ICA positive relatives with restricted ICA. Diabetes; 42; 65.
- **Zimmet, P.Z; Tumoi, T& Mackay ,I.R.(2002) :** Latent autoimmune diabetes mellitus in adults (LADA): the role of antibodies to glutamic acid decarboxylase in diagnosis and prediction of insulin dependency. Diabet Med); 11; 299-303.