

References

- Akobeng AK, Ramanan AV, Buchan I, Heller RF (2006):** "Effect of breast feeding on risk of coeliac disease: a systematic review and meta-analysis of observational studies". *Arch. Dis. Child.* 91 (1): 39–43.
- American academy of pediatrics. Committee on nutrition(1998):** Soy protein-based formulas: recommendations for use in infant feeding. *Pediatrics*;101:148–153.
- Ananth CV and Vintzileos AM (2006):** Epidemiology of preterm birth and its clinical subtypes. *J Matern Fetal Neonatal Med*; 19:773-782.
- Anderson JW, Johnstone BM, Remley DT (1999):** Breast-feeding and cognitive development: a meta-analysis. *Am J Clin Nutr*;70:525-35.
- Apgar V (1953):** A proposal for a new method of evaluation of the newborn infant. *Cure Res Anesth Analg* 32:260-267.
- Arakawa T, chong DT, stattery CW and Langride WH(1999):** improvements in human health throuth production of human milk proteins in transgenic food plants .*Adv Exp Med Biol*;464:149-159.
- Arthur R (2006):** Magnetic resonance imaging in preterm infants. *Pediatric Radiology*; 1007:006-0154. at suboptimal storage temperatures. *J Pediatr Gastroenterol*.
- Atkinson SA (2000):** Human milk feeding of the micropremie. *Clin Perinatol*; 27:235-247,.

- Ballard JL, Khoury JC, Wedig K, et al. (1991):** New Ballard Score, expanded to include extremely premature infants, *Journal of Pediatrics* 119: 417.
- Barnham KJ, Torres AM, Alewood D, Alewood PF, Domagala T, Nice EC, Norton RS (August 1998):** "Role of the 6-20 disulfide bridge in the structure and activity of epidermal growth factor". *Protein Science* 7 (8): 1738–49..
- Blaymore Bier JA, Oliver T, Ferguson A, Vohr BR (2002):** "Human milk reduces outpatient upper respiratory symptoms in premature infants during their first year of life". *J Perinatol* 22 (5): 354–9. breastfeeding". *Am. J. Clin. Nutr.* 86 (3): 682–9.
- Boonstra J, Rijken P, Humbel B, Cremers F, Verkleij A and van Bergen en Henegouwen P (1995):** The epidermal growth factor. *Cell Biol Int*; 19:413-430,.
- Bourbon JR, Francoual JM, Magney JF, lindenboum A, Dehan M (1990):** Changes in phospholipids composition of tracheal aspirate from newborns with hyaline membrane disease. *Clin chem.* 89 breastfeeding. *Ped Clin N Amer* 48:69–86.
- Buckley RH (2004):** The immunologic system and disorders. In: Nelson Textbook of Pediatrics, 17th edition, Behrman, RE, Kliegman, RM, Jenson, HB (Eds), WB Saunders, Philadelphia. p.681.
- Carpenter G, Cohen S (May 1990):** "Epidermal growth factor". *The Journal of Biological Chemistry* 265 (14): 7709–12.
- Carrascosa A, Yeste D, Copil A, Almar J, Salcedo S, Gussinyé M (2004):** [Anthropometric growth patterns of preterm and full-term newborns (24-42 weeks' gestational age) at the Hospital Materno-Infantil Vall d'Hebron (Barcelona)(1997-2002]. *An Pediatr (Barc)*. May;60(5):406-16.

- Caspi A, Williams B, Kim-Cohen J, et al. (2007):** "Moderation of breastfeeding effects on the IQ by genetic variation in fatty acid metabolism". *Proc. Natl. Acad. Sci. U.S.A.* 104 (47): 18860–5.
- Challis JR, Lye SJ, Gibb W, Whittle W, Patel F and Alfaidy N (2001):** Understanding preterm labour. *Ann N Y Acad Sci*; 943: 225-234,.
- Chan SY and Wong RW (2000):** Expression of epidermal growth factor in transgenic mice causes growth retardation. *J Biol Chem*; 275: 38693-38698,.
- Chatson K (2008):** Temperature Control. In: *Manual of Neonatal Care*. Cloherty JB; Eichenwald EC and Stark AR(eds), 6th edition Lippincott, Williams and Wilkins. Philadelphia. P.A. USA, chiz; 142:146.
- Chong dk, Roberts w, arakawat, hies k, bagi g, slattery cw and langride wh (1997):** expression of human milk protein beta-casin in transgenic potato plants. *transgenic res*; 6; 289-296.
- Chowanadisai W and lonnerdal B (2002):** Alpha-1-antitrypsin and antichymotrypsin in human milk ;origen, concentration, and stability. *Am Clin Nnutr*; 76; 828-833
- Chua S, Arulkumaran S, Lim I, Selamat N, Ratnam S (1994):** "Influence of breastfeeding and nipple stimulation on postpartum uterine activity". *Br J Obstet Gynaecol* 101 (9): 804–5.
- Chun-Ju Chang, and Jane C.-J. Chao (2002);** Effect of Human Milk and Epidermal Growth Factor on Growth of Human Intestinal Caco-2 Cells *Journal of Pediatric Gastroenterology and Nutrition* 34:394–401 .

- Clark JA, Doelle SM, Halpern MD, Saunders TA, Holubec H, Dvorak K, Boitano SA and Dvorak B (2006):** Intestinal barrier failure during experimental necrotizing enterocolitis: protective effect of EGf treatment. *Am J Physiol Gastrointest Liver Physiol*; 291:938-949,.
- Clark JA, Lane RH, MacLennan NK, Holubec H, Dvorakova K, Halpern MD, Williams CS, Payne CM and Dvorak B (2005):** Epidermal growth factor reduces intestinal apoptosis in an experimental model of necrotizing enterocolitis. *Am J Physiol Gastrointest Liver Physiol*; 288:755-762,.
- Commare CE and Tappenden KA (2007):** Development of the infant intestine: implications for nutrition Support. *Nutr Clin Pract*; 22:159-173,.
- Coovadia HM, Rollins NC, Bland RM, et al. (2007):** "Mother-to-child transmission of HIV-1 infection during exclusive breastfeeding in the first 6 months of life: an intervention cohort study". *Lancet* 369 (9567): 1107–16
- Dai D, Nanthkumar NN, Newburg DS, and Walker WA (2000):** Role of oligosaccharides and glycol-conjugates in intestinal host defense. *J Pediatr Gastroenterol Nutr*; 30 (2):S23-33. Do DOI: 10.1089=bfm.2009.0008.
- DeSantis HER and Clyman RI (2006):** Patent ductus arteriosus: Pathophysiology and management *J. Perinatology*; 26 (suppl.1): 514-8.
- Dewey KG. (1998):** Growth characteristics of breast-fed compared to formula-fed infants. *Biol Neonate*. 1998;74(2):94-105.

- Dewey KG. (2009):** Infant Feeding and Growth (Breast-Feeding: Early Influences on Later Health Advances in Experimental Medicine and Biology, 2009, Volume 639, 57-66, DOI: 10.1007/978-1-4020-8749-3_5.
- Dreux AC, Lamb DJ, Modjtahedi H and Ferns GA (2006):** The Epidermal Growth Factor Receptors and their family of ligands: their putative role in atherogenesis. *Atherosclerosis*; 186:38-53,.
- Drosten F (2001):** Case management of a premature infant transitioning to the breast. *J Hum Lact*; 17:47-50,.
Exclusive Breastfeeding in Southern Brazil: feeding through the first year predicts maternal control in feeding, *journal of American Dietetic Association* 100,p641-646.
- Duh G, Mouri N, Warburton D, et al(2000):** EGF regulates early embryonic mouse gut development in chemically defined organ culture. *Pediatr Res* 48:794-802.
- Dumont RC (1994):** Development of gastrointestinal motility in infant, *Pediatr Gastroenterol*; 23:655.
- Dvorak B, Fituch C and Williams C (2004):** Concentrations of EGF and TGF alpha in preterm milk. *Adv Exp Med Biol*; 554:407-409,.
- Dvorak B, Fituch CC, Williams CS, Hurst NM and Schanler RJ (2003):** Increased epidermal growth factor levels in human milk of mothers with extremely premature infants. *Pediatr Res*; 54:15-19,.
- Eglinton BA, Robertson DM and Cummins AG (1994):** Phenotype of T cells, their soluble receptor levels and cytokine profile of human breast milk. *Immunol Cell Biol*; 72:306-313,.

- Erman, Retayasa W and Soetjiningsih (2006):** Clinical gestational age assessment in newborns using the new Ballard score. *Paediatrica Indonesiana*, 46, (5-6), 97-101.
- Fawzi WW et al (1997):** Maternal anthropometry and infant feeding practices in Israel in relation to growth in infancy: the North African Infant Feeding Study. *Am J Clin Nutr* 65:1731–37,.
- Feldman S (2000):** "Nursing Through Pregnancy". *New Beginnings* (La Leche League International) 17 (4): 116–118, 145.
- Fenton TR (2003):** A new growth chart for preterm babies: Babson and Benda's chart updated with recent data and a new format. *BMC Pediatrics*; 3: 13. Chart may also be downloaded from [http:// members.shaw/ growth chart](http://members.shaw/growth chart).
- Fisher JO, Birch L L, Smicklas H and Picciano MF(2005)** feeding through the first year predicts maternal control in feeding, *journal of American Dietetic Association* 100,p641-646.
- Fleith M and Clandinin MT (2005):** Dietary PUFA for preterm and term infants: review of clinical studies. *Crit Rev food Sci Nutr*; 45(3): 205-29.
- Gartner LM and Herschel M (2001):** Jaundice and breastfeeding. *Pediatr Clin North Am*; 48:389-399,.
- Gartner LM, (2005).** "Breastfeeding and the use of human milk". *Pediatrics* 115 (2): 496–506.
- Gerstenfeld TS, Chang DT, Pliego AR and Wing DA(2000):** Nonobstetrical abdominal surgery during pregnancy in Women's Hospital. *J Matern Fetal Med*; 9:170-172,.

- Gnoth MJ, Kunz C, Kinne-Saffran E AND Rudloff S (2000):** human milk oligosaccharides are minimally digested in vitro. *Nutr*; 130(12):3014-20.
- Goldenberg RL, Culhane JF, Iams JD and Romero R (2008):** Epidemiology and causes of preterm birth. *Lancet*; 371:74-84.
- Goodsell DS (2003):** The Molecular Perspective: Epidermal Growth Factor. *Stem Cells*; 21:702-703,.
- Goodsell DS (2010):** The Molecule of the month : Epidermal Growth Factor: PDB Protein Data Bank. www.pdb.org.
- Greenough Ab, Milner AD, Dimitriou G. (2004):** Synchronized mechanical ventilation for respiratory support in newborn. *Cochrane Database Syst. Rev.*; (4).
- Greer FR, Sicherer SH, Burks AW (2008):** "Effects of early nutritional interventions on the development of atopic disease in infants and children: the role of maternal dietary restriction, breastfeeding, timing of introduction of complementary foods, and hydrolyzed formulas". *Pediatrics* 121 (1): 183–91.
- Gunderson, Erica P (2009):** "Prospective evidence that lactation protects against cardiovascular disease in women". *American Journal of Obstetrics & Gynecology* 200 (2): 119–120.
- Halpern M, Domingueq J, Dvorakova K, et al (2003):** Ileal cytokine dysregulation in experimental necrotizing is reduced by epidermal growth factor. *J Pediatr Gastroenterol Nutr* 36:126-133.
- Hambraeus L, Forsum E, Lönnerdal B (2000):** Nutritional aspects of breast milk and cow's milk formulas. In: Hambraeus L, Hanson L, Macfarlane H, eds. *Symposium on food and Immunology*. Stockholm, Sweden: Almqvist and Wiksell.

- Hammerman C and Kaplen M (2006):** Probiotic and neonatal intestinal infection. *Curr Opin Infect Dis*; 193: 27-82.
- Hammerman C, and Kaplan M (2005):** American Academy of Pediatrics guidelines for detecting neonatal hyperbilirubinaemia. *Arch. Dis. Child. Fetal Neonatal Ed.* 2005; 90: F448-F449.
- Hamosh M (1997):** Digestive enzymes in human milk stability at suboptimal storage temperatures. *J Pediatr Gastroenterol Nutr* 24:38–43.
- Hamosh M (2001):** Bioactive factors in human milk. In: Schanler, RJ The evidence for breastfeeding. ed. *Breastfeeding 2001, Part I.* *Ped Clin N Amer* 48:69–86.
- Harris RC, Chung E and Coffey RJ (2003):** EGF receptor ligands. *Exp Cell Res*; 284: 2–13,.
- Haskell MJ and Brown KH (1999):** Maternal vitamin A nutriture and Vitamin A content of human milk. *J Mammary Gland Biol Neoplasia*; 4: 243-257.
- Heiman H and Schanler RJ (2006):** Benefits of maternal and donor human milk for premature infants. *Early Hum Dev*; 82:781-787.
- Heiman H and Schanler RJ (2007):** Enteral nutrition for premature infants: The role of human milk. *Semin Fetal Neonatal Med*; 12:26-34.
- Heird WC (2004):** Nutrition. In Behrman RE, Kleigman RM, Jenson HB (Eds.) *Nelson Textbook of Pediatrics* 17th edition. Saunders; 153-190.

- Henderson G, Anthony MY and McGuire W (2007):** Formula milk versus maternal breast milk for feeding preterm or low birth weight infants (Review). *Cochrane Database of Syst Rev*; 4:1-7.
- Hendry J (2008):** Being breast fed may lower breast cancer risk, Reuterus health.
- Herbst RS (2004):** Review of epidermal growth factor receptor biology. *Int J Radiat Oncol Biol Phys*; 59:21-26,.
- Hilderbrand K., Goemaere E., Coetzee E. (2003):** "The prevention of mother-to-child HIV transmission programme and infant feeding practices". *South African Medical Journal* 93: 779–781.
- Hirai C, Ichiba H, Saito M, Shintaku H, Yamano T and Kusuda S (2002):** Trophic effect of multiple growth factors in amniotic fluid or human milk on cultured human fetal small intestinal cells. *J Pediatr Gastroenterol Nutr*; 34:524-528,.
- Iacopetta BJ, Grieu F, Horisberger M, Sunahara GI (1992):** Epidermal growth factor in human and bovine milk. *Acta Paediatr.* Apr;81(4):287-91. Nestlé Research Centre, Lausanne, Switzerland.
- Ichiba H, Fujimura M, Takeuchi T(1992):** Levels of epidermal growth factor in human cord blood. *Biol Neonate* 61:302-307.
- Ilan Dalal, (2008):** Immunity of the newborn in www.uptodate.com accessed: August Immunol. 102, 645–650.
- Innis SM(2005):** essential fatty acid transfer and fetal development placenta;26 suppl A:s70-5

- Ip S, Chung M, Raman G, et al. (2007):** "Breastfeeding and maternal and infant health outcomes in developed countries". *Evid Rep Technol Assess (Full Rep)* (153): 1–186.
- Jackson JC, Truog WE, Standert TA, Murphy JH, Junl, SE Chi EY, Hipdebrandt J&Hodson WA (1994):** Reduction in lung injury after combined Surfactant and high frequency ventilation. *Am J Resp Crit Care Med*; 150(2): 534.
- Jackson L, Burchell A, McGeechan A, and Humme R (2003):** An inadequate glycemic response to glucagons is linked to insulin resistance in preterm infants? *Arch. Dis. Child. Fetal Neonatal Ed*; 88 (1) p.62-66.
- Jensen RG(1999):** Lipids in human milk. *Lipids* 34:1243.
- Jobe AH (1997):** lung development. In *Neonatal-perinatal Medicine, Disease of the fetuse and Infant*, Fanaroff AA.And Martine RJ (eds), six Edition, Mosby; 41:1991.
- Jocson MA, Mason EO and Schanler RJ (1997):** The effects of nutrient fortification and varying storage conditions on host defense properties of human milk. *Pediatr*; 100:240-243,.
- Jones SM, Foreman SK, Shank BB and Kurten RC (2002):** EGF receptor downregulation depends on a trafficking motif in the distal tyrosine kinase domain. *Am J Physiol Cell Physiol*; 282:420-433,.
- Juex G et al (1983):** Growth pattern of selected urban Chilean infants during exclusive breast feeding. *Am J Clin Nutr* 38:462–68,.
- Kaneko, Shimizu H, Arakawa H, Ogawa Y (2001):** Pulmonary surfactant protein –A in sera for assessing lung maturation. *Early Hum*; 62(12):11-21.

- Karlberg J and Albertsson Wikland K (1995):** Growth in full-term small-for-gestational-age infants: from birth to final height. *Pediatr Res*; 38:733-739.
- Karlberg J and Albertsson Wikland K(1995):** Growth in full-term small-for-gestational-age infants: from birth to final height. *Pediatr Res*; 38:733-739,
- Kay's SK and Hindmarsh PC (2006):** Catch-up growth: an overview. *Pediatr Endocrinol Rev*; 3:365-378,.
- Kilewo C., Karlsson, K., Massawe, A., Lyamuya, E., Swai,A., Mhalu, F., et al. (2008):** "Prevention of mother-to-child transmission of HIV-1 through breast-feeding by treating infants prophylactically with lamivudine in Dar es Salaam, Tanzania.". *Epidemiology and Social Science* 48: 315–323.
- Kimberly G. Lee (2008):** Identified the high risk newborn in Cloherty, John P.; Eichenwald, Eric C.and Stark, Ann R. Title: Manual of Neonatal Care, 6th Edition Copyright © Lippincott Williams & Wilkins ch 3b:41-58.
- Kleinman RE (2000):** Omplementary feeding and later health. *Pediatrics*; 106(suppl): 1287-90.
- Kobata R, Tsukahara H, Ohshima Y, Ohta N, Tokuriki S, Tamura S and Mayumi M (2007):** High levels of growth factors in human breast milk. *Early Hum Dev*; 7:2,.
- Koletzko B and Rodriquez-Palmero M (1999):** Polyunsaturated fatty acids in human milk and their role in early human development; *J Mammary Gland Biol Neoplasia*; 4: 269.

- Kramer MS, Aboud F, Mironova E, et al. (2008).** "Breastfeeding and child cognitive development: new evidence from a large randomized trial". *Arch Gen Psychiatry* **65** (5): 578–84..
- Kramer MS, Matush L, Vanilovich I, et al. (2007):** "Effect of prolonged and exclusive breast feeding on risk of allergy and asthma: cluster randomised trial". *BMJ* 335 (7624): 815.
- Kunz C, Rudloff S, Baier W, Klein N and Strobel S (2000):** Oligosaccharides in human milk: Structural, functional, and Metabolic Aspects. *Ann Rev Nutr*; 20: 699- 722.
- Landers S (2003):** Maximizing the benefits of human milk feeding for the preterm infant. *Pediatr Ann*; 32:298-306,.
- Lawrence RA (1999):** Storage of human milk and the influence of procedures on immunological components of human milk. *Acta Paediatr*; 88: 14-18.
- Lawrence RA (2005):** Breastfeeding support benefits Very Low-Birth-Weight Infants. *Arch Pediatr Adolesc Med*; 155:543-544,.
- Lawrence RA and Lawrence RM (2005):** breastfeeding the infants with problem: a guide for the medical profession, 6th Ed. Elsevier Mosby. Phila; 515-558.
- Lee JS and Polin RA (2003):** Treatment and prevention of necrotizing enterocolitis. *Semin Neonatol*; 8:449-459,.
- Levene MI and De-Vries LS (2001):** Neonatal intracranial hemorrhage; cerebral ischemic lesion. In: Levene MI, Chervenak FA, Whittle M (eds) *Fetal and Neonatal Neurology*, 3rd edn. Churchill Livingstone, Edinburgh; PP.339-400.

- Lönnerdal B (2003):** Nutritional and physiologic significance of human milk proteins. *Am J Clin Nutr*; 77:1537-1543,.
- López Alvarez MJ (2007):** Proteins in human milk. *Breastfeed Rev*; 15(1):5-16.
- Lovelady C, Garner K, Moreno K, Williams J (2000):** "The effect of weight loss in overweight, lactating women on the growth of their infants". *N Engl J Med* **342** (7): 449–53.
- Lucas A et al (1997):** Breastfeeding and catch-up growth in infants born small for gestational age. *Acta Paediatr* 86:564–69,.
- Mantan S and Arulkumaran S (2006):** Neonatal RDS, *Lancet*; 10, Vol. 2(suppl):1879-9.
- Maria Beatriz R. do Nascimento, Marco A. Moura Reis, Selma Cristina Franco, Hugo Issler, et al (2010):** Exclusive Breastfeeding in Southern Brazil: Prevalence and Associated Factors
BREASTFEEDING MEDICINE Volume 5, Number 2,.
- Mårild S, Hansson S, Jodal U, Odén A, Svedberg K (2004):** "Protective effect of breastfeeding against urinary tract infection". *Acta Paediatr*. 93 (2): 164–8.
- Martin CR and Walker WA (2006):** Intestinal immune defenses and the inflammatory response in necrotizing enterocolitis. *Semin Fetal Neonatal Med*. 11(5):369-77.
- Martin RJ, Fanaroff AA (2005):** Respiratory distress syndrome and its management. In *Neonatal prenatal Medicine, Disease of Fetus and infant*, Fanaroff AA and Martine RJ (eds), 8th edition, Mosby CO., ch41p. 1081.

- Matsuoka Y and Idota T (1995):** The concentration of epidermal growth factor in Japanese mother's milk. *J Nutr Sci Vitaminol*; 41:241-251,.
- Mayer-Davis EJ, Dabelea D, Lamichhane AP, et al. (2008):** "Breast-feeding and type 2 diabetes in the youth of three ethnic groups: the SEARCH for diabetes in youth case-control study". *Diabetes Care* 31 (3): 470–5.
- McCall EM, Alderdice FA, Halliday HL, Jenkins JG and Voher S (2005):** Interventions to prevent hypoglycemia at birth in preterm and/or low birth weight babies: Cochrane Database Syst. Rev., 1:CD001/210.
- McCleary MJ (1991):** Epidermal Growth Factor: An Important Constituent of human milk. *J Hum Lact*; 7:123-128,.
- McGrath JM and Braescu AV (2004):** State of the science: feeding readiness in the preterm infant. *J perinat Neonatal Nurs*. 18(4): 3533-68.
- McGuire W and Anthony MY (2003):** Donor human milk versus formula for preventing necrotizing enterocolitis in preterm infants: systematic review. *Arch Dis Child Fetal Neonatal Ed*; 88:11-14.
- McGuire W, Henderson G and Fowlie PW (2004):** Feeding the preterm infant. *BMJ*; 329:1227-1230,.
- Mead MN (2008):** "Contaminants in human milk: weighing the risks against the benefits of breastfeeding". *Environ Health Perspect* 116 (10): A426–34.
- Mei J, Zhang Y, Wang T, et al., (2006):** Oral ingestion of colostrum alters intestinal transforming growth factor-beta receptor intensity in newborn pigs. *Lives! Sci*; 105:214-22. metrial cancer risk, USA". *Cancer Causes Control* 11 (7): 663–7.

- Mentzer W, and Glader B (2005):** Erythrocyte disorders in Infancy In: Avery's Diseases of the Newborn. 8th ed.
- Mercer BM, Goldenberg RL, Meis PJ, Moawad AH, et al.,(2000):** The preterm prediction study: prediction of premature preterm rupture of membranes through clinical findings and ancillary testing. Am J Obstet Gynecol; 183:738-745,.
- Michael K. Georgieff (2005):** Nutrition in MacDonald, Mhairi G.; Seshia, Mary M. K.; Mullett, Martha D. Title: Avery's Neonatology, 6th Edition ch.22 p 381-411.
- Miloslav Kverka, Jaroslava Burianova, Raja Lodinova-Zadnikova, Ingrid Kocourkova, et al., (2007):** Cytokine Profiling in Human Colostrum and Milkby Protein Array; American Association for Clinical Chemistry, 53:5 955–962 (2007)
- Mlay MV and Gluck L (2000):** The hormonal regulation of lung maturation. Clin. Prenatal 6: 3777.
- Motil, KJ, Krtz B, Thotathuchery M (1997):** Lactation performance of adolescent mothers show preliminary differences from that of adult women. J Adolescent Med 20:442–49,.
- Musoke RN, Ayisi RK, Orinda DA and Mbiti MJ (2001):** Do healthy very-low-birth-weight infants fed on their own mother's milk require sodium supplementation? Adv Exp Med Biol; 501:431-437.
- Nagourney BA, Kramer MS and Usher RH (1994):** Recurrent Respiratory distress syndrome in successive preterm pregnancies. J. Pediatr, Saunders, P.578-594.

- Nair RR, Warner BB and Warner BW (2008):** Role of Epidermal Growth Factor and other growth factors in the prevention of necrotizing enterocolitis. *Semin Perinatol*; 32:107-113,.
- Nascimento MBR and Issler H (2003):** Breastfeeding: making the difference in the development, health and nutrition of term and preterm newborns. *RevHosp Clin*; 58: 49-60.
- Neifert MR (2001):** Prevention of breastfeeding tragedies. *Pediatr Clin North Am*; 48:273-297.
- Newburg DS (1999):** human milk glycoconjugates that inhibit pathogens. *Curr Med Chem*; 6 117-27.
- Newburg DS, Ruiz-Palacios GM, Altaye M, et al. (2005):** "Innate protection conferred by fucosylated oligosaccharides of human milk against diarrhea in breastfed infants". *Glycobiology* 14 (3): 253–63.
- Nishimura Y, Yoshioka K, Berezky B and Itoh K (2008):** Evidence for efficient phosphorylation of EGFR and rapid endocytosis of phosphorylated EGFR via the early/late endocytic pathway in a gefitinib-sensitive non-small cell lung cancer cell line. *Mol Cancer*; 21:7-42,.
- Nock ML, Difiore JM, Bsee MK, Ark BS, Martin RJ (2003):** Relationship of ventilatory response to hypoxia and neonatal apnea in preterm infants. *J. Pediatr.* 144:291-5.
- Nyqvist KH, Ewald U and Sjöden P (1996):** Supporting a preterm infant's behaviour during breastfeeding: a case report. *J Hum Lact*; 12:221-228.
- O'Connor DL, Jacobs J, Hall R, et al. ,(2003)** Growth and development of premature infants fed predominantly human milk,

predominantly premature infant formula, or a combination of human milk and premature formula. *J Pediatr Gastroenterol Nutr* 37:437-446.

Oddy WH (2001): Breastfeeding protects against illness and infection in infants and children: a review of evidence. *Breastfeed Rev*; 9:11-18,.

Ong KK, Ahmed ML, Emmet PM, Preece MA and Dunger DB (2000): Association between postnatal catch-up growth and obesity in childhood: prospective cohort study. *BMJ*; 320:967-971,.

Oslislo A, Czuba Z, Sławska H, Kaźmierczak W and Król W (2007): Decreased human milk concentration of epidermal growth factor after preterm delivery of intrauterine growth-restricted newborns. *J Pediatr Gastroenterol Nutr*; 44:464-467,.

Osterlund P, Smedberg T, Hakulinen A, Heikkila H, Jarvinen KM, (2004): Eosinophil cationic protein in human milk is associated with development of cow's milk allergy and atopic eczema in breast-feed infants. *Pediatr Res*; 55:296-301.

Palmer B(1998): The influence of breastfeeding on the development of the oral cavity: a commentary. *J Hum Lact*; 114:93-98.

Patel AL, Meier PP, Engstrom JL (2009): The evidence for use of human milk in very low-birthweight preterm infants. *Neoreviews* 2007;8(11):e459. Accessed April 15.

Pawlus B, Walczak M, Kordek A, Gizewska M, Czajka R (2004): [Impact of delivery type on EGF and IGF-1 concentration in umbilical blood of newborns and their mothers' milk]. *Ginekol Pol. Nov*;75(11):821-4.

- Perrier CN, Sprenger B, Corthésy (2006):** Glycans on secretory component participate in innate protection against mucosal pathogens. *J. Biol. Chem.* 281: 14280-14287
- Peter O, Ryan S and Matthew L (1999):** Randomised control trial of acetate in preterm neonates receiving parenteral nutrition. *Dis Child Fetal Neonatal*; 77(1):F12-5.
- Piazza and Stoll (2008):** Digestive system disorders. In Kliegman RM, Behrman RE, Jenson HB and Stanton BF (eds). *Nelson Textbook of Pediatrics*, 18 ed. Elsevier; 102:753-754.
- Picciano MF(2001):** Nutrient composition of human milk. In: shanler RJ (ed). *The pediatric clinics of North America (breastfeeding, part1 the evidence for breastfeeding)* 48(1):W.B. Saunders Co: 53-67.
- Pilling EL, Elder CJ and Gibson AT (2008):** Growth patterns in the growth-retarded premature infant. *Best Pract Res Clin Endocrinol Metab*; 22:447-462,.
- Pisacane A, Continisio GI, Aldinucci M, D'Amora S, Continisio P (2005):** "A controlled trial of the father's role in breastfeeding promotion". *Pediatrics* **116** (4): e494–8..
- Price C; Robinson S (2004):** *Birth: Conceiving, Nurturing and Giving Birth to Your Baby*. McMillan. pp. 489. ISBN 1-4050-3612-5.
- Pursely and Cloherty JP (1998):** Identifying the high risk newborn and evaluating the gestational age, prematurity, postmaturity. In: Cloherty J.P., and Stark AR (ed), *Manual of Neonatal care* 4th ed Lippin Cott. Rawan Company, Chapter III Section 2, 37-49.

- Rakotombinina B, Marks L, Badran A et al.,(2004):** Taurine kinetics in healthy adult humans. *Am J physiol Endocrinol Metab*; 287:E255-E262
- Read LC, Ford WD, Filsell OH, McNeil J and Ballard FJ (1986):** Is orally-derived epidermal growth factor beneficial following premature birth or intestinal resection? *Endocrinol Exp*; 20: 199-207.
- Read LC, Francis GL, Wallace JC and Ballard FJ (1985):** Growth factor concentrations and growth promoting activity in human milk following premature birth. *J Dev Physiol*; 7:135-145,.
- Renfrew MJ, Lang S, Woolridge MW (2000).** "Early versus delayed initiation of breastfeeding". *Cochrane Database Syst Rev* (2): CD000043. doi:10.1002/1.
- Repka MX (2002):** Ophthalmological problems of premature infant. *Ment Retard Dev Disabil Res Rev*; 8: 249-257.
- Riordan and Janice M (1997):** The Cost of Not Breastfeeding: A commentary. *J Hum Lact*; 12: 93-97.
- Riordan, J,&Auerbach, KG (1999):** Breastfeeding and Human Lactation (2nd Edition). Boston, Jones and Bartlett Publishers.
- Riskin A and Bader D (2004):** Premature infant's nutrition--feeding strategies. *Harefuah*; 143: 60-66, 84, 83.
- Riordan J and Auerbach KG (2005):** The biologic specificity of breast milk , Breast-feeding and human lactation. 3 ed. Boston Jones and Bartlett Publishers; 97-136.
- Rodriguez NA, Meier PP, Groer MW, et al., (2009):** Oropharyngeal administration of colostrum to extremely low birth weight

infants: theoretical perspectives. *J Perinatol* 2009;29(1):1-7.
Accessed November 24.

Sangild PT (2006): Gut responses to enteral nutrition in preterm infants and animals. *Exp Biol Med* (Maywood);231(11):1695-711.

Sangild PT, Siggers RH, Schmidt M, et al., (2006): Diet- and colonization-dependent intestinal dysfunction predisposes to necrotizing enterocolitis in preterm pigs. *Gastroenterology*; 130(6):1776-92.

Sangild PT, Siggers RH, Schmidt M, Elnif J, Bjornavad CR, Thyman T, et al.,(2006): Diet and colonization dependent intestinal dysfunction predisposes to necrotizing enterocolitis on preterm pigs. *Gastroenterology*; 130(6):1776-92.

Sauer PJ (2007): Can extrauterine growth approximate intrauterine growth? Should it?. *Am J Clin Nutr*; 85:608-613.

Savage CR Jr, Hash JH and Cohen S (1973): Epidermal Growth Factor. Location of disulfide bonds. *J Biol Chem*; 248:7669-7672.

Schack-Nielsen L and Michaelsen KF (2006): Breastfeeding and future health. *Curr Opin Clin Nutr Metab Care*; 9:289-296.

Schanler RJ (1995): Suitability of human milk for the low birth weight infant. *Clin Perinatol*; 22:207-222.

Schanler RJ (2001): The use of human milk for premature infants. *Pediatr Clin North Am*; 48:207-219.

Schanler RJ (2007): Evaluation of the evidence to support current recommendations to meet the needs of premature infants: the role of human milk. *Am J Clin Nutr*; 85:625S-628S.

- Schanler RJ and Atkinson SA(1999):** Effects of nutrients in human milk on the recipient premature infant. *J Mammary Gland Biol Neoplasia*; 4:297-307.
- Schanler RJ, Hurst NM and Lau C (1999):** The use of human milk and breastfeeding in premature infants. *Clin Perinatol*; 26:379-398.
- Siegfried W , De laet. Johannes Boonstra, Libert H.K. Defize, et al (1999)** :Growth factor signalling *Int. J. Dev. Biol.* 43: 681-691.
- Skokic F Gusic S, Mehikic G, Sadic I (2002):** Incidence of respiratory distress syndrome in preterm twins. *Med Arch*; 54 (s.6):269-70.
- Spatz D (2006):** "State of the science: use of human milk and breastfeeding for vulnerable infants". *J Perinat Neonatal Nurs* 20 (1): 51–5..
- Steven (2008):** Abnormalities of Serum Calcium and Magnesium. In: *Manual of Neonatal Care*. Cloherty JB; Eichenwald EC and Stark AR (eds), 6th edition Lippincott, Williams and Wilkins. Philadelphia. P.A. USA, chiz; 550-555.
- Stoll BJ and Adams-Chapman I (2008):** Prematurity and IUGR. In Kliegman RM, Behrman RE, Jenson HB and Stanton BF (eds). *Nelson Textbook of Pediatrics*, 18 ed. Elsevier; 97:701-710.
- Stuebe AM, Michels KB, Willett WC, Manson JE, Rexrode K, Rich-Edwards JW (2009).** "Duration of lactation and incidence of myocardial infarction in middle to late adulthood". *Am J Obstet Gynecol* 200 (2): 138.e1–8.
- Swagerty DL, Walling AD, Klein RM (May 2002).** "Lactose intolerance". *Am Fam Physician* 65 (9): 1845–50.
- Takeda T, Sakata M, Minekawa R, Yamamoto T, Hayashi M, Tasaka K and Murata Y (2004):** Human milk induces fetal small intestinal cell proliferation-involvement of a different tyrosine

kinase signaling pathway from epidermal growth factor receptor. *J Endocrinol*; 181:449-457,. The evidence for breastfeeding. ed. Breastfeeding 2001, Part I.

Thomas MR, Marson L, Rafferty G, Calvert S, Marlow N, Peacock JL and Greenough A (2006): Respiratory function of very prematurity born infants at follow up: influence of sex. *Archive of Disease in Childhood. Fetal and Neonatal Edition*; 197-201.

Thymann T, Burrin DG, Tappenden KA, et al., (2006). Formula-feeding reduces lactose digestive capacity in neonatal pigs. *Br J Nutr*;95(6):1075-81.

Tideman E (2000): Longitudinal follow-up of children born preterm: cognitive development at age 19. *Early Hum Dev*; 58:81-90,.

Tucker M, Goldenberg RL, Davis RO, Copper RL, Winkler CL and Hauth JC (1991): Etiologies of preterm birth in an indigent population: is prevention a logical expectation?. *Obstet Gynecol*; 77:343-347,.

Uauy R and De Andraca I(1995): Human milk and breastfeeding for optimal mental development. *J Nutr*; 125:2278-2280.

van Willigen J (2002): Applied anthropology: an introduction. Westport, CT: Bergin & Garvey. ISBN 0897898338.

Venn BJ, Green TJ, Moser R, MCKenzle JE, Skeaff CM and Mann J (2002): Increases in, blood folate indices are similar in women of child bearing age supplemented with (6s) methyl-tetra-hydro-folate and folic acid *J Nutr*; 132:3353-3355.

- Vidal K, and Donnet-Hughes A.(2008)** CD14: a soluble pattern recognition receptor in milk. (2008)Adv Exp Med Biol 2008;606:195-216.
- Villamor E, Koulinska IN, Furtado J, et al. (2007):** "Long-chain n-6 polyunsaturated fatty acids in breast milk decrease the risk of HIV transmission through Volume 5, Number 2, 2010.
- von Kries R, Koletzko B, Sauerwald T, von Mutius E, Barnert D, Grunert V and von Voss H(1999):** Breastfeeding and obesity: cross sectional study. BMJ; 319:147-150.
- Ward RM and Beachy JC (2003):** Neonatal complications following preterm birth. BJOG: Obstet. Gynecol; 110(20):8-16.
- Warner BW and Warner BB(2005):** Role of epidermal growth in the pathogenesis of neonatal necrotizing enterocolitis. Semin Pediatr Surg; 14:175-180.
- Watt and Sagial (2006):** Outcome of extreme prematurity as information increases so do the dilemmas. Archive of disease in childhood. Fetal and Neonatal Edition; 91:221-222.
- Wen SW, Smith G, Yang Q and Walker M (2004):** Epidemiology of preterm birth and neonatal outcome. Semin Fetal Neonatal Med; 9:429-435,.
- Wheatly CM, Dickinson JL, Mackey DA, Carig JE and Sale MM (2002):** Retinopathy of prematurity recent advances in our understanding. Br.J. Ophthalmol. 86:696-700.
- Wight NE (2003):** Breastfeeding the borderline (near-term) preterm infant. Pediatr Ann; 32:329-336,.

- William D, et al. (2008):** History and physical examination of the Newborn. In: Manual of Neonatal Care. Cloherty JB; Eichenwald EC and Stark AR (eds), 6th edition Lippincott, Williams and Wilkins. Philadelphia. P.A. USA, Chiz; 43-40.
- Wood NS, Marlow NM and Costeloe K (2006):** Neurological and developmental disability after extremely preterm birth. N. Engl. J. Med; 343: 378-384.
- Xiao X, Xiong A, Chen X, Mao X and Zhou X (2002):** Epidermal growth factor concentrations in human milk, cow's milk-based infant formulas. Chin Med J; 115:451-454.
- Yagi H, Suzuki S, Noji T, Nagashima K, Kuroume T(1986):** Epidermal growth factor in cow's milk and milk formulas. Acta Paediatr Scand. Mar;75(2):233-5.
- Yang CL and Kuo SC (2007):** Assisting mother with preterm infant breastfeeding. Hu Li Za Zhi; 54:61-66.
- Ziegler EE(2006):** Growth of breast-fed and formula-fed infants. Nestle Nutr Workshop Ser Pediatr Program.;58:51-9; discussion 59-63.