
REFERENCES

Abou Neel EA, O'Dell LA, Smith ME, Knowles JC. (2008): Processing, characterisation, and biocompatibility of zinc modified metaphosphate based glasses for biomedical applications. *J Mater Sci Mater Med.* Apr;19(4):1669-79.

Aggett PJ. (2000): Trace elements of the micropremie. *Clin Perinatol.* Mar;27(1):119-29.

Aggett PJ, Comerford JG. (1995): Zinc and human health. *Nutr Rev.* Sep;53(9 Pt 2):S16-22.

Aggett PJ, Favier A. (1993): Zinc. *Int J Vitam Nutr Res.*;63(4):301-7.

Akman CI. (2010): Nonconvulsive status epilepticus and continuous spike and slow wave of sleep in children. *Semin Pediatr Neurol.* Sep;17(3):155-62.

Allen JE, Ferrie CD, Livingston JH, Feltbower RG. (2007): Recovery of consciousness after epileptic seizures in children. *Arch Dis Child* Jan;92 (1): 39-42.

Amiri M, Farzin L, Moassesi ME, Sajadi F. (2010): Serum trace element levels in febrile convulsion. *Biol Trace Elem Res.* Jun;135(1-3):38-44.

Armon K, Stephenson T, MacFaul R, Hemingway P, Werneke U, Smith S. (2003): An evidence and consensus based guideline for the management of a child after a seizure. Academic Division of Child Health, Nottingham, UK., *Emerg. Med. J.* Jan;20(1):13-20.

Aston JE, Apel WA, Lee BD, Peyton BM. (2010): Effects of cell condition, pH, and temperature on lead, zinc, and copper sorption to *Acidithiobacillus caldus* strain BC13. *J Hazard Mater.*

Axelsson I. (2010): Febrile seizures can't be prevented. Antipyretics don't stop the seizures...but perhaps the fever stops the infection. *Lakartidningen.* May 12-25;107(19-20):1290-1.

Babl FE, Lewena S, & Brown L (2006): Vaccination-related adverse events. Emergency Department, Royal Children's Hospital and Murdoch Children's Research Institute, Melbourne, Australia., *Pediatr. emerg. care*, Jul;22(7):514-9; quiz 520-2.

Barbarot S, Chantier E, Kuster A, Hello M, Roze JC, Blouin E, Stalder JF.(2010): Symptomatic acquired zinc deficiency in at-risk premature infants: high dose preventive supplementation is necessary. *Pediatr Dermatol.* Jul-Aug;27(4):380-3.

Barlow WE, Davis RL, Glasser JW, Rhodes PH, Thompson RS, Mullooly JP, Black SB, Shinefield HR, Ward JI, Marcy SM, DeStefano F, Chen RT, Immanuel V, Pearson JA, Vadheim CM, Rebolledo V, Christakis D, Benson PJ, Lewis N; (2001): The risk of seizures after receipt of whole-cell pertussis or measles, mumps, and rubella vaccine. Centers for Disease Control and Prevention Vaccine Safety Datalink Working Group. *N Engl J Med.* Aug 30;345(9):656-61.

Baumann RJ. (2001): Prevention and management of febrile seizures. *Paediatr Drugs.*;3(8):585-92.

Baumann RJ, Duffner PK. (2000): Treatment of children with simple febrile seizures: the AAP practice parameter. American Academy of Pediatrics. *Pediatr Neurol.* Jul;23(1):11-7.

Bergman T, Palmberg C, Jörnvall H, Auld DS, Vallee BL. (1999): Zinc binding characteristics of the synthetic peptide corresponding to the structural zinc site of horse liver alcohol dehydrogenase. *Adv Exp Med Biol.*;463:339-42.

Berg AT, Langfitt JT, Testa FM, Levy SR, DiMario F, Westerveld M, Kulas J. al (2008): Global cognitive function in children with epilepsy: a community-based study. *Neuroimaging in children with newly diagnosed epilepsy: A community-based study. Pediatrics* ;196: 527-532.

Bilenko N, Belmaker I, Vardi H, Fraser D. (2010): Efficacy of multiple micronutrient supplementations on child health: study design and baseline characteristics. *Isr Med Assoc J.* Jun;12(6):342-7.

Bogden JD, Oleske JM, Munves EM, Lavenhar MA, Bruening KS, Kemp FW, Holding KJ, Denny TN, Loria DB. (1987): Zinc and immunocompetence in the elderly: baseline data on zinc nutriture and immunity in unsupplemented subjects. *Am J Clin Nutr.* Jul;46(1):101-9.

Burhanoglu M, Tütüncüoğlu S, Coker C, Tekgül H, Ozgür T. (1996): Hypozincaemia in febrile convulsion. *Eur J Pediatr.* Jun; 155(6): 498- 501.

Bushra M, Elhassan EM, Ali NI, Osman E, Bakheit KH, Adam II. (2009): Anaemia, zinc and copper deficiencies among pregnant women in central Sudan. *Biol Trace Elem Res.* Dec 29.

Butler BA, Ranville JF, Ross PE. (2008): Observed and modeled seasonal trends in dissolved and particulate Cu, Fe, Mn, and Zn in a mining-impacted stream. *Water Res.* Jun;42 (12):3135-45.

Camfield, C. S., Camfield, P. R., & Veugelers, P. J. (2002): Death in children with epilepsy: Jun 1;359 (9321):1891-5.

Carroll W & Brookfield D (2002): Lumbar puncture following febrile convulsion. The Neonatal Unit, City General Hospital, Stoke on Trent, UK. *Arch Dis Child.*, Sep;87(3):238-40.

Cassano PA, Koepsell TD, Farwell JR. (1990): Risk of febrile seizures in childhood in relation to prenatal maternal cigarette smoking and alcohol intake. *Am J Epidemiol.* Sep;132(3):462-73; discussion 474-8.

Chadwick DJ 2nd. (2003): Febrile seizures. *Minn Med.* Mar;86(3):41-3.

Champi C, Gaffney-Yocum PA (1999): Managing febrile seizures in children. *Nurse Pract.*, Oct;24(10):28-30, 34-5, 39-43; quiz 44-5.

Cheng M, Huang Z, Li SX. (2010): Prophylactic efficacy of levetiracetam, valproate or phenobarbital on febrile convulsions in rats. *Zhongguo Dang Dai Er Ke Za Zhi* Jul;12(7):573-5.

Chhagan MK, Van den Broeck J, Luabeya KK, Mpontshane N, Tomkins A, Bennish ML. (2010): Effect on longitudinal growth and anemia of zinc or multiple micronutrients added to vitamin A. *BMC Public Health.* Mar 18;10:145.

Chiu SS, Tse CY, Lau YL, & Peiris M (2001): Influenza A infection is an important cause of febrile seizures. *PEDIATRICS*, Oct;108(4): E63.

Cho GS, Han MW, Lee B, Roh JL, Choi SH, Cho KJ, Nam SY, Kim SY. (2010): Zinc deficiency may be a cause of burning mouth syndrome as zinc replacement therapy has therapeutic effects. *J Oral Pathol Med*. Oct;39(9):722-7. doi: 10.1111/ j.1600-0714.2010.00914.

Chou SS, Clegg MS, Momma TY, Niles BJ, Duffy JY, Daston GP, Keen CL. (2004): Alterations in protein kinase C activity and processing during zinc-deficiency-induced cell death. *Biochem J*. Oct 1;383(Pt 1):63-71.

Chung B, Wat LC, Wong V. (2006): Febrile seizures in southern Chinese children. *Pediatric neurology* Feb;34(2):121-6.

Clusmann H, Kral T, Fackeldey E, Blümcke I, Helmstaedter C, von Oertzen J, Urbach H, Schramm J. (2004): Lesional mesial temporal lobe epilepsy and limited resections: prognostic factors and outcome. *J Neurol Neurosurg Psychiatry*. 2004 Nov;75(11):1589-96.

Cole TB, Robbins CA, Wenzel HJ, Schwartzkroin PA, Palmiter RD. (2000): Seizures and neuronal damage in mice lacking vesicular zinc. *Epilepsy Res*. Apr; 39(2): 153-69.

Conrad K. (2008): Correlation between the distribution of lignin and pectin and distribution of sorbed metal ions (lead and zinc) on coir (*Cocos nucifera* L.). *Bioresour Technol*. Nov;99(17):8476-84. Epub 2008 Jun 16.

Conway DE, Lee S, Eskin SG, Shah AK, Jo H, McIntire LV. (2010): Endothelial metallothionein expression and intracellular free zinc levels are regulated by shear stress. *Am J Physiol Cell Physiol.* Dec;299(6):C1461-7.

Cousins RJ, McMahon RJ. (2000): Integrative aspects of zinc transporters. *J Nutr.* May;130(5S Suppl):1384S-7S.

Cuestas, E. (2004): Is routine EEG helpful in the management of complex febrile seizures? *Archives of Disease in Childhood*, Mar ;89 (3) :290.

Daoud AS, Ajloni S, El-Salem K, Horani K, Otoom S, Daradkeh T. (2004): Risk of seizure recurrence after a first unprovoked seizure: a prospective study among Jordanian children. *Seizure.* Mar;13(2):99-103.

Daoud AS, Batieha A, Abu-Ekteish F, Gharaibeh N, Ajlouni S, Hijazi S. (2002): Iron status: a possible risk factor for the first febrile seizure. *Epilepsia.* Jul; 43(7):740- 743

Dias HV, Gorden JD. (1996): Synthesis and Characterization of Copper(II), Zinc(II), and Potassium Complexes of a Highly Fluorinated Bis(pyrazolyl)borate Ligand. *Inorg Chem.* Jan 17;35(2):318-324.

Digirolamo AM, Ramirez-Zea M, Wang M, Flores-Ayala R, Martorell R, Neufeld LM, Ramakrishnan U, Sellen D, Black MM, Stein AD. (2010): Randomized trial of the effect of zinc supplementation on the mental health of school-age children in Guatemala. *Am J Clin Nutr.* Nov;92(5):1241-50.

DiMario, F. J. (2006): Children presenting with complex febrile seizures do not routinely need computed tomography scanning in the emergency department. *Pediatrics*, 117 (2) , 528-530.

Donaldson D, Trotman H, Barton M, Melbourne-Chambers R. (2008): Routine laboratory investigations in infants and children presenting with fever and seizures at the University Hospital of the West Indies. *West Indian Med J*. Sep;57(4):369-72.

Dressendorfer RH, Petersen SR, Lovshin SE, Keen CL. (2002): Mineral metabolism in male cyclists during high-intensity endurance training. *Int J Sport Nutr Exerc Metab*. Mar;12(1):63-72.

Ehsani F, Vahid-Harandi M, Kany K. (2006): Determination of serum zinc in children affected by febrile convulsion. *The Journal of Iranian Medical Sciences University*.;12: 219- 276.

El-Radhi AS, Barry W (2003): Do antipyretics prevent febrile convulsions?, *Arch Dis Child*. Jul;88(7):641- 2.

Ervin RB, Wang CY, Wright JD, Kennedy-Stephenson J. (2004): Dietary intake of selected minerals for the United States population: 1999-2000. *Adv Data*. Apr 27;(341):1-5.

Fernandez Sein A. (2010): Clinical versus pathologic diagnosis: acrodermatitis enteropathica. *Bol Asoc Med P R*. Jan-Mar;102(1):39-43.

Fessatou S, Fagerhol MK, Roth J, Stamoulakatou A, Kitra V, Hadarean M, Paleologos G, Chandrinou H, Sampson B, Papassotiriou I. (2005): Severe anemia and neutropenia associated with hyperzincemia and hypercalprotectinemia. *J Pediatr Hematol Oncol.* Sep;27(9):477-80.

Fukuda M, Suzuki Y, Ishizaki Y, Kira R, Kikuchi C, Watanabe S, Hino H, Morimoto T, Hara T, Ishii E. (2009): Interleukin-1beta enhances susceptibility to hyperthermia-induced seizures. *Seizure.* Apr;18(3):211-4.

Ganapathy S, Volpe SL. (1999): Zinc, exercise, and thyroid hormone function. *Crit Rev Food Sci Nutr.* Jul;39(4):369-90.

Ganesh R, Janakiraman L (2008): Serum zinc levels in children with simple febrile seizure. *Clin Pediatr (Phila).* Mar;47(2):164-6.

Garty BZ, Olomucki R, Lerman-Sagie T, Nitzan M. (1995): Cerebrospinal fluid zinc concentrations in febrile convulsions. *Arch Dis Child.* Oct;73(4):338-41.

Gibson RS, Bailey KB, Parnell WR, Wilson N, Ferguson EL. (2010): Higher risk of zinc deficiency in New Zealand Pacific school children compared with their Māori and European counterparts. *Br J Nutr.* Sep 21:1-10.

Gibbs JW 3rd, Zhang YF, Shumate MD, Coulter DA. (2000): Regionally selective blockade of GABAergic inhibition by zinc in the thalamocortical system: functional significance. *J Neurophysiol.* Mar; 83 (3):1510-21.

Giralt M, Molinero A, Carrasco J, Hidalgo J. (2000): Effect of dietary zinc deficiency on brain metallothionein-I and -III mRNA levels during stress and inflammation. *Neurochem Int.* May;36(6):555-62.

Girand M, Dumas R, Dauvergne M, D'Athis P, Rochette L, Beley A, Bralet J. (1990): 5-Hydroxyindoleacetic acid and homovanillic acid in cerebrospinal fluid of children with febrile convulsions. *Epilepsia* , Mar-Apr;31(2):178-81.

Goksu E, Oktay C, Kilicaslan I, Kartal M. (2009): Seizure or syncope: the diagnostic value of serum creatine kinase and myoglobin levels. *Eur J Emerg Med.* Apr;16(2):84-6.

Guirola M, Barreto L, Pagani A, Romagosa M, Casamayor A, Atrian S, Ariño J. (2010): Lack of DNA helicase Pif1 disrupts zinc and iron homeostasis. *Biochem J.* Nov 25;432(3):595-605.

Hackett R, Hackett L, Bhakta P (1997): Febrile seizures in a south Indian district: incidence and associations. *Dev Med Child Neurology*, Jun;39(6):380-4.

Hamed SA, Abdellah MM. (2004): Trace elements and electrolytes homeostasis and their relation to antioxidant enzyme activity in brain hyperexcitability of epileptic patients. *J Pharmacol Sci.* Dec; 96(4):349-359.

Hanna LA, Clegg MS, Ellis-Hutchings RG, Niles BJ, Keen CL. (2010): The influence of gestational zinc deficiency on the fetal insulin-like growth factor axis in the rat. *Exp Biol Med.* Feb;235(2):206-14.

Haspolat S, Mihçi E, Coskun M, Gümüslü S, zbenm T, and Yegin O, (2002): Interleukin-1beta, tumor necrosis factor-alpha, and nitrite levels in febrile seizures. *J Child Neurology*, Oct;17(10):749-51.

Hemal A, Kalra BP, Gupta V. and Millichap JG. (2010): Febrile seizures. *J Indian Med Assoc.* 2010 Jan;108(1):36-8, 40-1.

Hirtz DG. (1997): Febrile seizures. *Pediatr Rev.* Jan;18(1):5-8; quiz 9.

Hohenegger M. (2006): Febrile convulsion as pediatric emergency. *Pflege Z.* Jul;59(7):428-30.

Hosoyamada T. (2006): Clinical studies of pediatric malabsorption syndromes. *Fukuoka Igaku Zasshi.* Nov;97(11):322-50.

Hotz C. (2007): Dietary indicators for assessing the adequacy of population zinc intakes. *Food Nutr Bull.* Sep;28(3 Suppl):S430-53.

Iannotti LL, Zavaleta N, León Z, Shankar AH, Caulfield LE. (2008): Maternal zinc supplementation and growth in Peruvian infants. *Am J Clin Nutr.* Jul;88(1):154-60.

Idei M, Miyake K, Horiuchi Y, Tabe Y, Miyake N, Ikeda N, Miida T. (2010): Serum zinc concentration decreases with age and is associated with anemia in middle-aged and elderly people. *Mar;*58(3):205-10.

Izumi Y, Ishii K, Akiba K, Hayashi T. (1990): Hypozincemia during fever may trigger febrile convulsion. *Med Hypotheses.* May;32(1):77-80.

Johnson EW, Dubovsky J, Rich SS, O Donovan CA, Orr HT, Anderson VE, Gil Nagel A, Ahmann P, Dokken CG, Schneider DT, Weber JL (1998): Evidence for a novel gene for familial febrile convulsions, FEB2, linked to chromosome 19p in an extended family from the Midwest. *Neurogenetics/Neuropharmacology, Center for Medical Genetics*. Jan;7(1):63-7.

Jou MY, Philipps AF, Kelleher SL, Lönnerdal B. (2010): Effects of zinc exposure on zinc transporter expression in human intestinal cells of varying maturity. *J Pediatr Gastroenterol Nutr*. Jun;50(6):587-95.

Karol N, Brodski C, Bibi Y, Kaisman T, Forberg M, Hershfinkel M, Sekler I, Silverman WF. (2010): Zinc homeostatic proteins in the CNS are regulated by crosstalk between extracellular and intracellular zinc. *J Cell Physiol*. Sep;224(3):567-74.

Katoh A, Matsumura Y, Yoshikawa Y, Yasui H, Sakurai H. (2009): Evaluation of insulin-mimetic activities of vanadyl and zinc(II) complexes from the viewpoint of heterocyclic bidentate ligands. *J Inorg Biochem*. Apr;103(4):567-74.

Kauwell GP, Bailey LB, Gregory JF 3rd, Bowling DW, Cousins RJ (1995): Zinc status is not adversely affected by folic acid supplementation and zinc intake does not impair folate utilization in human subjects.. *J Nutr*. Jan;125(1):66-72.

Keen CL, Gershwin ME. (1990): Zinc deficiency and immune function. *Annu Rev Nutr*.;10:415-31.

Khan FR, Bury NR, Hogstrand C. (2010): Differential uptake and oxidative stress response in zebrafish fed a single dose of the principal copper and zinc enriched sub-cellular fractions of *Gammarus pulex*. *Aquat Toxicol.* Sep 15;99(4):466-72.

Khosroshahi N, Faramarzi F, Salamati P, Haghighi SM, Kamrani K. (2010): Diazepam versus clobazam for intermittent prophylaxis of febrile seizures. *Jan;78(1):38-40.*

Kim J, Paik HY, Joung H, Woodhouse LR, King JC. (2010): Plasma Zinc But Not the Exchangeable Zinc Pool Size Differs Between Young and Older Korean Women. *Biol Trace Elem Res.* Jul 13.

Kim SK, Hwang JS, Kang HY, Kang HY. (2009): Acrodermatitis enteropathica-like dermatosis associated with combined deficiency of zinc and amino acids. *Int J Dermatol.* Aug;48(8):909-10.

Kinney HC, Chadwick AE, Crandall LA, Grafe M, Armstrong DL, Kupsky WJ, Trachtenberg FL, Krous HF. (2009): Sudden death, febrile seizures, and hippocampal and temporal lobe maldevelopment in toddlers: a new entity. *Pediatr Dev Pathol.* Nov-Dec;12(6):455-63.

Kiviranta T, Airaksinen EM, Tuomisto L. (1995): The role of fever on cerebrospinal fluid glucose concentration of children with and without convulsions. *Acta Paediatr.* Nov;84(11):1276-9.

Knudsen FU. (2001): Febrile convulsions, Treatment and prognosis. *Ugeskr Laeger.* Feb 19;163(8):1098-102.

Klein NP, Fireman B, Yih WK, Lewis E, Kulldorff M, Ray P, Baxter R, Hambidge S, Nordin J, Naleway A, Belongia EA, Lieu T, Baggs J, Weintraub E; Vaccine Safety Datalink. (2010): Measles-mumps-rubella-varicella combination vaccine and the risk of febrile seizures. *Pediatrics*. Jul;126(1):e1-8.

Kolachi NF, Kazi TG, Afridi HI, Kazi N, Kandhro GA, Shah AQ, Baig JA, Wadhwa SK, Khan S, Shah F, Jamali MK, Arain MB. (2010): Chromium and Manganese Levels in Biological Samples of Normal and Night Blindness Children of Age Groups (3-7) and (8-12) Years. *Biol Trace Elem Res*. Dec 22.

Koren G. (2000): Intranasal midazolam for febrile seizures. A step forward in treating a common and distressing condition. *BMJ*. Jul 8;321(7253):64-5. Jul 8;321(7253):64-5.

Kumar PA, Kotlyarevskaya K, Dejhmaron P, Reddy GR, Lu C, Bhojani MS, Menon RK. (2010): Growth hormone (GH)-dependent expression of a natural antisense transcript induces zinc finger E-box-binding homeobox 2 (ZEB2) in the glomerular podocyte: a novel action of gh with implications for the pathogenesis of diabetic nephropathy. *J Biol Chem*. Oct 8;285(41):31148-56.

Kuturec M, Emoto SE, Sofijanov N, Dukovski M, Duma F, Ellenberg JH, Hirtz DG, Nelson KB. (1997): Febrile seizures: is the EEG a useful predictor of recurrences? *Clin Pediatr (Phila)*. Jan;36(1):31-6.

Lansdown AB, Mirastschijski U, Stubbs N, Scanlon E, Agren MS. (2007): Zinc in wound healing: theoretical, experimental, and clinical aspects. *Wound Repair Regen*. Jan-Feb;15(1):2-16.

Leung AK, Robson WL. (2007): Febrile seizures. J Pediatr Health Care. Jul-Aug;21(4):250-5.

Lichten LA, Cousins RJ. (2009): Mammalian zinc transporters: nutritional and physiologic regulation. Annu Rev Nutr.;29:153-76.

Lopes-Cendes I, Scheffer IE, Berkovic SF, Rousseau M, Andermann E, Rouleau GA. (2010): A new locus for generalized epilepsy with febrile seizures plus maps to chromosome 2. Am J Hum Genet. Feb;66(2):698-701.

Lowe NM, Woodhouse LR, Sutherland B, Shames DM, Burri BJ, Abrams SA, Turnlund JR, Jackson MJ, King JC. (2004): Kinetic parameters and plasma zinc concentration correlate well with net loss and gain of zinc from men. J Nutr. Sep;134(9):2178-81.

Maes M, De Vos N, Demedts P, Wauters A, Neels H. (1999): Lower serum zinc in major depression in relation to changes in serum acute phase proteins. J Affect Disord. Dec;56(2-3):189-94.

Mahyar A, Ayazi P, Fallahi M, Javadi A. (2010): Risk factors of the first febrile seizures in Iranian children. Int J Pediatr.:862897.

Makhov P, Golovine K, Uzzo RG, Rothman J, Crispen PL, Shaw T, Scoll BJ, Kolenko VM. (2008): Zinc chelation induces rapid depletion of the X-linked inhibitor of apoptosis and sensitizes prostate cancer cells to TRAIL-mediated apoptosis. Cell Death Differ. 2008 Nov;15(11):1745-51.

Malhotra A, Chadha VD, Nair P, Dhawan DK. (2009): Role of zinc in modulating histo-architectural and biochemical alterations during dimethylhydrazine (DMH)-induced rat colon carcinogenesis. *J Environ Pathol Toxicol Oncol.*;28(4):351-9.

Manfredini R, Vergine G, Boari B, Faggioli R, Borgna-Pignatti C. (2004): Circadian and seasonal variation of first febrile seizures. *J Pediatr.* Dec;145(6):838-9.

Maret W, Sandstead HH. (2006): Zinc requirements and the risks and benefits of zinc supplementation. *J Trace Elem Med Biol.*;20(1):3-18.

Marques LF, Donangelo CM, Franco JG, Pires L, Luna AS, Casimiro-Lopes G, Lisboa PC, Koury JC. (2010): Plasma Zinc, Copper, and Serum Thyroid Hormones and Insulin Levels After Zinc Supplementation Followed by Placebo in Competitive Athletes. *Biol Trace Elem Res.* 2010 Sep 1.

Matsubara E, Sakai I, Yamanouchi J, Fujiwara H, Yakushijin Y, Hato T, Shigemoto K, Yasukawa M. (2009): The role of zinc finger protein 521/early hematopoietic zinc finger protein in erythroid cell differentiation. *J Biol Chem.* Feb 6;284(6):3480-7.

Maverakis E, Lynch PJ, Fazel N. (2007): Acrodermatitis enteropathica. *Dermatol Online J.* Jul 13;13(3):11.

Maynard CJ, Cappai R, Volitakis I, Laughton KM, Masters CL, Bush AI, Li QX. (2009): Chronic exposure to high levels of zinc or copper has little effect on brain metal homeostasis or Abeta accumulation. *Cell Mol Neurobiol.* Jul;29(5):757-67.

McClain CJ, Gavalier JS, Van Thiel DH. (1984): Hypogonadism in the zinc-deficient rat: localization of the functional abnormalities. *J Lab Clin Med.* Dec;104(6):1007-15.

Menkes, J. H., & Sankar, R. (2000): Febrile seizures. In J. H. Menkes & H. B. Sarnat (Eds.), *Child Neurology* (pp 987-991).

Maytal J, Steele R, Eviatar L, Novak G. (2000): The value of early postictal EEG in children with complex febrile seizures. *Epilepsia*, 41, 219-221.

Millar, J. S. (2006): Evaluation and treatment of the child with febrile seizure. *American Family Physician*, 73, 1761-1764.

Millichap JG. (2010): Mechanism of febrile seizure. *Brain Dev.* Feb;32(2):170.

Millichap JJ and Millichap JG (2006): Role of viral infections in the etiology of febrile seizures. *Pediatr Neurol.* Sep;35(3):165-72.

Mukherjee A,(2002): Febrile convulsion. *J Indian Med Assoc.* May;100(5):317-9, 326.

Murgia C, Lang CJ, Truong-Tran AQ, Grosser D, Jayaram L, Ruffin RE, Perozzi G, Zalewski PD. (2006): Zinc and its specific transporters as potential targets in airway disease. *Curr Drug Targets.* May;7(5):607-627.

Murthy SC, Udagani MM, Badakali AV, Yelameli BC. (2010): Symptomatic zinc deficiency in a full-term breast-fed infant. *Dermatol Online J.* Jun 15;16(6):3.

Nakayama J, Arinami T. (2006): Molecular genetics of febrile seizures. *Epilepsy Res.* Aug;70 Suppl 1:S190-8.

Neville B, Gindner D. (2010): Febrile seizures are a syndrome of secondarily generalized hippocampal epilepsy. *Dec;52(12):1151-3.* doi: 10.1111/ j.1469-8749.2010.03745.x.

O'Brien KO, Zavaleta N, Abrams SA, Caulfield LE. (2003): Maternal iron status influences iron transfer to the fetus during the third trimester of pregnancy. *Am J Clin Nutr.* Apr;77(4):924-30.

O'Leary MF, Chappell JD, Stratton CW, Cronin RM, Taylor MB, Tang YW. (2010): Complex febrile seizures followed by complete recovery in an infant with high-titer 2009 pandemic influenza A (H1N1) virus infection. *Oct;48(10): 3803-5.*

Olivares JL, Fernández R, Fleta J, Rodríguez G, Clavel A. (2003): Serum mineral levels in children with intestinal parasitic infection. *Dig Dis.* 2003;21(3):258-61.

Osendarp SJ, van Raaij JM, Arifeen SE, Wahed M, Baqui AH, Fuchs GJ. (2000): A randomized, placebo-controlled trial of the effect of zinc supplementation during pregnancy on pregnancy outcome in Bangladeshi urban poor. *Am J Clin Nutr.* Jan;71(1):114-9.

Paik HY, Joung H, Lee JY, Lee HK, King JC, Keen CL. (1999): Serum extracellular superoxide dismutase activity as an indicator of zinc status in humans. *Biol Trace Elem Res.* Jul;69(1):45-57.

Pawlowska-Kamieniak A, Mroczkowska-Juchkiewicz A, Papierkowski A, Pasternak K (1999): Magnesium and zinc levels in blood serum and cerebrospinal fluid in children with febrile convulsions. *Pol Merkur Lekarski*. Mar;6(33):138-40.

Peltier E, Vincent J, Finn C, Graham DW. (2010): Zinc-induced antibiotic resistance in activated sludge bioreactors. *Water Res.* Jul;44(13):3829-36.

Prasad AS. (2009): Impact of the discovery of human zinc deficiency on health. *J Am Coll Nutr.* Jun;28(3):257-65.

Proudfoot AT. (2009): Impact of the discovery of human zinc deficiency on health. *Clin Toxicol (Phila).* Feb;47(2):89-100.

Rachidi W, Chimienti F, Aouffen M, Senator A, Guiraud P, Seve M, Favier A. (2009): Prion protein protects against zinc-mediated cytotoxicity by modifying intracellular exchangeable zinc and inducing metallothionein. *J Trace Elem Med Biol.*;23(3):214-23.

Robinson RJ. (1991): Febrile convulsions. *BMJ.* Nov 30;303 (6814):1345-6.

Roney N, Osier M, Paikoff SJ, Smith CV, Williams M, De Rosa CT (2007): ATSDR evaluation of potential for human exposure to zinc. Agency for Toxic Substances and Disease Registry. *Toxicol Ind Health.* Jul-Aug;23(5-6):247-308.

Rosman NP. (2003): Evaluation of the child who convulses with fever. *Paediatr Drugs.*;5(7):457-61.

Ruggieri M, Incorpora G, Polizzi A, Parano E, Spina M, Pavone P. (2008): Low prevalence of neurologic and psychiatric manifestations in children with gluten sensitivity. *J Pediatr.* Feb;152(2):244-9. Epub 2007 Nov 19.

Sadleir LG, Scheffer IE. (2007): Febrile seizures. *BMJ.* Feb 10;334(7588):307-11.

Sakai R, Niijima S, Marui E. (2009): Parental knowledge and perceptions of fever in children and fever management practices: differences between parents of children with and without a history of febrile seizures. *Pediatr Emerg Care.* Apr;25(4):231-37.

Sandström B. (2001): Micronutrient interactions: effects on absorption and bioavailability. *Br J Nutr.* May;85 Suppl 2:S181-5.

Shah, S. S., Alpern, E. R., Zwerling, L., Reid, J. R., McGowan, K. L., & Bell, L. M. (2002) : Low risk of bacteremia in children with febrile seizures. *Archives of Pediatrics & Adolescent Medicine*, 156, 469-472.

Shinnar S, Pellock JM (2002): The epidemiology and prognosis of pediatric epilepsy. *J Child Neurol* 17:54-517.

Shinnar, S., & Glauser, T. A. (2002): Febrile seizures. *J Child Neurol.* 2002 Jan;17 Suppl 1:S44-52.

Singh RR, Chaudhary SK, Bhatta NK, Khanal B, Shah D. (2009): Clinical and etiological profile of acute febrile encephalopathy in eastern Nepal. *Indian J Pediatr.* Nov;76(11):1109-11.

Shinnar S, Glauser TA. (2002): Febrile seizures. J Child Neurol. Jan;17 Suppl 1:S44-52.

Shinnar S, Hesdorffer DC, Nordli DR Jr, Pellock JM, O'Dell C, Lewis DV, Frank LM, Moshé SL, Epstein LG, Marmarou A, Bagiella E;(2008): Phenomenology of prolonged febrile seizures. Neurology. Jul 15;71(3):170-6.

Sagraves R (1999): Treatment and prevention of febrile seizures.J Pediatr Health Care. Mar-Apr;13(2):79-83; quiz 84-5.

Sandstead HH (2000): Causes of iron and zinc deficiencies and their effects on brain. J Nutr. 2000 Feb;130(2S) :347S-349S.

Sandstead HH, Frederickson CJ, Penland JG.(2000): History of zinc as related to brain function. J Nutr. Feb;130 (2S): 496S-502S.

Sakaguchi S, Hombauer M, Bilic I, Naoe Y, Schebesta A, Taniuchi I, Ellmeier W.(2010): The zinc-finger protein MAZR is part of the transcription factor network that controls the CD4 versus CD8 lineage fate of double-positive thymocytes. Nat Immunol. May;11(5):442-8. Epub 2010 Apr 11.

Salzman MB, Smith EM, Koo C.(2002): Excessive oral zinc supplementation. J Pediatr Hematol Oncol. Oct;24(7):582-4.

Scholl TO, Hediger ML, Schall JI, Fischer RL, Khoo CS.(1993): Low zinc intake during pregnancy: its association with preterm and very preterm delivery. Am J Epidemiol. May 15;137(10):1115-24.

Slojewski M, Czerny B, Safranow K, Jakubowska K, Olszewska M, Pawlik A, Golab A, Drozdziak M, Chlubek D, Sikorski A. (2010): Microelements in stones, urine, and hair of stone formers. *Biol Trace Elem Res.* 2010 Dec;137(3):301-16.

Tannhauser PP. (2002): Anorexia nervosa: a multifactorial disease of nutritional origin? *Int J Adolesc Med Health.* Jul-Sep;14(3):185-91.

Tarkka R., Pääkkö, E., Pyhtinen, J., Uhari, M., & Rantala, H.(2003): Febrile seizures and mesial temporal sclerosis: No association in a long-term follow-up study. *Neurology.* 2003 Jan 28;60(2):215-8.

Tapiero H, Tew KD.(2003): Trace elements in human physiology and pathology: zinc and metallothioneins. *Biomed Pharmacother.* Nov;57(9):399-411.

Tatlican S, Yamangokturk B, Eren C, Gulbahar O, Eskioglu F. (2010): A diagnostic challenge: a case of acrodermatitis enteropathica without hypozincemia and with maternal milk of low zinc level. *Pediatr Dermatol.* Sep-Oct;27(5):534-5. doi: 10.1111/j.1525-1470.2010.01268.

Teng, D., Dayan, P., Tyler, S., Hauser, W. A., Chan, S., Leary, L., et al. (2006): Risk of intracranial pathologic conditions requiring emergency intervention after a first complex febrile seizure episode among children. *Pediatrics*, 117, 304-308.

Tran CD, Sundar S, Howarth GS. (2009): Dietary zinc supplementation and methotrexate-induced small intestinal mucositis in metallothionein-knockout and wild-type mice. *Cancer Biol Ther.* Sep;8(17):1662-7.

Trombley PQ, Horning MS, Blakemore LJ.(2000): Interactions between carnosine and zinc and copper: implications for neuromodulation and neuroprotection. *Biochemistry (Mosc)*.Jul;65(7):807-16.

Tsuboi T, Okada S. (1985): Exogenous causes of seizures in children. *Acta Neurol Scand*. Feb;71(2):107-13.

Tupe R, Agte V.(2010): Effect of water soluble vitamins on Zn transport of Caco-2 cells and their implications under oxidative stress conditions. *Eur J Nutr*. Feb;49(1):53-61.

Tütüncüoğlu S, Kütükçüler N, Kepe L, Coker C, Berdeli A, Tekgül H. (2001): Proinflammatory cytokines, prostaglandins and zinc in febrile convulsions. *Pediatr Int*. Jun; 43(3):235-239.

Uriu-Adams JY, Keen CL.(2004): Metavanadate causes cellular accumulation of copper and decreased lysyl oxidase activity. *Toxicol Appl Pharmacol*. 2004 Aug 15;199(1):35-43.

van Zeijl JH, Mullaart RA, Borm GF, Galama JM.(2004): Recurrence of febrile seizures in the respiratory season is associated with influenza A. *J Pediatr*. Dec;145(6):800-5.

Valman HB.(1993): ABC of one to seven. Febrile convulsions. *BMJ*. Jun 26;306(6894):1743-5.

Varma RR.(2002): Febrile seizures. *Indian J Pediatr*. Aug;69(8):697-700.

Vestergaard, M., Basso, O., Henriksen, T. B., Østergaard, J. R., & Olsen, J.(2002): Risk factors for febrile convulsions. *Epidemiology*. May;13(3):282-7.

Vasudevaraju P, Bharathi, T J, Shamasundar NM, Subba Rao K, Balaraj BM, Ksj R, T S SR. (2010): New evidence on iron, copper accumulation and zinc depletion and its correlation with DNA integrity in aging human brain regions. *Indian J Psychiatry*. Apr;52(2):140-4.

Vestergaard M, Christensen J. (2009): Register-based studies on febrile seizures in Denmark. *Brain Dev*. May;31 (5):372-7.

van Stuijvenberg M, de Vos S, Tjiang GC, Steyerberg EW, Derksen-Lubsen G, Moll HA. (1999): Parents' fear regarding fever and febrile seizures. *Acta Paediatr*. Jun;88(6):618-22.

Visser AM, Jaddoe VW, Hofman A, Moll HA, Steegers EA, Tiemeier H, Raat H, Breteler MM, Arts WF. (2010): Fetal growth retardation and risk of febrile seizures. *Pediatrics*. Oct;126 (4):e919-25. Epub. Sep 20.

Waruiru C & Appleton R. (2004): Febrile seizures. *Arch Dis Child*. 2004 Aug;89(8):751-6

Willis MS, Monaghan SA, Miller ML, McKenna RW, Perkins WD, Levinson BS, Bhushan V, Kroft SH.(2005): Zinc-induced copper deficiency: a report of three cases initially recognized on bone marrow examination. *Am J Clin Pathol*. Jan;123(1):125-31.

Wheless JW, Clarke DF, Arzimanoglou A, Carpenter D.(2007): Treatment of pediatric epilepsy. *Epileptic Disord*. Dec;9(4):353-412.

Wood RJ, Hanssen DA. (1988): Effect of milk and lactose on zinc absorption in lactose-intolerant postmenopausal women. *J Nutr.* Aug;118(8):982-6.

Wood RJ, Zheng JJ. (1997): High dietary calcium intakes reduce zinc absorption and balance in humans. *Am J Clin Nutr.* Jun;65(6):1803-9.

Yang L, Luo S, Huang G, Peng J, Li X, Yan X, Lin J, Wenzlau JM, Davidson HW, Hutton JC, Zhou Z. (2010): The diagnostic value of zinc transporter 8 autoantibody (ZnT8A) for type 1 diabetes in Chinese. *Diabetes Metab Res Rev.* Oct;26(7):579-84.

Yilmaz Y, Tasdemir HA, Paksu MS (2009): The influence of valproic acid treatment on hair and serum zinc levels and serum biotinidase activity. *Eur J Paediatr Neurol.* Sep;13(5):439-43.

Yu Y, Lu L, Wang RL, Xi L, Luo XG, Liu B. (2010): Effects of zinc source and phytate on zinc absorption by in situ ligated intestinal loops of broilers. *Poult Sci.* Oct;89(10):2157-65.