## TABLE OF CONTENTS

| INTRODUCTION                                                      |    |
|-------------------------------------------------------------------|----|
| AIM OF THE WORK                                                   |    |
| REVIEW OF LITERATURE                                              |    |
| Chapter (1): Terminology, diagnosis and classification of         |    |
| proliferative vitreoretinopathy                                   | 4  |
| - Definition, Terminology of PVR                                  | 4  |
| - Epidemiology of PVR                                             | 6  |
| <ul> <li>Dianosis and classification of PVR</li> </ul>            | 8  |
| - Different classifications of PVR                                | 16 |
| - Methodsof grading of PVR                                        | 25 |
| Chapter (2): Pathogenesiso f proliferative vitreoretinopathy      | 27 |
| <ul> <li>Vitreoretinal scarring stages.</li> </ul>                | 27 |
| I. Cellular origin of PVR                                         | 27 |
| II. Stage of cell cifferentiation (metaplasia or transformation)  |    |
| and proliferation                                                 | 33 |
| III.Extracellular matrix elaboration and remodeling               | 34 |
| IV. Membrane contraction.                                         | 39 |
| - Role of various growth factors in PVR                           | 42 |
| - Role of retinoic acid as grwoth inhibitor and effect of retinal |    |
| detachment                                                        | 50 |
| - The PVR pathway and autocrine loops                             | 51 |
| Chapter(3): Risk factors for development of proliferative         |    |
| vitreoretinopathy                                                 | 55 |
| - Clinical risk factors                                           | 55 |
| - Surgical (intraoperative) risk factors of postoperative PVR     | 62 |
| Chapter(4): Management                                            | 64 |
| - Surgery                                                         | 65 |
| - Surgical adjuncts                                               | 75 |
| - General considerations and criteria of drug selection           | 76 |

| PATIENTS AND METHODS                      |      |
|-------------------------------------------|------|
| - Patient selection                       | 8687 |
| - Preoperative assessment and preparation | 88   |
| - Surgical technique                      | 100  |
| - Postoperative management                | 105  |
| RESULTS                                   |      |
| DISCUSSION                                |      |
| SUMMARY AND CONCLUSION                    |      |
| REFERENCES                                |      |
| ARABIC SUMMARY                            |      |

## LIST OF FIGURES

| Fig.1-1 | Proliferative vitreoretinopathy grade A                         | 9  |
|---------|-----------------------------------------------------------------|----|
| Fig.1-2 | Folding of the retina as a result of epiretinal membranes       | 10 |
| Fig.1-3 | Stardfold of PVR                                                | 12 |
| Fig.1-4 | Subretinal PVR                                                  | 13 |
| Fig.1-5 | Anterior PVR                                                    | 15 |
| Fig.1-6 | Sagittal B-scan ultrasound showing total retinal detachment     | 16 |
|         | with advanced PVR                                               |    |
| Fig.1-7 | PVR grading                                                     | 19 |
| Fig.1-8 | Subretinal proliferations                                       | 23 |
| Fig.1-9 | Grading of PVR                                                  | 26 |
| Fig.2-1 | Vitreous aspirate of patient with giant tear                    | 29 |
| Fig.2-2 | Modiied Boyden chamber                                          | 29 |
| Fig.2-3 | The effect of gravity on retinal pigment epithelial cells       | 31 |
| Fig.2-4 | Interaction between fibronectin, extracellular matrix           | 37 |
|         | components, and retinal pigment epithelial cells                |    |
| Fig.2-5 | Effects of cels cultured in a three – dimensional lattice after | 41 |
|         | 24 hours                                                        |    |
| Fig.2-6 | Cinemicrographic studies for RPE cellsi n culture               | 41 |
| Fig.2-7 | The PVR pathway                                                 | 54 |
| Fig.3-1 | Effect of cryotherapy on the release of viable RPE cells        | 95 |
| Fig.4-1 | The use of circumfrential buckle to relieve traction on the     | 67 |
|         | vitreous base                                                   |    |
| Fig.4-2 | Removal of epiretinal membrane                                  | 68 |
| Fig.4-3 | Removalof subretinal membrane                                   | 68 |
| Fig.4-4 | Relaxing retinotomy in PVR                                      | 70 |
| Fig.4-5 | The moecular structure of the most commonly used silicone       | 71 |
|         | oil                                                             |    |
| Fig.4-6 | Biochemical pathways of fluoropyrimidine activation             | 80 |

| Fig4-7   | Mechanisms of action of antiproliferative drugs             |     |
|----------|-------------------------------------------------------------|-----|
| Fig.5-1  | BIOM visualization system attached to operating             | 90  |
|          | microscope                                                  |     |
| Fig.5-2  | Low molecular weight heparin and 5-fluorouracil trae        | 92  |
|          | forms                                                       |     |
| Fig.5-3  | Vitrectomy machine used in the study                        | 93  |
| Fig.5-4  | End – gipping vitrectomy forceps, membrane spatula and      | 95  |
|          | vitrectomy set                                              |     |
| Fig.5-5  | Endolaser machine                                           | 97  |
| Fig.5-6  | Technique of silicone oil injection as described by Peymen  | 98  |
| Fig.6-1  | Aphakic retinal detachment attached under silicone          | 129 |
| Fig.6-2  | Case showing recurrence after silicone oil removal in group | 129 |
|          | B with laser marks extending centrally                      |     |
| Fig.6-3  | Postoperative case with preoperative mild vitreous          | 130 |
|          | hemorrhage showing attached retina with cataractous lens.   |     |
| Fig.6-4  | Case of phacovitrectomy showing pigmented membrane at       | 130 |
|          | upper arcade under silicone                                 |     |
| Fig.6-5  | Silicone cataract after two procedures                      | 131 |
| Fig.6-6  | Case of recurrent traumatic PVR, showing epiretinal         | 131 |
|          | membrane at macula with tractional RD                       |     |
| Fig.6-7  | Case that needed inferior retinectomy for recurrent after   | 132 |
|          | vitrectomy, showing attachment under silicone               |     |
| Fig.6-8  | One eyed patient showing attached retina with pale disc and | 132 |
|          | glaucomatous changes.                                       |     |
| Fig.6-9  | Case of pseudophakic RD showing final attachment under      | 133 |
|          | silicone                                                    |     |
| Fig.6-10 | Case of phacovitrectomy showing dense PCO that resisted     | 133 |
|          | YAG capsulotomy with difficult evaluation of retinal        |     |
|          | condition                                                   |     |
| Fig.6-11 | Pre – and postoperative images for pseudophakic             | 134 |
|          | detachment case in group B                                  |     |

## LIST OF TABLES

| Table 1-1         | Original Retina Society Classification of PVR                       | 18  |
|-------------------|---------------------------------------------------------------------|-----|
| Table 1-2         | Updated Etina Society PVR Classification by Grade                   | 24  |
| Table 1-3         | Updated Retina Society PVR Classification Contraction Type          | 25  |
| Table2-1          | Growth factors / cytokines in PVR                                   | 42  |
| Table 6-1         | Age distribution of group A and group B                             | 105 |
| Table 6-2         | Sex distribuion in group A and B                                    | 106 |
| Table 6-3         | Laterality in group A and group B                                   | 107 |
| Table 6-4         | History of myopia in group A and group B                            | 107 |
| Table 6-5         | Lens status in group A and group B                                  | 108 |
| Table 6-6         | Risk factors of postoperative PVR in group A and group B            | 109 |
| Table 6-7         | Detachment characteristics in group A and group B                   | 111 |
| Table 6-8         | History of previous operations in group A and group B               | 112 |
| Table 6-9         | Preoperative IOP values in group Aand B                             | 113 |
| <b>Table 6-10</b> | Preoperative visual acuity in group A and group B                   | 114 |
| <b>Table 6-11</b> | Comparison between pregreative visual acuity in group A and group B | 115 |
| <b>Table 6-12</b> | Postoperative IOP values in group A                                 | 116 |
| <b>Table 6-13</b> | Postoperative IOP values in group B                                 | 117 |
| <b>Table 6-14</b> | IOP comparsion of group A and group B                               | 118 |
| <b>Table 6-15</b> | Visual acuity changes in group A                                    | 119 |
| <b>Table 6-16</b> | Visual acuity changes in group B                                    | 120 |
| <b>Table 6-17</b> | Comparison between visual acuity changes of group A and group B     | 121 |
| <b>Table 6-18</b> | Comparison between group A and group B as regards primary           | 122 |
|                   | outcome measure                                                     |     |
| <b>Table 6-19</b> | Comparison between group A and group B as regards retina            | 123 |
|                   | study at 6 months                                                   |     |
| <b>Table 6-20</b> | Comparison between group A and group B as regards post              | 124 |
|                   | operative proliferation                                             |     |
| <b>Table 6-21</b> | Late postoperative complications in both groups                     | 125 |

## LIST OF CHART

| Chart 6-1  | Sex distribution in group A and group B                    | 106 |
|------------|------------------------------------------------------------|-----|
| Chart 6-2  | Laterality in group A and group B                          | 107 |
| Chart 6-3  | High myopia and trauma in group A and group B              | 108 |
| Chart 6-4  | Lens status in group A and group B                         | 109 |
| Chart 6-5  | History of previous operations in group A and group B      | 113 |
| Chart 6-6  | Mean preoperative IOP in group A and group B               | 114 |
| Chart 6-7  | Preoperative visual acuity in group A and group B          | 116 |
| Chart 6-8  | Mean postoperative IOP in group A and group B              | 119 |
| Chart 6-9  | Postoperative visual acuity changes in group A and group B | 122 |
| Chart 6-10 | Primary outcome measure in group A and group B             | 123 |
| Chart 6-11 | Retina status at 6 month in group A and group B            | 125 |
| Chart 6-12 | Postoperative proliferation in group A and group B         | 126 |
| Chart 6-13 | Late postoperative complications in group A and group B    | 128 |