

References

Reference

- **Adelman . RD:**
urinary tract infections in children . Contemp. Issues . Nephrol
12:155. 1984.
- **April E:**
Textat Book of artomy anatomy of kideny & Postor abdonal wall,
(2nd Eds), Jane Edardes, John Wiley sonc, mc, williams & Willkins
238, 1992.
- **Assicot .M, Mackensen A. Petitjean.S. Engelhardt and Bohuon C:**
kinetics of the apperance of procalcitonin following endotoxin
administration 1996.
- **Assicot M ; Gendral D; carsin H; Ragmovd J.Guilband J. Bohuonc :**
High serum procalcitonin concentrations in patients with sepsis and
infection , lancet 341: 515- 8-1993.
- **Arslan. S, Caksen H, Rastgeldi, L : uner A, oner A.F. abadas D:**
Use of urinary gram stain for detection of urinary tract infection in
childhood (abstract) Yale – J. Biol – Med 75 (2): 73- 8: 2002.
- **Becker . KL, Nylen. E.S. Thompson, K.A: snieler, RH:**
The hyper procalcitonin of sever infection : associated Secration of
other constituents of prohormon (Abstract) the 77th annual meeting
of the endo crine society Washington , June 14-17-1995.
- **Becker KL, Nash D.R, silvaol snider. R. H and moore C.F :**
Incrased serum and urinary calcitonin levels in Patient with
pulmonary discrip . chest 79: 211-16.1981.

- **Bellinger MF:**

The management of vesicoureteric reflux urol.clin. North . AM.
12:23.1985.

- **Benador. N, Siegrist.CA, Gendrel .D, Greder C, Benader . D,
Assicot. M, Bohuon .C, Girardin. E:**

Procalcitonin is a marker of severity of renal lesions in
pyelonephritis ; 102 (6) : 1422-5- 1998.

- **Bohuon C. petitjeans and .Assicot M:**

Blood procalcitonin is a new biological maker of the human septic
response .New Data on the specificity suppl clinic –intens –care
(53) 601-(1994).

- **Brunk harst . F.M, Foryckizf , Beir W and wagner . J (B) :**

Early indentification of biliary pancreatitis with pro-CT A new
inflammater paramater (abstroet) gut 4th . united European
Gostroenterology week, Berlin. 1995.

- **Brunkhorst F.M, forycki Z.F. Beier W and wagner J:(A):**

Discrimirnation of infection and non infections ARDS with
procalcitonin immunoreactivety . Suppl clin intens care 6:3.1995.

- **Carsin . H, Assicot M. Feger F, et al :**

Evalution and significance of circalating procalcitinin levels
compared with il-6- tnfalpa and endotoxin level early after
thermal injury. Burns 23: 218- 224- 1997.

- **Casado. F.J . Blanco QA. :**

procalcitinin A new marker for bacterial infection . An Esp pediatri
54(1):69-73.2001.

-
- **Caulthard . MG, vernon. S.J, lambert . H.G, John N:**
sand Mathews. Anurse led education and direct access service for the management of urinary tract infection in children , prospective controlled trial. BMJ, (20) 327-656: 2003..
 - **Chen M. T et al:**
percutaneas srinage in the treatment of emply sematous pyelonphritis : 10 year experince . J. Urol 157: 1569-1997.
 - **C.K. warrick :**
A text Book Anatomy and physiology for Radiographers 5th edition P224:1979.
 - **Cold smith , B.M and compase , J.M:**
comparison of urine dipstick, microscopy and calture detection of Bacteruria in children .clin. Pediat, 29: 214-8-1991.
 - **Carrol , E.D, Thomson A.P, Hart C.A:**
Procalcitoninas amarker of sepsis (abstract) int- J- Antimicrobagents 20(1): 1-9 : 2002.
 - **Dandona P. Nix . D, wilson M.F. Aljadu A, love J. Assicot M and Bohuonc:**
Procalcitonin in crease after endotoxin injection in normal subjects .J. clin . Endo crinol . Metab 79 (6) 1605-8. 1994.
 - **Dawoud , MM:**
Screening of asymptomtic urinary tract infection among children attending to the out patient clinic of ElShatby haspital . M.S (pediatrics) thesis faculty of medicine . Alexandria university (1981).
-

- Doshpande . P.V and Jones . K.V.,:

Anaudit of RCP guidelines on Damsa scanning after urinary tract infection . Arch. Dischild ; 84: 324-327 April (2001).

- Eipper. B.A Green C.B. Main S RE:

(Expression of prohormone processing enzymes in neuro-endocrine and non neuro-endocrine cells) J. nerl cancer inst monograph 13: 163-8.1992.

- Eden C. Hagbjergl , Hull R., et al :

Bacterial virulence versus most resistance in the UTIs of mice infect immum 55: 1224, 1987.

- Elder . JS, Longenecker R:

Premedication with oral midazolam for voiding cystourethrography ii children : satety and efficacy . AJR 164: 1229. 1995.

- Euguix-A, Rey-G, Concha- A, Meclind – A, coto-D Dieguez – MA.:

Comparison of procalitonin with C- reactive protein and serum amyloid for the early diegnosis of bacterial sepsis in critically illneonates and children – Intensive-care-med-27(1) :211-5-2001.

- Feigin , Rd:

Staphy loccal infection in Nelson text Book of pediatrics Behrman RE. Kliegman R.H. Nelson , W.E, Vaughan IV, V.C Ed, 14th ed philadelphia Saunders, WB. P 708 (1992).

- Feld , G.F.S and orga, P:

Urinary Tract infection in infants and children pediatric Rev; 11:71-77.1989.

-
- **Fernander .L. cubells. L. Tolasa V, Rodio, Garcia. G Nallet. M, Fernander J:**
Procalcitonin in the early Diagnosis of invasive bacterial infection
in febrile infants . *An Esp. pediatri* oct. 55 (4) : 321-8-2001.
 - **Ferriere F:**
procalcitonin a new marker for Bacterial infection .*Ann. Biol-clin*
(Paris) vol 58(1) 49-59.2002.
 - **Flores. C. and Quinos S.B:**
Procalcitonin , New marker for Bacterial infection (abstract) *An –*
Esp- pediatri Jan 54(1) 69-73 2001.
 - **Flores . C and Quiros B. Asensio J, Arranz E. Garrote J, Nito M. :**
Serum Procalcitonin in children with suspected sepsis : a comparison
with CRP and Neutrophil count *pediatr crit care Med.* (4) 2 : 264-6:
2003.
 - **Gendrol D:**
Urinary tract infection and biological marker; C-reactive protein ,
interleukins , procalcitonin (abstract) *Arch pediatri suppl* 3 : 26-45-
2735(1998).
 - **Gendrel.D, Raymond J, Assico T.M. Moulin F, Bergeret M.**
Badoual J and Bohunon:
procalcitonin in bacterial and viral meningitis in children (abstract)
LCAAC 20 Sept. 1995.1997.
 - **Gendrel . D, Assico TM, Raymond J. Moulin f, Francoal,**
Badounl J and Bohuon:
Procalcitonin as a marker for the early diagnosis of neonatal
infection . *J pediatrics* April 128(4): 570-3.
-

-
- **Green field . SP, Afshani E:**
Vesicoureteric reflux in children with and without a history of urinary tract infection A comparative analysis *pediatr. Urol.* 40:339.1992.
 - **Gerard Y. Hober D. Assicot M. Et al :**
Lprocalcitonin as a marker of Bacterial sepsis in patients infected with HIV *J. Infect* 35: 41-46 . 1997.
 - **Gervaix. A Galetto A, Gueron T, vades L , zamora S suter. S Giradin E.,:**
Usefulness of procalcitonin and C- reactive protein rapid tests the management of children with urinary tract infection abstract. *Pediatr infect Dis.* 20 (5) . 507-11-2001.
 - **Gillies .RR:**
Pathogenic and commensal bacteria : in medical microbiology Cruick shank, R; Dujuid J.P swain , R.R (Eds) 11th ed Edinburgh. Churchill, L, P303. 1980.
 - **Gold PR, McClennan Bl:**
Acute infection of the renal parenchyma. In pollack H M(ed) *clinical urography* Philadelphia, WB Saunders p 799, 1990.
 - **Gosnery J.R, Sisson CJ:**
Allison Ro and Blakey AF Pulmonary endocrine cells in chronic Bronchitis and emphysema *J. Pathol* 157:127-33-1989.
 - **Gosmi – R, Bal C.S, Je Jaswi S, Punjabi G.V, Kapil, A :**
Prevalence of urinary tract infection and renal disease in patients with Diabetes mellitus : Diabetes – Res – Clin- Pract (abstract) 53(3) 181-6 –2001.
-

-
- **Han YY , Doughy LA , Kofo SD saseer H, Garallp JA:**
Procalcitonin is persistently increased among children with patient outcome from bacterial sepsis . *Pediatr . Crit . Care Med.* 4(1): 118-9 2003.
 - **Hatherill M. Tibby. SM. Turner C. Ratnaval N Murdoch IA:**
Procalcitonin and cyt, kine level relationship to organ failure and mortality in pediatric septic shock . (abstract) *crit- care – Med* 28(7): 2591-4 . 2000.
 - **Hatherill. M, Tibby . SM, sykes . K, Turner . C, Murdoch. IA,:**
Diagnostic markers of infection: comparison of procalcitonin with C-reactive protein and leucyte count. *Arch. Dis-child.* 81(5): 417-21-1999.
 - Han BK, Babcock DS,:**
Sonographic measurements and appearances of normal kidney in children, *American Journal of radiology* 145: 611-6 1985.
 - **Hinman F:**
Atlas of urosurgical anatomy. Philadelphia , W.B. Saunders Co. 1993.
 - **Hoberman A. Wald ER. Reynolds EA et al :**
Is urine culture necessary to rule out urinary tract infection in young febrile children. *Pediatr infect Dis J* 15:304-1996.
 - **Jacobson SH, Hylander B., Wretling B:**
Interkin-6 and interleukin-8 in serum and urine patient with acute pyelonephritis in relation to bacterial virulence associated traits and renal function, *Nephron* 67:172, 1994.
-

- James .D.F and Ronald W.D:

Embryology the urinary system . In Board Review. Series ,
Embryology . Williams and wilkins . Baltimore, Pheladphia Ch-13
P.161.1995.

- Joda LU :

Aspect of clinical trals of drug officacy in children with
uncomplicated infection. Infection 22 (suppl) 10, 1994.

- Joda L.U :

The natural history of bactciruria in children infect Dis.Clin . North
AM 1:713, 1987.

- John AG, John SD and John RH:

Functional anatomy of the urinary tract : 103-104, 302-305, 1983.

- Johnson CC:

Definition and clinical paseution of urinary tract infation med. Clin
north AM, 2:241:1991.

- Kass EJ – Fink- Bennet , cacciarelli AA:

The senetivity of renal scintigraphy and sonography in detecting
nonobstructive acute pyelopephritis J. Urol 148: 606. 1992.

- Kass EH:

The role of unsus pected infetion in the etiölogy of pre maturity clin
obstet Gynecol, 16:134, 1973.

- Karazoïow , oberhoffer . M, Meier Hellmann A, Ramhart. K :

Procalcitonin a new indicator of the systomic responce to sever
infection . infection : 329- 334- 1997.

- **Keth, L.M:**

The developing human. Third Edition W.B. Saunders Co.pp 256-260.1983.

- **Khan Aj :**

Efficacy of single Dose therapy of urinary tract infection in infants and children J Natl Med Assoc 86:69, 1994.

- **Konbar A.A, Kantoash M. Abd. El Aziz A.:**

Bactcuologic urinary finding in urinary schistosomiasis in children Gaz. Egypt .Ped. Ass 29:255-1981.

- **Korozowski B Bijos A. and Rybak A:**

Procalcitonin in Diagnoesis of purulent and aseptic meningitis in children (abstract) pol- Merkuriusz –lek q (53) 755-7 2000.

- **Lacour; AG, Gervaix A, Zamora, S.A, Vadas L, Lomard P.R**

Dayer J.M, Suter S: Procalcitonin , Il- 6, IL-8, IL-1 receptor antagonist and C-reactive protcin as identifiers of serious bacterial infection in childern with fever without localasing signs Eur.J. Pediatr : 160(2) : 95-100-2001.

- **Lee P and Jones .KV:**

Urinary tract infection in febrileconvulsions: Archives of Disease in childhood: 66: 1287-1290.1991.

- **Le maullec J.M, Jullienne. A. Chenais , J. Iasmols F. Guliana J.M. Milhood Gand Moukhtar M.S:**

The complete sequence of human preprocalcitonin FCBS 167: 93-97.1984.

-
- **Lide fett K.J, Erasie , Bollgren , L :**
Residual urine in children with acute cystitis and in healthy children Assessment by Sonography .J. urol. 141:916, 1989.
 - **Lipson. SA & HricakH:**
The urinary bladder and femal urethra .(in) Higgins . CB, Hricak H & Hemls CA: Magnitic Resonance imaging of the Body. 3rd ed, lippin cott. Raven press, New York: 875-900, 1997.
 - **Loper F, Cubells K, Garcia . C. Fernandezy:**
Procalcitonin in Pediatric emergency de partments for theearly diagnosis of invasive bacterial infection in febral infants results of amulticenter sudy and utility of rapied qualitatine test for this marker (abstract J. Pedater 22(10): 895-903: 2003.
 - **Mackay .Scollary , EM:**
An aid in the diagnosis of bacteruria J. Clin. Pathol 22:951.1989.
 - **Maruna P., Nedelnikova Gurlich R :**
Physiol Res; 49 suppl 1 : 557-61.2000.
 - **Manson – Bahr-P.E:**
Trematode infections in manson's tropical Diseases , manson PE, Bell , D.R.Eds London, Bailliere Tindal P.463 (1987).
 - **Mazzola . B, Vonvigier . R , Marchand. S, TNz. M and Bianchetli M. :**
Behavioral & functional abnormalities linked with recurrent urinary tract infection in girls .J of Nephrology vol 16 N 1: 133-138; 2003.
 - **Monzon, ot ., ory , EH, Dabson , H.L:**
Acomparision of bacterial counts of the urine obtained by needle aspiration of the bladder , catheterization and mid – stream voided methods, N.Eng. J. Med ., 259: 64. 1988.
-

- **Mc Carthy PI:**

General considration in the care of sick children in nelson text book of pediatrics . Behrman , R.E kliegman, R.M.Nelson W.E, vaughan III, V.C (Eds): Inthed Philadelipha saunders , W.B, P 184- 1992.

- **Mc Neal. JE:**

Normal histology of the prostate AMJ Surg Pthol 12 (8) : 619-633-1988.

- **Mc Neal . JE:**

The prostate and prostatic urethra Amorphologic synthesis J. Urol, 107- 1008. 1016, 1972.

- **Mc Neal . JE:**

The Zonal anatomy of prostate prostate , 2: 35, 1981.

- **MC Rea S, shortlife D:**

Bacterial infection of the cenato urinary tract, ch 14 smith text Book p 237, 238. 2000.

- **Measley RE, Levison ME:**

Host defense mechanisms in the pathogenesis of urinary tract infection .Med clin North AM, 75:275 1991.

- **Meisner M:**

Procalcitonin a new , innovative infection paramater .2nd edition . Thiemo.Berlin 2000.

- **Meisner M:**

Procalcitonin : A new innovative marker for seuer infection and sepsin 26 . Brahms Diagnostica Berlin 1996.

-
- **Mitsumori, et al:**
Virulence characteristic and DNA fingerprint *E. coli* isolated from wanner with acute uncomplicated pyelorephitis *J urol*, 158: 2329.1997.
 - **Monneret G, Labaune JM, isaac C Bienvenu F putet G. Bienveny J :**
Procalcitonin and C- reactive protien level in neonatal infection ,
Acta paediatrica , 86: 206 – 212. 1997.
 - **Moorthy I. Wheat D, Gordon I :**
Ultrasonography in the evaluation of renal scarring using DMSA scan as the gold standard . *Pediatr nephrol*. Dec11.2003(abstract).
 - **Moulin F. Raymoud J M. Lorrot More E. Cost J iniguer J , Kalifa G, Bohuon C, Gondel D.:**
Procalcitonin in children admited to hospital with community acquied Premia : *Arch Dis child*, 84(4) 332-336-2001.
 - **Myers RP:**
Radical Prostatecomy: Pertinent Surgical anatomy . *Atlas urol.Clin* .North AM; 2:1-18 , 1994.
 - **Nakomoto . H :**
Automated urinalysis , *sysmex J . Int* . 6: 198-172. 1996.
 - **Nylen ES, Al Afifi A, BeckerKI , Snider RH, Alzeer A:**
Effect of classic heatstrokson serum proclcitonin *crit care Med*. 25: 1362- 1365. 1997.
 - **Nyler ES. Snider R. Thmpson K, Rohatgi P. Becker K.:**
Pneumonitis associated Hyperprocalcitonimua *Med . Sci*. July 312(1) 12-8.1996.
-

-
- **Nylen .ES. Jeng.J Hordan MH. Sinder. R.H. Thompson KA. Lewis M.S. O, Neillw .J. Becker KH:**
Late pulmonary Sequels Following burns: persistence of Hyperprocalcitonemia using a 1-57 aminoacid N.Terminal flanking Peptide assay : Respirat Med, 89:41-6-1995.
 - **Oberhoffer . M. Bitterlici A, Hetsctelt Meier Hallmann A, vogeslang H, :**
Procalcitonin correlates better with Accp/scem consensus conference definitions than other specific markers of the inflammatory response , clin . intons care 71: 46 (1996).
 - **Ogra, PL. Faden , H.S:**
Urinary tract infection childhood , J, Pediatr ., 106: 1023 . 1985.
 - **Olerich T.M :**
The striated urogenital sphincter muscle in the female Anat Rec 205: 223-232, 1983.
 - **O'Neill WJ ,Jordan M.H., Lewis M.S. Sinder RH.Moore ch.f . Becker KL:** Serum calcitonin may be marker for inhalation injury in burns J . Burncare Rehabil 1316: 605-616.1992.
 - **Pannen B, Robo thamn J , Teppo A:**
The acute phase response now horizon 3.183-197 . 1995.
 - **Palastan Ga. N. Fiel DD Soames R:**
Anatomy and Human Movement is structured and Function (2ns Eds)
Oxford London , Boston < Munich the Bath press , 78 785(1994)
-

- **Parsons MA et al :**

Xanthogranulomatous pyelonephritis A pathological . Clinical and aetiological analysis of 87 cases. *Diagn Histopathol* . 6: 203 .1988.

- **Patton JP, Nash DB, Abrutyn E:**

Urinary tract infection : Economic consideration , *Medclin North Amm*; 75: 495, 1991.

- **Petitjean, S; Mackensen . A, Engelhard T.R : Bohuonc Assico T.M.:**

Induction de la procalcitonine circule apres administration intraveineuse, endotoxine chez 1 , homme *Act . Parm .Bio.clin* .265-8.1993.

- **Pollock. H.M:**

Laboratory Techniques for detection of urinary tract infection and assessment of value . *AmJ Med* Juli 28: 79-83.

- **Prat G, Dominguer J, Rodngoc , Gimener . M, Azuara M, Jimen 26, Gali . N. Ausina . V:**

Elevation Serum procalcitonin values correlate with renal scarring in children with urinary tract infection *pediat infect Dis J* (abstract) 22 (5) 428-42-2003.

- **Roberts JA, Marklund B.L, Hver D:**

The Gal (1-4) Gal specific tip adhesion of *Escherichia coli* p-fimbriae is needed for pyelonephritis to occur in the normal urinary tract . *Proc: Natl Acad sci USA*, 91:11889, 1994.

- **Roberts JA:**

Etiology & Pathophysiology of pyelonephritis *Am J Kidney Dis* 17:1-1991.

- Ronald AR, Harding GKM:

Complicated urinary tract infection, infect Dis clin North AM 11: 589, 1997.

- Ronald G, David A :

Erainger & Allison's Diagnostic Radiology : A text Book of medical imaging p1430- 1431, 1997.

- Ronald A.R and Hoeprichp P: Urithritis and cystitis in infection Diseases. Hamperand Pow (Pb), ed . P. 509- 1983.

- Rombardo M, D, Diaz – S.M, Fusalba R.C, labara. J:

What is the predictive value of urinary symptoms for Diagnosing urinary tract infection in women .(abstract) Fam – pract 20 (2) : 103-7- 2003.

- Rushton HG:

The evaluation of acute pyelonephritis and renal scarring with technetium 99m dimercap to succinic acid renal scintigraphy : Evolving concepts Future directions pediater Nephrol 11:108. 1997.

-Rushton H.G:

UTIs in children epidemiologyevaluation and management . Ped . Clin.of North.Am Ped . Urology vol . 44, No 5, Oct. 1997.

- Rushton , H.G; Majd , M and Jantausch B:

Renal scarring following reflex and non reflex pyelonephritis in children : Evaluation of 99m TC DMSA. J. urol . 147: 1327. 1992.1998.

- Sakran W. Miron D, Halavy R. Colodner R, Smolkin V, Keren A. :

Community acquired urinary tract infection among hospitalized children in northern Israel : (abstract)Harefuah 142(4) : 249-52, 320, 319: 2003.

- Sauer M. , tiede K, volland R. Fuchs D. Zintl F.:

Procalcitonin in comparison to C- reactive protien as markers of the course of sepsis insevarly immunocomprised children after Bone marrow trans plantation – Klin-Padiater 212(1) 10-5.2000.

- Shokeir AA.:

Emphy simatouspylonephrtis: A 15 year experience with 20 cases . Vrology 49: 343. 1997.

- Schaeffer A:

Infeetions of urinary tract in : walsh pc et al editor : Campbell's urology Saunders, 1997.

- Schaeffer A J:

Infeetions of urinary tract in : walsh pc Retik, AB. Voyghan ED. JR and wein AJ “eds” Campbell's urology 7th ed W.B. Saunders Company , 1998.

- Shanton D.C :

Micrbiology in clinal practice right 1st ed P 355.1982

- Sherris J.C Ryal . KJ and plorde JJ:

In medical microbiology .An introduction, co –infections diseases 601, ed . Elsevier, New York. Amesterdam.Oxford .1986.

- Shoul G.M :

Text book of nephrology vol. P 678-687, 1988.

- Short liffe , L.M.D.:

Urinary tract infection in infants and children in : Walsh , P.C. Retik, K.B., Vaughan E.D. Jr. and wein , A.J “eds” Campbell's Urology 7th ed.W.B. Saunder's Company 1998.

-Shokeir AA et al:

Empty sematous pyelonephritis A 5 year experience with 20 cases
urology 49: 343. 1997.

- Smellie JM, Poulton A, Prescod NP.:

Retrospective Study of children with renal scarring associated with
reflex and urinary infection. Br medJ 308: 1193, 1994.

- Smellie JM, and Colin A. :

Urinary tract infection and reflux nephropathy in children
Medicine. 33: 1344-1350, 1986.

- Smith S.E.W :

Management of otitis . Arch . Dis. Child 62: 978.1987

- Smolkin – V, Koren A, Raz R, Colodner R, Sakran W, Halevy R:

Procalcitonin as a marker of acute pyelonephritis in infants and children
. Pediatr nephrol 17(6) : 409-12-2002.

- Snider R.H. Kelley M.J. Thompson K.A. Nylen E.S and Becker K.L.

Degradation of calcitonin gene peptide by natural endopeptides .
Endocrine society . Anaheim California 15-18 June 1994 No 895. 1994.

- Sobel J:

Recurrent vulvovaginitis , Candidiasis A prospective Study of
the efficacy of maintenance ketoconazole therapy N.Engl. J. Med
315: 1455. 1986.

- Spencer JR; Schaeffer AJ :

Pediatric urinary tract infection . Urol clin . North Am; 13: 661. 1986.

- Steel . B.T De Maria J .:

Anew Perspective on the natural history of vesicoureteric reflex.
Pediatncs, 90:30.1992.

- Stamy TA.:

Pathogenesis and treatment of UTIs based upon origin . South Med.
J 68:934, 1980.

- Paick, Sh , ParkH.K , Oh S.J and Kim , H.H:

characteristis of Bacterial colonization and urinary tract infection
after indelling of double .J. ureterak stent (abstract) urology 62 (2) :
214- 7; 2003.

- Patzer L., Seeman T, Luck C. , wuhl E, Janda J, Misselwitz . J:

Day and night – Time Blood pressure eleration in children with
higher grades of renal scarring (abstract) J Pediatr 142 (2) : 117-
22: 2003.

- Perira – L.P. Espinosal, urrutina M.M. Lobato. R Navarro . M , Jaureguizar E:
Posterior urethral valves : Prognostic Factors (abstract) Bju. Mt 91
(7): 687 – 90 – 2003.

- Talner L.B, Davidson AJ, Lebowtiz RL:

Acute pyelonephintis canwe agree on terminology Radiology 192:
297, 1994.

- Tangho: A:

Anatomy of the Genito urinary tract in: in smith'stext book of
General urology. .Ch 1 .15th edition .1-2 , 2000.

- Tangho: A:

Anatomy of the Genito urinary tract in: Tang no A and MC Aninch , smith's g, General urology. Appleton and lange publications Norway, Connecticut , California 13th edition 1:2 – 16 , 1992.

- Taylor RD. Mc cor mack, K.M:

The genital mycolasma N. Eng l . J . med , 302: 1063-1980.

- Travis , L.B and Brou hard , B.M:

Infection of the urinary tract in : Rudolph, AM ; Hoffman , J.I.E and Rudolph CD (eds) Rudolph's pediatrics 20th ed By Appleton and lange. Asimon and schuster company .1996.

- Walker R D.:

Vesicourethic reflux in : adult and pediatric urology Gillenwater , Y.T, Hrayhach T.J. Howards 5.5 Duckett , W.J (Eds) 2nd ed st. Louis mosby year book company P. 1893 (1991).

- Wennerstron M., Hansson S., stokland E.:

Primaryand acquired renal scarring in boys and Girls with urinary tract infection: J. pediater ; 136 : 30 – 4-2000.

- Wenerstion . M, Hansson S, Hedner T. Himmelmann A, Jodal N.:

Ambulatory blood pressure 16-26 Years after the first urinary tract infection in childhood: (abstract).J. Hypertons. 18 (4): 485 – 91: 2000.

- Williams . G , Lee. A, Craig J.:

Antibiotics for the prevention of urinary tract infection in children: Asystematic review of randomized controlled trials J pediater ; 138: 868- 2-2001.

- **Winberg J:**

Mangement of primary vesicoreteric reflex in children : operation ineffective in preventing the progressive renal damage , infection 22(4) .1994.

- **Wiswell T.C, Miller , GM, Gelston , H,M, Jones , SK, Clemmings , A. F.:** effects of circumcision state on periurethral bacterial flora during the first year of life J. Pediatr 133: 442. 1988.

- **Wiswell T.E , Enzenome RW, Cornish J.D , Hankins, C.T.:**

Declining of frequency of circumcisiom : in plication for chang in the absolute incidice and male to female sex ratio of urinary tract infection inearly infacy pediatriis 79:338 (1987).

- **Wiswell T.E, Smith F.R. Brass J.W :**

Decreassed incidence of urinary tract infection in circurmcsised male infants . Pediatrics : 75: 901 – 1985.

- **Zaman Z, Roggeman. S, verhaegen J :** Unsatisfactory performance of flow cytometer 4f – 100. urine strips in predicting out come of urine culture : Jornal of clinical microbiology November 39-419-4161-2001.

- **Zvara P, Carrier, S Kour N.M, Tanagho EA:**

The detailed neuronatomy of the human urethral sphincter , B., Urol; 74: 182-187, 1994.