

Contents

List of Tables	
List of Figures	
List of Abbreviations	
Abstract	
Introduction	1
Review of Literature	3
1. Physico-Chemical assessment of surface water	4
2. Microbiological assessment of surface water	13
Materials and methods	28
1. Sampling sites	28
1.1. Study area description	28
1.2. Sampling collection	28
1.3. Sampling procedure	29
2. Physico-Chemical assessment of water samples	31
3. Microbiological assessment of water samples	35
4. Sanitation of <i>Ps. aeruginosa</i> using phage	50
5. Sanitation of trace metals using nanocomposite	50
6. Statistical analysis	51
Results	52
1. Physico-Chemical assessment of surface water	52
2. Microbiological assessment of surface water	69
3. Sanitation of <i>Ps. aeruginosa</i> using phage	80
4. Sanitation of trace metals using nanocomposite	81
5. Statistical analysis	83

Discussion	86
1. Physico-Chemical assessment of surface water	86
2. Microbiological assessment of surface water	91
3. Sanitation of <i>Ps. aeruginosa</i> using phage	95
4. Sanitation of trace metals using nanocomposite	96
Conclusion	97
Recommendations	98
English summary	99
References	104

List of Tables

Table (1): IC instrument's detection limits for anions.	32
Table (2): ICP instrument's detection limits for cations.	33
Table (3): ICP instrument's detection limits for heavy metals	34
Table (4): Seasonal variation of physical parameters (T, EC, and TDS) of water samples	55
Table (5): Seasonal variation of Dissolved oxygen, biochemical oxygen demand and Chemical oxygen demand of water samples	59
Table (6): Seasonal variation of ammonia concentrations (mg/L) and pH values	61
Table (7): Seasonal variation of anions concentrations (mg/L)	62
Table (8): Seasonal variation of cations concentrations (mg/L)	64
Table (9): Seasonal variation of heavy metals concentrations (mg/L)	67
Table (10): Seasonal variation of TVBC at 22°C and 35°C and TSFB at 35°C of water samples	71
Table (11): Seasonal variation of total coliform, fecal coliform and fecal streptococci of water samples.	75
Table (12): Seasonal variation of Total Fungal Count (TFC) and <i>Aeromonas hydrophila</i> counts (A.H) in CFU/ 100mL of water samples.	76
Table (13): Different bacterial isolates at different sites during the four seasons.	78
Table (14): Sanitation of <i>Ps. aeruginosa</i> using bacteriophages	82
Table (15): Sanitation of trace metals using nanocomposite	83
Table (16): The values of τ , C_o of studied heavy metals	84

List of Figures

Figure (1): Chart showing the sampling sites at Ismailia Canal	30
Figure (2): Bacteriological filtration system.	41
Figure (3): Seasonal variations of temperature values (°C) of water samples of the area under investigation of Ismailia Canal.	52
Figure (4): Seasonal variations of EC values (ms/cm) of water samples of the area under investigation of Ismailia Canal.	53
Figure (5): Seasonal variations of TDS values (mg/l) of water samples of the area under investigation of Ismailia Canal.	54
Figure (6): Seasonal variations of DO values (mg/l) of water samples of the area under investigation of Ismailia Canal.	56
Figure (7): Seasonal variations of BOD values (mg/l) of water samples of the area under investigation of Ismailia Canal.	57
Figure (8): Seasonal variations of COD values (mg/l) of water samples of the area under investigation of Ismailia Canal.	58
Figure (9): Seasonal variations of pH values of water samples of the area under investigation of Ismailia Canal.	58
Figure (10): Seasonal variations of NH ₃ values of water samples of the area under investigation of Ismailia Canal.	60
Figure (11): Seasonal variations of bacterial count $\times 10^4$ cfu/mL in water of the area under investigation of Ismailia Canal at 22°C.	69
Figure (12): Seasonal variations of bacterial count $\times 10^4$ cfu/mL in water of the area under investigation of Ismailia Canal at 37°C.	70
Figure (13): Seasonal variations of total spore forming bacteria $\times 10^4$ cfu/mL in water of the area under investigation of Ismailia Canal at 37°C	70
Figure (14): Seasonal variations of total coliform cfu/100 mL in water of the area under investigation of Ismailia Canal at 37°C	72
Figure (15): Seasonal variations of fecal coliform cfu/100 mL in water of the area under investigation of Ismailia Canal at 44°C	73
Figure (16): Seasonal variations of fecal streptococci cfu/100 mL in water of the area under investigation of Ismailia Canal at 37°C	74
Figure (17): Seasonal variations of Total fungal count cfu/100 mL in water of the area under investigation of Ismailia Canal at 28°C	74

Figure (18): Seasonal variations of <i>Aeromonas hydrophila</i> count cfu/100 mL in water of the area under investigation of Ismailia Canal at 37°C	77
Figure (19): Plaque assay technique of bacteriophages infecting <i>Ps. Aeruginosa</i>	79
Figure (20): Electron micrograph of <i>Ps. aeruginosa</i> phages negatively stained with uranyl acetate	82
Figure (21): Sanitation of trace metals using nanocomposite	84

List of Abbreviations

AH	<i>Aeromonas hydrophila</i>
APHA	American Public Health Association
BOD	Biochemical Oxygen Demand
CFU	Colony Forming Unit
CLEQM	Central Lab for Environmental Quality Monitoring
COD	Chemical Oxygen Demand
DO	Dissolved Oxygen
EC	Electrical Conductivity
FC	Fecal coliform,
FS	Fecal streptococci
MPN	Most Probable Number
NIOF	National Institute of Oceanography and Fisheries
NWRC	National Water Research Center
T	Temperature
TC	Total Coliform
TDS	Total Dissolved Solids
TFC	Total Fungal Count
TSFB	Total Spore-Forming Bacteria
TVBC	Total Viable Bacterial Count
WHO	World Health Organization