

REFERENCES

- Abdel-Aziz, G. S. (2005).** Study on the water quality of the Nile River with relation to environmental condition at El-Kanater El-Khyria region, Cairo, Egypt, , Fac. of Sci., Al-Azhar Univ., M. Sci. Thesis.
- Abdel-Satar, A. M. (1998).** Distribution of some chemical elements in River Nile environments at Great Cairo Region., Cairo, Egypt, Fac. of Sci., Cairo Univ., Ph. D. Thesis.
- Abdel-Satar, A. M.; Goher, M. E. and Sayed, M. F. (2010).** Recent environmental changes in water and sediment quality of lake Qarun, Egypt, J. of Fish. Aquat. Sci., 5: 56-69.
- Abdo, M. H. (2005):** Physico-chemical characteristics of Abu Za'baal Ponds, Egypt. Egyptian J. of aquatic research, 31(2): 1- 15.
- Abdo, M. H. and Sayed, M. F. (2009).** Profiles of some trace elements in the water-surificial sediment of Wadi El-Natrun Lakes, Egypt, Global Journal of Environmental Research, 3(2): 76-81.
- Abdo, M. H. and El-Nasharty, S. M. (2010).** Physico-chemical evaluations and trace metals distribution in water-surificial sediment of Ismailia Canal, Egypt, Nature and Science, 8(5): 198-206.
- Abdo, M. H.; Sabae, S. Z.; Haroon, B. M.; Refaat, B.M.; Mohammed, A. S. (2010).** Physico-Chemical Characteristics, Microbial Assessment and Antibiotic Susceptibility of Pathogenic Bacteria of Ismailia Canal water, River Nile, Egypt, J. of American Science, 6(5): 234-250.
-

- Accolas, J. P. and Spillmann, H. (1979).** The morphology of six Bacteriophages of *Streptococcus thermophilus*. J. Appl. Bacteriol, 47: 135-144.
- Akaninwor, J. O., Anosike, E. O. and Egwim, O. (2007).** Effect of Indomie industrial effluent discharge on microbial properties of new Calabar River, Sci. Res. Essays, 2(1): 001-005.
- Akan, J. C.; Moses, E. A.; Ogugbuaaja, V. O. and Abah, J. (2007).** Assessment of tannery industrial effluents from Kano Metropolis, Kano State, Nigeria, Journal of Applied Sciences, 7(19): 2788-2793.
- Alloway, B.J. and Ayres, D.C. (1997).** Inorganic pollutants In: "Chemical principles of environmental pollution". pp.157-264. Published by Blackie Academic and professional, an imprint of Chapman & Hall, 2-6 Boundary Row, London S E 18 HN, U.K.
- American Public Health Association, American Water Works Association, Water Environment Federation. (2005).** Standard Methods for the Examination of Water and Wastewater, 21th ed. American Public Health Association, Washington, DC.
- Anderson, I. C., Rhodes, M. and Kator, H. (1979).** Sub lethal stress in *Escherichia coli*: A function of salinity. Appl. and Environ. Microbiol. 38: 1147-1152
- Anon, A. M. (2007):** Environmental studies on Lake Manzalah, final report on Lake Manzalah, Abdel-Satar, A. M. (eds), freshwater and lake division - National Institute of Oceanography and Fisheries, 103 pp.
-

- Austin, B.; Allen, D. A.; Mills, A. L. and Colwell, R. R. (1977).** Numerical taxonomy of heavy metal-tolerant bacteria isolated from an estuary. *Can. J. Microbiol*, 23: 1433-1477.
- Ayers, R. S. and Westcott, D. W. (1985).** Water quality for Agriculture. In: FAO, Irrigation and Drainage pap. 29, rev. 1, pp: 1-83.
- Ayman, Y. I. E. (2009).** Diversity, characterization and activities of the microbial community in rural drinking groundwater, Cairo, Egypt, Fac. of Sci., Ain Shams Univ., M. Sci. Thesis.
- Azzam, M. I. (2010).** Application of Enteric Viruses in the Detection of Water Pollution, Cairo, Egypt, Fac. of Agri., Ain Shams Univ., M. Sci. Thesis.
- Barbeau, B., Boulos, L., Desjardins, R., Coallier, J., Prevost, M., Duchesne, D. (1997).** A modified method for the enumeration of aerobic spore-forming bacteria. *Can. J. Microbiol.* 43 (10), 976–980.
- Barent, H. L. and Hunter, B. (1977):** Illustrated genera of imperfect fungi. Burgess Publishing Company, Minnesota, 2412 pp.
- Berg, G.; Dahling, D. R.; Brown, G. A. and Berman, D. (1978).** Validity of fecal coliforms, total coliforms, and fecal streptococci as indicators of viruses in chlorinated primary sewage effluents, *Appl. Environ. Microbiol.*, 36: 880-884.
- Bolalak, J. and Frankowaski, L. (2003):** Selected nutrients and iron in interstitial, water of the Estuary of Southern Baltic in relation to redox potential water and air and soli pollution 147: 39-50.
-

- Boylen, C. W. and Brock, T. D. (1973).** Bacterial Decomposition Processes in Lake Wingra Sediments During Winter, *Limnology and Oceanography*, 18 (4): 628-634.
- Burke, V. and Gracey, M. (1986).** Aeromonas spp. in human diarrhoeal disease. J. of Gastro enterology and Hepatology. 1: 237-249
- Chatterjee, S. K; Bhattacharjee, I. and Chandra, G. (2010).** Water quality assessment near an industrial site of Damodar River, India, Environ. Monit. Assess. 161: 177-189.
- Cheesburg, M. (1984).** Antimicrobial Sensitivity Testing and Bacteriological Testing of Water Supplies. In: " Medical Laboratory Manual for Tropical Countries". (Vol. 2), P: 196-205 and 206-225. Great Britain, Univ. Press, Cambridge.
- Chin, D. A. (2000):** Water-Resources Engineering. Prentice-Hall Inc. Upper Saddle River, New Jersey, pp 585 - 635.
- Collins, C. H. and Lyne, P. M. (1984).** Microbiological Methods (5th ed.). Butterworth, England.
- Davis, W. A., Kame, J. G. and Garagus, V. F. (1978).** Human Aeromonas infections: are view of the literature and a case report of endocarditis. Medicine. 57 : 267-277
- Daskalov, H. (2006).** The importance of Aeromonas hydrophila in food safety. Food Control, 17: 474-483
- Duran, A. E.; Muniesa, M.; Moce- Llivina, L.; Campos, C.; Jofre, J. and Lucena, F. (2003).** Usefulness of different groups of
-

bacteriophages as model microorganism for evaluating chlorination, 95: 29-37.

El-Arabi, T. F. (2003). Study of characters of some microbial viruses isolated from Egyptian soil and water, Cairo, Egypt, Fac. of Agri., Ain Shams Uni., M. Sc. Thesis.

El-Haddad, E. S. M. (2005). Some environmental studies on water and sediment of Ismailia Canal from El-Mazallat to Anshas Region, Cairo, Egypt, Fac. of Sci., Al-Azhar Univ., M. Sci. Thesis.

El-Jarsouna, K. A. (2006). Influence of seasonal environmental variables on the distribution of fecal indicator bacteria in seawaters of Gaza strip. Al-Azhar Univ. Lab. Medicine Dep., Annals of Alquds Medicine 2(1): 18-24.

El-Sayed, S. A. (2008). Microbiological studies on Ismailia Canal, River Nile, Cairo, Egypt, Fac. of Sci., Al-Azhar Univ., M. Sci. Thesis.

El-Taweel, G. E. (2003). Association between *Aeromonas* spp. and classical bacterial indicators of pollution in different aquatic environments. Egyptian Journal of Microbiology.; 38(3): 265-281

Elewa, A.A.; M.B. Shehata; A.M. Abdel Satar; M.H.H. Ali and M.E. Gohar, (2001). Effect of the drainage water on lake Qarun ecosystem, Egypt. Presented in 9th international Conference on the Conservation and management of Lakes 11 – 16 November, 2001. Shigha Prefectural Government – Japan.

Esterby, S. R. and El-shaarqwi, A. H. (1984). Coliform concentration in Lake Erie; 1966 to 1970, Hydrobiologia. 111: 133-146.

- Ezzat, S. M. (2002).** Microbial flora and chemical composition of Nile River water at different sites in Egypt, Cairo, Egypt, Fac. of Sci., Ain Shams Univ., M. Sci. Thesis.
- Ezzat, S. M. (2008).** Role of certain botanical extracts against bacteria isolated from Nile River and drainage water, Cairo, Egypt, Fac. of Sci., Ain Shams Univ., Ph. D. Thesis.
- Ezz El-Din, O. (1990).** Some ecological studies on phytoplankton of Lake Bardawil, Egypt, Fac. of Sci., Suez Canal Univ., Ph. D Thesis.
- Fernandez, A. R.; Carballo- Cuervo, S.; Dela Rose Joge, M. C. and Rodriquez-deleceay, J. (1991).** The influence of agriculture run-off on bacterial population in a river, J. Appl. Bacteriol., 70: 437-442.
- Ferroni, G. D. and Kaminski J. S. (1980).** Psychrophiles, psychrotrophs, and mesophiles in an environment which experiences seasonal temperature fluctuations. Can. J. Microbiol., 26:1184-1191.
- Fiksdal, L.; Maki, J. S.; LaCroix, S. J. and Staley, J. T. (1985).** Survival and detection of bacteriodes spp., prospective indicator bacteria, Appl. Environ. Microbiol., 49: 148-150.
- Fulazzaky, M. A; Seong, T. W. and Mohd, M. M. (2010).** Assessment of water quality status for the Selangor River in Malaysia, Water Air Soil Pollut, 205: 63-77.
-

- Gad El-Hak, A. A. (2008).** Studies on bacterial viruses in the starter cultures, Cairo, Egypt, Fac. of Agri., Ain Shams Uni., M. Sc. Thesis.
- Gahin, H. S. (2002).** Analytical estimation and chemical treatment and some organic and inorganic pollution in surface water, Egypt, Fac. Agric., Zagazig Univ., M.Sc. Thesis.
- Gebra, C. P. (1987).** Phage as indicators of fecal pollution, in Phage ecology (Goyal, S. M.; Gebra, C. P. and Bitton, G. eds), Wiley Inter-science, New York, pp. 197-210.
- Geldreich, E. E. (1996).** Microbial quality of water supply in distribution systems. United States Environmental Protection Agency (office of Drinking Water), CRC press, Florida, pp: 330-431.
- Geriesh, M. H.; Balk, K. and El-Rayes, A.E. (2008).** Problems of drinking water treatment along Ismailia Canal Province, Egypt, J. Zhejiang Univ. Sci. B., 9(3): 232-242.
- Haeikal, M, (1994).** Studies of Bioindicators for Water Pollution in the Nile River, Cairo, Egypt, Institute of Environmental Studies and Researches, Ain Shams Univ., M. Sc. Thesis.
- Hafez, A.; Kheder, M.; El-Katib, K.; Gad Allah, H. and El-Manharawy, S. (2008).** "El-Salaam Canal project, Sinai II. Chemical water quality investigations, Egypt". J. Desalination, 227: 274-285.
-

- Hassanin, M. F. (2006).** Microbiological diversity studies on certain locations of the River Nile, Fac. of Sci., Al Azhar Univ.. M.Sc. Thesis.
- Hendricks, C. W. (1971).** Increased Recovery Rate of *Salmonellae* from Stream Bottom Sediments versus Surface Waters, Appl Microbiol., 21(2): 379–380.
- Hill, V. R. and Sobsey, M. D. (2003).** Performance of Swine Waste Laagons for removing *Salmonella* and enteric microbial indicators, American Society of Agricultural and Biological Engineers (ASABE), 46(3): 781–788.
- Hot, D.; Legeay, O.; Jacques, J.; Gantzer, C.; Caudrelier, Y.; Guyard, K.; Lange, M. and Andreoletti, L. (2003).** Detection of somatic phages, infectious enteroviruses and enterovirus genomes as indicators of human enteric viral pollution in surface water, Water Res. 37: 4703-4710.
- Hsu, F. C.; Shieh, Y. S. and Sobsey, M. D. (2002).** Enteric Bacteriophages as potential fecal indicators in ground beef and poultry meat, J. Food Prot., 65: 93-99.
- Huisingh, D. (1974).** Heavy metals: Implications for agriculture. Ann. Rev. Phytopathol., 12: 375-388.
- Ibrahim, H. S; M. A. Ibrahim and Samhan, F. A. (2009).** Distribution and bacterial bioavailability of selected metals in sediments of Ismailia Canal, Egypt, J. of Hazardous Materials, 168: 1012-1016.
-

- Jin, G.; Englande, A. J.; Bradford, H. and Jeng, H. W. (2004).** Comparson of *E. coli*, enterococci and fecal coliform as indicators for brackish water quality assessment. *Water Environ. Res.*, 76: 245-255.
- Kaper, J. B. Lockman, H., Colwel, R. R. and Joseph, S. W. (1981).** *Aremonas hydrophila*. Ecology and toxigenicity of isolation from an estuary, *J. Appl. Bacteriol.*, 50 : 359-377
- Karikari, A. Y. and Ansa-Asare, O. D. (2006).** Physico-chemical and microbial water quality assessment of Densu River of Ghana, *West Afr. J. appl. Ecol.* 10(1): 87-100.
- Kar, D.; Sur, P.; Thaweesak, C.; Rujipat, S.; Alongkorn, A.; Thaweesak, S.; Arune, C.; Pornchai, C.; Salin, C.; Apriadee, T. and Young, P. (2008).** Typing (A/B) and subtyping (H1/H3/H5) of influenza A viruses by multiplex real-time RT-PCR assays, *J. Virol. Methods*, 152: 25-31.
- Kibbey, H. J.; Hagedorn, C. and McCoy, E. L. (1978).** Use of fecal streptococci as indicators of pollution in soil. *Appl. Environ. Microbiol.*, 25: 711-717.
- Krieg, N. R. and Holt, J. G. (1986).** *Bergey's Manual of Systematic Bacteriology*. (Vol. 1). Williams and Wilkins, Baltimore, U.S.A.
- Krusche, A. V., De-Carvalho, F. P., De-Morases, J. M., De-Camargo, P. B., Ballester, M. V. R., Hornink, S., Martinelli, L. A. and Victoria, R.L. (1997).** "Spatial and temporal water quality variability in the Piracicaba river basin", Brazil. *J. American. Water Resources Association*. 33, 1117-1123
-

- Kulwant, S.; Frisvad, J. C.; Ulfthran and Mathur, S. B. (1991).** An Illustrated manual on Identification of some seed-borne Aspergilli, Fusaria, Penicillia and their mycotoxins. Institute of seed pathology.
- Laliberte, P. and Grims, J. (1982).** Survival of *Escherichia coli* in lake bottom sediment Appl. Environ. Microbiol., 43 : 623-628
- Lasheen, M. R. (1981).** Selected trace elements in Aswan High Dam reservoir and Nile River ecosystem. Water resources Management in Egypt, Egypt.
- Lavoie, M. C. (1983).** Identification of strains isolated as total and fecal coliform and comparison of both groups as indicator of fecal pollution in tropical climates. Can. J. Microbiol., 29: 689-693.
- Law 48, (1982).** The implementary Regulations for law 48/1982 regarding the protection of the Nile River and water ways from pollution, Map. Periodical Bull. 3-4 Dec., 12-35.
- Leonard, L. C. (1971):** Water and Water Pollution Handbook. Vol.2, pp.645-661, bayside, New York
- Mahmoud, S. A. (2002).** Evaluation of toxicity of some pollutant on histological and biochemical features of *Orcachomis niloticus* in River Nile, Fac. of Sci., Benha Univ., Ph.D. Thesis.
- Mahrour, Y.M. (1997).** Sources of River Nile water pollution from Assiut to Cairo and the evaluation of its effect on the water quality, Egypt. J. Environ. Sci., 45-65.
- Mary P., Buchet G., Defives C. and Hornez J. (2001).** Growth and survival of clinical vs. environmental species of *Aeromonas* in
-

tap water. International Journal of Food Microbiology, 69(3): 191-198

Meenakshi, A.; Rani, M. and Kaushik, A. (2003). "Seasonal variations in physico-chemical characteristics of River Yamuna in Haryana and its ecological best-designated use" J. Environ. Monit., (5): 419-426.

Menon, A. S. (1985). Salmonella and pollution indicator bacteria in municipal and food processing effluents and the Cornwallis River. Can. J. Microbiol. 31 : 588-603

Metcalf and Eddy. (1979). Wastewater engineering treatment disposal reuse (2nd ed.), New York, McGraw-Hill Book Company.

Millership, S. E. and Chattopadhyay (1985). Aeromonas hydrophila in chlorinated water supplies. Journal of Hospital Infection. 6 : 75-80.

Mishra, A.; Mukherjee A. and Tripathi, B. D. (2009). Seasonal and temporal variations in physico-chemical and bacteriological characteristics of River Ganga in Varanasi, Int. J. Environ. Res., 3(3): 312-326.

Oguzie, F. A. and Okhagbuzo, G. A. (2010). Concentrations of heavy metals in effluent discharges downstream of Ikpoba River in Benin City, Nigeria, Afr. J. Biotechnol., 9(3): 319-325.

Okbah, M. A and Tayel, F. T. R. (1999): Water quality in the coastal area of Alexandria. Bull. Nat. Inst. of Oceanogr. & Fish. E.A.E., (25): 89 - 102.

- Othman, B. A.; Askora, A.; Nadia, M. and Abo-Senna, S. M. (1997).** Characterization of virulent bacteriophages for *Streptomyces griseofavus* isolated from soil. *Pakistan J. Biotechnol.*, 5: 1-2.
- Palumbo, S. A., Maxino, F., Williams, A. C., Buchanan, R. L. and Thayer, D. W. (1985).** Starch-Ampicillin agar for the quantitative detection of *Aeromonas hydrophila*. *J. App. Environ. Microbiol.* 50: 1027-1030.
- Pande, S. M.; Das, S. M. and Misra, D. S. (1983).** Studies on bacteriological quality of Nainital Lake water in different seasons. *Water Air and Soil Pollution*, 19: 149-154.
- Pathak, S. P.; Bhattacharjee, J. W.; Kalra, N. And Chandra, S. (1988).** Seasonal distribution of *Aeromonas hydrophila* in River water isolated from river fish, *J. Appl. Bacteriol.*, 65: 347-352.
- Pettibone, G. W. (1992).** The use of Lauryl tryptose broth containing 4-methyl lumbelliferyl-beta-D-glucuronide "MUG" to enumerate *E. coli* from fresh water sediment. *Letters in applied microbiology*, 15(5): 190-192.
- Pinto, B.; Pierotti, R; Canale, G. and Reali, D. (1999).** Characteristization of fecal streptococci as indicators of fecal pollution and distribution in the environment, *Appl. Microbiol.*, 29(4): 258-263.
- Phiri, O., P.; Mumba, B. H; Moyo, Z. and Kadewa, W. (2005).** Assessment of the impact of industrial effluents on water quality of receiving rivers in urban areas of Malawi, *Int. Environ. Sci. Tech.*, 2(3): 237-244.
-

- Poffe, R. and Beek, E. (1991).** Enumeration of *Aeromonas hydrophilla* from domestic wastewater treatment plants and surface waters. J. Appl. Bacteriol., 71 : 366-370
- Raper, K. B. and Funel, D. I. (1965).** The genus *Aspergillus* Williams and Wilkins, Baltimore. U.S.A.
- Rehman, W.; Zeb, A.; Noor, N; and Nawaz, M. (2008).** Heavy metal pollution assessment in various industries of Pakistan, Environ. Geol., 55: 353-358.
- Rhodes, M. W., Andrerson, I. C. and Kator, H. I. (1983).** In situ development of sublethal stress in *Escherichia coli*. :effects on enumeration. Appl. and Environ. Microbiol , 45 : 1870-1876
- Rice, E. W.; Rich, W. K.; Johnson, C. H. and Lye, D. J. (2006).** The role of flushing dental water lines for the removal of microbial contaminants. Public Health Reports, 121(3): 270-274.
- Richards, L. A. (1954).** Diagnosis and Improvement of Saline and Alkali Soils. USDA Agric. Hand Book, No. 60
- Rippey, S.R. and Cabelli, V. J. (1989).** Use of the thermotolerant *Aeromonas* group for the trophic state classification of freshwaters, Water research 23(9): 1107-1114.
- Rivera, E. W.; Rich, W. K.; Johnson, C. H. and Lye, D. J. (1988).** The role of flushing dental water lines for the removal of microbial contaminants. Public Health Reports, 121(3): 270-274.
- Sabae, S. Z.; Abdo, M. H.; Refaet, B. M.; Haroun, B. M. and Hassanin, M. F. (2006).** Evaluation of water quality, microbial diversity and antibiotic susceptibility of pathogenic bacteria in the
-

River Nile, Egypt, International Journal of Lakes and Rivers, 1(1): 87-106.

Sabae, S. Z. and Rabeh, S. A. (2007). Evaluation of microbial quality of the Nile River water at Damietta branch, Egypt. National institute of Oceanography and fisheries, Egyptian J. of Aqu. Res., 33: 301-311.

Salah El-Din, W. (2005) Multiplex PCR to detect some pathogenic bacteria in waters, Cairo, Egypt Fac. of Sci., Al-Azhar Univ., M. Sci. Thesis.

Sarwar, M. I.; Majumden, A. K. and Islam, M. N. (2010). Water quality parameters: A case study of Karnafully River Chittagong, Bangladesh, Bangladesh J. Sci. Ind. Res., 45(2), 177-181.

Seidler, R. J., Allen , D. A., Lockman, H., Colwell, R. R., Josseph, S.W. and Daily, O. P. (1980). Isolation, Enumeration and characterization of Aeromonas from polluted waters encountered in diving operations. Appl. Environ. Microbiol., 32 : 1010-1018

Sierra, G. (1957). A simple method for the detection of lipolytic activity of microorganisms and some observations on the influence of the contact between cells and fatty substrates. J. Microbiol. Serol. 23: 15-22.

Scheular, T. (1999). Microbes and urban watersheds: concentration, Sources, pathways and implications for watershed managers. Watershed Protection Techniques, 3:1.

Sharma, A., Dubey, N. and Sharan, B. (2005). Characterization of Aeromonads isolated from the River Narmada, India.

International Journal of Hygiene and Environmental Health, 208 (5) : 425-433

Sharma, S. K.; Goloubinoff, P. and Christen, P. (2008). Heavy metal ions are potent inhibitors of protein folding, Biochemical and Biophysical Research Communications, 372(2): 341-345.

Sharma, M. and Thapaliya, H. P. (2009). Antibiotic profiling of heavy metal resistant bacterial isolates from the effluent of a garment industry in Lalitpur, Nepal, Our Nature, 7: 203-206.

Shuman, M. S. and Woodward, G. P. (1977). Stability constants of copper-organic chelates in aquatic samples. Environ. Sci. Technol. 11: 809-813.

Singh, V. and Singh Chandel, C. P. (2006). Analytical study of heavy metals of industrial effluents at Jaipur, Rajasthan (India), Journal of Environ. Science & Engg. 48(2), 103-108.

Sneath, P. H., Mair, N. S., Sharpe, E. and Holt, J. G. (1986). Bergey's Manual of Systematic Bacteriology. (Vol. 2). Williams and Wilikins, Baltimore, U.S.A.

Tayel, S. I. M. (2002). Histological biochemical and hematological studies on *Ttilipia zilli* and *Clarios lazera* in relation to water quality criteria at different locations in Delta Barrage, Fac. of Sci., Benha Univ. Ph.D. Thesis.

Thomas, C. D. and Levin, M. A. (1978). Quantitative analysis of group D streptococci AB. S. Annual Meeting, American Soc. Microbiol, p. 120.

- Timoney, T. F.; Port, J.; Giles, J. and Spanier, J. (1978).** Heavy metal and antibiotic resistance in the bacterial flora of sediments of New York Bight. Appl. Environ. Microbiol. 36: 465-472.
- Watanabe, T. H.; Shimohashi, Y. K. and Mutai, M. (1981).** Studies on streptococci I. Distribution of fecal streptococci in man. Microbiol. Immunology, 25: 257-260.
- WHO (World Health Organization): (1993).** Guidelines of Drinking Water Quality. (2nd edition) Vol.1, World Health Organization, Geneva.
- Youssef, M; El-Taweel, G. E.; El-Naggar, A.Y.; El-Hawary, S. E.; El-Meleigy, M.A. and Ahmed, S.A. (2010).** Hydrocarbon degrading bacteria as indicator of petroleum pollution in Ismailia Canal, Egypt, World Applied Sciences Journal, 8(10): 1226-1233.
-