

References

1. Abdelhady, H.G., Allen, S., Davis, M.C., Roberts, C.J., Tendler, S.J.B. and Williams, P.M. 2003. Direct real-time molecular scale visualization of the degradation of condensed DNA complexes exposed to DNase I. *Nucleic Acid Res.* 31(14), 4001-4005.
2. Alan, R.T. 2006. Population genetics and microevolutionary theory. pp. 1-3. John Wiley & Sons, Inc., Hoboken, New Jersey
3. Alm, E., Burke, J. and Spain, A. 2003. Fecal indicator bacteria are abundant in wet sand at fresh water beaches. *Water Res.* 37: 3978-82.
4. American public health association. 1992. standard methods for the examination of water and waste water. 18th ed. 9.45-9.100. Washington, D.C.
5. American public health association "APHA" .2005. Standard methods for the examination of Water and Waste water (21st Ed.), Washington, D.C.
6. Anderson, K.L., Whitlack, J.E. and Harwood, V.J. 2005. Persistence and difference survival of fecal indicator bacteria in subtropical waters and sediments. *Appl Environ. Microbiol.* 71: 3041-8.
7. Anon, 1984. The bacteriological examination of drinking water supplies. Reports on public health and medical subjects No. 71 London: HMSO.
8. Arena, I.A., Irizar, C.S., Muler, A., Fernandez, A. and Barcina, I. 2003. GFP-tagged cells as a useful tool to study the survival of *Escherichia coli* in the presence of the river microbial community. *Microb. Ecol.* 45: 29-38.
9. Azam, M. 2010: Application of Enteric viruses in the detection of water pollution. Ph.D. Thesis, Fac. Agri. Ain Shams Univ., Egypt.

10. Baker, G.C., Smith, J.J. and Cowan, D.A., 2003. Review and re-analysis of domain specific 16S primers. *J. Microbiol. Methods* 55, 541–555.
11. Becker, K., Harmsen, D., Mellmann, A., Meier, C., Schumann, P., Peters, G. and von Eiff, C., 2004. Development and evaluation of a quality-controlled ribosomal sequence database for 16S ribosomal DNA-based identification of *Staphylococcus species*. *J. Clin. Microbiol.* 42, 4988–4995.
12. Berkhoff, H.A. and Vinal, A.C. 1986. Congo red medium to distinguish between invasive and non invasive *Escherichia coli* pathogenetic for poultry. *Avian Dis.* 30:117-121.
13. Bertilsson, S., Cavanaugh, C.M. and Polz, M.F., 2002. Sequencing-independent method to generate oligonucleotide probes targeting a variable region in bacterial 16S rRNA by PCR with detachable primers. *Appl. Environ. Microbiol.* 68, 6077–6086.
14. Bettelheim, K.A., Ismail, N., Shinebaum, R., Shooter, R.A., Moorhouse, E. and O'Farrell, S. 1976. The distribution of serotypes of *Escherichia coli* in cow-pats and other animal materials compared with serotypes of *E.coli* isolated from human sources. *J. Hyg.* 76:403-406.
15. Boisseau, P., Houdy, P., and Lahmani, M. 2007. Nanoscience: Nanobiotechnology and Nanobiology. 1, VII-X.
16. Bosshard, P.P., Abels, S., Zbinden, R., Böttger, E.C. and Altwegg, M., 2003. Ribosomal DNA sequencing for identification of aerobic Gram positive rods in the clinical laboratory (an 18-months evaluation). *J. Clin. Microbiol.* 41, 4134–4140.
17. Bosshard, P.P., Abels, S., Altwegg, M., Böttger, E.C. and Zbinden, R., 2004. Comparison of conventional and molecular methods for identification of aerobic catalase negative Gram

- positive cocci in the clinical laboratory. J. Clin. Microbiol. 42, 2065–2073.
18. Bosshard PP, Zbinden R, Abels S, Böddinghaus B, Altwegg M and Böttger E.C. 2006. 16S rRNA gene sequencing versus the API 20 NE system and the VITEK 2 ID-GNB card for identification of nonfermenting Gram-negative bacteria in the clinical laboratory. J Clin Microbiol.; 44(4):1359-66.
 19. Boyd, E. E. and Hartl, D. L. 1998. Diversifying selection governs sequence polymorphisms in the major adhesin proteins FimA, PapA, and SfaA of *Escherichia coli*. J. Mol. Evol. 47:258-267.
 20. Callegari, M. L., Sechaud, L., Rousseau, M., Bottazzi, V., and Accolas, J. P. 1990. Le recepteur du phage 832-B1 de *Lactobacillus helveticus* CNRZ 892 est une protéine. Proceedings of 23th Dairy Congress Vol. I. Montreal.
 21. Callow, B. R. 1959. A new phage-typing scheme for *Salmonella typhimurium*. J. Hyg.(Lond.). 57, 346–359.
 22. Cao Y.W.C, Jin R.C. and Mirkin C.A. 2002. Nanoparticles with Raman spectroscopic fingerprints for DNA and RNA detection. Science. 297(5586):1536-1540.
 23. Carrillo M., Estrada E. and Hazen T.C., 1985. Survival and enumeration of the fecal indicators *Bifidobacterium adolescentis* and *Escherichia coli* in a tropical rain forest watershed. Appl Environ Microbiol. 50(2):468-76.
 24. Cashel, M., Gentry, D. R. and Hernandez, V. J. 1996. In *Escherichia Coli* and *Salmonella Thyphimurium*: Cellular and Molecular Biology, eds F. C. Neidhardt, R. I. Curtis, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter and H. E. Umbarger, ASM Press, Washington, DC, 1458–1496.

25. Chithrani B.D., Ghazani A.A. and Chan W.C.W. 2006. Determining the size and shape dependence of gold nanoparticle uptake into mammalian cells. *Nano Letters*. 6(4):662-668.
26. Christian, S. 2001. The Genomic Potential Hypothesis: A Chemist's View of the Origins, Evolution and Unfolding of Life. MBIU16, pp. 43-49.
27. Choi, B.K., Wyss, C. and Gobel, U.B., 1996. Phylogenetic analysis of pathogen related oral spirochetes. *J. Clin. Microbiol.* 34, 1922–1925.
28. Chopin, M. C., Chopin, A., and Bidnenko, E. 2005. Phage abortive infection in lactococci: Variations on a theme. *Curr. Opin. Microbiol.* 8, 473–479.
29. Clarridge III, J.E., 2004. Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious disease. *Clin. Microbiol. Rev.* 17, 840–862.
30. Cloud, J. L., Conville, P. S., Croft, A., Harmsen, D., Witebsky, F. G., & Carroll, K. C. (2004). Evaluation of partial 16S ribosomal DNA sequencing for identification of *Nocardia* species by using the MicroSeq 500 system with an expanded database. *Journal of Clinical Microbiology*, 42(2), 578.
31. Coenye, T., Goris, J., Spilker, T., Vandamme, P. and LiPuma, J.J., 2002. Characterization of unusual bacteria isolated from respiratory secretions of cystic fibrosis patients and description of *Inquilinus limosus* gen. nov., sp. nov. *J. Clin. Microbiol.* 40, 2062–2069.
32. Crichton P.B., Logan J.M. and Old D.C.1993. A miniaturized biotyping system for strain discrimination in *Escherichia coli*. *Epidemiol Infect.* 111(1):81-8.
33. Dale, J. W., and Park S. F. 2004. *Molecular Genetics of Bacteria*. 4th Ed., pp.131.

34. Dennis, P. and Nomura, M. 1974. Stringent control on ribosomal protein gene expression in *Escherichia coli*. Proc. Natl. Acad. Sci. USA, 71, 3819-3823.
35. Desjardins, P., Picard, B., Kaltenbock, B., Elion, J., and Denamur, E. 1995. Sex in *Escherichia coli* does not disrupt the clonal structure of the population: Evidence from random amplified polymorphic DNA and restriction-fragment-length polymorphism. J. Mol Evol. 41:440- 448.
36. Donnenberg, M.S. and T.S. Whittam, Pathogenesis and evolution of virulence in enteropathogenic and enterohemorrhagic *Escherichia coli*. J Clin Invest, 2001. 107(5): 539-48.
37. Doyle, M.P., and Schoeni, J.L. 1984. Survival and growth characteristics of *Escherichia coli* associated with hemorrhagic colitis. Appl. Environ. Microbiol. 48: 855-856.
38. Drancourt, M., Bollet, C., Carlioz, A., Martelin, R., Gayral, J.-P. and Raoult, D., 2000. 16S ribosomal DNA sequence analysis of a large collection of environmental and clinical unidentifiable bacterial isolates. J. Clin. Microbiol. 38, 3623–3630.
39. Drancourt, M., Berger, P. and Raoult, D., 2004. Systematic 16S rRNA gene sequencing of atypical clinical isolates identified 27 new bacterial species associated with humans. J. Clin. Microbiol. 42, 2197–2202.
40. Dubertret B., Calame M. and Libchaber A.J. 2001. Single-mismatch detection using gold-quenched fluorescent oligonucleotides. Nature Biotechnol. 19(4):365-370.
41. Durso, L.M., Bono, J.L. and Keen J.E. 2005. Molecular serotyping of *Escherichia coli* O26:H11. Appl. Environ. Microbiol. 71(8):4941-4944.

42. El.Daly, A.A., and Tolba, M. 2009.Internal structure of silver crystallites: going beyond nanostructure using novel processing techniques, *J.Cryst.Res.Technol.*44, No.2, 197-202 (2009).
43. Estrela, A. I., Pooley, H. M., Delencastre, H., and Karamata, D. 1991. Genetic and biochemical characterization of *Bacillus subtilis* 168 Mutants specifically blocked in the synthesis of the teichoic acid poly(3-O-Beta-D-GlucopyranosylN Acetylgalactosamine 1-Phosphate)—*gneA*, a new locus, is associated with UDP-N-Acetylglucosamine 4-Epimerase Activity. *J. Gen. Microbiol.* 137, 943–950.
44. Ewald, P.W., Guarding against the most dangerous emerging pathogens. *Emerg Infect Dis*, 1996. 2(4): p. 245-57.
45. Fazlani, S. A., Abubakar, M., Shah, S. I., Hassan, M. and Arshed, M. 2009: Bio-Morphological Characteristics of Bacterial Species Identified from Mastitic Milk Samples of Camel. *The Internet Journal of Veterinary Medicine*. Volume 6 **Number 1:1-6**.
46. Ferroni, A., Sermet-Gaudelus, I., Abachin, E., Quesne, G., Lenoir, G., Berche, P. and Gaillard, J.L., 2002. Use of 16S rRNA gene sequencing for identification of nonfermenting Gram negative bacilli recovered from patients attending a single cystic fibrosis center. *J. Clin. Microbiol.* 40, 3793–3797.
47. Fontana C., Favaro M., Pelliccioni M., Pistoia E.S. and Favalli C. 2005. Use of the MicroSeq 500 16S rRNA gene-based sequencing for identification of bacterial isolates that commercial automated systems failed to identify correctly. *J. Clin. Microbiol.* 43(2):615-9.
48. Frank, S. A. 1994. Polymorphism of bacterial restriction modification systems—the advantage of diversity. *Evolution* 48, 1470–1477.

49. Fredricks, D.N. and Relman, D.A. 1996. Sequence-based identification of microbial pathogens: a reconsideration of Koch's postulates. Clin. Microbiol. Rev. 9, 18–33.
50. Glynn, A.A., and Howard, C.J. 1970. The sensitivity to complement of strains of *Escherichia coli* related to their K-antigens. Immunology.18: 331-346.
51. Gonzalez, R.C., and Woods, R.E. 1992. Digital Image Processing.2nd Ed., pp. 44.
52. Gordon, D. M. 1997. The genetic structure of *Escherichia coli* populations in feral house mice. Microbiology 143:2039-2046.
53. Gordon, D.M., Baur, S. and Johson, J.R. 2002. The genetic structure of *Escherichia coli* in primary and secondary habitats. Microbiology 147:1079-85.
54. Graham. H., Ferrier, S., Huettman, F., Moritz, C. and Peterson, A. T. 2004. New developments in Museum based informatics and applications in biodiversity analysis. Trends in Ecology & Evolution, (19), 9:497-503.
55. Gruneberg, R.N., and Bettelheim, K.A. 1969. Geographical variations in serological types of urinary *Escherichia coli*. J. Med. Microbiol. 2:219-224.
56. Guttman, D. S., and Dykhuizen, D. E. 1994. Clonal divergence in *Escherichia coli* as a result of recombination, not mutation. Science 266:1380-1383.
57. Hafez, A., Kedr, M., El-Katib, K., GadAllah, H. and El.Manharawy, S. 2008." El Salaam canal project, Sina II.Chemical water quality investigations, Egypt."J.Desalination, 227: 274-285.
58. Hansma, H.G., Kasuya, K., Oroudjev, E. 2004: Current Opinion in Structural Biology 14 (3), 380–385.

59. Hartley, C.L., Howne, K., Linton, A.H., and Richmond, M.H. 1975. Distribution of R plasmids among O-antigen types of *Escherichia coli* isolated from human and animal sources. *Antimicrob. Agents Chemother.* 8: 122-131.
60. Hartl, D.L. and Dykhuizen, D.E. 1984. The population genetics of *Escherichia coli*. *Ann. Rev. Genet.* 18: 31-68.
61. Harvey, D., Harrington, C., Heuzenroeder, M. W., and Murray, C. 1993. Lysogenic phage in *Salmonella enterica* serovar Heidelberg (*Salmonella* Heidelberg): Implications for organism tracing. *FEMS Microbiol. Lett.* 103, 291–295.
62. He, Y., Yuan, J., Su, F., Xing, X. and Shi, G. 2006. *Bacillus subtilis* assisted assembly of gold nanoparticles into long conductive nodous ribbons. *J. Phys. Chem. B* 110, 17813.
63. Heilpern, A. J., and Waldor, M. K. 2000. CTX phi, infection of *Vibrio cholerae* requires the tolQRA gene products. *J. Bacteriol.* 182, 1739–1747.
64. Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., and Williams, T. 1994. *Bergey's manual of determinative bacteriology*. 9th ed. P. 175-290. Williams and Wilkins Co. Baltimore, Maryland.
65. Hofstra, H., and Huisin't Veld, J.H.J. 1988. Methods for the detection and isolation of *Escherichia coli* including pathogenic strains. *J. Appl. Bacteriol. Symp. Suppl.* 197S- 212S.
66. Hung, C. H., Wu, H. C., and Tseng, Y. H. 2002. Mutation in the *Xanthomonas campestris xanA* gene required for synthesis of xanthan and lipopolysaccharide drastically reduces the efficiency of bacteriophage phi L7 adsorption. *Biochem. Biophys. Res. Co.* 291, 338–343.

67. Janes, T., Gill, C.O., and Muller, L.M. 2004. The behavior of log phase *Escherichia coli* at temperature that fluctuate about the minimum for growth. Lett.Appl.Microbiol.39:290-300.
68. Kajander, E.O. 2006. Nanobacteria-propagating calcifying nanoparticles. Lett. Appl. Microbiol. 42, 549.
69. Kaper, J.B., Nataro, J.P. and Mobley, H.L. 2004. Pathogenic *Escherichia coli*. Nat. Rev. Microbiol. 2(2): p. 123-40.
70. Kauffmann, V. F. 1944.Zur serologic der coligruppe. Acta. Pathol. Microbiol. Scand. 21:20-45. Cf. (Paveen, S. 1997)
71. Kaye, N. P. and Laslo A. N. 1998. Relationship between bacterial regrowth and some physical and chemical parameters within Sydney's drinking water distribution system. Water Res.33 (3): 741-750.
72. Khakhria, R., Duck, D. and Lior H. 1990. Extended phage-typing scheme for *Escherichia coli* O157:H7. Epidemiol Infect. 105(3):511-20.
73. Klein, C., and Dutrow, B. 2008. Mineral science, the 23rd, Ed. (John Wiley & Sons Inc., USA, pp. 221-234.
74. Knipschildt, H.E. 1945. Understanding over coligruppens serologic. Nyt. Nordisk Forlag. Arnold Busck. Kobenhavn. Cf. (Paveen, S. 1997).
75. Krieg, N.R., and Holt, J. G. 1984. Bergey's manual of systemic bacteriology. Vol.1. p: 408-423. Williams and Wilkins Co. Baltimore, Maryland.
76. Lan, R., Lumb, B., Ryan, D., and Reeves, P. 2001. Molecular evolution of large virulence plasmid in Shigella clones and enteroinvasive *Escherichia coli*. Infect. Immun. 69:6303—6309.
77. Lawrence, G., and Ochman, H. 1998. Molecular archaeology of the *Escherichia coli* genome. Evolution 95:9413-9417.

78. Lazzarini, R. and Dahlberg, A. 1971. The control of ribonucleic acid synthesis during amino acid deprivation in *Escherichia coli* J. Biol. Chem. 246: 420-429.
79. Liangwei D., Hong J., Xiaohua L. and Erkang W. 2007. Biosynthesis of gold nanoparticles assisted by *Escherichia coli* DH5a and its application on direct electrochemistry of hemoglobin. *Electrochemistry Communications*. 9, 1165–1170.
80. Logan, N. A., Lappin-Scott, H .M. and Oyston, P.C.F 2006. prokaryotic diversity: mechanisms and significance. pp.I.
81. Ludwig W., Strunk O., Klugbauer S., Klugbauer N., Weizenegger M., Neumaier J., Bachleitner M. and Schleifer K.H. 1998. Bacterial phylogeny based on comparative sequence analysis. *Electrophoresis*. 19(4):554-68.
82. Lu, J.J., Perng, C.L., Lee, S.Y. and Wan, C.C., 2000. Use of PCR with universal primers and restriction endonuclease digestions for detection and identification of common bacterial pathogens in cerebrospinal fluid. *J. Clin. Microbiol.* 38, 2076–2080.
83. Mabeck, C.E., Orskov, F., and Orskov, I. 1971. Studies in urinary infections VIII. *Escherichia coli* O: H serotypes in recurrent infections. *Acta. Med. Scand.* 190: 279-282.
84. Macone, A.B., Pier, G.B., Pennington, J.E., Matthews, W.J. and Goldman, D.A. 1981. Mucoid *Escherichia coli* in cystic fibrosis. *New Engl. J. Med.* 304: 1445-1449.
85. Marcos R. B., Buzinhani, M. , Yamaguti, M. , Rosa^ngela C. O. , Mettifogo , E., Timenetsky, J. and Antonio J. P. F.. 2008. Intraspecific variation in 16S rRNA gene of *Mycoplasma synoviae* determined by DNA sequencing. *Comparative Immunology, Microbiology and Infectious Diseases*. 33, 15–23.

86. Martinez-Murcia A. J., Anton, T. A. I. and Rodriguez-Valera, F. 1999. Patterns of sequence variation in two regions of the 16s rRNA multigene family of *Escherichia coli*. International Journal of Systematic Bacteriology. 49: 601 -610.
87. Maynard, C., Berthiaume, F., Lemarchand, K., Harel, J., Payment, P., Bayardelle, P., Masson, L. and Brousseau, R., 2005. Waterborne pathogen detection by use of oligonucleotide-based microarrays. Appl. Environ. Microbiol. 71: 8548–8557.
88. McDonough, P. L., Timoney, J. F., Jacobson, R. H., and Khakhria, R. 1989. Clonal groups of *Salmonella typhimurium* in New York State. J. Clin. Microbiol. 27: 622 - 627.
89. Merino, S., Camprubi', S., and Toma's, J. M. 1990. Isolation and characterization of bacteriophage PM3 from *Aeromonas hydrophila* the bacterial receptor for which is the monopolar flagellum. FEMS Microbiol. Lett. 69: 277–282.
90. Mignard, S., and J.P. Flandrois. 2006. 16S rRNA sequencing in routine bacterial identification: A 30-month experiment. Journal of Microbiological Methods. 67: 574–581.
91. Milkman, R., and Bridges, M. M. 1990. Molecular evolution of the *Escherichia coli* chromosome: III. Clonal frames. Genetics 126:505-517.
92. Morita, R. 1997. Oligotrophic environments. In *Bacteria in Oligotrophic Environments*, (Morita, R., Ed), pp. 1– 36. Chapman and Hall, New York, USA.
93. Muller, D.J., Schoenenberger, C.A., Schabert, F. and Engel, A. 1997. Structural changes in native membrane proteins monitored at subnanometer resolution with the atomic force microscope: a review, J. Struct. Biol. 119, 149–157.

94. Munson, M.A., Banerjee, A., Watson, T.F. and Wade, W.G., 2004. Molecular analysis of the microflora associated with dental caries. *J. Clin. Microbiol.* 42, 3023–3029.
95. Nei M. and Kumar S. 2000. *Molecular Evolution and Phylogenetics*. Oxford University Press, New York
96. Ochman, H., Lawrence, J. G., and Groisman, E. A. 2000. Lateral gene transfer and the nature of bacterial innovation. *Nature* 405:299-304.
97. Odumeru, J.A., Steel, M., Fruhner L., Larkin C, Jiang J., Mann E. and McNab W,B. 1999. Evaluation of accuracy and repeatability of identification of food-borne pathogens by automated bacterial identification systems. *J. Clin. Microbiol.* 37 944-949.
98. Orskov, I., Orskov, F., Jann, B., and Jann, K. 1977. Serology, chemistry and genetics of O and K antigens of *Escherichia coli*. *Bacteriol.Rev.*41:607-710.
99. Othman, B.A. 1997. Isolation of lambdoid bacteriophage B4EC from sewage polluted drinking water. *Proceedings of the 9th conference of Microbiology*. Cairo, pp. 25-27.
100. Ouchterlony, O. 1962. Diffusion in gel method, for immunological analysis II. *Prager. Allergy* 6, 30-154.
101. Parisi, J. T. Russell, J. C. and Merlo, R.J. 1969. Bacteriophage Typing as an Epidemiological Tool for Urinary *Escherichia coli*. *Appl Microbiol.* 17(5): 721–725.
102. Patel J.B. 2001. 16S rRNA gene sequencing for bacterial pathogen identification in the clinical laboratory. *Mol. Diagn.*(4):313-21.
103. Paveen, S. 1997. Differentiating human and non human sources of *Escherichia coli* by phenotypic and genotypic methods. Ph.D. Thesis, Flor.Univ., USA.

104. Perna, N. T, Plunkett, G., Burland, V., Mau, B., Glasner, J. D. Rose, D. J. Mayhew, G. F., Evans, P. S. , Gregor, F.M., Kirkpatrick, J. , Posfai, H. A., Hackett, G. J.,Klink, S. , Boutin A., Shao, Y. , Miller, L. , Grotbeck, E. J. , Davis, N. W. , Lim, A., Dimalanta, E. T. , Potamousis, K. D., Apodaca, J. , Anantharaman, T. S. , Lin, J. , Yen, G.,Schwartz, D. C., Welch, R.A. and Blattner, F. R. 2001. Genome sequence of *enterohaemorrhagic Escherichia coli* 0157:H7. Nature 409:529-533.
105. Pettibone, G.W. 1992.the use of lauryl tryptose broth containing 4-Methyl Umbelliferyl-beta D-Glucuronide 'MUG' to enumerate *Escherichia coli* in fresh water sediment. Letters in Applied Microbiology, 15 (5):190-192.
106. Petti, C.A., Polage, C.R. and Schreckenberger, P., 2005. The role of 16S rRNA gene sequencing in identification of microorganisms misidentified by conventional methods. J. Clin. Microbiol. 43, 6123–6125.
107. Pissuwan, D., Cortie, C.H., Valenzuela, S.M., and Cortie, M.B. 2007. Functionalised gold nanoparticles for controlling pathogenic bacteria. TIBTEC-783; No of Pages 7. In press.
108. Prager R., Strutz U., Fruth A. and Tschäpe H. 2003. Subtyping of pathogenic *Escherichia coli* strains using flagellar (H)-antigens: serotyping versus fliC polymorphisms. Int J Med Microbiol.292(7-8):477-86.
109. Prescott, L. 2003. Microbiology. 5th Ed., pp. 429-430. McGraw Hill, Boston, USA.
110. Prescott, L. 2003. Microbiology. 5th Ed., pp. 235-236. McGraw Hill, Boston, USA.

111. Pugsley, A. P., Evison, L.M. and James, A. 1973. A simple technique for the differentiation of *Escherichia coli* in water examination. Wat.Res. 7: 1431-1437.
112. Raoult, D., Fournier, P.E. and Drancourt, M., 2004. What does the future hold for clinical microbiology. Nat. Rev. 2, 151–159.
113. Ramos Moreno A.C., Cabilio Guth B.E. and Baquerizo Martinez M. 2006. Can the fliC PCR-restriction fragment length polymorphism technique replace classic serotyping methods for characterizing the H antigen of enterotoxigenic *Escherichia coli* strains?. J Clin Microbiol. 44(4):1453-8.
114. Reddy A.S., Chen C.Y., Chen C.C., Jean J.S., Chen H.R., Tseng M.J., Fan C.W. and Wang J.C. 2010. Biological synthesis of gold and silver nanoparticles mediated by the bacteria *Bacillus subtilis*. J. Nanosci. Nanotechnol.10(10):6567-74.
115. Robison, B.J. 1984. Evaluation of fluorogenic assays for detection of *Escherichia coli* in foods. Appl. Environ. Microbiol. 48: 285-288.
116. Rossello-Mora, R. and Amann, R., 2001. The species concept for prokaryotes. FEMS Microbiol. Rev. 25, 39–67.
117. Rothman, R.E., Majmudar, M.D., Kelen, G.D., Madico, G., Gaydos, C.A., Walker, T. and Quinn, T.C., 2002. Detection of bacteremia in emergency department patients at risk for infective endocarditis using universal 16S rRNA primers in a decontaminated polymerase chain reaction assay. J. Infect. Dis. 186, 1677–1681.
118. Sally, N.E. 2009. Molecular studies on some wheat production using tissue culture and image processing.Ph.D.Thesis, Fac. Zag.Univ., Egypt.

119. Savageau, M.A. 1983. *Escherichia coli* habitats, cell types and molecular mechanisms of gene control. The American Naturalist 122: 732-744.
120. Scheuring, S., Rigaud, J.L. and Sturgis, J.N. 2004. Variable LH2 stoichiometry and core clustering in native membranes of photospirillum photometricum. EMBO J. 23 (21), 4127–4133.
121. Schmalenberger, A., Schwieger, F. and Tebbe, C. 2001. Effect of primers hybridizing to different evolutionarily conserved regions of the small-subunit rRNA gene in PCR-based microbial community analyses and genetic profiling. Appl Environ Microb 67: 3557–3563.
122. Schubert, S., Cuenca, S., Fischer, D., and Heesemann, J. 2000. High-pathogenicity island of Yersinia pestis in Enterobacteriaceae isolated from blood cultures and urine samples: Prevalence and functional expression. J. Infect. Dis. 182:1268-1271.
123. Schwartz, M. 1983. Phage Lambda receptor (LamB protein) in Escherichia coli. Methods Enzymol. 97, 100–112.
124. Selim, A.S., Boonkumklao, P., Sone, T., Assavanig, A., Wada, M. and Yokota, A., 2005. Development and assessment of a real-time PCR assay for rapid and sensitive detection of a novel thermotolerant bacterium, Lactobacillus thermotolerans, in Chicken feces. Appl. Environ. Microbiol. 71, 4214–4219.
125. Sharma, K K., Soni, S.S. and Chandani, S.M. 2006. Congo red dye agar test as an indicator test for detection of invasive bovine *Escherichia coli* - short communication. Veterinarski Arhiv. 76 (4), 363-366.

126. Sharp, P. M. and Li, W. H. 1986. An evolutionary perspective on synonymous codon usage in unicellular organisms. *J. Mol. Biol.* 24, 28-38.
127. Sheng, S.T., Cao, Y., Khromov, A.S., Somlyo, A.V., Somlyo, A.P. and Shao, Z. 2003. Cryo-atomic Force Microscopy of unphosphorylated and thiophosphorylated single smooth muscle myosin molecules. *J. Biol. Chem.* 278 (41), 39892–39896.
128. Silva, R. M., Toledo, M. R. and Trabulsi L. R. 1980. Biochemical and cultural characteristics of invasive *Escherichia coli*. *J Clin Microbiol.* 11(5): 441–444.
129. Sinton, L.W., Hall, C.H., Lynch, P.A. and Daves-colley, R.J. 2002. Sunlight inactivation of fecal indicator bacteria and bacteriophages from waste stabilization pond effluent in fresh and saline waters, *Appl. Environ. Microbiol.* 68: 112-31.
130. Skow, A., Mangold, K.A., Tajuddin, M., Huntington, A., Fritz, B., Thomson Jr., R.B. and Kaul, K.L. 2005. Species-level identification of *Staphylococcal* isolates by real-time PCR and melt curve analysis. *J. Clin. Microbiol.* 43, 2876–2880.
131. Smith, H. W. 1963. The haemolysin of *Escherichia coli* . *J. Pathol. Bacteriol.* 85: 197-211.
132. Stohr, K., Hafner, B., Nolte, O., Wolfrum, J., Sauer, M. and Herten, D.P. 2005. Species-specific identification of mycobacterial 16S rRNA PCR amplicons using smart probes. *Anal. Chem.* 77, 7195–7203.
133. Sussman, M. 1985. *Escherichia coli* in human and animal disease. In: the virulence of *Escherichia coli* .ed. 7-45. Academic press, Inc., Orlando, Florida.

134. Szakál D, Pál T. 2003. Comparison of media for the selective culture of enteroinvasive *Escherichia coli*. Eur J Clin Microbiol Infect Dis. 2003 Apr; 22(4):235-41.
135. Tang, Y., Ellis, N.M., Kopkins, M.K., Smith, D.H., Dodge, D.E. and Persing, D.H., 1998. Comparison of phenotypic and genotypic techniques for identification of unusual aerobic pathogenic Gram negative bacilli. J. Clin. Microbiol. 36, 3674–3679.
136. Tang, Y., Von Graevenitz, A., Waddington, M.G., Hopkins, M.K., Smith, D.H., Li, H., Kolbert, C.P., Montgomery, S.O. and Persing, D. H., 2000. Identification of coryneform bacterial isolates by ribosomal DNA sequence analysis. J. Clin. Microbiol. 38, 1676–1678.
137. Taton T.A., Mirkin C.A. and Letsinger R.L. 2000. Scanometric DNA array detection with nanoparticle probes. Science; 289(5485):1757-1760.
138. Therese, K. L., John, B., Deepa, P., Mangaiyarkarasi, S., Ward, D., Dajcs, J., Madhavan, H.N. and Stroman D. 2009. DNA sequencing by Microseq kit targeting 16S rRNA gene for species level identification of mycobacteria. Indian J. Med. Res. 129, pp 176-181.
139. Threlfall, E. J., Frost, J. A., Ward, L. R., and Rowe, B. 1994. Epidemic in cattle and humans of *Salmonella typhimurium* DT 104 with chromosomally integrated multiple drug resistance. Vet. Rec. 134, 577.
140. Vandamme, P., Pot, B., Gillis, M., De Vos, P., Kersters, K. and Swings, J. 1996. Polyphasic taxonomy, a consensus approach to bacterial systematics. Microbiol. Rev. 60, 407–438.

141. Van de Peer, Y., Chapelle, S. and De Wachter, R. 1996. A quantitative map of nucleotide substitution rates in bacterial rRNA. *Nucleic Acids Res.* 24, 3381–3391.
142. Varma-Basil, M., El-Hajj, H., Marras, S.A., Hazbon, M.H., Mann, J.M., Connell, N.D., Kramer, F.R. and Alland, D. 2004. Molecular beacons for multiplex detection of four bacterial bioterrorism agents. *Clin. Chem.* 50, 1060–1062.
143. Walk, S.T. 2007. Population genetic analysis of *Salmonella enterica* serovar enteritidis and *Escherichia coli* from biotic and abiotic sources. Ph.D. Thesis, Mich. Univ., USA.
144. Warren, C.W. C. 2007. Bio-applications of nanoparticles. 620, 35-36.
145. Welch, R.A., Burland, V., Plunkett, G., Redford, P., Roesch, P., Rasko, D., Buckles, E.L., Liou, S.-R., Boutin, A., Hackett, J., Stroud, D., Mayhew, G.F., Rose, D.J., Zhou, S., Schwartz, D.C., Perna, N.T., Mobley, H.L.T., Donnenberg, M.S. and Blattner, F.R. 2002. Extensive mosaic structure revealed by the complete genome sequence of uropathogenic *Escherichia coli*. *Proc Natl Acad Sci USA*, 99(26): p. 17020-4.
146. Whittman, R.L., Nevers, M.B., Korinek, G.C. and Byappanahalli, M.N. 2004. Solar and temporal effects on *E. coli* concentration at a Lake Michigan swimming beach. *Appl. Environ. Microbiol.* 70:4276-85.
147. Winefield, M.D., and Groisman, E.A. 2003. Role of non host environments in the lifestyles of salmonella and *Escherichia coli*. *Appl. Environ. Microbiol.* 69: 3687-94.
148. Wirth, T., Falush, D., Lan, R., Calles, F., Mensa, P., Wieler, L.H., Karsh, H., Preeves, P., Maiden, M.C., Ochman, H. and Achtman, M.

- M. 2006. Sex and virulence in *Escherichia coli*: an evolutionary perspective. *Mol. Microbiol* 60: 1136-51.
149. Woese, C. R. 2004. A new biology for a new century. *Microbiol. Mol. Biol. Rev.* 68, 173– 186.
150. Woo P.C., Ng, K.H., Lau, S.K., Yip, K.T., Fung, A.M., Leung, K.W., Tam, D.M., Que, T.L. and Yuen, K.Y. 2003. Usefulness of the MicroSeq 500 16S ribosomal DNA-based bacterial identification system for identification of clinically significant bacterial isolates with ambiguous biochemical profiles. *J. Clin. Microbiol.* 41(5):1996-2001.
151. Yanhong L., Chitrita D. and P. Fratamico. 2007. Sequencing and analysis of the *Escherichia coli* serogroup O117, O126, and O146 O-antigen gene clusters and development of PCR assays targeting serogroup O117-, O126-, and O146-specific DNA sequences. *Molecular and Cellular Probes* 21(4) : 295-302.
152. Zagaglia, C., Casalino, M., Colonia, B., Conti, C., Calconi, A. and Nicoletti, M. 1991. virulence plasmids of enteroinvasive *Escherichia coli* and *Shigella flexneri* integrate into a specific site on the host chromosome: Integration greatly reduces expression of plasmid-carried-virulence genes. *Infect. Immun.* 59:792-799.