

REFERENCES

- Agarwall R., Srikanth S. (2007):** *Cardiovascular MRI; Indian J 59: P: 69-76.*
- Agur AMR, Lee MJ, Gardner JN et al. (1991):** *Grant's atlas of anatomy. Sans Tache. 10th edition.:43-61.*
- Alan E., Schlesinger, Ramiro J. (2002):** *MRI in congenital heart diseases in children, Texas Heart Institute J; 23.*
- American health Association (2007):** *AHA congenital heart disease.*
- Anderson R.H. (2000):** *The anatomic structure of the normal heart, and the structure of the congenitally malformed heart; P: 2–24.*
- Aviram G., Joel E. (2004):** *Magnetic resonance imaging of the heart and great vessels.*
- Baron MG & Book WM (2004):** *Congenital heart disease in the adult: Radiol Clin North Am. May;42(3):675-90, vii.*
- Blackwell G, Pohost G. (1997):** *Atlas of Heart Diseases: Valvular Heart Disease.*
- Boechat MI, Ratib O, Williams PL, et al (2005):** *Cardiac MR Imaging and MR angiography for assessment of complex tetralogy of Fallot and pulmonary atresia. Radoigraphics. Nov Dec;25(6):1535-46.*

- Bogaert J., Rademakers F.E. (2001):** *Regional nonuniformity of the normal adult human LV A 3D MR myocardial tagging study: Am J; physiol. heart circulation 280; P: 610-620.*
- Boxt LM (2004):** *Magnetic resonance and computed tomographic evaluation of congenital heart disease. J Magn Reson Imaging. Jun;19(6):827-47.*
- Boxet L. and Rozenshtien A. (2003):** *MRI of congenital heart diseases; Magnetic Resonance Imaging clin. N. Am; 11: P: 27-48.*
- Braunwald, Riederer S.J., Jack C.R., et al. (2001):** *Cor triatriatum: MR imaging. AJR.*
- Campbell A.G., Mcintosh N. (1998):** *Forgar and Arneil's textbook of pediatrics, 5th Edition; Cardiovascular diseases; P: 599-623.*
- Cassels DE, Bharati S, and Lev M (1975):** *The natural history of the ductus arteriosus in association with other congenital heart defects. Perspect Biol Med Summer; 18(4): 541-72.*
- Choe YH, Kang IS, Park SW, et al (2001):** *MR imaging of congenital heart diseases in adolescents and adults. Korean J Radiol. 2(3):121-131.*
- Chung T (2005):** *Magnetic resonance angiography of the body in pediatric patients: experience with a contrast- enhanced time-resolved technique. Pediatr Radiol; 35(1):3-10.*

- Constantin B, Marcu, Aernout M, et al.** *Clinical applications of cardiovascular magnetic resonance imaging. CMAJ.* October 10, 2006; 175 (8).
- Cotran R., Kumar V., Robbins S. (1999):** *Robbins pathologic basis of diseases, 6th Edition; P: 571- 582.*
- Craiq (2006):** *Atrioventricular septal defect: from fetus to adult. Heart Dec;92(12):1879-85.*
- Danias PG, Edelman RR and Manning WJ (2000):** *Imaging in cardiovascular disease. Eds. Phost GM, Berman DS, Shah PM et al., Lippincott Williams and Wilkins. Chapter 32, subsection D, pag.449-461*
- Dearani J.A., Danielson G.K. (2000):** *Congenital heart surgery nomenclature and database project: Ebstein's anomaly and tricuspid valve disease. Ann. Thorac. Surg., 69; P: 106-117.*
- De Roose A and Roost AAW (2000):** *Evaluation of congenital heart disease by magnetic resonance imaging. Eur Radiol;10:2-6.*
- Didier D, Ratib O, Beghetti M, et al.** *Morphologic and functional evaluation of congenital heart disease by magnetic resonance imaging. Radiographics 2000;20:1279.*
- Donofrio M.T., Engle M.A., O'Loughlin J.E., et al. (1992):** *Congenital aortic regurgitation: Natural history and management. J. Am. Coll. Cardiol.; 20: P: 336.*

- Douglas P.Z., Braunwald E., Lippy P. (2005):** *Braun Wald's heart disease, a textbook of cardiovascular medicine, 7th Edition; chapter 56: congenital heart diseases; P: 1490-1545.*
- Doyle M & Phost GM (2001):** *THE HEART 10th ed. Eds. Fuster VF, Alexander W, O'Rourke RA et al., Newyork. V(1), chapter 18A, pag.589-607.*
- Festa P (2004):** *Congenital heart disease. Eds: Lombardi M and Bartolozzi C. MRI of the heart and vessels. Springer. (7):273-301.*
- Finberg L. (1998):** *Saunders manual of pediatric practice; chapter XII P: 534-569.*
- Finkbohner R., Johnston D., Crawford E., et al. (1995):** *Marfan syndrome: Long term survival and complication after aortic aneurysm repair. Circulation, 91; P: 728-735.*
- Fox RE, Crosson JE, Campbell AB (2001):** *Radiological case of the month. Total anomalous pulmonary venous return. Arch Pediatr Adolesc Med. Feb;155(2):193-4.*
- Friedman WF and Silverman N (2001):** *Congenital heart disease in infancy and childhood. In: Braunwald E, ed. Heart disease: a textbook of cardiovascular medicine. 6th ed. Philadelphia: Saunders. 1505–1591.*
- Fleenor JT, Weinberg PM, Kramer SS, Fogel M (2003):** *Vascular rings and their effect on tracheal geometry. Pediatr Cardiol. 24: 430–5.*

- Gaba RC, Weadock WJ, Reddy GP, et al. cardiovascular MR imaging:**
technique optimization and detection of disease in clinical practice. Radiographics 2002; 22: e6-e6.
- GE Healthcare, Technology product (2009):** <http://www.usa.Instrumentarium.com/usen/mr/cvi/products/bodycoil.html>.
- Geva T, Greil GF, Marshall AC, Landzberg M, Powell AJ. (2002):**
Gadolinium-enhanced 3-dimensional magnetic resonance angiography of pulmonary blood supply in patients with complex pulmonary stenosis or atresia: comparison with x-ray angiography. Circulation; 106(4):473–478.
- Gittenberger-de Groot AC, Bartelings MM, Deruiter MC, et al (2005):**
Basics of cardiac development for the understanding of congenital heart malformations. Pediatr Res. Feb; 57(2):169-76. Epub 2004 Dec 20.
- Gray H. (2005):** *The anatomical bases of clinical practice, 39th Edition; chapter 60: Heart; P: 997- 1027.*
- Greil GF, Powell AJ, Gildein HP, et al. Gadolinium-enhanced three dimensional magnetic resonance angiography of pulmonary and systemic venous anomalies. J Am Coll Cardiol 2002; 39 (2): 335-341.**
- Groenick M., Roos A., Mulder M., et al. (1998):** *Changes in aortic distensibility and pulse wave velocity assessed with MRI following B2 therapy in Marfan syndrome. Am. J. Cardiol, 82; P; 203-209.*
- Gutierrez FR, Siegel MJ, Fallah JH, et al (2002):** *Magnetic resonance imaging of cyanotic and noncyanotic congenital heart disease. Magn Reson Imaging Clin N AM ;10:209-235.*

- Haramati LB, Glickstein JS, Issenberg HJ, et al., (2002):** MR Imaging and CT of vascular anomalies and connections in surgical planning. *Radiographics* 23:337-349
- Harmon W. & Lewis: anatomy of the human body, by Henry Gray. 20th ed. Philadelphia: Lea & Fibiger, 1981; re-edited by Warren H. Lewis. Published May 2000 by Bartleby.com.**
- Head CEG, Jowett VC, Sharland GK, et al.** Timing of presentation and postnatal outcome of infants suspected of having coarctation of the aorta during fetal life. *Heart* 2005; 91: 1070-4. Higgins CB. Cardiac imaging. *Radiology*. 2000; 217: 4-10.
- Hill M. (2006):** UNSM Embryology, Cardiovascular development abnormalities.
- Holmqvist C., Hochbergs P., Bjorkhem G., et al. (2001):** Preoperative evaluation with MR in tetralogy of Fallot and pulmonary atresia with VSD. *Acta. Radiol.*, 42; P: 63-69.
- Jacobs JP, Burke RP, Quintessenza JA et al., (2000):** Congenital Heart Surgery Nomenclature Database Project: ventricular septal defect. *Ann Thorac Surg* .69:S25.
- Johnson D, Shah P, Collins P et al., (2005):** Heart and great vessels. Eds: Standring S, Ellis H, Healy JC et al. *Gray's Anatomy: The Anatomical Basis of Clinical Practice*. Elsevier Churchill Livingstone. 38th edition. (60):899-1040.
- John L. Atrial Septal Defects. JAMA. 2006; 296: 3036.**

- Kellenberger CJ, YOO SJ, Buchel ERV (2007):** *Cardiovascular MR Imaging in Neonates and Infants with Congenital Heart Disease*. *RadioGraphics* .27:5–18.
- Kondo C., Takada K., Yokoyama U., et al. (2001):** *Comparison of 3D contrast enhanced MRA and axial radiography for diagnosing congenital stenosis in small pulmonary arteries*. *Am. J. Cardiol.*, 87(4): P: 420-424.
- Koppel RI, Druschel CM, Carter T, Goldberg BE, Mehta PN, Talwar R, Bierman FZ. (2003):** *Effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns*. *Pediatrics*. 111:451-455
- Krasny R.M., Newell J.D., Lin E.C., et al. (2008):** *Tricuspid atresia*, emedecine article; From WebMD.
- Lentschig MG (2007):** *Heart*. Eds: Riemer R, Parizel PM, Stichnoth FA. *Clinical MR Imaging A Practical Approach*. Springer. 2nd edition. (12):366-396.
- Leroy RN, Callow RN, George RN (2000):** *Hypoplastic left heart syndrome*. University of Michigan health system.
- Li W and Henein MY (2008):** *Congenital heart disease and heart failure*. *Heart failure monitor* Vol (6) No.1.
- Lilje C, Weiss F, Weil J (2005):** *Detection of partial anomalous pulmonary venous connection by magnetic resonance maging*. *Pediatr Cardiol* 2005 Jul-Aug; 26(4): 490-1.

- Lombardi M (2004):** *Thoracic aorta* Eds: Lombardi M and Bartolozzi C. *MRI of the heart and vessels. Springer.*(9), pag. 319-337
- Markl M and Pelc NJ.** On flow effects in balanced steady-state free precession imaging: pictorial description, parameter dependence, and clinical implications. *J Magn Reson Imaging* 2004; 20: 697-705.
- Martins P and Castela E (2008):** Transposition of great arteries. *Orphant journal of rare disease* 3-27.
- Masui T, Katayama M, Kobayashi S, et al. (2000):** Gadolinium enhanced MR angiography in the evaluation of congenital cardiovascular disease pre- and postoperative states in infants and children. *J Magn Reson Imaging*;12(6):1034–1042.
- Mair D.D., Edwards W.D., Julsrud P.R., et al. (1995):** *Moss and Adam's heart disease in infants, children and adolescents. 5th edition; Truncus arteriosus; congenital cardiovascular defects. P: 1026-1041.*
- Mayoclinic. Types of atrial septal defects (2007):**
<http://www.mayoclinic.org/atrial-septaldefect/types.html>
- McElhinney DB, Tworetzky W, et al: congenital obstructive lesion of the right aortic arch. Ann Thorac surg, 1999 (67):1194-202.**
- Melek BH (2006):** Atrial septal defect. *Emedicine specialties > Cardiology CHD in adult. Emedicine from Wb Med. <http://emedicine.medscape.com/article/891096-overview>.*

- Miller LR, Nemeth M, Flamm SD, et al.** Supracristal ventricular septal defect. *Tex Heart Inst.* 2006; 33 (1): 96-7.
- Mivaque NI.** Preterm neonates with patent ductus arteriosus. *J Pediatr (Rio J)* 2005 Nov-Dec; 81 (6): 429-30.
- Moore KL and Persaud TVN (2003):** *The Developing Human Clinically Oriented Embryology.* Phildelphia, pa: Saunders/Elsevier, 7th ed.2003, pag.340-360.
- Moore Keith L. (1992):** *Clinically oriented anatomy, 3rd Edition; The Thorax P:* 87-97.
- Muthurangu V., Taylor A.M., Andrian R., et al. (2004):** A novel method of quantifying pulmonary vascular resistance utilizing simultaneous invasive pressure monitoring and phase contrast MR flow circulation..
- Naidich DP, Zerhouni EA, Siegelman SS et al. (1999):** *Computed tomography and magnetic resonance of the thorax. 2th .Eds.* Raven press New York. Chapter pag. 545-620.
- Nakahira A, Yagihara T, Kagisaki K, et al. (2006):** Partial anomalous pulmonary venous connection to the superior vena cava. *Ann Thorac Surg. Sep;* 82(3): 978-82.
- Neish SR (2006):** Patent ductus arteriosus. *Emedicine especialities> Pediatrics> Cardiology. Emedicine from Wb Med.*

- Norton KI, Tong C, Glass RBJ et al., (2006):** *Cardiac MR Imaging Assessment Following Teratology of Faoolt Repair.* *RadioGraphics.* 26:197-211.
- Oechslin E., Buchholz S., Jenni R. (2000):** *Ebestien's anomaly in adults: Doppler-echocardiographic evaluation.* *Thorac. Cardiovac. Surg.;* 48; P: 209-213.
- Olson EN and Srivastava D (1996):** *Molecular pathways controlling heart development.* *Science.* 272:671–676.
- Parker K.H. (2000):** *Notes for cardiovascular fluid mechanics,* online article.
- Pennell DJ, Sechtem UP, Higgins CB, et al.** *Clinical indications for cardiovascular mag-netic resonance (CMR): Consensus Panel report.* *Eur Heart J.* 2004; 25: 1940-65.
- Peterson S., Petro V., Rayer M. (2003):** *Congenital heart disease statistics.* *British heart foundation health promotion research.*
- Poon G.** *Ibuprofen lysine (NeoProfen) for the treatment of patent ductus arteriosus.* *Proc (Bay) Univ Med Cent)* 2007 Jan;20(1):83-5.
- Powell AJ, Tsai-Goodman B, Prakash A, et al.** *Comparison between phase-velocity cine magnetic resonance imaging and invasive oximetry for quantification of atrial shunts.* *Am J Cardiol* 2003; 91: 1523-525, A9.
- Prince (1996):** *Body MRA with gadolinium contrast agents.* *MRI clinical north Am;* P: 11-24.

- Rao PS (2005):** Coarctation of the aorta. *Curr Cardiol Rep.* Nov;7(6):425-34.
- Rebergen SA and de Roos A.:** Congenital heart disease, Evaluation of anatomy and function by MRI. *Herz.* 2000 Jun; 25 (4): 365-83.
- Reddy GP and Higgins CB.** Magnetic resonance imaging of congenital heart disease: evaluation of morphology and function. *Semin Roentgenol.* 2003 Oct; 38(4):342-51.
- Richared L. Drake, Wayne Vogl & Adam W.M. Mitchell (2007):** *Gray's anatomy for students*, Elsevier, 2007: 151-181.
- Rhodes JF, Asnes JD, Sommer RJ (2000):** Impact of low body weight on frequency of pediatric cardiac catheterization complications. *Amj cardiol* 86-1275-1278
- Rosenthal E.** Coarctation of the aorta from fetus to adult: curable condition or life long disease process? *Heart* 2005 Nov; 91 (11): 1495-502.
- Russell IA, Rapp KR, Stratmann G et al. (2006):** Congenital heart disease in the adult. *International anesthesia research society*,102:694-723
- Sadler TW. (2006):** *Langman's medical embryology*. Eds: Lippincott Williams and Wilkins. 10th edition, chapter (11), part tow, pag. 223-274

- Sano S., Ishino K., Kawada M., et al. (2000):** *Staged biventricular repair of pulmonary atresia or stenosis with intact ventricular septum, Ann. Thorac. Surg. 70; P: 1501-1506.*
- Sexman A. (2008):** *Consensus on timing of intervention for common congenital heart diseases, India pediatrics.45:117-126*
- Shimpo H., Hayakawa H., Miyake Y., et al. (2000):** *Strategy for pulmonary atresia and intact ventricular septum, Ann. Thorac. Surg. 70; P: 287-289.*
- Snell RI (2004):** *Clinical Anatomy. 17th edition. Eds. Philadelphia, Lippincott Williams and Wilkins Chapter 3,part 2, pag. 81-151*
- Therrien J and Webb GD (2001):** *Congenital heart disease in adults. In: Braunwald E, eds. Heart disease: a textbook of cardiovascular medicine. 6th ed. Philadelphia, Pa: Saunders. 1592-1621.*
- Thrupp S, Warren ME, Andrew BE et al. (2001):** *Cardiac MRI anatomic atlas. Auckland cardiac mri research group manukau radiology institute system requirements.*
- Tsai-Goodman B, Geva T, Odegard KC et al. (2004):** *Clinical role, accuracy, and technical aspects of cardiovascular magnetic resonance imaging in infants. Am J Cardiol . 94:69–74.*
- Valente AM, Sena L, Powell AJ et al. (2007):** *Cardiac Magnetic Resonance Imaging Evaluation of sinus Venosus Defects: Comparison to Surgical Findings. Pediatr Cardiol. 2007 Feb;28(1):51-56. Epub. Jan 25.*

- Van den Hoff MJ, Kruithof BP, Moorman AF, et al (2001):** Formation of myocardium after the initial development of the linear heart tube. *Dev Biol.* 2001; 240:61–76.
- Virginia university health system (2008):** Cardiovascular disorders, Transposition of great arteries.
- Wang ZJ, Redy GP, Gotway MB et al. (2003):** Cardiovascular shunts: MR imaging evaluation. *Radiographics.* Oct;23 Spec No:S181-94.
- Warnes CA (2006):** Transposition of the great arteries. *Circulation* . Dec 12;114 (24):2699-709.
- Weber OM and Higgins CB (2006):** MR evaluation of cardiovascular physiology in congenital heart disease: flow and function. *J Cardiovasc Magn Reson.* 8(4):607-17.
- William LC (1999):** Journal of children memorial hospital Chicago.
- Williams WG, Brain WM, Christopher C et al. (2004):** Summary of the Interrupted Aortic Arch (IAA) Analysis A Congenital Heart Surgeons Society Study. *THE HOSPITAL FOR SICK CHILDREN - Cardiovascular Surgery Dept.* 555 University Avenue, Toronto, ON, Canada M5G 1X8· Website: www.chssdc.org.
- Witt C. (1997):** Cardiac embryology. *Neonatal Netw.* 16 (1):43-9.
- Wood JC (2006):** Anatomical assessment of congenital heart disease. *J Cardiovasc Magn Reson.* 8(4):595-606.

Woodburne RT and Burkel WE (1994): *Essential of human anatomy 19th ed. Eds. Newyork Oxford: chapter 5,pag.375-398.*