

" A "

Almond-Roseler B and Zouboulis CC.(2000): Successful treatment of solar lentigines by brief gentle cryosurgery using a kryomed device. Br J Dermatol; 40 : 175 – 184; quiz 185-186.

Al-Mutairi N, Al-Doukhi A, Al-Farag S and Al-Haddad A. (2010): Comparative study on the efficacy, safety and acceptability of Imiquimod 5% cream versus cryotherapy for molluscum contagiosum in children. Pediatr Dermatol; 27:388-394.

" B "

Balkrishnan R, Kelly AP, McMichael A and Torok H. (2004): Improved quality of life with effective treatment of facial melasma: the pigment trial. J Drugs Dermatol; 3:377-381.

Bandyopadhyay D. (2009): Topical treatment of melasma. Indian J Dermatol; 54:303-309.

Bastiaens M, Westendorp R, Vermeer B and Bouwes-Bavinck J. (1999): Ephelides are more related to pigmentary constitutional host factors than solar lentigines. Pigment Cell Res; 12:316-322.

Bastiaens M, Hoefnagel J, Westendorp R, Vermeer B and Bouwes-Bavinck J. (2004): Solar lentigines are strongly related to sun exposure in contrast to ephelides. Pigment Cell Res; 17:225-229.

Bastiaens M, Ter Huurne JAC, Gruis NA, Bergman W, Westendorp R, Vermeer B and Bouwes-Bavinck J. (2001): The melanocortin-1- receptor gene is the major freckle gene. Hum Mol Genet; 10:1701-1708.

- Beaumont KA, Newton RA, Smit DJ, Leonard JH, Stow JL and Sturm RA. (2005):** Altered cell surface expression of human MC1R variant receptor alleles associated with red hair and skin cancer risk. *Hum Mol Genet*; 14:2145-2154.
- Bernstein EF, Lee J and Brown DB. (2001):** Glycolic acid treatment increases type I collagen mRNA and hyaluronic acid content of human skin. *Dermatol Surg*; 27:429-433.
- Berson DS, Cohen JL, Rendon MI, Roberts WE, Starker I and Wang B. (2009):** Clinical role and application of superficial chemical peels in today's practice. *J Drugs Dermatol*; 8:803-811.
- Box NF, Duffy DL, Irving RE, Russell A, Chen W, Griffiths LR, Parsons PG, Green AC and Sturm RA. (2001):** Melanocortin-1- receptor genotype is a risk factor for basal and squamous cell carcinomas. *J Invest Dermatol*; 116:224-229.
- Breathnach AS and Wyllie LM. (1964):** Electron microscopy of melanocytes and melanosomes in freckled human epidermis. *J Invest Dermatol*; 42:389-394.
- Brody HJ. (1997a):** Superficial peeling. In: HJ Brody, ed. *Chemical Peeling and Resurfacing*. 2nd edn. St Louis: Mosby Year Book; pp.73-108.
- Brody HJ. (1997b):** Histology and classification. In: HJ Brody, ed. *Chemical Peeling and Resurfacing*, 2nd edn. St Louis: Mosby Year Book; pp.7-28.
- Brody HD. (2001):** Complications of chemical resurfacing. *Dermatol Clin*; 19:427-438.
- Burge SM, Bristol M, Millard PR and Dawber RPR. (1986):** Pigment changes in human skin after cryotherapy. *Criobiology*; 23:422-432.
- Burge SM, Jones RL, Millard PR and Dawber RPR. (1987):** Pigment change and melanocyte distribution in guinea pig skin after cutaneous freeze injury. *J Invest Dermatol*, 88:136-140.

Burris LM and Roenigk HH. (1997): Chemical peels as a treatment for skin damage from excessive sun exposure. *Dermatol Nurs*; 9:99-104.

" C "

Carroll WE, Pinnick HA and Ellis ML. (1995): Viruses, skin lesions and liquid nitrogen. *Lancet*; 345:929.

Cayce K, McMichael A and Feldman S. (2004): Hyperpigmentation: An overview of the common afflictions. *Dermatol Nurs*; 16:401-407.

Chan HH. (2003): The use of lasers and intense pulsed light sources for the treatment of acquired pigmentary lesions in Asians. *J Cosmet Laser Ther*; 5:198-200.

Chun E, Lee J and Lee K. (2004): Focal trichloroacetic acid peel method for benign pigmented lesions in dark-skinned patients. *Dermatol Surg*; 30:512-516.

Clark E and Scerri L.(2008): Superficial and medium–depth chemical peels. *Clinics in Dermatology*; 26:209-218.

Cochayne ES. (2010): The EVERT (effective verruca treatments) trial protocol: a randomised controlled trial to evaluate cryotherapy versus salicylic acid for the treatment of verrucae. *Trials*; 8:11-12.

Coleman WP and Futrell IM.(1994): The glycolic acid-trichloroacetic acid peel. *J Dermatol Surg Oncol*; 20:76-80.

Cook DR and Georgouras K. (1994): Complications of cutaneous cryotherapy. *Med J Aust*; 161:210-213.

Cortez EA.(1990): Chemical face peeling. *Otolaryngol Clin North Am*; 23:947-961.

" D "

Dawber R, Clover G and Jackson A. (1992): Benign lesions. In: Dawber R, Clover G, Jackson A, eds. Cutaneous Cryosurgery. London: Martin Dunitz; p29-76.

Deborshi B. (2005): Ablative facial resurfacing. Dermatol Clin; 23:549-560.

Dewandre L. (2006): Chemical peels. Philadelphia: Elsevier Saunders; p.1-12.

Ditre CM. (2000): Glycolic acid peels. Dermatol Ther; 13:165-172.

Ditre CM, Griffin TD, Murphy GF, Sueki H, Telegan B, Johnson WC, Yu RJ and Van Scott EJ. (1996): Effects of alpha-hydroxy acids on photoaged skin: A pilot clinical, histologic, and ultrastructural study. J Am Acad Dermatol; 34:187-195.

Draelos ZD. (2005): Novel approach to the treatment of hyperpigmented photodamaged skin : 4% hydroquinone/ 0.3% retinol versus tretinoin 0.05% emollient cream. Dermatol Surg; 31:799-804.

" E "

Ekmekny P, Bostanci S and Gurgey E. (2001): The efficacy of chemical peeling performed with Jessner's solution and 35% TCA in the treatment of melasma. Klin J Dermatol; 11:211-216.

El-Domyati m, Attia S and Saleh F. (2004): Trichloroacetic acid peeling versus dermabrasion: a histometric, immunohistochemical and ultrastructural comparison. Dermatol Sug; 30:179-188.

Elson M. (1992): The utilization of glycolic acid in photoaging. Cosmet Dermatol; 5:12-15.

Ejaz A, Raza N, Iftikhar N and Muzzafar F. (2008): Comparison of 30% salicylic acid with Jessner's solution for superficial chemical peeling in epidermal melasma. J Coll Physicians Surg Pak; 18:205-208.

" f "

Fabbrocini G, De Padova MP and Tosti A. (2009): Chemical peels: What's new and what isn't new but still works well. Facial Plast Surg; 25:329-336.

Fintsi Y. (1997): Exoderm- a novel phenol based peeling method resulting in improved safety. Am J Cosm Surg; 14:49-54.

Fitzpatrick TB. (1998): The validity and practicality of sun reactive types I through VI. Arch Dermatol; 124:869-875.

Freiman A and Bouganim N. (2005): History of cryotherapy. Dermatol Online J; 11:2-9.

Fulton JE and Porumb S. (2004): Chemical peels – their place within the range of resurfacing techniques. Am J Clin Dermatol; 5:179-187.

Fung JF, Sengelmann RD and Kenneally CZ. (2002): Chemical injury to the eye from trichloroacetic acid. Dermatol Surg; 28:609-610.

" G "

Gandini S, Sera F, Cattaruzza MS, Pasquini P, Zanetti R, Masini C, Boyle P and Melchi CF. (2005): Meta-analysis of risk factors for cutaneous melanoma: III. Family history, actinic damage and phenotypic factors. Eur J cancer; 41:2040-2059.

Garcia- Borron JC, Sanchez-Laorden BL and Jimenez-Cervantes C. (2005): Melanocortin-1- receptor structure and functional regulation. Pigment Cell Res; 18:393-410.

Gardner S and Weiss J. (1990): Clinical features of photodamage and treatment with topical tretinoin. J Dermatol Surg Oncol; 16:925-931.

Garg VK, Sinha S and Sarkar R. (2009): Glycolic acid peels versus salicylic-mandelic acid peels in active acne vulgaris and post-acne scarring and hyperpigmentation: A comparative study. Dermatol Surg; 35:59-65.

Gilbert S and McBurney E. (2000): Use of valacyclovir for herpes simplex virus-1 (HSV-1) prophylaxis after facial resurfacing: a randomized clinical trial of dosing regimens. Dermatol Surg; 26:50-54.

Graham GF. (1993): Cryosurgery. Clin Plast Surg; 20:131-147.

Guan H, Zhao Z and HE F. (2007): The effect of different thawing temperatures on morphology and collagen metabolism of -20 degrees C dealt normal human fibroblast. Criobiology; 55:52-59.

" H "

Har-Shai Y, Dujovny E, Rohde E and Zouboulis CC. (2007): Effect of skin surface temperature on skin pigmentation during contact and intralesional cryosurgery of keloids. European Academy of Dermatology and Venerology; 21:191-198.

Hexsel DM, Mazzuco R, Bohn J, Borges J and Gabbato DO. (2000): Clinical comparative study between cryotherapy and local dermabrasion for the treatment of solar lentigo on the back of the hands. Dermatol Surg; 26:457-462.

Ho S and Chan H. (2009): The asian dermatologic patient: Review of common pigmentary disorders and cutaneous diseases. Am J Clin Dermatol; 10:153-168.

" K "

Kalla G, Garg A and Kachhawa D. (2001): Chemical peeling-glycolic acid versus trichloroacetic acid in melasma. Ind J Dermatol Venerol Leprol; 67:82-84.

- Kawada A, Shiraishi H and Asia M. (2002):** Clinical improvement of solar lentigines and ephelides with an intense pulsed light source. *Dermatol Surg*; 28:504-508.
- Kempiak SJ, Lee PW and Pelle MT. (2009):** Rhinophyma treated with cryosurgery. *Dermatol Surg*; 35:543-545.
- Keogh-Brown MR, Fordham RJ and Thomas KS. (2007):** To freeze or not to freeze: a cost-effectiveness analysis of wart treatment. *Br J Dermatol*; 156:687-692.
- Khunger N. (2008):** Standard guidelines of care for chemical peels. *Indian J Dermatol Venerol Leprol*; 74:5-12.
- Khunger N, Sarkar R and Jain RK. (2004):** Tretinoin peels versus glycolic acid peels in the treatment of melasma in dark-skinned patients. *Dermatol Surg*; 30:756-760.
- Kim SW, Moon SE and Kim JA. (1999):** GA versus Jessner's solution: Which is better for facial acne patients?. *Dermatol Surg*; 25:270-273.
- Kokoszka A and Scheinfeld N. (2003):** Evidence- based review of the use of cryosurgery in treatment of basal cell carcinoma. *Dermatol Surg*; 29:566-571.
- Krown SE. (2003):** Therapy of AIDS-associated kaposi's sarcoma: targeting pathogenetic mechanisms. *Hematol Oncol Clin North Am*; 17:763.
- Kuflik EG. (1994):** Cryosurgery updated. *J Am Acad Dermatol*; 31:925-944; quiz 944-946.
- Kuflik EG and Gage AA. (1997):** Recurrent basal cell carcinoma treated with cryosurgery. *J Am Acad Dermatol*; 37:82-84.
- Kuwahara RT, Rasberry RD and Amonette RA. (2000):** Use of disposable otoscope specula in cryotherapy. *Dermatol Surg*; 26:493-494.

" L "

Landau M. (2008): Chemical peels. Clinics in Dermatology; 26:200-208.

Lee AD and Jorizzo JL. (2009): Optimizing management of actinic keratosis and photodamaged skin: utilizing a stepwise approach. Cutis; 84:169-175.

Lee JB, Chung WG, Kwahck H and Lee KH. (2002): Focal treatment of acne scars with trichloroacetic acid: chemical reconstruction of skin scars method. Dermatol Surg; 28:1017-1021.

Leroy D, Domp martin A, DuBreuil A and Louvet S. (1996): Cryotherapy of PUVA-lentigines. Br J Dermatol; 135:988-990.

Lugo-Janer A, Lugo Somolinos A and Sanchez JL. (2003): Comparison of trichloroacetic acid solution and cryosurgery in treatment of solar lentigines. Int j Dermatol; 42:892-831.

" M "

Mendelson JE. (2002): Update on chemical peels. Otolaryngol Clin North Am; 35:55-72.

Monheit GD. (1995): The Jessner's-trichloroacetic acid peels. An enhanced medium depth chemical peel. Dermatol Clin; 13:277-283.

Monheit GD. (2004): Chemical peels. Skin Ther Lett; 9:6-11.

Momosawa A, Yoshimura K and Uchida G. (2003): Combined therapy using Q-switched ruby laser and bleaching treatment with tretinoin and hydroquinone for acquired dermal melanocytosis. Dermatol Surg; 29:1001-1007.

Motokawa T, Kato T, Hashimoto Y and Katagiri T. (2007): Effect of Val92Met and Arg163Gln variants of the MC1R gene on freckles and solar lentigines in Japanese. *Pigment Cell Res*; 20:140-143.

Motokawa T, Kato T, Hashimoto Y, Takimoto H, Yamamoto H and Katagiri T. (2008): Polymorphism patterns in the promoter region of the MC1R gene are associated with development of freckles and solar lentigines. *J Invest Dermatol*; 128:1588-1591.

" N "

Nordin P. (1999): Curettage-cryosurgery for non-melanoma skin cancer of the external ear: excellent 5-year results. *Br J Dermatol*; 140:291-293.

" O "

Omi T, Sato S, Numano K and Kawana S. (2010): Ultrastructural observations of chemical peeling for skin rejuvenation (ultrastructural changes of the skin due to chemical peeling). *J Cosmet Laser Ther*; 12:21-24.

Orengo I and Salasche SJ. (1994): Surgical pearl: The cotton-tipped applicator – the everready, multipurpose superstar. *J Am Acad Dermatol*; 31:658-680.

" P "

Palumbo A, D'Ischia M and Misuraca G. (1991): Mechanism of inhibition of melanogenesis by hydroquinone. *Biochem Biophys Acta*; 1073:85-90.

Panagiotopoulos A, Chasapi V and Nikolaou V. (2009): Assessment of cryotherapy for the treatment of verrucous epidermal naevi. *Acta Derm Venerol*; 89:292-294.

Picardo M and Carrera M. (2007): New and experimental treatments of cloasma and other hypermelanoses. *Dermatol Clin*; 25:353-362.

Plensdorf S and Martinez J.(2009): Common pigmentation disorders. Am Fam Phys; 79:109-116.

" R "

Rashid T, Hussain I, Haider M and Haroon TS. (2002): Laser therapy of freckles and lentigines with quasi-continuous, frequency doubled, Nd; YAG (532 nm) laser in Fitzpatrick skin type IV: a 24-month follow up. J cosmet laser Ther; 4:81-85.

Raziee M, Balighi K, Shabanzadeh-Dehkordi H and Robati RM. (2008): Efficacy and safety of cryotherapy Vs. tricholoacetic acid in the treatment of solar lentigines. European Academy of Dermatology and venerology; 22:316-319.

Reischle S and Schuller-petrovic S. (2000): Treatment of capillary hemangiomas of early childhood with a new method of cryosurgery. J Am Acad Dermatol; 42:809-813.

Rigopoulos D, Gregoriou S and Katsambas A. (2007): Hyperpigmentation and melasma. J Cosmet Dermatol; 6:195-202.

Ringholm A, Klovins J, Rudzish R, Phillips S, Rees JL and Schioth HB. (2004): Pharmacological characterization of loss of function mutations of the human melanocortin 1 receptor that are associated with red hair. J Invest Dermatol; 123:917-923.

Romero C, Aberdam E and Larnier C. (1994): Retinoic acid as modulator of UVB-induced melanocyte differentiation: involvement of the melanogenic enzymes expression. J Cell Sci; 107:1095-1103.

Rubin MG. (1992a): Manual of chemical peels. Philadelphia: JB Lippincot; p. 21-22.

Rubin MG. (1992b). Manual of chemical peels. Philadelphia: JB Lippincot; p.45-47.

Rubin MG (1992c). Manual of chemical peels. Philadelphia: JB Lippincot; p.79-88.

Rubin MG (1992d). Manual of chemical peels. Philadelphia: JB Lippincott; p.89-102.

Rubin MG. (1995): Manual of chemical peeling. Philadelphia: JB Lippincott Company.

Ryan F and Fourcade C. (1995): Skin care, chemical face peeling, and skin rejuvenation. Plastic Surgical Nursing; 15:167-171.

" § "

Safoury OS, Zaki NM, El-Nabarawy EA and Farag EA. (2009): A study comparing chemical peeling using modified jessner's solution and 15% trichloroacetic acid versus 15% trichloroacetic acid in the treatment of melasma. Dermatol Surg; 54:41-45.

Sarkar R, Kaur C and Bhalla M. (2002): The combination of glycolic acid peels with a topical regimen in the treatment of melasma in dark-skinned patients: a comparative study. Dermatol Surg; 28:828-832.

Schafer T, Merkl J, Klemm E, Wickmann HE and Ring J. (2006): The epidemiology of nevi and signs of skin aging in the adult general population: Results of the KORA-survey 2000. J Invest Dermatol; 126:1490-1496.

Scott MC, Wakamatsu K and Ito S. (2002): Human melanocortin-1-receptor variant receptor function and melanocyte response to UV radiation. J Cell Sci; 115:2349-2355.

Stulberg D and Clark N. (2003): Common hyperpigmentation disorders in adults: Part I. Diagnostic approach, Café au lait macules, diffuse hyperpigmentation, sun exposure, and phototoxic reactions. Am Acad Fam Phys; 68:1955-1960.

" T "

Taylor A, Pawaskar M, Taylor S, Balkrishnan R and Feldman S. (2008): Prevalence of pigmentary disorders and their impact on quality of life: a prospective cohort study. *J Cosmet Dermatol*; 7:164-168.

Taylor CR, Stern RS and Leyclen JJ. (1990): Photoaging, photodamage and photoprotection. *J Am Acad Dermatol*; 22:1-15.

Taylor MB. (1999): Summary of mandelic acid for the improvement of skin conditions. *Cosmet Dermatol*; 12:26-28.

Thai KE and Sinclair RD. (1999): Cryosurgery of benign skin lesions. *Australas J Dermatol*; 40:175-184; quiz 185-186.

Torre D. (1977). Cryosurgical treatment of epitheliomas using the cone-spray technique. *J Dermatol Surg Oncol*; 3:432-436.

Tung RC, Bergfeld WF, Vidimos AT and Remzi BK. (2000): Alpha hydroxy acid-based cosmetic procedures. Guidelines for patients management. *Am J Clin Dermatol*; 1:81-88.

" V "

Van Scott EJ, Ditre CM and Yu RJ. (1996): Alpha hydroxy acids in the treatment of signs of photoaging. *Clinical Dermatology*; 14:217-226.

Vejjabhinanta V, Elsaie M, Patel S, Patel A, Caperton C and Nouri K. (2010): Comparison of short-pulsed and long-pulsed 532nm lasers in the treatment of freckles. *Lasers Med Sci*; 25:901-906.

Vossen M, Hage JJ and Karim RB. (2000): Formulation of trichloroacetic acid peeling solution: a bibliometric analysis. *Plast Reconstr Surg*; 105:1088-1096.

" W "

Wang CC, Sue YM, Yang CH and Chen CK. (2006): A comparison of Q-switched alexandrite laser and intense pulsed light for the treatment of freckles and lentigines in Asian persons: a randomised, physician-blinded, split-face comparative trial. *J Am Acad Dermatol*; 54:804-810.

Wetmore SJ. (1999): Cryosurgery for common skin lesions. Treatment in family physicians' offices. *Can Fam Physician*; 45:964-974.

" Y "

Yang S, XU S, Xiao F, Du W, Hao J, Wang H, Ye D and Zhang X. (2008): Prevalence and familial risk of ephelides in Han Chinese adolescents. *Arch Dermatol Res*; 300:87-90.

Yu S, Pai S, Neuhaus I and Grekin R. (2007): Diagnosis and treatment of pigmentary disorders in Asian skin. *Facial Plast Surg Clin Am*; 15:367-380.

" Z "

Zakopoulou N and Kontochristopoulos G. (2006): Superficial chemical peels, *J of Cosmet Dermatol*; 5:246-253.

Zhang X, He P, Liang Y, Yang S, Yuan W, Xu S and Huang W. (2004): A gene for freckles maps to chromosome 4q32-q34. *J Invest Dermatol*; 122:286-290.

Zouboulis CC, Rosenberger A, Adler Y and Orfanos CE. (1999): Treatment of solar lentigo with cryosurgery. *Acta Dermatol Venerol*; 79:489-490.