

## References

- **Aglia L, Stanford G, Maddi R, et al.** Hypomagnesaemia is common following cardiac surgery. *J Cardiothoracic & Vas Anesth* 1991; 5:201-8.
- **Alan D, Donna Ehler, David Adams, et al.** Guidelines for the Cardiac Sonographer in the Performance of echocardiography: Recommendations of the American Society of echocardiography Council on cardiac Sonography. *J Am Soc Echocardiogr* 2001; 14:417-20.
- **Albin M, Hantler C and Bunegin L.** Intracranial air embolism is detected by transcranial Doppler (TCD) during cardiopulmonary bypass procedures. *Anesthesiology J* 1990; 73; A45-8.
- **Alexander J, Fischer J, Boyajian M, et al.** The influence of hair removal methods on wound infections. *Arch Surg* 1983; 118-347-52.
- **Alghamdi A, Al-Radi O and Latter D.** Intravenous magnesium for prevntion of atrial fibrillation after coronary artery bypasses surgery a systematic review and meta analysis. *J Card Surg* 2005; 20: 293-9.
- **Allessie M, Ausma J and Schotten U.** Electricla contractile and strucutral remodeling during atrial fibrillation. *Cardiovasc Res* 2002; 54: 230-46.
- **Almassi GH. , Schowalter T and Nicolosi AC. et al.** Atrial fibrillation after cardiac surgery: a major event. *Ann Surg* 1997; 226: 501-11; discussion, 511-3.
- **Alsheikh A, Wang P, Rand W, et al.** Enalapril treatment and hospitalization with atrial tachyarrhythmias in patients with left ventricular dysfunction. *Am Heart J* 2004; 147: 1061-5.
- **Amar D, Fleisher M and Zhang H.** Elevated C reactive protein but not troponin is associated with postoperative atrial fibrillation. *Anesth Annals* 2002; 94: S67.
- **Amar D, Weiji S, Hogue C, et al.** Clinical prediction rule for atrial fibrillation after coroanry artery bypass grafting. *Am J Cardiol* 2004; 4.

- **Anda R, Williamson D, Escobedo L, et al.** Depression and the dynamics of smoking: a national perspective. *JAMA* 1990; 264: 1541-5.
- **Andersen H, Nielsen J, Thromsen P, et al.** Long term follow up of patients from a randomized trial of atrial versus ventricular pacing for sick sinus syndrome. *Lancet* 1997; 350: 1385-91.
- **Andrews T, Reimold S, Berlin J, et al.** Prevention of supraventricular arrhythmias after coronary artery bypasses surgery. *N Engl J Med* 1998; 339: 659-60.
- **Aranki S, Shaw D, Adams D, et al.** Predictors of atrial fibrillation after coronary artery surgery: current trends and impact on hospital resources. *Circulation* 1996; 94: 390-7.
- **Ascione R, Caputo M, Calori G, et al.** Predictors of atrial fibrillation after conventional and beating heart coronary surgery. *Circulation* 2000; 102: 1530-1535.
- **Asinger R.** Role of transthoracic echocardiography in atrial fibrillation. *Echocardiography*. 2000; 17: 357–364.
- **Auer J, Weber T, Berent R, et al.** A comparison between oral antiarrhythmic drugs in the prevention of atrial fibrillation after cardiac surgery. *Am Heart J* 2004; 147: 636-43.
- **Ausma J, Wiiffels M, Thone F, et al.** Structural changes of atrial myocardium due to sustained atrial fibrillation in the goat. *Circulation* 1997; 96: 3157-63.
- **Aytemir K, Aksoyek S, Ozer N, et al.** Atrial fibrillation after coronary artery bypass surgery: P wave signal averaged ECG, clinical and angiographic variables in risk assessment. *J Cardiol*. 1999; 69: 49–56.
- **Barbier P, Alioto G and Guazzi M.** Left atrial function and ventricular filling in hypertensive patients with paroxysmal atrial fibrillation. *J Am Coll Cardiol*. 1994; 24: 165–170.

- **Behmanesh S, Tosslos P, Homedan H, et al.** Effect of prophylactic bisoprolol plus magnesium on the incidence of atrial fibrillation after coronary bypass surgery: results of a randomized controlled trial. *Curr Med Res Opin* 2006; 22:1443-50.
- **Benedetto U, Melina G, Roscitano A, et al.** Clinical utility of tissue Doppler imaging in prediction of atrial fibrillation after coronary artery bypass grafting. *Ann Thorac Surg.* 2007; 83: 83–88.
- **Blackshear JL and Odell JA.** Appendage obliteration to reduce stroke in cardiac surgical patients with atrial fibrillation. *Ann Thorac Surg.* 1996; 61:755-9.
- **Blanc J, De Roy L, Mansourati J, et al.** Atrial pacing for prevention of atrial fibrillation: assessment of simultaneously implemented algorithms. *Europace* 2004; 6:371-9.
- **Blommaert D, Gonzalez M, Mucumbitsi J, et al.** Effective prevention of atrial fibrillation by continuous atrial overdrive pacing after coronary artery bypass surgery. *J Am Coll Cardiol* 2000; 35: 1411-5.
- **Blomstrom C, Scheinman M, Aliot E, et al.** ACC AHA/ ESC guidelines for the management of patients with supraventricular arrhythmias. *J Am Coll Cardiol* 2003, 42: 1493-531.
- **Boos C and Lip G.** The role of inflammation in atrial fibrillation. *Europace* 2004; 6:371-9.
- **Borzak S, Tisdale J, Amin N, et al.** Atrial fibrillation after bypass surgery: does the arrhythmia or the characteristics of the patients prolong the hospital stay. *Chest J* 1998; 113: 1489–1491.
- **Boyd W and Thomas J.** Pro: Magnesium should be administered to all coronary artery bypass graft surgery patients undergoing cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* 2000; 14:339-43.
- **Brugada R, Tapscott T, Czernuszewicz G et al.** Identification of a genetic locus for familial atrial fibrillation. *N Engl J Med* 1997; 336; 905-11.

- **Bruins P, Velthuis H, and Yazdanbakhsh A, et al.** Activation of the complement system during and after cardiopulmonary bypass surgery, post surgery activation involves C reactive protein and is associated with postoperative arrhythmia. *Circulation* 1997; 96: 3542-8.
- **Butler J, Harriss D, Sinclair M, et al.** Amiodarone prophylaxis for tachycardia after coronary artery surgery: a randomized double blind, placebo controlled trial. *Br Heart J* 1993; 70: 56-60.
- **Buxton A and Josephson M.** The role of P wave duration as a predictor of post operative atrial arrhythmias. *Chest* 1981; 80: 68-730.
- **Calo L, Bianconi L, Colivicchi F, et al.** Fatty acids for the prevntion of atrila fibrillation after coronary artery bypass surgery a randomized, controleld trial. *J Am Coll Cardiol* 2005; 45: 1723-8.
- **Michael M, John R, Robin S, et al.** A randomized, blinded, trial of clopidogrel versus aspirin in patients at risk of ischemic events (CAPRIE). *Lancet* 1996; 348: 1329-39.
- **Caravelli P, De Carlo M, Musumeci G, et al.** P-wave signal-averaged electrocardiogram predicts atrial fibrillation after coronary artery bypass grafting. *Ann Noninvasive Electrocardiol.* 2002; 7: 198–203.
- **Caverder J, Rogers W, Fisher L, et al.** Effects of smoking on survival and morbidity in patients randomized to medical or surgical therapy in the coronary artery surgery study (CASS): 10-year follow up. *J Am Coll Cardiol* 1992; 20: 287-94.
- **Chen Z, Newman M and Rosenfeldt .** Internal cardiac cooling imprvoes atrial preservation: electrophysiological and biochemical assessment. *Ann Thorac Surg.* 1988; 46: 406-11.
- **Chung K, Augostini R, Asher C, et al.** In effectiveness and potential proarrhythmia of atrial pacing for atrial fibrillation prevention after coronary artery bypass grafting. *Ann Thorac Surg.* 2000; 69: 1057-63.

- **Classen D, Evans R, Pestotnik S, et al.** The timing of prophylactic administration of antibiotics and the risk of surgical wound infection. *N Engl J Med* 1992; 326: 281-6.
- **Connistra L, Balady J, O'Malley C, et al.** Comparison of the clinical profile and outcome of women and men in cardiac rehabilitation. *Am J Cardiol* 1992, 69:1274-9.
- **Connolly S, Kerr R, Gent M, et al.** Effects of physiologic pacing versus ventricular pacing on the risk of stroke and death due to cardiovascular causes. *N Engl J Med* 2000; 342: 1385-91.
- **Cosgrove D, Heric B, Lytle W, et al.** Aprotinin therapy for reoperative myocardial revascularization: a placebo controlled study. *Ann Thorac Surg* 1992; 54: 1031-6.
- **Cox J.** A perspective of postoperative atrial fibrillation in cardiac operations. *Ann Thorac Surg* 1993; 56: 405-9.
- **Cox J, Canavan T, Sschiessler R, et al.** The surgical treatment of atrial fibrillation. *Throac cardiovasc Surg* 1991; 101: 406-26.
- **Cox J, Scnuessler R, Lappas D, et al.** An 8.5 year clinical expreience with surgery for atrial fibrillation. *Ann Surg* 1996; 224: 267-73.
- **Creswell L and Damiano R.** Postoperative atrial fibrillation: an old problem crying for new solutions. *J Thorac Cardiovasc Surg.* 2001; 121: 638–641.
- **Creswell L, Schuessler RB, Rosenbloom M, et al.** Hazards of postoperative atrial arrhythmias. *Ann Thorac Surg.* 1993; 56: 539–549.
- **Cruse P and Foord R.** A five year prospective study of surgical wounds. *Arch Surg* 1973; 107: 206-10.
- **Crystal E, Connolly S, Sleik K et al.** Interventions on prevention of postoperative atrial fibrillation in patients undergoing heart surgery. *Circulation* 2002; 106: 73-80.

- **Cuddy T and Connolly S.** Atrial fibrillation and atrial flutter. *J Cardiol* 1996; 12 (Suppl A): 9A-11A.
- **Daniel W, Nellessen U, Schroder E, et al.** Left atrial spontaneous echo contrast in mitral valve disease: an indicator for an increased thromboembolic risk. *J Am Coll Cardiol* 1988; 11: 1204-11.
- **Daoud E, Strickberger S, Deeb G, et al.** Preoperative amiodarone as prophylaxis against atrial fibrillation after heart surgery. *N Engl J Med.* 1997; 337: 1785-91.
- **Daubert J and Mabo P.** Atrial Pacing for the prevention of postoperative atrial fibrillation: how and where to pace. *J Am Coll Cardiol* 2000; 35: 1423-7.
- **David Mason, John M, Michel D, et al.** Coronary artery bypass graft. Cleveland clinic cardiac surgery text book. ch 1-3. 2004; 2<sup>nd</sup> edition:12-145
- **Delfaut P, Saksena S, Prakash A, et al.** Long term outcome of patients with drug refractory atrial flutter and fibrillation after single and dual site right atrial pacing for arrhythmia prevention. *J Am Coll Cardiol* 1998; 32:1900-8.
- **DelRossi A, Cernaianu A, Botros S, et al.** Prophylactic treatment of post perfusion bleeding. *Chest* 1989; 96; 27-30.
- **Dietl C, Berkheimer M, Woods E, et al.** Efficacy and cost effectiveness of preoperative IABP in patients with ejection fraction of 0.25 or less. *Ann Thorac Surg* 1996; 62:401-8.
- **Dotani M, Elnicki D, Jain A, et al.** Effect of preoperative statin therapy and cardiac outcoems after coronary artery bypass grafting. *Am J Cardiol* 2000; 86: 1128-30.
- **Edward S, Trimothy W & Gregory y.** Atrial fibrillation post CABG 2006. *Circulation* 2006; 22: 1437-1441.

- **Engblom E, Korpilahti K, Hanialainen H, et al.** Quality of life and return to work 5 years after coronary artery bypass surgery: Long-term results of a cardiac rehabilitation. *J Card Pulm Rehabilitation* 1997; 17:29-36.
- **Evertt T, Li H, Mangram J, et al.** Elecrical morphological and ultrastructral remodeling and revers remodeling in a canine model chronic atrial fibrillation. *Circulation* 2000; 102: 1454-60.
- **Fanning W, Thomas C, Roach A, et al.** Prophylaxis of atrial fibrillation with magnesium sulfate after coronary artery bypass grafting. *Ann Thorac Surg.* 1991; 52:529-33.
- **Farideh Roshanali, Mohammad Hossein, Mohammad Ali, et al.** Prediction of atrial fibrillation via atrioelectomechanical interval after CABG. *Circulation* 2007; 116:2012-2017
- **Favaloro R, groves L, loop F, et al.,** The simple approach to direct coronary artery surgery. *Thorac cardiovas surgery* 1971; 32:312-56.
- **Feisch T, Bauer P, Engberding R, et al.** Prevention of atrial fibrillation after cardioversion: results of the PAFAC trial. *Eur Heart J* 2004; 25: 1385-94.
- **Ferguson T, Hammill B, Peterson E, et al.** A decade of change risk profuse and outcomes for isolated coronary artery bypassess grafting procedures. *Ann Thoracic Surg* 2002; 73: 480-90.
- **Ferraris V and Gildengorin V.** Predictors of excessive blood use after coronary artery bypass grafting: amultivariate analysis. *J Thorac Cardiovasc Surg* 1989; 98: 49-7.
- **Fiore M, Bailey W , Cohen J, et al.** Smoking cessation, Clinical Practice Guideline. *AHCPR .publication No.* 96-0692.
- **FitziGibbon G, Lench A and Kafka H.** Atherosclerosis of coronary artery bypass grafts and smoking. *CM J* 1987; 136:45-7.
- **Fonarow G, Gawlinski A, Moughrabi S, et al.** Improved treatment of coronary heart disease by implementation of a cardiac hospitalization

- Atherosclerosis Management Program (CHAMP). *Am J Cardio* 2001; 87: 819-22.
- **Fontes M, Mathew J, Rinder H, et al** . Atrial fibrillation after cardiac surgery cardiopulmonary bypass is associated with monocyte activation. *Anesth J* 2005; 101:17-23.
  - **Forlani S, Moscarelli M, Scafuri A, et al**. Combination therapy for prevention of atrial fibrillation after coronary artery bypass surgery: a randomized trial of sotalol and magnesium. *Electrophysiology J Rev* 2003; 7: 168-71.
  - **Fox C, Parise H, Agostino R, et al**. Parental atrial fibrillation as a risk factor for atrial fibrillation in offspring. *JAMA* 2004; 291: 2851-5.
  - **Fraser N and Prince R**. The ischemic heart disease life stress monitoring program. Impact on mortality. *Psychosom Med* 1985; 47: 431-45.
  - **Fremes S, Wong B, Lee E, et al**. Meta analysis of prophylactic drug treatment in the prevention of postoperative bleeding. *Ann Thorac Surg* 1994; 58: 1580-8.
  - **Friedman P and Jazayeri M** .The impact of atrial prevention and termination therapies on atrial tachyarrhythmia burden in patient receiving a dual chamber defibrillator for ventricular arrhythmias. *J Interv Card Electrophysiol* 2004; 10:103-10.
  - **Frost L, Christiansen E, Molgaard H, et al**. Premature atrial beat eliciting atrial fibrillation after coronary artery bypass grafting. *J Electrocardiol* 1995; 28: 297-305.
  - **Frye R, Kronmal R, Schaff H, et al**. Stroke in coronary artery bypass graft surgery: an analysis of the CASS experience. *Int J Cardiol* 1992; 36: 213-21.
  - **Fuller J, Adams G and Buxton B**. Atrial fibrillation after coronary artery bypass grafting. Is it a disorder of the elderly? *J Thorac Cardiovasc Surg*. 1989; 97: 821-5.

- **Furlan AJ & Breuer AC**, Central nervous system complications of open heart surgery *Stroke J*, 1984; 15: 912-5.
- **Furncry A, Zerr K, Grunkemeir G, et al.** Continuous intravenous insulin cardiac surgical procedures. *Ann Throac Surg* 1999; 67: 352-60.
- **Gardner T, Horneffer P, Manolio T, et al.** Stroke following coronary artery bypass grafting. A ten year study. *Ann Thorac Surg* 1985; 40: 574-81.
- **Geelhoed G, Sharpe K & Simon G.** A comparative study of surgical skin preparation methods. *Surg Gynecologic Obstetric* 1983; 157.
- **Geertman H, Van Der Starre P, Sie H, et al.** Magnesium in addition to sotalol does not influence the incidence of postoperative atrial tachy arrhythmias after coronary artery bypass surgery. *J Cardiothorac Vasc Anesth* 2004; 18: 309-12.
- **Gentili C, Giordano F, Alois A, et al.** Efficacy of intravenous propafenone in acute atrial fibrillation complicating open heart surgery. *Am Heart J* 1992; 123: 1225-8.
- **Gerstenfeld E, Hill M, French S, et al.** Evaluation of right a trial and bilateral temporary pacing for the prevention of atrial fibrillation after coronary artery bypass surgery. *J Am Coll Cardiol* 1999; 33: 1981-8.
- **Gillis A, Wyse D, Connolly S, et al.** Atrial pacing periablation for prevention of paroxysmal atrial fibrillation. *Circulation* 1999; 99: 2553-8.
- **Gohlke H, Gohlke Barwolf C, Sturzenhofecker P, et al.** Imprvoed graft patency with anticoagulant therapy after aortocoronary bypass surgery. *Circulation*. 1981; 64: 122-7.
- **Gold M, Gara P, Bucklet M, et al.** Efficacy and safety of procainamide in preventing arrhythmias after coronary artery bypass surgery. *Am J Cardiol*. 1996; 78: 975-9.
- **Goldberg R, Yarzebski J, Lessard D et al.** Recent trends in the incidence rates of and death rates from atrial fibrillation complicating initial acute

- myocardial infarction a community wide perspective. *Am Heart J* 2002; 143: 519-27.
- **Goldman S, Copeland J, Moritz T, et al.** Internal mammary artery and saphenous vein graft patency: effects of aspirin. *Circulation* 1990; 82 (suppl IV): IV-237-42.
  - **Goodnouth L, Soegiarso R & Geha A.** Blood Lost and blood transfused in coronary artery bypass graft operation as implications for blood transfusion and blood conservation strategies. *Surg Gynecol Obstet* 1993; 177: 345-51.
  - **Graboyes T & Cohn P.** The prevalence of angina pectoris and abnormal coronary arteriograms in severe aortic valvular disease. *Am heart J* 1977; 93: 683-6.
  - **Greenberg M, Katz N , Iuliano S, et al.** Atrial pacing for the prevention of atrial fibrillation after cardiovascular surgery. *J Am Coll Cardiol* 2000; 35:1416-22.
  - **Guarnieri T, Nolan S, Gottlieb S , et al.** Intravenous amiodarone for the prevention of atrial fibrillation after open heart surgery. *J Am Coll Cardiol* 1999; 34: 343-7.
  - **Guarnieri T, Nolan S, Gottlieb S, et al.** Intravenous amiodarone for the prevention of atrial fibrillation after open heart surgery: the Amiodarone Reduction in Coronary Heart (ARCH) trial. *J Am Coll Cardiol.* 1999; 34: 343–347.
  - **Haissaguerre M, Jais P, Shah D , et al.** Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins. *N Engl J Med* 1998; 339: 659-60.
  - **Halil I, Enver Atalar, Birkan Akbulur et al.** The role of surface ECG and transthoracic echo for predicting post CABG-AF. *Saudi med J* 2008;29:352-356
  - **Hakala T & Hedman A.** Predicting the risk of atrial fibrillation after coronary artery bypass surgery. *Scand Cardiovasc J.* 2003; 37: 309–315.

- **Hakala T, Vanninen E, Hedman A, et al.** Analysis of heart rate variability does not identify the patients at risk of atrial fibrillation after coronary artery bypass grafting. *Scand Cardiovasc J.* 2002; 36: 167–171.
- **Hannes W, Fasol R, Zajonc H, et al.** Dilitiazem provides anti-sichemic and anti-arrhythmic protection in patients undergoing coronary bypass grafting. *Eur J Cardiothoracic Surg.* 1993; 7:239-45.
- **Harder M, Eijnsman L, Roozendaal K, et al.** Aprotinin reduces intraoperative and postoperative blood loss in membrane oxygenator cardiopulmonary bypass. *Am Thorac Surg* 1991; 51:936-41.
- **Harrison M.** Neurologic complications of coronary artery bypass grafting. Diffuse or focal ischemia? *Ann Thorac Surg* 1995; 59: 1356-8.
- **Hart RG, Pearce LA, Rothbart RM, et al.** Stroke with intermittent atrial fibrillation incidence and predictors for using aspirin therapy. *J Am Coll Cardiol* 2000; 35: 183-7.
- **Hashimoto K, Ilstrup D & Schaff H.** Influence of clinical and hemodynamic variables on risk of supraventricular tachycardia after coronary artery bypass. *J Thorac Cardiovasc Surg.* 1991; 101: 56-65.
- **Havel M, Grabenwoger F, Scheider J et al.** Aprotinin does not decrease early graft patency after coronary artery bypass grafting despite reducing postoperative bleeding and use of donated blood. *J Thorac Cardiovasc Surg* 1994; 107: 807-10.
- **Healey JS, Baranchuk A, Crystal E, et al.** Prevention of atrial fibrillation with angiotensin converting enzyme inhibitors and angiotensin receptor blockers: a meta analysis. *J Am Coll Cardiol* 2005; 45: 1832-9.
- **Henry WL, Morganroth J, Pearlman AS, et al.** Relation between echocardiographically determined left atrial size and atrial fibrillation. *Circulation* 1976; 53: 273–279.

- **Hill LL, Kattapuram M & Hogue CW JR.** Management of atrial fibrillation after cardiac surgery-part I: Pathophysiology and risks. *Cardiothoracic Vasc Anesth* 2002; 16:483-94.
- **Hohnloser SH, Kuck KH & Lilienthal J.** Rhythm or rate control atrial fibrillation Pharmacological Intervention in Atrial Fibrillation (PIAF): a randomized trial. *Lancet* 2000; 356: 1789-91.
- **Hohnloser SH, Meinertz T, Dammbacher T , et al.** Electrocardiographic and antiarrhythmic effects of intravenous amiodarone: results of a prospective placebo-controlled study. *Am Heart J* 1991; 121: 89-95.
- **Hornick P, Smith PL & Taylor KM.** Cerebral complications after coronary bypass grafting. *Curr Opin Cardiol* 1994; 9: 670-9.
- **Horrow JC, Van Riper DF, Strong MD, et al.** Hemostatic effects of tranexamic acid and desmopressin during cardiac surgery. *Circulation*. 1991; 84: 2063-70.
- **Hravnak M, Hoffman LA, Saul MI, Zullo TG, et al.** Predictors and impact of atrial fibrillation after isolated coronary bypass grafting. *Crit Care Med*. 2002; 30: 330–337.
- **Hurst RD, Sachs DP, Glover ED, et al.** A comparison of sustained release bupropion and placebo for smoking cessation. *NEngl JMed* 1997; 337:1195-202.
- **Iglesias I & Murkin JM.** Beating heart surgery or conventional CABG: are neurologic outcomes different? *Thoracic Cardiovascular Surg* 2001; 13: 158-69.
- **Inoue S, Akazawa S, Nakaigawa Y, et al.** Changes in plasma total and ionized magnesium concentrations and factors affecting magnesium concentrations during cardiac surgery. *J Anesth* 2004;18:216-9.
- **Ivanov J, Weisel RD, David TE, et al.** Fifteen-year trends in risk severity and operative mortality in elderly patients undergoing coronary artery bypass graft surgery. *Circulation* 1998; 97: 673-80.

- **Jafari F & Scheinman M.** Adverse effects of amiodarone. *Pacing Clin Electrophysiol.* 1998; 21: 108–120.
- **Jais P, Haissaguerre M, Shah D, et al.** A focal source of atrial fibrillation treated by discrete radiofrequency ablation. *Circulation* 1997; 95: 572-6.
- **Janssen J, Loomans L, Harink J, et al.** Prevention and treatment of supraventricular tachycardia shortly after coronary artery bypass grafting a randomized open trial. *Angiology.* 1986; 37: 601-9.
- **Johann Awer, Thomas Weber & Robert Berent.** Risk factors of post operative atrial fibrillation after cardiac surgery. *Journal of cardiac surgery* 2005; 20: 425-43.
- **John Camm, Gregory Y, Ulrich Schotten ,et al .**ESC 2010 Guidelines for the management of patients with atrial fibrillation. *European heart J* 2010;31:2369-2429
- **K Hosokawal, Y Nakajimal, T Umenail , et al.** Predictors of atrial fibrillation after off-pump coronary artery bypass graft surgery. *British journal of anesthesia* 98(5); 575-80 (2007).
- **Kaiser A, Kernodle D, Barg N, et al.** Influence of preoperative showers on staphylococcal skin colonization: a comparative trial of antiseptic skin cleansers. *Ann Thorac Surg* 1988; 45: 35-8.
- **Kalman J, Munawar M, Howes L, et al.** Atrial fibrillation after coronary artery bypass grafting is associated with sympathetic activation. *Ann Thorac Surg.* 1995; 60: 1709-15.
- **Kannel W, Abbott R. Savage D, et al.** Epidemiologic features of chronic atrial fibrillation the Framingham Study. *N Engl J Med* 1982; 306: 1018-22.
- **Kennedy G, Hofer M, Cohen D, et al.** Significance of depression and cognitive impairment in patients undergoing programmed stimulation of cardiac arrhythmias. *Psychosom Med* 1987; 49: 410-21.

- **Kennedy J, Kaiser G, Fisher L, et al.** Clinical and angiographic predictor of operative mortality from the collaborative study in coronary artery surgery (CASS). *Circulation* 1981; 63: 793-802.
- **Kerr C, Boone J, Connolly S, et al.** The Canadian Registry of Atrial Fibrillation a non interventional follow up of patients after the first diagnosis of atrial fibrillation. *Am J Cardiol* 1998; 82: 82N-5N.
- **Kim A, Robert A, Elliott M, et al.** ACC/AHA/ESC 2004 Guidelines for the management of patients with coronary artery bypass graft. *Circulation* 2004;110:e340-e437
- **Kitzman D & Edwards W.** Age-related changes in the anatomy of the normal human heart. *J Gerontol.* 1990; 45: M33–M39.
- **Klein M, Evans S, Blumberg S, et al .** Use of P-wave-triggered, P-wave signal-averaged electrocardiogram to predict atrial fibrillation after coronary artery bypass surgery. *Am Heart J.* 1995; 129: 895–901.
- **Kloter Weber U, Osswald S, Huber M, et al.** Selective versus nonselective antiarrhythmic approach for prevention of atrial fibrillation after coronary surgery: Is there a need for preoperative risk stratification? A prospective placebo-controlled study using low-dose sotalol. *Eur Heart J* 1998; 19:749-800.
- **Knight B, Gersh B, Carlson M, et al.** Role of permanent pacing to prevent atrial fibrillation. *Circulation* 2005; 111: 240-3.
- **Koch M, Gradaus F, Schoebel FC, et al.** Prevalence of conventional cardiovascular risk factors for the prediction of coronary artery disease in diabetic patients on renal replacement therapy. *Nephrol Dial Transplant* 1997; 12: 1187-91.
- **Kornitzer M, Bout S, Gustavsson G, et al .** Combined use of nicotine patch and gum in smoking cessation: a placebo-controlled clinical trial. *Prev Med* 1995; 24:41-7.

- **Kowey P, Taylor J, Rials S, et al.** Meta analysis of the effectiveness of prophylactic drug therapy in preventing supraventricular arrhythmia early after coronary artery bypasses grafting. *Am J Cardiol* 1992; 69: 963-5.
- **Kreter B & Woods M.** Antibiotic prophylaxis for cardiothoracic operations. *J Thorac Cardiovasc Surg* 1992; 104: 590-9.
- **Kumagai K, Nakashima H & Saku K.** The HMG-CoA reductase inhibitor atorvastatin prevents atrial fibrillation by inhibiting inflammation in a canine sterile pericarditis model. *Cardiovasc Res* 2004; 62: 105-11.
- **Kudret Aytemira, Serdar Aksoyeka, Necla Ozero, et al.** Atrial fibrillation after coronary artery bypass surgery: P wave signal averaged ECG, clinical and angiographic variables in risk assessment. *International journal of cardiology* 1998; 69: 49-56.
- **Lahey S, Campos C, Jennings B, et al.** Hospital readmission after cardiac surgery: Does fast track cardiac surgery result in cost saving . *Circulation* 1998; 98: II-35-40.
- **Landymore R & Howell F.** Recurrent atrial arrhythmias following treatment for postoperative atrial fibrillation after coronary bypass operations. *Eur J Cardiothorac Surg.* 1991; 5: 436-9.
- **Laub G, Janeira L, Muralidharan S, et al.** Prophylactic procainamide for prevention of atrial fibrillation after coronary artery bypass grafting a prospective double blind randomized placebo controlled pilot study. *Crit Care Med.* 1993; 21: 1474-8.
- **Lavie C, Milani R & Littman A.** Benefits of cardiac rehabilitation and exercise training in secondary coronary prevention in the elderly. *J. Am Coll Cardiol* 1993; 22: 678-83.
- **Lee Y, Liang C, Lee M, et al.** Local stress, not systemic factor regulate gene expression of the renin angiotensin system in vivo a comprehensive study of all its components in the dog. *Acad Sci J* 1996; 93: 11035-40.

- **Leitch J, Thomson D, Baird D, et al.** The importance of age as a predictor of atrial fibrillation and flutter after coronary artery bypass grafting. *J Thorac Cardiovascular surg* 1990; 100: 338-42.
- **Levenson J & Fogel E.** Psychiatric Care of the Medical patient. New York, NY *Oxford University Press* 1993; 23: 539-64.
- **Levy J, Pifarre R, Schaff H, et al.** A multicenter, double-blind, placebo-controlled trial of aprotinin for reducing blood loss and the requirement for donor blood transfusion in patients undergoing repeat coronary artery bypass grafting. *Circulation* 1995; 92: 2236-44.
- **Levy S, Breithardt G, Campbell R, et al.** Atrial fibrillation: current knowledge and recommendations for management. *British Heart J* 1954; 16: 194.
- **Levy S, Ricard P, Lau C, et al.** Multicenter low energy transvenous atrial defibrillation (XAD) trial results in different subsets of atrial fibrillation. *J Am Coll Cardiol* 1997; 29: 750-5.
- **Lie J & Hammond P.** Pathology of the heart: anatomic observations on 237 autopsy studies of patients 90 to 105 years old. *Mayo Clin Proc.* 1988; 63: 552–564.
- **Limet R, David J, Magotteaux P, et al.** Prevention of coronary bypass graft occlusion: beneficial effect of ticlopidine on early and late patency rates of venous coronary bypass grafts: a double blind study. *J Thoracic cardio vascular surg* 1987; 94: 773-83.
- **Lisa Mendes, Gilbert P, Connelly M, et al,** RCA stenosis : an independent predictor of atrial fibrillation after CABG.*Journal of the American College of Cardiology* 1995; 25: 198-202.
- **Liu J, Birkmeyer N, Sanders J, et al.** for the Northern New England Cardiovascular Disease Study Group. Risks of morbidity and mortality in dialysis patients undergoing coronary artery bypass surgery. *Circulation.* 2000; 102: 2973-7.

- **Lloyd C, Ascione R, Underwood M, et al.** Serum S-100 protein release and neuropsychological outcome during coronary revascularization on the beating heart a prospective randomized study. *J Thorac Cardiovasc Surg* 2000; 119-148.
- **Loop FD, Lytle BW, Cosgrove DM, et al.** Sternal wound complications after isolated coronary artery bypass grafting early and late mortality morbidity and cost of care. *Ann Thorac surg* 1990; 49: 179-86.
- **Loperfido F, Pennestri F, Digaetano A, et al.** Assessment of left atrial dimensions by cross sectional echocardiography in patients with mitral valve disease. *Br Heart J*. 1983; 50: 570–578.
- **Maciej Banach , Jacek Rysz, Jarosl Drozdz , et al.** Risk Factors of atrial fibrillation following coronary artery bypass grafting. *Circ J* 2006; 70: 438-441.
- **Macin S, Perna E, Farias E, et al.** Atorvastatin has an important role in acute coronary syndrome; results of a randomized double blind, placebo controlled study. *Am Heart J* 2005; 149: 451-7.
- **Mahdi Najafi, Babak Haghighat And Hossein Ahmadi .** Relation between serum magnesium level & arrhythmia following CABG. *Anesthesia. J* 2007;139: 110-22
- **Mahoney E, Thompson T, Williams J et al.** Cost-effectiveness of targeting patients undergoing cardiac surgery for therapy with intravenous amiodarone to prevent atrial fibrillation. *J Am Coll Cardiol*. 2002; 40: 737–745.
- **Majid Haghjoo, Hossein Basiri & Mehrasa Salek.** Predictors of postoperative atrial fibrillation after coronary artery bypass graft surgery. *Indian pacing and electrophysiology journal*.2008;28:167-72
- **Malouf J, Alam S, Gharzeddine W, et al.** The role of anticoagulation in the development of pericardial effusion and late tamponade after cardiac surgery. *Eur Heart J*. 1993; 14: 1451-7.

- **Manning W, Silverman D, Gordon S, et al.** Cardioversion from atrial fibrillation without prolonged anticoagulation with the use of transesophageal echocardiography to exclude the presence of atrial thrombi. *N Engl J Med* 1993; 328: 750-5.
- **Mansour M , Mandapati R, Berefeld O, et al.** Left to right gradient of atrial frequencies during acute atrial fibrillation in the isolated sheep heart. *Circulation* 2001; 103: 2631-6.
- **Marlyn Hravnick & Leslie Hoffman.** Predictors & impact of atrial fibrillation after isolated coronary artery by pass grafting. *Critical Care medicine* (February 2002), volume 30, Issue 2.
- **Martin F, Pascual D, Roldan V, et al.** Statins and postoperative risk of atrial fibrillation following coronary artery bypass grafting. *Am J Cardiol* 2006; 97: 55-60.
- **Mathew J, Parks R, Savino J, et al.** Atrial fibrillation following coronary artery bypass surgery: Predictors, outcomes, and resource utilization. *JAMA* 1996; 276: 300-6.
- **Mathew J, Fontes M, Tudor J, et al.** A multicenter risk index for atrial fibrillation after cardiac surgery. *JAMA* 2004; 291: 1720-9.
- **Mendes L, Connelly G, McKenney P, et al.** Right coronary artery stenosis: Independent predictors of atrial fibrillation after coronary artery bypass surgery. *J Am Coll Cardiol.* 1995; 25: 198-202.
- **Menges T, Sablotzki A, Welters I, et al.** Concentration of cefamandole in plasma and tissues of patients undergoing cardiac surgery: the influence of different cefamandole dosage. *J Cardiothorac vasc Anesth* 1997; 11: 565-70.
- **Merrick A, Odom N, Keenan D, et al.** Comparison of propafenone to atenolol for the prophylaxis of postcardiotomy supraventricular tachyarrhythmias a prospective trial. *Eur J Cardiothorac Surg.* 1995; 9: 146-9.

- **Milani R & Lavie C.** Prevalence and effects of cardiac rehabilitation on depression in the elderly with coronary heart disease. *Am J Cardiac* 1998; 81:1233-6.
- **Milano C, Kesler K, Archibald N, et al.** Mediastinitis after coronary artery bypass graft surgery: risk factors and long term survival. *Circulation* 1995; 92: 2245-51.
- **Miller S, Crystal E, Garfinkle M, et al.** Effects of magnesium on atrial fibrillation after cardiac surgery. *Heart J* 2005; 91: 618-23.
- **Mitchell L, Powell J, Gillis A, et al.** Are lipid lowering drugs also antiarrhythmic drugs? An analysis of the antiarrhythmic versus implantable defibrillators. *J Am Coll Cardiol* 2003; 42: 81-7.
- **Moe G & Abildskov J.** Atrial fibrillation as a self sustaining arrhythmia independent of focal discharge. *Am Heart J* 1959; 58:59-70.
- **Mora C.** The central nervous system: Responses to cardiopulmonary bypass. *Springer-Verlag*, 1995: 114-46.
- **Morrillo C, Klein G, Jones D, et al.** Structural functional and electrophysiological characteristics of a new model of sustained atrial fibrillation. *Circulation* 1995; 91: 1588-95.
- **Mozoffarian D, Psety B, Rimm E, et al.** Fish intake and risk of incident atrial fibrillation. *Circulation* 2004; 110: 368-73.
- **Mullen J, Khan N, Weisel R, et al.** Atrial activity during cardioplegia and postoperative arrhythmias. *J Thorac Cardiovasc Surg.* 1987; 94: 558-65.
- **Naccarelli G, Dell Orfano, Wolbrette D, et al.** Cost effective management of acute atrial fibrillation: rate control, spontaneous conversion, medical and direct current cardioversion, transesophageal echocardiography and antiembolic therapy. *Am J Cardio.* 2000; 85: 36D-45D.
- **Nagachinta T, Stephens M, Reitz B, et al.** Risk factors for surgical wound infection following cardiac surgery. *J Infect Dis* 1987; 156: 967-73.

- **Nishida H, Grooters R, Soltanadeh H, et al.** Discriminate use of electrocautery on the median sternotomy incision: 0.16% wound infection rate. *J Thorac Cardiovasc Surg* 1991; 101: 488-94.
- **Nishimura R, Abel M, Hatle L, et al.** Assessment of diastolic function of the heart: background and current applications of Doppler echocardiography, part II: clinical studies. *Mayo Clin Proc.* 1989; 64: 181–204.
- **O'Connor G, Burhig J, Yusuf S, et al.** An overview of randomized trials of rehabilitation with exercise after myocardial infarction. *Circulation* 1989; 80:234-44.
- **Olsson L, Swedberg K, Ducharme A, et al.** Atrial fibrillation and risk of clinical events in chronic heart failure with and without left ventricular systolic dysfunction. *J Am Coll Cardiol* 2006; 47.
- **Omi W, Nagai H, Takamura M, et al.** Doppler tissue analysis of atrial electromechanical coupling in paroxysmal atrial fibrillation. *J Am Soc. Echocardiogr.* 2005; 18: 39–44.
- **Ommen S, Odell J & Stanton M.** Atrial arrhythmias after cardiothoracic surgery. *N Engl. Med* 1997; 336: 1429-34.
- **Opolski G, Torbicki A, Kosior D, et al.** Rate control vs rhythm control in patient with non valvula persistent atrial fibrillation. *Chest* 2004; 126: 476-86.
- **Ottino G, De Paulis R, Pansini S, et al.** Major sternal wound infection after open heart surgery: a multivariate analysis of risk factors in 2579 consecutive operative procedures. *Ann Thorac Surg* 1987; 44: 173-9.
- **Oxman T, Freeman D & Manheimer E.** Lack of social participation or religious strength and comfort as risk factors for death after cardiac surgery in the elderly. *Med J* 1995; 57: 5-15.
- **Packer D, Asirvatham S & Munger T.** Progress in non pharmacologic therapy of atrial fibrillation. *J Cardiovasc Electrophysiol* 2003; 14: S296-S309.

- **Page R, Tilsch T, Connolly S, et al.** Asymptomatic or silent atrial fibrillation frequency in untreated patients and patients receiving azimilide. *Circulation* 2003; 107: 1141-5.
- **Papdopoulos C.** Education of the patient and family: sexual problems *Chruchill Livingstone*, 1992: 493-81.
- **Pedersen O, Bagger H, Kober L, et al.** Trandolapril reduces the incidence of atrial fibrillation after acute myocardial infarction in patients with left ventricular dysfunction. *Circulation* 1999; 100: 376-80.
- **Petersen P, Madsen E, Brun B, et al.** Silent cerebral infarction in chronic atrial fibrillation. *Stroke* 1987; 18: 1098-100.
- **Pokharel S, Van Gell, Sharma U et al.** Increased myocardial collagen content in transgenic rats over expressing cardiac angiotensin converting enzyme is related to enhanced breakdown of L-acetyl-Ser. Asp-Lys-Pro and increased phosphorylation of Smad 2/3. *Circulation* 2007, 110: 3129-35.
- **Polychronis E Dilaveris , John E, Elias J et al.** p wave duration and dispersion statistical analysis. *AHJ* 1998;135: 733-738
- **Prystowsky E, Benson D, Fuster V, et al.** Management of patients with atrial fibrillation. *Circulation* 1996; 93: 1262-7741: 1690-6.
- **Prystowsky E & Katz A.** Atrial fibrillation. Textbook of cardiovascular medicine. *Philadelphia: Lippincott-Raven* 1998; 1661.
- **Psaty B, Manolio T, Kuller L, et al.** Incidence of and risk factors for atrial fibrillation in older adults. *Circulation*. 1997; 96: 2455–2461.
- **Pugsley W, Klinger L, Paschalis C, et al.** the impact of micro emboli during cardiopulmonary bypass on neuropsychological functioning. *Stroke* 1994; 25: 1393-9.
- **Rajah S, Nair U, Rees M, et al.** Effects of antiplatelet therapy with indobufen or aspirin-dipyridamole on graft patency one year after coronary artery bypass grafting. *J Thorac Cardiovascular Surg* 1994; 107: 1146-53.

- **Rathore S, Berger A, Weinfurt K, et al.** Acute myocardial infarction complicated by atrial fibrillation in the elderly: prevalence and outcomes. *Circulation* 2000; 101: 969-74.
- **Redle J, Klurana S, Marzan R, et al.** Prophylactic oral amiodarone compared with placebo for prevention of atrial fibrillation after coronary artery bypass surgery. *Am Heart J.* 1999; 138: 144.
- **Reed G, Singer D, Picard E, et al.** Stroke following coronary artery bypass surgery. *N engl J Med* 1988; 319: 1246-50.
- **Ricard P, Levy S, Trigano J, et al.** Prospective assessment of the minimum energy needed for external electrical cardioversion of atrial fibrillation. *Am J Cardiol* 1997; 79: 815-6.
- **Rod Passma, John Beshai, Behzard Pavri, et al.** Predicting post coronary bypass surgery atrial arrhythmias from preoperative electrocardiogram. *American Heart Journal November 2001-volume 142, issue 5.*
- **Roffman J & Fieldman A.** Digoxin and propranolol in the prophylaxis of supraventricular tachyarrhythmias after coronary artery bypass surgery. *Ann Thorac Surg.* 1981; 31: 496-501.
- **Rollo P. Villareal, Ramesh Hariharan, Brant C, et al.** Postoperative atrial fibrillation and mortality after coronary artery bypass surgery. *Journal of the American College of Cardiology*, 2004; 43:724-732.
- **Rostagno C, Olivo G, Comeglio M, et al.** Left atrial size changes in patients with paroxysmal lone atrial fibrillation: an echocardiographic follow-up. *Angiology.* 1996; 47: 797–801.
- **Ruberman W, Weinblatt E, Goldberg J, et al.** Psychosocial influences on mortality after myocardial infarction. *Engl J Med* 1984; 311: 552-9.
- **Rutsky E & Rostand D.** Coronary artery bypass graft surgery in end stage renal disease: indications, contraindications & uncertainties. *Semin Dial* 1994; 7:91.

- **Saksena S, Prakash A, Hill M, et al.** Prevention of recurrent atrial fibrillation with chronic dual site right atrial pacing. *J Am Coll Cardiol.* 1996; 28: 687-94.
- **Samantha Poli, Vinan O & barbaro L.** Prediction of atrial fibrillation from ECG. *Ann super sanita* 2003; 39 (2): 195.
- **Sarr M, Gott V & Townsend T.** Mediastinal infection after cardiac surgery. *Ann Thorac Surg* 1984; 38: 415-23.
- **Sary F Arank, David Shaw & David H.** Predictors of atrial fibrillation after coronary artery surgery. *Circulation.* 1996;94:390-397
- **Savelieva I & Canm AJ.** Clinical relevance of silent atrial fibrillation prevalence prognosis quality of life and management. *J Card Electrophysiol* 2000; 4: 369-82.
- **Scherf D, Romano F & Terranova R.** Experimental studies on auricular flutter and auricular fibrillation. *Am Heart J* 1948; 36:241.
- **Schoonderwoerd B, Ausma J, Crijns J, et al.** Atrial ultrastructural changes during experimental atrial tachycardia depend on high ventricular rate. *J Cardiovasc Electrophysiology; 2004; 15:116.*
- **Seitelberger R, Hannes W, Gleichauf M, et al.** Effects of dilitiazem on perioperative ischemia, arrhythmias and myocardial function in patients udnergoign elective coronary bypass grafting. *J Thorac Cardiovasc Surg.* 1994; 107: 811-21.
- **Sensual R, Blasco M, Carbonell N, et al.** Preoperative use of sotalol versus atenolol for atrial fibrillation after cardiac surgery. *Ann Throac Surg* 2004; 77: 838-43.
- **Sethi G, Copeland J, Goldman S, et al.** Implications of preoperative administration of aspirin in patients undergoing coronary artery bypass grafting. *J Am Coll Cardiol* 1990; 15: 15-20.

- **Sharma G, Khuri S, Josa M, et al.** The effects of antiplatelet therapy on saphenous vein coronary artery bypass graft patency. *Circulation* 1983; 68 (Suppl II): II-218-21.
- **Sharma OP, Mahehwari A, Thaker K.** Myocardial sarcoidosis. *Chest* 1993; 103: 253-8.
- **Sharpley L, Caine N, Mullins P, et al.** Risk factor analysis for the major hazards following heart transplantation rejection, infection and coronary occlusive disease. *Transplantation* 1991; 52: 244-52.
- **Singh B, Singh S, Reda D, et al.** Amiodarone versus sotalol for atrial fibrillation. *N Engl J Med* 2005; 352: 1861-72.
- **Siu C, Lau C & Tse H.** Prevention of atrial fibrillation recurrence by statin therapy in patients with lone atrial fibrillation after successful cardioversion. *Am J Cardiol* 2003; 92: 1343-5
- **Solomon A, Greenberg M, Kilborn M, et al.** Amiodarone versus beta blocker to prevent atrial fibrillation after cardiovascular surgery. *Am Heart J* 2001; 142: 811-5.
- **Stafford P, Kolvekar S, Cooper J, et al.** Signal averaged P wave compared with standard electrocardiography or echocardiography for prediction of atrial fibrillation after coronary bypass grafting. *Heart J* 1997; 77: 417–422.
- **Steinberg J, Zelenkofske S, Wong S, et al.** Value of the P-wave signal-averaged ECG for predicting atrial fibrillation after cardiac surgery. *Circulation*. 1993; 88: 2618–2622.
- **Stump DA, Rogers AT, Kahn ND, et al.** When emboli occur during coronary artery bypass graft surgery. *Anesthesiology* 1993; 79 (Suppl 3 A): A4.
- **Suttorp M, Kingma J, Joe R, et al.** Efficacy and safety of low and high dose sotalol versus propranolol in the prevention of supraventricular tachyarrhythmias early after CABG. *J Thorac Cardiovasc Surg* 1990; 100: 921-6.

- **Svedjeholm R & Hakanson E.** Predictors of atrial fibrillation in patients undergoing surgery for ischemic heart disease. *Scand Cardiovasc J* 2000; 34: 516–521.
- **Takahashi N, Imataka K, Seki A, et al.** Left atrial enlargement in patients with paroxysmal atrial fibrillation. *Japan Heart J.* 1982; 23: 677–683.
- **Takemoto N, Kuroda H, Hamasaki T, et al.** Effect of magnesium and calcium on myocardial protection by cardioplegic solutions. *Ann Thorac Surg* 1994; 57:177-82.
- **Tchervenkov C, Wynands J, Symes J et al.** Electrical behavior of the heart following high potassium cardioplegia. *Ann Thorac Surg.* 1983; 36: 314-9.
- **Thamilarasan M, Grimm R, Rodriguez L, et al.** Left ventricular diastolic dysfunction in lone atrial fibrillation determined by Doppler tissue imaging of mitral annular motion. *Am J Cardiol.* 2000; 86: 1026–1029.
- **Timmermans C, Rodriguez LM, Smeets JL, et al.** Immediate reinitiation of atrial fibrillation following internal atrial defibrillation. *Am Heart J* 2004; 147: 1061-5.
- **Townsend T, Reitz B, Bilker W, et al.** Clinical trial of Cefamandole. Cefazolin and cefuroxime for antibiotic prophylaxis in cardiac operations. *J Thorac Cardiovas Surg* 1993; 106: 664-70.
- **Tsang T, Barnes M, Bailey K, et al.** Left atrial volume: important risk marker of incident atrial fibrillation in 1655 older men and women. *Mayo Clin Proc.* 2001; 76: 467–475
- **Van Berlo, De Voogt, Van der Kooi et al.** Meta and clinical characteristics of 299 carriers of LMNA gene mutations. *J Mol Med* 2005; 83: 79-83.
- **Van de Watering, Hermans J, Houbiers J, et al.** Beneficial effects of leukocyte depletion of transfused blood on postoperative complications in patients undergoing cardiac surgery: a randomized clinical trial. *Circulation* 1998; 97: 562-8.

- **VanGelder I, Hagens V, Bosker H, et al.** A comparison of rate control and rhythm control in patients with recurrent persistent atrial fibrillation. *N Engl J Med* 2002; 347: 1834-40.
- **Vaziri S, Larson M, Benjamin E, et al.** Echocardiographic predictors of nonrheumatic atrial fibrillation: the Framingham Heart Study. *Circulation*. 1994; 89: 724–730.
- **Voors A, Van Brusel B, Plokker H, et al.** Smoking and cardiac events after venous coronary bypass surgery. A 15-year follow-up study. *Circulation* 1996; 93: 4247.
- **Wachetell K, Lehto M, Gerdts E, et al.** angiotensin II receptor blockade reduces new onset atrial fibrillation and subsequent stroke compared to atenolol. *J Am Coll Cardiol* 2005; 45: 712-9.
- **Wasley M, McNagny S, Phillips V, et al.** The cost effectiveness of the nicotine transdermal patch for smoking cessation. *Prev Med* 1997; 26:264-70.
- **Weber M, Hasford J, Tailens C, et al.** Low dose aspirin versus anticoagulants for prevention of coronary graft occlusion. *Am J Cardiol*. 1990; 66: 1464-8.
- **Wistbacka J, Koistinen J, Karlqvist K, et al.** Magnesium substitution in elective coronary artery surgery. *J Cardiothorac vasc Anesth*. 1995; 9: 140-6.
- **Wolf P, Abbott R & Kannel W.** Atrial fibrillation: a major contributor to stroke in the elderly *Arch Intern Med*. 1987; 147: 1561-1564.
- **Wyse D, Waldo A, DiMarco J, et al.** A comparison of rate control and rhythm control in patients with atrial fibrillation. *N Engl J Med* 2002; 347: 1825-33.
- **Yagdi T, Nalbantgil S, Ayik F, et al.** Amiodarone reduces the incidence of atrial fibrillation after coronary artery bypass grafting. *J Thorac Cardiovasc Surg*. 2003; 125: 1420–1425.

- **Young Xu, Jabbour S, Goldberg R, et al.** Usefulness of statin drugs in protecting against atrial fibrillation in patients with coronary artery disease. *Am J Cardiol* 2003; 92: 1379-83.
- **Yousif H, Davies G & Oakley C.** Peri-operative supraventricular arrhythmia in coronary bypass surgery. *Int. J Cardiol* 1990; 26:313-8.
- **Zaman A, Alamgir F, Richens T, et al.** The role of signal averaged P wave duration and serum magnesium as a combined predictor of atrial fibrillation after elective coronary artery bypass surgery. *Heart*. 1997; 77: 527–531.
- **Zaman A, Archbold R, Helft G, et al.** Atrial fibrillations after coronary artery bypass surgery. *Circulation* 2000; 101: 1403.
- **Zaman A, Archbold R, Helft G, et al.** Atrial fibrillation after coronary artery bypass surgery: a model for preoperative risk stratification. *Circulation* 2000; 101: 1403-8.