

References

- Aakvaag A, Bentdal O, and Quigstad K (1998):** Testosterone and testosterone binding globulin in young men during prolonged stress. *Int J Androl*; 1:22–31.
- Adams PC, Reboussin DM, and Barton JC (2005):** Hemochromatosis and iron-overload screening in a racially diverse population. *N Engl J Med*; 352:1769-1778.
- Afandi B, Schussler GC and Arafeh AH (2000):** Selective consumption of thyroxine-binding globulin during cardiac bypass surgery. *Metabolism*. Feb; 49(2):270-4.
- Afandi B, Vera R, Schussler GC, and Yap MG (2000):** Concordant decreases of thyroxine and thyroxine binding protein concentrations during sepsis. *Metabolism*. Jun; 49(6):753-4.
- Ahima RS, Prabakaran D, Mantzoros C, Lowell B, Maratos-Flier E and Flier JS. (1996):** Role of leptin in the neuroendocrine response to fasting. *Nature* 382 250–252.
- Akamizu T, Shinomiya T and Irako T (2005):** “Separate measurement of plasma levels of acylated and desacyl ghrelin in healthy subjects using a new direct ELISA assay,” *Journal of Clinical Endocrinology and Metabolism*, vol. 90, no. 1, pp. 6–9.
- Alevizaki M, Synetou M, Xynos K, Alevizaki C. C, and Vemmos K. N (2006):** “Hypothyroidism as a protective factor in acute stroke patients,” *Clinical Endocrinology*, vol. 65, no. 3, pp. 369– 372.
- Alevizaki M, Synetou M, Xynos K, Pappa T, and Vemmos K. N (2007):** “Low triiodothyronine : a strong predictor of outcome in acute stroke patients,” *European Journal of Clinical Investigation*, vol. 37, no. 8, pp. 651–657.
- Alexander Koch, Edouard Sanson, Anita Helm, Sebastian Voigt, and Christian Trautwein (2010):** Regulation and prognostic relevance of serum ghrelin concentrations in critical illness and sepsis *Critical Care*.

References

- Alsafwah S, LaGuardia SP, and Nelson MD (2008):** Hypovitaminosis D in African Americans residing in Memphis, Tennessee with and without heart failure. *Am J Med Sci*; 335: 292–297.
- American Society of Nephrology Sponsored (2009):** Jasn impact Factor 7.68.
- Angeja BG and Grossman W (2003):** Evaluation and management of diastolic heart failure. *Circulation* 107:659–663.
- Anker SD, and coats AJ (2002):** How to recover from renaissance? The significance of the results of renaissance, renewal and attach. *Int J Cardiol*; 86:123–130.
- Anker SD, Ponikowski P and Varney S (1997):** Wasting as independent risk factor for mortality in chronic heart failure. *Lancet*; 349:1050e3.
- Anversa P. (2005).** Aging and longevity: the IGF-1 enigma. *Circ Res.*; 97(5):411-414.
- Arendt J. (2006):** Melatonin and human rhythms. *Chronobiol Int*; 23: 21-37.
- Arendt J (2005):** Melatonin in humans: it's about time. *J Neuroendocrinol*, 17(8):537-538.
- Arlt W, Hammer F and Sanning P (2006).** Dissociation of serum dehydroepiandrosterone and dehydroepiandrosterone sulfate in septic shock. *J Clin Endocrinol Metab*; 91:2548-2554.
- Asterios Karagiannis and Faidon and Harsoulis (2005),** *European Journal of Endocrinology*, Vol 152, Issue 4, 501-513.
- Audi L, Mantzoros CS, Vidal-Puig A, Vargas D, Gussinye M and Carrascosa A (1998):** Leptin in relation to resumption of menses in women with anorexia nervosa. *Molecular Psychiatry* 3 544–547.
- Azziz R, Carmina E, and Dewailly D (2009):** The Androgen Excess and PCOS Society criteria for the polycystic ovary syndrome: the complete task force report. *Fertil Steril*. Feb; 91(2):456-88.

References

- Baek J.-H, Chung P.-W and Kim Y. B (2010):** “Favorable influence of subclinical hypothyroidism on the functional outcomes in stroke patients,” *Endocrine Journal*, vol. 57, no. 1, pp. 23–29.
- Bacci V, Schussler GC, and Kaplan TC (1982):** The relationship between serum triiodothyronine and thyrotropin during systemic illness. *J Clin Endocrinol Metab*; 54:1229–35.
- Bagby SP (2004):** Obesity-initiated metabolic syndrome and the kidney: A recipe for chronic kidney disease? *J Am Soc Nephrol* 15:2775– 2791.
- Baker HW (1998):** Reproductive effects of non testicular illness. *Endocrinology and Metabolism Clinics of North America* 27 831–850.
- Baker HWG (2000):** Testicular dysfunction in systemic disease. In *Principles and Practice of Endocrinology and Metabolism*, edn 3, ch. 116, pp 1150–1158. Ed. KL Becker.
- Bala Venkatesh, Ingrid Hickman, Janelle Nisbet, Jeremy Cohen and John Prins (2009):** *Critical Care* 13:R105, *Critical Care Vol 13 No 4*.
- Barazzoni. R, Bosutti. A and Stebel M (2008):** “Ghrelin regulates mitochondrial-lipid metabolism gene expression and tissue fat distribution in liver and skeletal muscle,” *American Journal of Physiology*, vol. 288, no. 1, pp. E228–E235.
- Barreca T, Gandolfo C, Corsini G, Del Sette M, Cataldi A, and Rolandi E, (2001):** Evaluation of the secretory pattern of plasma arginine vasopressin in stroke patients. *Cerebrovasc Dis.*; 11(2):113–8.
- Becker B, Kronenberg F, Kielstein JT, Haller H, Morath C, Ritz E, and Fliser D (2005);** MMKD Study Group: Renal insulin resistance syndrome, adiponectin and cardiovascular events in patients with kidney disease: The Mild and Moderate Kidney Disease Study. *J Am Soc Nephrol* 16:1091– 1098.
- Bergendahl M, Aloï JA, Iranmanesh A and Veldhuis JD (1998):** Fasting suppresses pulsatile luteinizing hormone (LH) secretion and enhances orderliness of LH release

References

in young but not in older men. *Journal of Clinical Endocrinology and Metabolism* 83 1967–1975.

Besselink MG, Van Santvoort HC, Boermeester MA, Nieuwenhuis VB, Van Goor H, Dejong CHC, Schaapherder AF, and Gooszen HG. (2009): for the Dutch Acute Pancreatitis Study Group. Timing and impact of infections in acute pancreatitis. *Br J Surg.*; 96:267–273.

Bhasin S, Woodhouse L, Casaburi R, Singh AB, Mac RP, Lee M, Sinha-Hikim I, Dzekov C, and Dzekov J (2005): Older men are as responsive as young men to the anabolic effects of graded doses of testosterone on the skeletal muscle. *J Clin Endocrinol Metab*; 90:678–688.

Bhattacharya, Malay S. Gandhi, German Kamalov, Robert A. Ahokas, Ivan C. Gerling, , and Karl T (2009): *Curr Hypertens Rep.* December ; 11(6): 412–420.

Biasiotto G, Belloli S, and Ruggeri G (2003): Identification of new mutations of the HFE, hepcidin, and transferrin receptor 2 genes by denaturing HPLC analysis of individuals with biochemical indications of iron overload. *Clin Chem*; 49:1981.

Blacher J, Guerin AP, Pannier B, Marchais SJ, and London GM (2001): Arterial calcifications, arterial stiffness, and cardiovascular risk in end-stage renal disease. *Hypertension* 38: 938–942.

Block GA (2000): Prevalence and clinical consequences of elevated Ca × P product in hemodialysis patients *Clin Nephrol* 54: 318–324.

Blumberg A ,Wildbolz A, Descoeudres C, Hennes U, Dambacher M, Fischer JA, and Weidmann P (1980): Influence of 1,25 dihydroxycholecalciferol on sexual dysfunction and related endocrine parameters in patients on maintenance hemodialysis. *Clin Nephrol* 13:208 -214.

Bollen TL, van Santvoort HC, Besselink MG, van Ramshorst B, van Es HW, and Gooszen HG (2007): Dutch Acute Pancreatitis Study Group. Intense adrenal

References

enhancement in patients with acute pancreatitis and early organ failure. *Emerg Radiol*; 14:317–322.

Borchert, Mark, and Pamela and Garcia-Filion (2008): "The Syndrome of Optic Nerve Hypoplasia." *Current Neurology and Neuroscience Reports*. 8; 395-403.

Boscoe FP, and Schymura MJ (2006): Solar ultraviolet-B exposure and cancer incidence and mortality in the United States, 1993–. *BMC Cancer*; 6:264.

Boulos M, Astiz ME, Barua RS, and Osman M.(2003): Impaired mitochondrial function induced by serum from septic shock patients is attenuated by inhibition of nitric oxide synthase and poly (ADP-ribose) synthase. *Crit Care Med*; **31**: 353–58.

Bozzini C, Campostrini N, and Trombini P (2008): “Measurement of urinary hepcidin levels in HFE-hemochromatosis . *Blood Cells, Molecules, and Diseases*, vol. 40, no. 3, pp. 347–352.

Braunstein GD (1993): Gynecomastia. *New England Journal of Medicine* 328 490–495.

Briley LP and Szczech LA (2006): Leptin and renal disease. *Semin Dial*19:54– 59.

Bristow M. R, Ginsburg R and Minobe W (1982): “Decreased catecholamine sensitivity and β -adrenergic-receptor density in failing human hearts,” *New England Journal of Medicine*, vol. 307, no. 4, pp. 205–211.

British Hypertension Society (2006): Liddle Syndrome, Fact File 02.

Brodsky MC, Conte FA, Taylor D, Hoyt CS and Mrak RE. (1997).Sudden death in septo-optic dysplasia: report of 5 cases. *Arch Ophthalmol*; 115:66-70.

Brodsky MC and Glasier CM (1993): Optic nerve hypoplasia: clinical significance of associated central nervous system abnormalities on magnetic resonance imaging. *Arch Ophthalmol*; 111:66-73.

Burman KD and Wartofsky L (2001): Thyroid function in the intensive care unit setting. *Crit Care Clin*; 17: 43–57.

References

- Caminiti G and Volterrani M (2009):** Effect of long-acting testosterone treatment on functional exercise capacity, skeletal muscle performance, insulin resistance, and baroreflex sensitivity in elderly patients with chronic heart failure a double-blind, placebo-controlled, randomized study. *J Am Coll Cardiol*; 54:919e27.
- Cappellini MD, Cohen A and Piga A (2006):** A Phase III study of deferasirox (ICL670), a once-daily oral iron chelator, in patients with beta-thalassemia. *Blood*; 107:3455-3462.
- Caprio M, Fabbri E, Isidori AM, Aversa A and Fabbri A (2001):** Leptin in reproduction. *Trends in Endocrinology and Metabolism* 12 65–72.
- Carroll PV, Christ ER, Bengtsson BÅ, Carlsson L, Christiansen JS, Clemmons D, Soñksen PH, Tanaka T, and Thorner M (1998).** Growth hormone deficiency in adulthood and the effects of growth hormone replacement: a review. Growth hormone Research Society Scientific Committee. *J Clin Endocrinol Metab*; 83: 382–395.
- Castilla-Cortazar I, Diez N, Garcia-Fernandez M, Puche JE, Diez-Caballero F, Quiroga J, Diaz-Sanchez M, Castilla A, Casares AD, Varela-Nieto I, Prieto J and Gonzalez-Baron S (2004):** Hepatocellular barrier is altered from early stages of liver cirrhosis: effect of insulin-like growth factor 1. *World Journal of Gastroenterology* 10 2529–2534.
- Casulari LA, Mangieri P, Naves L (2004):** Nonthyroidal illness syndrome in patients with subarachnoid hemorrhage due to intracranial aneurysm. *Arq, Neuropsiquiatr*; 62 (1):26-32.
- Caticha O, Norato DYJ, Tambascia MA, Santana A, Stephanou A and Sarlis NJ. (1996):** Total body zinc depletion and its relationship to the development of hyperprolactinemia in chronic renal insufficiency. *Journal of Endocrinological Investigation* 19 441–448.

References

- Charmandari E, Kino T, Ichijo T and Chrousos GP (2008):** generalized glucocorticoid resistance: clinical aspects, molecular mechanisms, and implications of a rare genetic disorder. *J Clin Endocrinol Metab*; 93:1563-1572.
- Cheng V, Kazenegra R, Garcia A, Lenert L, Krishnaswamy P, and Gardetto N (2001):** A rapid bedside test for B-type peptide predicts treatment outcomes in patients admitted for decompensated heart failure: a pilot study. *J Am Coll Cardiol* 37:386–391.
- Chittenden BG, Fullerton G, Maheshwari A, and Bhattacharya S (2010):** Polycystic ovary syndrome and the risk of gynaecological cancer: a systematic review. *Reprod Biomed Online*. 19(3):398-405.
- Chopra (2007):** An assessment of daily production and significance of thyroid hormones. *J .Clin Invest* 58:32-40.
- Chopra IJ (1997):** Clinical review 86. Euthyroid sick syndrome: is it a misnomer? *J Clin Endocrinol Metab*; 82 (2): 329-34.
- Chopra IJ, Huang TS, Beredo A, Soloman DH, Chua and Teco GN (1986):** Serum thyroid hormone binding inhibitor in nonthyroidal illnesses. *Metabolism*; 35:152-59.
- Chuck Eke-Okoro (2009):** Reversible Heart Failure. 720- 727.
- Conti E, Andreotti F, Sciahbasi A, Riccardi P, Marra G, Menini E, Ghirlanda G, and Maseri A (2001):** Markedly reduced insulin-like growth factor-1 in, the acute phase of myocardial infarction. *J Am Coll Cardiol*. 38: 26–32.
- Coresh J, Astor BC, Greene T, Eknoyan G, and Levey AS (2003):** Prevalence of chronic kidney disease and decreased kidney function in the adult US population: Third National Health and Nutrition Examination Survey. *Am J Kidney Dis* 41: 1–12.
- Coughlin SR, Mawdsley L, Mugarza JA, and Calverley PM (2007):** Cardiovascular and metabolic effects of CPAP in obese males with OSA. *Eur Respir J*; 29: 720-727.

References

- Cox TM and Kelly AL (1998):** Haemochromatosis, an inherited metal and toxicity syndrome. *Current Opinion in Genetics and Development* 8 274–281.
- Cuche JL, Prinseau J, Selz F, Ruget G, and Baglin A (2002):** Plasma free, sulfoand glucuro-conjugated catecholamines in uremic patients. *Kidne Int*: 30: 566-72.y.
- Dagogo-Jack S (2008):** HIV therapy and diabetes risk. *Diabetes Care*, 31(6):1267-1268.
- Dandona P, Aljada A, Chaudhuri A, Mohanty P and Garg R (2005):** Metabolic syndrome: A comprehensive perspective based on interactions between obesity, diabetes, and inflammation. *Circulation*111:1448– 1454.
- Dao Q, Krishnaswamy P, Kazenegra R, Harrison A, Amirnovin R and Lenert L (2001):** Utility of B-type natriuretic peptide in the diagnosis of congestive heart failure in an urgent-care setting. *JAmColl Cardiol* 37:379–385.
- Dattani MT (2005):** Growth hormone deficiency and combined pituitary hormone deficiency: does the genotype matter? *Clin Endocrinol (Oxf)*; 63:121-130.
- De Groot L J (2003):** "Non-thyroidal illness syndrome" is functional central hypothyroidism, and if severe, hormone replacement is appropriate in light of present knowledge. *J Endocrinol Invest* 26:1163-70.
- De Bold AJ, Bruneau BG, Kuroski W and de Bold ML (1996):** Mechanical and neuroendocrine regulation of the endocrine heart. *Cardiovasc Res* 31:7–18.
- De Celis R and Pendron-Nuevo N (1999):** Male fertility of kidney transplant patients with one to ten years of evolution using a conventional immunosuppressive regimen. *Archives of Andrology* 42 9–20.
- De Jong MF, Beishuizen A, Spijkstra JJ and Groeneveld AB (2007):** Relative adrenal insufficiency as a predictor of disease severity, mortality, and beneficial effects of corticosteroid treatment in septic shock. *Crit Care Med.*; 35: 1896–1903.
- De Kleijn ED, Joosten KF, Van Rijn B, Westerterp M, De Groot R, Hokken-Koelega AC and Hazelzet JA (2002):** Low serum cortisol in combination with

References

high adrenocorticotrophic hormone concentrations are associated with poor outcome in children with severe meningococcal disease. *Pediatr Infect Dis J*; 21:330–336.

De Pergola G, De Mitrio V, Sciaraffia M, Pannacciulli N, Minenna A, Giorgino F, Petronelli M, Laudadio E and Giorgino R (1997): Lower androgenicity is associated with higher plasma levels of prothrombotic factors irrespective of age, obesity, body fat distribution, and related metabolic parameters in men. *Metabolism* 46 1287–1293.

Debigare R, Marquis K, Cote CH, Tremblay RR, Michaud A, LeBlanc P and Maltais F.(2003). Catabolic /anabolic balance and muscle wasting in patients with COPD. *Chest*; 124:83–89.

Delafontaine P, Song YH and Li Y (2004): Expression, regulation, and function of IGF-1, IGF-1R, and IGF-1 binding proteins in blood vessels. *Arterioscler Thromb Vasc Biol*; 24:435– 444.

DeRemee RA and Lufkin EG (1985): Serum angiotensin-converting enzyme activity. Its use in the evaluation and management of hypercalcaemia associated with sarcoidosis. *Arch Intern Med*; 145:677–9.

Despre's JP, Lamarche B, Maurie'ge P, Cantin B, Dagenais GR, Moorjani S and Lupien PJ (2005): Hyperinsulinemia as an independent risk factor for ischemic heart disease. *N Engl J Med*; 334:952–957.

Diez JJ and Iglesias P (2003): The role of the novel adipocyte-derived hormone adiponectin in human disease. *Eur J Endocrinol*148:293– 300,.

Dimitrios Velissaris,Vasilis Karamouzos ,Panagiotis Polychronopoulos and Menelaos Karanikolas (2008): Deficiency promotes endothelial activation and profoundly exacerbates sepsis-related mortality. *Am J Physiol Endocrinol Metab*, 295:E658-E664.

References

- Dimopoulou, S Tsagarakis, G Assithianakis, M Christoforaki, M, Theodorakopoulou, A Kouyialis, S Korfias, N Thalassinou and C Roussos (2009):** Department of Critical Care Medicine and Department of Endocrinology, Evangelismos Hospital, Athens, Greece, *Critical Care*, 7(Suppl 2):P001 .
- Di Napoli VA, Huber JD, Houser K, Li X and Rosen C (2008):** Early disruptions of the blood-brain barrier may contribute to exacerbated neuronal damage and prolonged functional recovery following stroke in aged rats. *Neurobiol Aging* 29:753–64.
- Donald L. Trump, Marwan G. Fakih, Lili Tian, Marwan G. and Fakih (2009):** *Int J Colorectal Dis.* February; 24(2): 219–224.
- Dong Q, Hawker F and McWilliam D (1992):** Circulating immunoreactive inhibin and testosterone levels in patients with critical illness. *Clin Endocrinol*; 36:399–404.
- Donovan DS, Papadopoulos A and Staron RB (1998):** Bone mass and vitamin D deficiency in adults with advanced cystic fibrosis lung disease. *Am J Respir Crit Care Med*; 157(Part 1):1892–1899.
- Elaine M. Kaptein (2009):** Professor of Medicine University of Southern California Los Angeles, California, USA 90033, European Thyroid Association.
- Engeli S, Bohnke J, Gorzelniak K, Janke J, Schling P, Bader M, Luft FC and Sharma AM (2005):** Weight loss and the renin-angiotensin-aldosterone system. *Hypertension* 45:356– 362.
- Esler M, Julius S, Zewifler A, Randall O, Harburg E, Gardiner H and DeQuattro V. (1999).** Mild high-renin essential hypertension: Neurogenic human hypertension? *N Engl J Med*; 296: 405-11.
- European Heart Journal (2006):** *Circulation*; 114:2604-2610.57–64.
- Farzin Beygui, Jean-Philippe Collet, Jean-Jacques Benoliel, Nicolas Vignolles, Raphaelle Dumaine, Olivier Barthélémy and Gilles Montalescot (2006):** High

References

Plasma Aldosterone Levels and ST-elevation myocardial infarction. *Circulation*; 114:2604-2610.

Ferenci P, Lockwood A, Mullen K, Tarter R, Weissenborn K and Blei AT (2002): Hepatic encephalopathy – definition, nomenclature, diagnosis, and quantification: final report of the working party at the 11th World Congresses of Gastroenterology, Vienna, 1998. *Hepatology*, 35(3):716-721.

Fernandez J, Escorsell A and Zabalza M (2006): Adrenal insufficiency in patients with cirrhosis and septic shock: effect of treatment with hydrocortisone on survival. *Hepatology*; 44:1288-1295.

Fernandez-Real JM, Castro A, Vazquez G, Casamitjana R, Lopez-Bermejo A and Penarroja G (2004): Adiponectin is associated with vascular function independent of insulin sensitivity. *Diabetes Care* 27:739– 745.

Fernandez-Real JM, Pugeat M, López-Bermejo A, Bornet H and Ricart W (2005): Corticosteroid-binding globulin affects the relationship between circulating adiponectin and cortisol in men and women. *Metabolism*, 54:584-589.

Fichtenbaum CJ, Hadigan CM and Kotler DP (2005): Treating morphologic and metabolic complications in HIV-infected patients on antiretroviral therapy. *IAPAC Monthly*, 38-46.

Fink GD, Bruner CA and Mangiapane ML (2004): Area postrema is critical for angiotensin-induced hypertension in rats. *Hypertension*; 9: 355-61.

Fliers E, Alkemade A and Wiersinga WM (2001): The hypothalamic-pituitary-thyroid axis in critical illness. *Best Pract Res Clin Endocrinol Metab* 15:453-64.

Fliers E, Guldenaar SEF and Wiersinga WM (1997): Decreased hypothalamic thyrotropin-releasing hormone gene expression in patients with non-thyroidal illness. *J Clin Endocrinol Metab*; 82:4032–6.

References

- Fliser D, Kollerits B, Neyer U, Ankerst DP, Lhotta K, Lingenhel A, Ritz E, Kronenberg F, Kuen E, König P, Kraatz G, Mann JF, Müller GA, Kohler H, and Riegler P (2007):** Fibroblast growth factor 23 (FGF23) predicts progression of chronic kidney disease: the Mild to Moderate Kidney Disease (MMKD) Study. *J Am Soc Nephrol*; 18:2600–2608.
- Foy SG, Crozier IG, Richards AM, Turner JG, Frampton CM and Ikram H (1995):** Neurohormones changes after acute myocardial infarction: relationships with hemodynamic indices and effects of ACE inhibition. *Eur Heart J*; 16: 770 –778.
- Frias J, Torres JM, Miranda MT, Ruiz E and Ortega M (2002):** Effects of acute alcohol intoxication on pituitary-gonadal axis hormones, pituitary-adrenal axis hormones, beta-endorphin and prolactin in human adults of both sexes. *Alcohol and alcoholism* 37: 169–173.
- Frystyk J, Ledet T, Møller N, Flyvbjerg A, and Ørskov H (2002):** Cardiovascular disease and insulin-like growth factor I. *Circulation*; 106:893– 895.
- Gangemi EN, Garino F, and Berchialla P (2008):** Low triiodothyronine serum levels as a predictor of poor prognosis in burn patients. *Burns*. Sep; 34(6):817-24.
- Garcia-Filion, Pamela, Karen Eppert, Marvin Nelson, Colleen Azen, Mitchell E. Geffner, Cassandra Fink, and Mark Borchert (2008):** “Neuroradiographic, endocrinologic, and ophthalmic conditions of adverse developmental outcomes in children with optic nerve hypoplasia: a prospective study.” *Pediatrics*.121: e653-e659.
- Garland CF and Garland FC (1980):** Do sunlight and vitamin D reduce the likelihood of colon cancer? *Int J Epidemiol*; 9(3):227–231.
- Garland JS, Holden RM, Groome PA, Lam M, Nolan RL, Morton AR and Pickett W. (2008):** Prevalence and Associations of Coronary Artery Calcification in Patients with Stages 3 to 5 CKD without Cardiovascular Disease. *Am J Kidney Dis*.

References

- Gavaler JS (1995):** Alcohol effects on hormone levels in normal postmenopausal women and in postmenopausal women with alcohol-induced cirrhosis. *Recent Developments in Alcoholism* 12 199–208.
- Gegenhuber A, Struck J, Dieplinger B, Poelz W, Pacher R and Morgenthaler NG (2007):** Comparative evaluation of B-type natriuretic peptide, mid-regional pro-A-type natriuretic peptide and Copeptin to predict 1-year mortality in patients with acute destabilized heart failure. *J Card Fail*; 13(1):42–9.
- George J, Patal S and Wexler D (2005):** “Circulating erythropoietin levels and prognosis in patients with congestive heart failure comparison with neurohormonal and inflammatory markers,” *Archives of Internal Medicine*, vol. 165, no. 11, and pp. 1304–1309.
- Gerich JE, Karam JH and Forsham PH (2008):** stimulation of glucagon secretion by epinephrine in man. *J.Clin Invest* 37:479-81.
- Gomez F, de la Cueva R, Wauters J-P and Lemarchand-Beraud T (1980);** Endocrine abnormalities in patients undergoing long-term hemodialysis: the role of prolactin. *American Journal of Medicine* 68 522–530.
- Goodman WG, London G, Amann K, Block GA, Giachelli C and Hruska KA (2004):** Vascular calcification in chronic kidney disease. *Am J Kidney Dis* 43: 572–579.
- Goossens GH, Blaak EE and van Baak MA (2003):** Possible involvement of the adipose tissue renin-angiotensin system in the pathophysiology of obesity and obesity-related disorders. *Obes Rev* 4:43– 55.
- Grant WB and Holick MF (2005):** Benefits and requirements of vitamin D for optimal health: a review. *Altern Med Rev*; 10:94–111.
- Guillausseau PJ, Massin P and Dubois-LaFargue D (2001):** Maternally inherited diabetes and deafness: a multicenter study. *Ann Intern Med*; 134:721-8.
- Günter Weiss and Christoph Gasche (2009):** Disorders of iron homeostasis with a major emphasis on the anemia of chronic disease, iron overload syndromes.

References

- Gutierrez O, Isakova T, Rhee E, Shah A, Holmes J, Collerone G, Juppner H and Wolf M (2005):** Fibroblast growth factor-23 mitigates hyperphosphatemia but accentuates calcitriol deficiency in chronic kidney disease. *J Am Soc Nephrol*; 16:2205–2215.
- Gutierrez O, Mannstadt M, Isakova T, Rauh-Hain J, Tamez H, Shah A, Smith K, Lee H, Thadhani R, Jueppner H and Wolf M (2008):** Fibroblast Growth Factor 23 and Mortality among Hemodialysis Patients. *N Engl J Med*; 359:584–592.
- Haalas JL, Gajiwala K, Maffei M, Cohen SL, Chait BT, Rabinowitz D, Burley SK and Friedman JM (1995):** Weight-reduction effects of the plasma protein encoded by the obese gene. *Science*; 269: 543–546.
- Hack AE, Witteman JC, de Jong FH, Geerlings MI, Hofman A and Pols HA (2002):** Low levels of endogenous androgens increase the risk of atherosclerosis in elderly men: the Rotterdam study. *Journal of Clinical Endocrinology and Metabolism* 87 3632–3639.
- Haderslev KV, Jeppesen PB, Sorensen HA, Mortensen PB and Staun M (2003):** Vitamin D status and measurements of markers of bone metabolism in patients with small intestinal resection. *Gut*; 52:653–658.
- Hagström E, Lundgren E, Berglund L, Lithell H, Ljunghall S, Hellman P (2002):** Normalized dyslipidaemia after parathyroidectomy in mild hyperparathyroidism: population-based study over five years. *Clin Endocrinol (Oxf)*; 56:253-260.
- Hall JE, Henegar JR, Dwyer TM, Liu J, Da Silva AA, Kuo JJ and Tallam L (2004):** Is obesity a major cause of chronic kidney disease? *Adv Ren Replace Ther* 11:41– 54.
- Hall RCW (1980):** Anxiety. In Hall RCW (Ed):. *Psychiatric Presentations of Medical Illness*. New York, Spectrum, 13-35.

References

- Hama S, Kitaoka T and Shigenobu M (2005):** “Malnutrition and non thyroidal illness syndrome after stroke,” *Metabolism: Clinical and Experimental*, vol. 54, no. 6, pp. 699–704.
- Hamada Y and Fukagawa M (2009):** “Is hepcidin the star player in iron metabolism in chronic kidney disease,” *Kidney International*, vol. 75, no. 9, pp. 873–874.
- Hamrahan AH, Oseni TS and Arafah BM (2004):** Measurements of serum free cortisol in critically ill patients. *N Engl J Med*; 350:1629-1638.
- Handelsman DJ (1985):** Hypothalamic-pituitary gonadal dysfunction in renal failure, dialysis and renal transplantation. *Endocrinol Rev* 6: 151-182.
- Harrison’s Manual of Medicine By, (2011):** Disorder of the male reproductive system.
- Harvey JN and Barnett D (1992):** Endocrine function in Kearns-Sayre Syndrome. *Clin Endocrinol* ;37:97-103.
- Hasselblatt M, Krieg-Hartig C, Hufner M, Halaris A and Ehrenreich H. (2003):** Persistent disturbance of the hypothalamic-pituitary-gonadal axis in abstinent alcoholic men. *Alcohol and Alcoholism*; **38** 239–242.
- Hatakeyama H, Nishizawa M, Nakagawa A, Nakano S, Kigoshi T and Uchida K (2002):** Testosterone inhibits tumor necrosis factor-alpha-induced vascular cell adhesion molecule-1 expression in human aortic endothelial cells. *FEBS Letter*; 530 129–132.
- Heikki Ruskoaho (2003):** Cardiac Hormones as Diagnostic Tools in Heart Failure, *Endocr. Rev.* 2003 24: 341-356, doi: 10.1210/er.2003-0006.
- Heimbürger O, Lönnqvist F, Danielsson A, Nordenström J and Stenvinkel P (1997):** Serum immunoreactive leptin concentrations and its relation to the body fat content in chronic renal failure. *J Am Soc Nephrol*; 8: 1423–1430.
- Hekmat R, Javadi Z and Layghian Javan M (2010):** Thyroid hormone changes in early kidney transplantation and its correlation with delayed graft function. *Urol J. Winter*; 7(1):30-4.

References

- Henry M, Kronenberg, ShlomoMelmed, and Kenneth (2008):** Reed Larsen .Williams Textbook of Endocrinolgy, 11th edn. Canada: Saunders Elsevier, 299–332.
- Herbst KL and Bhasin S (2004):** Testosterone action on skeletal muscle. *Curr Opin Clin Nutr Metab Care*; 7:271–277.
- Hickman IJ, Whitehead JP, Prins JP and Macdonald GA (2007):** Raised alanine transaminase and decreased adiponectin are features of the metabolic syndrome in patients with type 2 diabetes. *Diabetes Obes Metab*, 9:438-440.
- Himmerich H and Sheldrick AJ (2010):** TNF-alpha and ghrelin: opposite effects on immune system, metabolism and mental health. *Protein Pept Lett*; 17: 186-196.
- Hirata M, Katsumata K, Endo K, Fulcushima N, Ohkawa H and Fukagawa M (2003):** In subtotaly nephrectomized rats 22-oxacalcitriol suppresses parathyroid hormone with less risk of cardiovascular calcification or deterioration of residual renal function than 1,25(OH)₂ vitamin D₃. *Nephrol Dial Transplantat* 18: 1770–1776.
- Holick M (2007):** Vitamin D deficiency. *NEJM*; 357: 266–281.
- Holdsworth SR, de Kretser DM and Atkins RC (1998):** A comparison of hemodialysis and transplantation in ever sing the uremic disturbance of male reproductive function. *Clin Nephrol*10: 146-150.
- Holick MF (2003):** Vitamin D: a millennium perspective. *J Cell Biochem*; 88:296–307.
- Holick MF (2007):** Vitamin D deficiency. *N Engl J Med* 357: 266–281.
- Hollander M, Koudstaal PJ, Bots ML, Grobbee DE, Hofman A and Breteler MM (2003):** Incidence, risk, and case fatality of first ever stroke in the elderly population. The Rotterdam Study. *J Neurol Neurosurg Psychiatry*; 74:317–21.
- Hopkinson NS, Nickol AH, Payne J, Hawe E, Man WD, Moxham J, Montgomery H and Polkey MI (2004):** Angiotensin converting enzyme genotype and strength in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*; 170:395–399.

References

- Horl MP and Horl WH (2002):** Hemodialysis-associated hypertension: pathophysiology and therapy. *Am J Kidney Dis*; 39: 227-44.
- Hueston WJ, King DE and Geesey ME (2005):** Serum biomarkers for cardiovascular inflammation in subclinical hypothyroidism. *Clin Endocrinol (Oxf)*, 63(5):582.
- Hughes SE (1997):** Differential expression of the fibroblast growth factor receptor (FGFR) multigene family in normal human adult tissues. *J Histochem Cytochem*; 45:1005–1019.
- Hunt PJ, Richards AM, Nicholls MG, Yandle TG, Doughty RN and Espiner EA (1997):** Immunoreactive amino-terminal pro-brain natriuretic peptide (NT-PROBNP): a new marker of cardiac impairment. *Clin Endocrinol (Oxf)* 47:287–296.
- Hurn PD, Vannucci SJ and Hagberg H (2005):** Adult or perinatal brain injury: does sex matter? *Stroke*; 36:193.
- Hystad ME, Geiran OR, Attramadal H, Spurkland A, Vege Å, Simonsen S and Hall C .(2001):** Regional cardiac expression and concentration of natriuretic peptides in patients with severe chronic heart failure ;. *Acta Physiol Scand* 171:395–403.
- Ibanez M, Aguilar JJ, Maderal MA, Prats E, Farrero E, Font A and Escarrabill J. (2001):** Sexuality in chronic respiratory failure: coincidences and divergences between patient and primary caregiver. *Respir Med*; 95:975–979.
- Iglesias P, Díez J. J, and Fernández-Reyes M. J (2006):** “Serum ghrelin concentrations in patients with chronic renal failure undergoing dialysis,” *Clinical Endocrinology*, vol. 64, no. 1, pp. 68–73.
- Iglesias P and Díez JJ. (2009):** Thyroid dysfunction and kidney disease. *Eur J Endocrinol*. Apr; 160(4):503-15.
- Iglesias P, Munoz A, and Prado F (2010):** Serum thyrotropin concentration is an early marker of normalization of low T3 syndrome in aged hospitalized patients after discharge. *J Endocrinol Invest*. Feb 24.

References

- Inoue S, Murakami Y, Sano K, Katoh H and Shimada T (2000):** Atrium as a source of brain natriuretic polypeptide in patients with atrial fibrillation; *J Card Fail* 6:92–96.
- Iseki K, Massry SG and Campese VM (2006):** Effects of hypercalcemia and PTH on blood pressure in normal and renal-failure rats. *Am J Physiol* ;; 250: 924-9.
- Iqbal A, Jorde R and Figenschau Y (2006):** Serum lipid levels in relation to serum thyroid-stimulating hormone and the effect of thyroxine treatment on serum lipid levels in subjects with subclinical hypothyroidism: the Troms Study. *J Intern Med*, 260(1):53-61.
- Ishii J, Nomura M, Ito M, Naruse H, Mori Y, Ishikawa T, Kurokawa H, Kondo T, Nagamura Y, Ezaki K, Watanabe Y and Hishida H (2000):** Plasma concentration of brain natriuretic peptide as a biochemical marker for the evaluation of right ventricular overload and mortality in chronic respiratory disease. *Clin Chim Acta* 301:19–30
- Itoh T, Nagaya N, Yoshikawa M, Fukuoka A, Takenaka H, Shimizu Y, Haruta Y, Oya H, Yamagishi M and Hosoda H, (2004):** Elevated plasma ghrelin level in underweight patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*; 170:879–882.
- Jackson Jr WL (2005):** Should we use etomidate as an induction agent for endotracheal intubation in patients with septic shock? A critical appraisal: *Chest* 127:1031–1038.
- Jacob AI, Sallman A, Santiz Z and Hollis BW (1984):** Defective photoproduction of cholecalciferol in normal and uremic humans. *J Nutr*; 114: 1313-9.
- Jameson J. L , Weetman A. P, Braunwald E, Fauci A. S, Kasper D. L, Hauser S. L, Longo D. L, and Jameson J. L (2001):** “Disorders of the thyroid gland,” in *Harrison’s Principles of Eds., Internal Medicine*, pp. 2060–2084, McGraw-Hill, New York, NY, USA, 15th edition,.
- James L and Lewis III (2009):** *Endocrine and Metabolic Disorders*. May; 109:535–9.

References

- Jankowska EA, Biel B and Majda J (2006):** Anabolic deficiency in men with chronic heart failure: prevalence and detrimental impact on survival. *Circulation*; 114(17):1829-1837.
- Jean G, Bresson E, Terrat JC, Vanel T, Hurot JM, Lorriaux C, Mayor B and Chazot C (2008):** Peripheral vascular calcification in long-haemodialysis patients: associated factors and survival consequences. *Nephrol Dial Transplant*.
- Jefferson JW and Marshall JR (1981):** Neuropsychiatric Features of Medical Disorders. New York, Plenum, 6-7.
- Jelkmann W, Depping R and Metzen E (2009):** Nonhematopoietic effects of erythropoiesis-stimulating agents. In: Elliott SG, M Foote M, Molineux G, eds. *Erythropoietins, Erythropoietic Factors, and Erythropoiesis* (2nd ed). Basel, Birkhäuser: 299–317.
- Jeppesen LL, Jorgensen HS, Nakayama H, Raaschou HO, Olsen TS, Winther K and (1996):** Decreased serum testosterone in men with acute ischemic stroke. *Arterioscler Thromb Vasc Biol*; 16:749–54.
- Jernberg T, Stridsberg M, Venge P and Lindahl B (2002):** N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation. *J Am Coll Cardiol* 40:437–445.
- Jerry Lewis (2009):** National Chairman, www.mda.org, Muscular Dystrophy Association. (800) 572-1717.
- Jirasakuldech B, Schussler GC and Yap MG (2001):** Cleavage of thyroxine-binding globulin during cardiopulmonary bypass. *Metabolism* 50:1113-6.
- Johnson KL and Rn CR (2006):** The hypothalamic-pituitary-adrenal axis in critical illness. *AACN Clin Issues*; 17: 39-49.

References

- Juul A, Scheike T, Davidsen M, Gyllenborg J and Jørgensen T (2002):** Low serum insulin-like growth factor I is associated with increased risk of ischemic heart disease: a population-based case-control study. *Circulation*;106: 939 –944.
- Kalra S, Kalra B and Nanda G (2006):** OPD management of ketosis in pregnancy: aspart vs. regular insulin. *Diabetic Medicine*, 23:504.
- Kamycheva E, Sundsfjord J and Jorde R (2004):** Serum parathyroid hormone levels predict coronary heart disease: the Tromsø Study. *Eur J Cardiovasc Prev Rehabil*; 11:69-74.
- Kaptein EM. , Spencer CA. and Kamsel MB (2009):** Prolonged dopamine administration and thyroid economy in normal and critically ill patient . *J .Clin Endocrinal metab* . 51:387-93.
- Kaptein EM (1996).** Thyroid hormone metabolism and thyroid diseases in chronic renal failure. *Endocr Rev*; 17: 45–63.
- Karina de Ferran; Isla Aguiar Paiva, Daniel Luiz Schueftan Gilban and Monique Resende (2010):** "Arquivos de Neuro-Psiquiatria" vol.68 no.3 São Paulo June.
- Katan M, Morgenthaler N, Widmer I, Puder JJ, König C and Müller B (2008):** Copeptin, a stable peptide derived from the vasopressin precursor, correlates with the individual stress level. *Neuro Endocrinol Lett.*;29(3):341–6.
- Kaufman JM, Giri M, Deslypere JM, Thomas G and Vermeulen A (1991):** Influence of age on the responsiveness of the gonadotrophs to luteinizing hormone-releasing hormone in males. *J Clin Endocrinol Metab*; 72:1255–1260.
- Kelberman D and Dattani MT (2008):** Septo-optic dysplasia: novel insights into the aetiology. *Horm Res*; 69:257-265.
- Khan SQ, Dhillon OS, O'Brien RJ, Struck J, Quinn P and Morgenthaler NG (2007):** C-terminal provasopressin as a novel and prognostic marker in acute myocardial infarction: Leicester Acute Myocardial Infarction Peptide (LAMP) study. *Circulation*; 115(16):2103–10.

- Klein IH, Ligtenberg G, Oey PL, Koomans HA and Blankestijn PJ (2001):** Sympathetic activity is increased in polycystic kidney disease and hypertension. *J Am Soc Nephrol*; 12: 2427-33.
- Kobeissy FH, Jeung JA, Warren MW, Geier JE and Gold MS (2008):** Changes in leptin, ghrelin, growth hormone and neuropeptide- Y after an acute model of MDMA and methamphetamine exposure in rats. *Addict Biol*; 13: 15-25.
- Koiwa F, Kazama JJ, Tokumoto A, Onoda N, Kato H, Okada T and Fukagawa M. (2005):** Sevelamer hydrochloride and calcium bicarbonate reduce serum fibroblast growth factor 23 levels in dialysis patients. *Ther Apher Dial*; 9:336–339.
- Kontoleon PE, Anastasiou-Nana MI, Papapetrou PD, Alexopoulos G, Ktenas V, Rapti AC, Tsagalou EP and Nanas JN (2003):** Hormonal profile in patients with congestive heart failure. *Int J Cardiol*; 87:179–183.
- Krypciak S, Alonso E, Berle M, Ajzenberg C, Combes C, Taillandier-Herich E and Paillaud E (2010):** Lymphome cérébral primitif de la tige pituitaire. *La Revue de médecine interne*, 31:140-145.
- Kulnigg S and Gasche C (2006):** Systematic review: managing anaemia in Crohn's disease. *Aliment Pharmacol Ther.*; 24(11-12):1507-23.
- Kurata A, Nishizawa H, Kihara S, Maeda N, Sonoda M, Okada T, Ohashi K, Hibuse T, Fujita K, Yasui A, Hiuge A and Funahashi T (2006):** Blockade of angiotensin II type-1 receptor reduces oxidative stress in adipose tissue and ameliorates adipocytokine dysregulation. *Kidney Int*70:1717– 1724.
- Kyung NH, Barkan A, Klibanski A, Badger TM, McArthur JW, Axelrod L and Beitins IZ (1985):** Effect of carbohydrate supplementation on reproductive hormones during fasting in men. *Journal of Clinical Endocrinology and Metabolism* 60 827–835.

References

- LaClair RE, Hellman RN, Karp SL, Kraus M, Ofner S, Li Q, Graves KL and Moe SM (2005):** Prevalence of calcidiol deficiency in CKD: a cross sectional study across latitudes in the United States. *Am J Kidney Dis*; 45: 1026-33.
- Laghi F, Antonescu-Turcu A, Collins E, Segal J, Tobin DE, Jubran A and Tobin MJ (2005):** Hypogonadism in men with chronic obstructive pulmonary disease: prevalence and quality of life. *Am J Respir Crit Care Med*; 171:728–733.
- Lam JC, Lam B, Yao TJ, Lai AY, Ooi CG, Tam S, Lam KS and Ip MS (2010):** A randomized controlled trial of nasal continuous positive airway pressure on insulin sensitivity in obstructive sleep apnea. *Eur Respir J*; 35: 138-145.
- Lamberts SW, van den Beld AW and van der Lely AJ (1997):** The endocrinology of aging. *Science*; 278 (5337): 419-424.
- Lang CC, Prasad N, McAlpine HM, Macleod C, Lipworth BJ, MacDonald TM and Struthers AD (1994):** Increased plasma levels of brain natriuretic peptide in patients with isolated diastolic dysfunction. *Am Heart J* 127: 1635–1636.
- Langer C, Gansz B, Goepfert C, Engel T, Uehara Y, von Dehn G, Assmann G and Eckardstein A (2002):** Testosterone up-regulates scavenger receptor BI and stimulates cholesterol efflux from macrophages. *Biochemical and Biophysical Research Communications* 296 1051–1057.
- Lark RK, Lester GE, Ontjes DA (2001):** Diminished and erratic absorption of ergocalciferol in adult cystic fibrosis patients. *Am J Clin Nutr*; 73:602–606.
- Larsson R, Capili B, Eckert-Norton M, Colagreco JP and Anastasi JK (2006):** Disorders of glucose metabolism in the context of human immunodeficiency virus infection. *J AANP*, 18:92-103.
- Leclère J, Cousty C, Schlienger JL and Wémeau JL (2008):** Subclinical hypothyroidism and quality of life of or more with hypercholesterolemia: *Presse Med*, 37(11):1538-46.

- Lee W-L, Chen J-W, Ting C-T, Lin S-J and Wang PH (1999):** Changes of the insulin-like growth factor I system during acute myocardial infarction: implications on left ventricular remodeling. *J Clin Endocrinol Metab.* ; 84:1575–1581.
- Leineweber K, I. Heinroth-Hoffmann, Pönicke K, Abraham G, Osten B, and Brodde O. E, (2002):** “Cardiac β -adrenoceptor desensitization due to increased β -adrenoceptor kinase activity in chronic uremia,” *Journal of the American Society of Nephrology*, vol. 13, no. 1, pp. 117–124.
- Lephart ED, Baxter CR and Parker Jr (1987):** Effect of burn trauma on adrenal and testicular steroid hormone production. *J Clin Endocrinol Metab*; 64:842–8.
- Lerman A, Gibbons RJ, Rodeheffer RJ, Bailey KB, McKinley LJ, Heublein DM and Burnett JC (1993):** Circulating N-terminal atrial natriuretic peptide as a marker for symptomless left-ventricular dysfunction.
- LeRoith D, Danovitz G, Trestian S and Spitz IM (1980):** Dissociation of pituitary glycoprotein response to releasing hormones in chronic renal failure. *Acta Endocrinologica*93: 277-282.
- Levin A, Bakris GL, Molitch M, Smulders M, Tian J, Williams LA and Andress DL (2007):** Prevalence of abnormal serum vitamin D, PTH, calcium, and phosphorus in patients with chronic kidney disease: Results of the study to evaluate early kidney disease. *Kidney Int* 71: 31–38.
- Levin A, Bakris GL, Molitch M, Smulders M, Tian J, Williams LA and Andress DL (2007):** Prevalence of abnormal serum vitamin D, PTH, calcium, and phosphorus in patients with chronic kidney disease: Results of the study to evaluate early kidney disease. *Kidney Int* 71: 31–38.
- Lewitt MS and Baxter RC (1990):** Inhibitors of glucose uptake stimulate the production of insulinlike growth factor binding protein (IGFBP-1) by human fetal liver. *Endocrinology*; 126:1527–33.

- Lichtarowicz-Krynska EJ, Cole TJ, Camacho-Hubner C, Britto J, Levin M and Klein N (2004):** Circulating aldosterone levels are unexpectedly low in children with acute meningococcal disease. *J Clin Endocrinol Metab* 89:1410–1414.
- Ligtenberg JJM, Girbes ARJ, Beentjes JAM, Tulleken JE, Van der Werf TS and Zijlstra JG (2001):** Hormones in the critically ill patient: to intervene or not to intervene? *Intensive Care Med*; 27: 1567–77.
- Lim VS, Kathplia SC and Henriquezc (2008):** Endocrine abnormalities in chronic renal failure. *Med Clin North Am.* 62:1341-84.
- Linda L. Wolfenden, Thomas R. Ziegler, Junqiang Tian, Menghua and Thomas R. Ziegler (2007):** Photodermatol Photoimmunol Photomed. October; 23(5): 179–185.
- Liu JamesK, Sayama Christina, chin StevenS and COouldwell WilliamT (2007):** Extranodal NK/T-cell lymphoma presenting as a pituitary mass, Case report and review of the literature. *Neurosurg*, 107:660-5.
- Liu X, Xie R and Liu S (2008):** Rat parathyroid hormone 1–34 signals through the MEK/ERK pathway to induce cardiac hypertrophy. *J Int Med Res*; 36:942-950.
- Lo JC, Chertow GM and Go AS (2005):** Increased prevalence of subclinical and clinical hypothyroidism in persons with chronic kidney disease. *Kidney Int*; 67: 1047–1052.
- Lo JC and Schambelan M. (2001):** Reproductive function in human immune -deficiency virus infection. *Journal of Clinical Endocrinology and Metabolism* 86 2338–2343.
- Logeart D, Saudubray C, Beyne P, Thabut G, Ennezat PV, Chavelas C, Zanker C and Bouvier E (2002):** Comparative value of Doppler echocardiography and B-type natriuretic peptide assay in the etiologic diagnosis of acute dyspnea. *J Am Coll Cardiol* 40: 1794–800.
- Lönnqvist F, Arner P, Nordfors L and Schalling M (1995):** Over expression of the obese (*ob*) gene in human subjects. *Nature Med*; 1: 950–953.

- Loukovaara M, Carson M and Adlercrentz H (1995):** Regulation of production and secretion of sex hormone-binding globulin in HepG2 cell cultures by hormones and growth factors. *Journal of Clinical Endocrinology and Metabolism* **80** 160–164.
- Ludvigsson JF and Ludvigsson J (2001):** Coeliac disease in the father affects the newborn. *Gut* **49** 169–175.
- Madersbacher S, Grunberger T and Maier U (1994):** Andrological status before and after liver transplantation. *Journal of Urology*; **8** 379- 498.
- Mak R. H.(2008):** “Insulin and its role in chronic kidney disease,” *Pediatric Nephrology*, vol. 23, no. 3, pp. 355–362.
- Malkin CJ, Pugh PJ, and West JN (2006):** Testosterone therapy in men with moderate severity heart failure: a double-blind randomized placebo controlled trial. *Eur Heart J*; **27**:57e64.
- Mangiapane ML and Brody MJ (1987):** Vasoconstrictor and vasodilator sites within anteroventral third ventricle region. *Am J Physiol*; **253**: 827-31.
- Mantzoros C, Flier JS, Lesem MD, Brewerton TD and Jimerson DC (1997):** Cerebrospinal fluid leptin in anorexia nervosa: correlation with nutritional status and potential role in resistance to weight gain. *Journal of Clinical Endocrinology and Metabolism* **82** 1845–1851.
- Marcello Maggio, Fulvio Lauretani, Gian Paolo Ceda and Stefania Bandinelli (2007):** *Arch Intern Med. American Medical Association.* ; **167**(20):2249-2254.
- Maria N, Colantoni A and van Thiel DH (2000):** The liver and endocrine function. In *Principles and Practice of Endocrinology and Metabolism*, edn 3, ch. 205, pp 1870–1885. Ed. KL Becker.
- Marieke den Brinker, Koen F. M. Joosten, Olivia Liem, Frank H. de Jong, Wim C. J. Hop and Jan A (2005):** *Journal of Clinical Endocrinology & Metabolism* , 1107 .Vol. 90, No. 9 5110-5117.

- Marik PE, Kiminyo K and Zaloga GP (2002):** Adrenal insufficiency in critically ill patients with human immunodeficiency virus. *Crit Care Med*; 30:1267-1273.
- Marik PE, Pastores SM and Annane D (2008):** Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: consensus statements from an international task force by the American College of Critical Care Medicine. *Crit Care Med*; 36:1937-1949.
- Martin KA, Chang RJ, Ehrmann DA, Ibanez L, Lobo RA and Rosenfield RL (2008):** Evaluation and treatment of hirsutism in premenopausal women: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab* ; 93:1105-20.
- Martínez-Sánchez L, Arce A, Caritg-Bosch J, Campistol J, Pavía C and Gean-Molins E. (2002):** Septo-optic dysplasia. *Rev Neurol*; 35:439-442.
- Marx N, Neumann FJ, Ott I, Gawaz M, Koch W, Pinkau T and Scho“mig A (1997):** Induction of cytokine expression in leukocytes in acute myocardial infarction. *J Am Coll Cardiol*. 30:165–170.
- Masi AT (1995):** Hormonal and pregnancy relationship to rheumatoid arthritis: convergent effects with immunological and microvascular systems. *Seminars in Arthritis and Rheumatism* 25 1–27.
- Mason RS, Lissner D, Wilkinson M and Posen S (1980):** Vitamin D metabolites and their relationship to azotaemic osteodystrophy. *Clin Endocrinol (Oxf)* 13: 375–385.
- Mathew S, Tustison KS, Sugatani T, Chaudhary LR, Rifas L and Hruska KA (2008):** The mechanism of phosphorus as a cardiovascular risk factor in CKD. *J Am Soc Nephrol*; 19:1092–1105.
- Matsuzaki M, Izumi T and Shishikura K (2002):** Hypothalamic growth hormone deficiency and supplementary GH therapy in two patients with mitochondrial myopathy, encephalopathy, lactic acidosis and stroke-like episodes. *Neuropediatrics*; 33:271-3.
-

- Matthew M. Feldt, DO and Douglas S. Kerr (2009):** Center for Inherited Disorders of Energy Metabolism Cleveland, Ohio, 44106-6004.
- Matusiak D (2005):** Expression of vitamin D receptor and 25-hydroxyvitamin D3-1{alpha}-hydroxylase in normal and malignant human colon. *Cancer Epidemiol Biomarkers Prev*; 14(10):2370–2376.
- Means RT Jr. (2003):** Recent developments in the anemia of chronic disease. *Curr Hematol Rep*; 2(2):116-21.
- Meduri GU, Marik PE and Pastores SM (2007):** Corticosteroids in ARDS: a counterpoint. *Chest*; 132:1093-1094.
- Mehta SH, Brancati FL, Sulkowski MS, Szklo M and Thomas DL (2001):** Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States. *Ann Intern Med*, 133:592-599.
- Menleji R, Wasson P and Baz P (2004):** Diabetes Mellitus/Optic Atrophy in Wolfram Syndrome. *J Clin Endocrinol Metab.*; 89:1656-1661.
- Menon V, Li L, Wang X, Greene T, Balakrishnan V, Madero M, Pereira AA, Beck GJ, Kusek JW, Collins AJ, Levey AS and Sarnak MJ (2006):** Adiponectin and mortality in patients with chronic kidney disease. *J Am Soc Nephrol* 17:2599– 2606.
- Mesotten D and Van den Berghe G (2006):** Changes within the growth hormone/insulin-like growth factor I/IGF binding protein axis during critical illness. *Endocrinol Metab Clin North Am*, 35:793-805.
- Michalaki M, Vagenakis A and Makri M (2001):** Dissociation of the early decline in serum T3 concentration and serum IL-6 rise and TNF alfa in non-thyroidal illness syndrome induced by abdominal surgery. *J Clin Endocrinol Metab*; 86:4198–205.
- Miller EA (2007):** Calcium, dietary, and lifestyle factors in the prevention of colorectal adenomas. *Cancer*; 109 (3):510–517.
-

- Minton JA, Rainbow LA and Ricketts C (2003):** Wolfram Syndrome. *Rev Endocr Metab Disord.*; 4:53-9.
- Mitra D, Elvis DM and Collins AJ (1999):** Testosterone and testosterone free index in mild ankylosing spondylitis: relationship with bone mineral density and vertebral fractures. *Journal of Rheumatology*; 26: 2414–2417
- Mondy K, Oovertan ET and Grubb J (2007):** Metabolic syndrome in HIV-infected patients from an urban, Midwestern US outpatient population. *Clin Infec* , 44:726-734.
- Montani JP, Antic V, Yang Z and Dulloo A (2002):** Pathways from obesity to hypertension: From the perspective of a vicious triangle. *Int J Obes Relat Metab Disord*26 [Suppl 2] :S28– S38.
- Morgenthaler NG, Muller B, Struck J, Bergmann A, Redl H and Christ-Crain M (2007):** Copeptin, a Stable Peptide of the Arginine Vasopressin Precursor, Is Elevated in Hemorrhagic and Septic Shock.
- Motallabzadeh R, Godfrey E and Jamieson NV (2008):** Diagnostic dilemma of adrenal enlargement after acute pancreatitis. *Ann R Coll Surg Engl*; 90:1–3.
- Mukherjee S, Kar M and Dutta S (1991):** Observation on serum prolactin in hepatic cirrhosis. *J Indian Med Assoc*; **89**: 307-308.
- Muller B, Morgenthaler N, Stolz D, Schuetz P, Muller C and Bingisser R (2007):** Circulating levels of copeptin, a novel biomarker, in lower respiratory tract infections. *Eur J Clin Invest*; 37(2):145–52.
- Muller M, den Tonkelaar I, Thijssen JH, Grobbee DE and van der Schouw YT (2003):** Endogenous sex hormones in men aged 40–80 years. *Eur J Endocrinol*; 149:583–589.

- Mullis-Jansson SL, Argenziano M and Corwin S (1999):** A randomized double blind study on the effect of triiodothyronine on cardiac function and morbidity after coronary bypass surgery. *J Thorac Cardiovasc Surg*; 117:1128–34.
- Munck A, Guyre P and Holbrook N (1984):** Physiological functions of glucocorticoids during stress and their relation to pharmacological actions. *Endocr Rev*; 5:25–44.
- Nagasaki T, Inaba M, Shirakawa K, Hiura Y, Tahara H, Kumeda Y, Ishikawa T and Ishimura E (2007):** Increased levels of C-reactive protein in hypothyroid patients and its correlation with arterial stiffness in the common carotid artery. *Biomed Pharmacother*, 61(2–3):167-72.
- Natascia Campostrini, Annalisa Castagna, Valeria Bedogna and Nicola Martinelli (2010):** *Journal of Biomedicine and Biotechnology* Volume 2010, Article ID 329646.
- Nelson JC, Wang R and Asher DT (2005):** Underestimates and overestimates of total thyroxine concentrations caused by unwanted thyroxine-binding protein effects. *Thyroid* 15:12-5.
- Nelson JL, Koepsell TD, Dugowson CE, Voigt LF, Daling JR and Hansen JA (1993):** Fecundity before disease onset in women with rheumatoid arthritis. *Arthritis and Rheumatism* 36 7–14.
- Nematy M, O'Flynn JE, Wandrag L, Brynes AE, Brett SJ and Frost GS (2006):** Changes in appetite related gut hormones in intensive care unit patients: a pilot cohort study. *Crit Care* 10:R10.
- Nemeth E, Tuttle M. S and Powelson J (2004):** Hepcidin regulates cellular iron efflux by binding to ferroportin and inducing its internalization,” *Science*, vol. 306, no. 5704, pp. 2090–2093.

- Ng K (2008):** Circulating 25-hydroxyvitamin d levels and survival in patients with colorectal cancer. *J Clin Oncol*; 26(18):2984–2991.
- Niederau C (1985):** Diabetes mellitus bei Hämochromatose. *Z Gastroenterol*; 37:22-32
- Niederau C, Fischer R and Pürschel A (1996):** Long-term survival in patients with hereditary hemochromatosis. *Gastroenterology*; 110:1107-1119.
- Norgard B, Fonager K, Sorensen HT and Olsen J (1999):** Birth outcomes of women with celiac disease: a nationwide historical cohort study. *American Journal of Gastroenterology* 94 2435–2440.
- Nunes S, Nogueira-Silva C, Dias E, Moura RS, Correia-Pinto J. Ghrelin and obestatin (2008):** Different role in fetal lung development? *Peptides*; 29: 2150-2158.
- Nur MM, Newman IM and Siqueira LM (2009):** Glucose Metabolism in Overweight Hispanic Adolescents with and Without Polycystic Ovary Syndrome.
- O’Leary DH, Polak JF, Kronmal RA, Manolio TA, Burke GL and Wolfson SK Jr (1999):** Carotid-artery intima and media thickness as a risk factor for myocardial infarction and stroke in older adults. *Cardiovascular Health Study Collaborative Research Group. N Engl J Med.* 340:14 –22.
- O’Leary E, Hubbard K, and Tormey W (1996):** Laparoscopic cholecystectomy: hemodynamic and neuroendocrine responses after pneumoperitoneum and changes in position. *Br J Anaesth*; 76:640–4.
- O’Beirne J, Holmes M and Agarwal B (2007):** Adrenal insufficiency in liver disease - - what is the evidence? *J Hepatol*; 47:418-423.
- Oestreicher EM, Martinez-Vasquez D, Stone JR, Jonasson L, Roubanthisuk W and Mukasa K (2003):** Aldosterone and not plasminogen activator inhibitor- 1 is a critical mediator of early angiotensin II/NG-nitro-L-arginine methyl ester–induced myocardial injury. *Circulation*; 108:2517–2523.

- Ohkoshi N, Ishii A and Shiraiwa N (1998):** Dysfunction of the hypothalamic-pituitary system in mitochondrial encephalomyopathies. *J Med.*; 29:13-29.
- Okutan O, Kartaloglu Z, Onde ME, Bozkanat E and Kunter E (2004):** pulmonary function tests and thyroid hormone concentrations in patients with chronic obstructive pulmonary disease. *Med Princ Pract* 13:126–128.
- Otani T (2007):** Plasma vitamin D and risk of colorectal cancer: the Japan Public Health Center-Based Prospective Study. *Br J Cancer*; 97(3):446–451.
- Palmer BF (2004):** Outcomes associated with hypogonadism in men with chronic kidney disease. *Advances in chronic kidney disease* :11:342–347.
- Palmer BF (1999):** Sexual dysfunction in uremia. *J Am Soc Nephrol*, 10: 1381–1388.
- Palmer SC, McGregor DO, Macaskill P, Elder GJ and Strippoli GF (2007):** Meta-analysis: vitamin D compounds in chronic kidney disease. *Ann Intern Med*; 147: 840-53.
- Pamela Garcia-Filion, Mark Borchert, Francine Kaufman, Linda and Mitchell Geffner (2006):** “Endocrinological and auxological abnormalities in young children with optic nerve hypoplasia: a prospective study.” *Journal of Pediatrics*. 148:78-84.
- Pan Y, Zhang H, Acharya AB, Patrick PH, Oliver D and Morley JE (2005):** Effect of testosterone on functional recovery in a castrate male rat stroke model. *Brain Res*; 1043:195–204.
- Papadimas J, Mandala E, Pados G, Kokkas B, Georgiadis G, Tarlatzis B, Bontis J, Sinakos Z and Mantalenakis S (1996):** Pituitary testicular axis in men with β -thalassaemia major. *Human Reproduction* 11 1900–1904.
- Papadopoulos K, Hornblad Y, Liljebladh H and Hallengren B (1996):** High Frequency of Endocrine Autoimmunity in Patients with sarcoidosis. *Eur J Endocrinol*; 134:331–6.

- Parker LN, Levin ER and Lifrak ET (2008):** Evidence of adrenocortical adaptation to severe illness. *J. Clin Endocrinol metab.* 60:947-52.
- Parsa C. J, Matsumoto A, and Kim J (2003):** “A novel protective effect of erythropoietin in the infarcted heart,” *Journal of Clinical Investigation*, vol. 112, no. 7, pp. 999–1007,
- Patterson MN, McPhaul MJ and Hughes IA (1994):** Androgen insensitivity syndrome. *Baillieres Clinical Endocrinology and Metabolism* 8 379–404.
- Pechere-Bertschi A and Burnier M (2007):** Gonadal steroids, salt-sensitivity and renal function. *Current opinion in nephrology and hypertension*; 16:16–21.
- Peeters TL (2005):** Ghrelin: a new player in the control of gastrointestinal functions. *Gut*, 54:1638-1649.
- Peng Y-S, Wu C-S, Chen Y-C, Lien J-M, Tian Y-C, Fang J-T, Yang C, Chu Y-Y, Hung C-F, Yang C-W, Chen P-C and Tsai M-H (2009):** Critical illness related corticosteroid insufficiency in patients with severe acute biliary pancreatitis: a prospective study. *Crit Care.*; 13:R123.
- Pérez-Fontán M, Cordido F, Rodríguez-Carmona A, García-Naveiro R, and García-Buela J (2004):** “Plasma ghrelin levels in patients undergoing haemodialysis and peritoneal dialysis,” *Nephrology Dialysis Transplantation*, vol. 19, no. 8, pp. 2095–2100.
- Pimentel CR, Miano FA and Perone D (2009):** Reverse T (3) as a parameter of myocardial function impairment in heart failure. *Int J Cardiol.*
- Piperno A, Rivolta MR, D’Alba R, Fargion S, Rovelli F, Ghezzi A, Micheli M and Fiorelli G (1992):** Preclinical hypogonadism in genetic haemochromatosis in the early stage of the disease: evidence of hypothalamic dysfunction. *Journal of Endocrinological Investigation* 15 423–428.

- Piperno. A, R. Mariani, P. Trombini, and D. Girelli (2009):** “Hepcidin modulation in human diseases: from research to clinic,” *World Journal of Gastroenterology*, vol. 15, no. 5, pp. 538–551.
- Popkin M.K (1993):** Consultation-Liaison Psychiatry, in *Comprehensive Textbook of Psychiatry*, Sixth Edition.
- Porter N, Beynon H.L and Randeva H.S (2003):** Endocrine and reproductive manifestations of sarcoidosis *Q J Med*; 96:553–561.
- Prem AR, Punekar SV, Kalpana M, Kelkar AR and Acharya VN (1996):** Male reproductive function in uremia: efficacy of haemodialysis and renal transplantation. *British Journal of Urology* 78 635–638.
- Premachandra BN, Kabir MA and Williams IK (2006):** Low T3 syndrome in psychiatric depression. *J Endocrinol Invest*. Jun; 29(6):568-72.
- Procopio M, Magro G, Cesario F, Piovesan A, Pia A and Molineri N (2002):** The oral glucose tolerance test reveals a high frequency of both impaired glucose tolerance and undiagnosed Type 2 diabetes mellitus in primary hyperparathyroidism. *Diabet Med*; 19:958-961.
- Pugh PJ, Jones TH and Channer KS (2003):** Acute haemodynamic effects of testosterone in men with chronic heart failure. *Eur Heart J*; 24:909–915.
- Raine AE, Bedford L, Simpson AW, Ashley CC, Brown R, Woodhead JS and Ledingham JG (1993):** Hyperparathyroidism, platelet intracellular free calcium and hypertension in chronic renal failure. *Kidney Int*; 43: 700-5.
- Randon RB, Rohde LE, Comerlato L, Ribeiro JP and Manfro RC (2005):** The role of secondary hyperparathyroidism in left ventricular hypertrophy of patients under chronic hemodialysis. *Braz J Med Biol Res*; 38:1409-1416.
- Raoa VJ, Jamesb RA and Mitraa D (2008):** Imaging characteristics of common suprasellar lesions with emphasis on MRI findings. *Clinical Radiology*, 63:939-947.
-

References

- Rashid G, Bernheim J, Green J and Benchetrit S (2007):** Parathyroid hormone stimulates endothelial expression of atherosclerotic parameters through protein kinase pathways. *Am J Physiol Renal Physiol*; 292: F1215-F1218.
- Ratner Kaufman, Francine, Neal Kaufman, and Talia Inlender (2011):** Optic Nerve Hypoplasia: A Guide for Parents. Los Angeles. 33, 283–303:858.
- Reame NE, Sauder SE, Case GD, Kelch RP and Marshall JC (1985):** Pulsatile gonadotropin secretion in women with hypothalamic amenorrhea: evidence that reduced frequency of gonadotropin-releasing hormone secretion is the mechanism of persistent an ovulation. *Journal of Clinical Endocrinology and Metabolism* 61: 851–858.
- Reaven G (2004):** The metabolic syndrome or the insulin resistance syndrome? *Endocrinology and Metabolism Clinics of North America* 33 283–303.
- Rebar RW (2000):** Disorders of menstruation, ovulation and sexual response. In *Principles and Practice of Endocrinology and Metabolism*, edn 3, ch. 96, pp 947–967. Ed. KL Becker. Philadelphia: Lippincott Williams & Wilkins.
- Reckelhoff JF (2005):** Sex steroids, cardiovascular disease, and hypertension: unanswered questions and some speculations. *Hypertension*; 45:170–174.
- Resnick LM (1991):** Calcium metabolism in hypertension and allied metabolic disorders. *Diabetes Care*; 14: 505-20.
- Robach P, Recalcati S and Girelli D (2009):** “Alterations of systemic and muscle iron metabolism in human subjects treated with low-dose recombinant erythropoietin,” *Blood*, vol. 113, no. 26, pp. 6707–6715.
- Rocco MV, Yan G, Heyka RJ and Cheung AK (2001):** Group.Risk factors for hypertension in chronic hemodialysis patients: data from the HEMO study. *Am J Nephrol*; 21:280-8.
- Roos Annemieke, Bakker Stephan JL, Links Thera P, Gans Rijk OB and Wolffe Bruce HR (2007):** Thyroid Function Is Associated with Components of the Metabolic
-

Syndrome in Euthyroid Subjects. *J Clin Endocrinol Metab*, 92(2):491-496.

Roselli CF (2007): Brain aromatase: roles in reproduction and neuroprotection. *J Steroid Biochem Mol Biol* 1; 106:143–50.

Rossi E, Sani C and Perazzoli F (1995): Alterations of calcium metabolism and of parathyroid function in primary aldosteronism, and their reversal by spironolactone or by usrgical removal of aldosteroneproducing adenomas. *Am J Hypertens*; 8:884–893.

Rossier, B. and Schild L (2008): Epithelial Sodium Channel: Mendelian Versus Essential Hypertension. *Hypertension*; 52; 595-600.

Roth GS, Lane MA and Ingram DK (2002): Biomarkers of caloric restriction may predict longevity in humans. *Science*; 297(5582):811.

Ruskoaho H (1992): A trial natriuretic peptide: synthesis, release, and metabolism; *Pharmacology Rev* 44:479–602.

Ruskoaho H, Tholken H and Lang R (1986): Increase in atrial pressure releases atrial natriuretic peptide from isolated perfused rat hearts;. *Pfluegers Arch* 407:170–174.

Russell DH (1989): New aspects of prolactin and immunity: a lymphocyte-derived prolactin -like product and nuclear protein kinas C activation. *Trends Pharmacol Sci*; 10:40–4.

Russo D, Palmiero G, De Blasio AP, Balletta MM and Andreucci VE (2004): Coronary artery calcification in patients with CRF not undergoing dialysis ; *Am J Kidney Dis* 44: 1024–1030.

Ryu JK, Lee SB, Hong SJ and Lee S (2001): Association of chronic hepatitis C virus infection and Diabetes mellitus in Korean patients. *Korean J Intern Med*, 16:18-23.

Sacca L (2009): Heart failure as a multiple hormone deficiency syndrome. *Circ Heart Fail*; 2:151e6.

Sam S and Dunaif A (2003): Polycystic ovary syndrome. Syndrome XX ? *Trends in Endocrinology and Metabolism*: 14 365–370.

- Samaras K, Wand H, Law M, Emery S, Cooper D and Carr A (2007):** Prevalence of metabolic syndrome in HIV-infected patients receiving active anti retroviral therapy using International Diabetes Federation and Adult treatment Panel III criteria. *Diabetes Care*, 30 (1): 113-115.
- Sang Heon Song,IhmSoo Kwak, Dong Won Lee, Yang Ho Kang ,Eun Young Seong, and Jin (2009):** *Sup Park Nephrol Dial Transplant* 24: 1534–1538.
- Santoro N, Filicori M and Crowley WF (1986):** Hypogonadotropic disorders in men and women: diagnosis and therapy with pulsatile gonadotropin releasing hormone. *Endocr Rev*; 7:11–23.
- Satyan S, Light RP, and Agarwal R (2007):** Relationships of N-terminal pro-Bnatriuretic peptide and cardiac troponin T to left ventricular mass and function and mortality in asymptomatic hemodialysis patients. *Am J Kidney Dis*; 50: 1009-19.
- Saxena S, Meehan D, Coney P and Wimalasena J (1990):** Ethanol has direct inhibitory effects on steroidogenesis in human granulosa cells: specific inhibition of LH action. *Alcoholism-Clinical and Experimental Research*: **14** 522–527.
- Sayre RM, Dowdy JC and Shepherd JG (2007):** Reintroduction of a classic vitamin D ultraviolet source. *J Steroid Biochem Mol Biol*; 103:686–688.
- Schafer AI, Cheron RG, Dluhy R, Cooper B, Gleason RE, Soeldner JS and Bunn HF. (1981):** Clinical consequences of acquired transfusional iron overload in adults. *New England Journal of Medicine*; 304:319–324.
- Schaefer F, Veldhuis JD, Robertson WR, Dunger D and Schärer K (1994):** Immunoreactive and bioactive luteinizing hormone in pubertal patients with chronic renal failure. Cooperative Study Group on Pubertal Development in Chronic Renal Failure. *Kidney International*; 45: 1465–1476.
- Schneider HJ, Ghigo E, Stalla GK and Agha A (2007):** Hypothalamopituitary dysfunction following traumatic brain injury and aneurysmal subarachnoid
-

Hemorrhage: a systematic review. JAMA; 298:1429-1438.

Schuler-Lu'ttmann S, Mo'nnig G, Enbergs A, Schulte H, Breithardt G, Assmann G, Kerber S and von Eckardstein A (2000): Insulin-like growth factorbinding protein-3 is associated with the presence and extent of coronary arteriosclerosis. Arterioscler Thromb Vasc Biol; 20:e10–e15.

Schwartz MW, Peskind E, Raskind M, Boyko EJ and Porte DJ (1996): Cerebrospinal fluid leptin levels: Relationship to plasma levels and to adiposity in humans. Nature Med; 2: 589–591.

Scragg JL, Jones RD, Channer KS, Jones TH, Peers C (2004): Testosterone is a potent inhibitor of L-type Ca²⁺ channels. Biochem Biophys Res Commun; 318:503–506.

Sher KS, Jayanthi V, Probert CS, Stewart CR and Mayberry JF (1994): Infertility, obstetric and gynaecological problems in coeliac sprue. Digestive Diseases, 12: 186-190.

Seidell JC, Bjorntorp P, Sjostrom L, Kvist H and Sannerstedt R (1990): Visceral fat accumulation in men is positively associated with insulin, glucose, and C-peptide levels, but negatively with testosterone levels. Metabolism; 39 897–901.

Selvin E , Feinleib M , Zhang L, Rohrmann S, Rifai N, Dobs A, Golden SH and Platz EA (2007): Androgens and diabetes in men: results from the Third National Health and Nutrition Examination Survey (NHANES III) Diabetes care ;30:234–238.

Semple PD, Beastall GH, Watson WS and Hume R (1981): Hypothalamic-pituitary dysfunction in respiratory hypoxia. Thorax; 36:605–609.

Serhat Aytug, Lawrence E and Shapiro (2010): Diabetes and Metabolism, Crystal Run Health care, 30:234–238.

Shah B. N. and Greaves .K (2010): International Journal of Nephrology, Volume 2011 Article ID 920195, 11 pages.

- Sharma K, Considine RV, Beckie M, Dunn SR, Weisberg LS, Kurnik B, Kurnik PB, O'Connor J, Sinha M and Caro JF (1997):** Plasma leptin is partly cleared by the kidney and is elevated in hemodialysis patients. *Kidney Int*; **51**: 1980–1985.
- Shin-ichi Kawachi, Noriyuki Takeda, Akihiko Sasaki, Yoshiaki Kokubo, Kazuhisa Takami, Hiroshi Sarui, Makoto Hayashi, Noriyoshi Yamakita and Keigo Yasuda (2004) :** *Arterioscler Thromb Vasc Biol* 2005;25;617-621.
- Shores MM, Matsumoto AM, Sloan KL and Kivlahan DR (2006):** Low serum testosterone and mortality in male veterans. *Arch Intern Med*; 166(15):1660-1665.
- Silberberg JS, Barre PE, Prichard SS and Sniderman AD (1989):** Impact of left ventricular hypertrophy on survival in end-stage renal disease. *Kidney Int*; 36:286–290.
- Silva CA, Hallak J, Pasqualotto FF, Barba MF, Saito MI and Kiss MH (2002):** Gonadal function in male adolescents and young males with juvenile onset systemic lupus erythematosus. *Journal of Rheumatology* 29: 2000–2005.
- Simpson ER, Zhao Y, Agarwal VR, Michael MD, Bulun SE, Hinshelwood MM, Graham-Lorence S, Sun T, Qin K and Mendelson CR (1997):** Aromatase expression in health and disease. *Recent Progress in Hormone Research* 59 185–213.
- Singh VP, Mahapatra AK, Dinde AK(1993):** Sellar-suprasellar primary malignant lymphoma: case report. *Indian J Cancer*, 30:88-91.
- Sinha MK, Opentanova I and Ohannesian J (1996):** Evidence of free and bound leptin in the human circulation. *J Clin Invest*; **98**: 1277–1282.
- Sivabalan S, Renuka S and Menon VP (2008):** Fat feeding potentiates the diabetogenic effect of dexamethasone in Wistar rats. *Int Arch Med*; 1:7-7.
- Skomsvoll JF, Østensen M, Baste V and Irgens LM (2001):** Number of births, interpregnancy interval, and subsequent pregnancy rate after a diagnosis of inflammatory rheumatic disease in Norwegian women. *Journal of Rheumatology* 28 2310–2314.
-

- Slatopolsky E, Cozzolino M and Finch JL (2002):** Differential effects of 19-for-1, 25-(OH) 2D2 and 1 α -hydroxyvitamin D2 on calcium and phosphorus in normal and uremic rats. *Kidney Int* 62: 1277–1284.
- Smith JC, Evans LM and Wilkinson I (2002):** Effects of GH replacement on endothelial function and large artery stiffness in GH-deficient adults: a randomized, double-blind, placebo-controlled study. *Clinical Endocrinology*, 56:493-501.
- Smith-Swintosky VL, Pettigrew LC, Sapolsky RM, Phares C, Craddock SD and Brooke SM (1996):** Metyrapone, an inhibitor of glucocorticoid production, reduces brain injury induced by focal and global ischemia and seizures. *J Cereb Blood Flow Metab*; 16(4):585–98.
- Snyder PJ (2010):** Clinical manifestations of hypopituitarism. [http://www. Uptodate com/ home /index .htm](http://www.Uptodate.com/home/index.htm). Accessed July: 7.
- Somjen D, Weisman Y, Kohen F, Gayer B, Limor R, Sharon O, Jaccard N, Knoll E and Stern N (2005):** 25-hydroxyvitamin D3-1 α -hydroxylase is expressed in human vascular smooth muscle cells and is upregulated by parathyroid hormone and estrogenic compounds. *Circulation*; 111: 1666-71.
- Spratt DI, Pont a, Miller MB, McDougall IR, Bayer MF and Mc Laughlin WT (1993):** Hyperthyroxinemia in patients with acute psychiatric disorders. *Am J Med*; 73(1):41-8
- Spruit MA, Gosselink R, Troosters T, Kasran A, Gayan-Ramirez G, Bogaerts P, Bouillon R and Decramer M (2003):** Muscle force during an acute exacerbation in hospitalised patients with COPD and its relationship with CXCL8 and IGF-I. *Thorax*; 58:752–756.
- Sprung CL, Annane D and Keh D (2008):** Hydrocortisone therapy for patients with septic shock. *N Engl J Med*; 358:111-124.

- Sprung CL, Annane D, Keh D, Moreno R, Singer M, Freivogel K, Weiss YG, Benbenishty J, Kalenka A, Forst H, Laterre PF, Reinhart K, Cuthbertson BH, Payen D, Briegel J. and CORTICUS Study Group (2008):** Hydrocortisone therapy for patients with septic shock. *N Engl J Med*; 10:111–124.
- Stark R and Roden M (2007);** Mitochondrial function and endocrine diseases. *Eur J Clin Invest* 37:236-248.
- Steindl PE, Finn B, Bendok B, Rothke S, Zee PC and Blei AT (1995):** Disruption of the diurnal rhythm of plasma melatonin in cirrhosis. *Ann Intern Med*; 123: 274-277.
- Steiropoulos P and Papanas N (2011):** *World J Diabetes* in January 15; 2(1): 1-18.
- Steiropoulos P, Papanas N, Bouros D and Maltezos E (2010):** Obstructive sleep apnea aggravates glycemic control across the continuum of glucose homeostasis. *Am J Respir Crit Care Med*; 182: 286.
- Stella Yi, Elizabeth Selvin, Sabine Rohrmann, Andy Menke, Nader Rifai and Eliseo Guallar (2009):** *Clin Endocrinol (Oxf)*. August; 71(2): 246–252.
- Stellato RK, Feldman HA, Hamdy O, Horton ES and McKinlay JB (2000);** Testosterone, sex hormone-binding globulin and the development of type-2 diabetes in middle-aged men: prospective results from the Massachusetts male aging study. *Diabetes Care*; 23 490–494.
- Stenvinkel P, Heimbürger O and Lönnqvist F (1997):** Serum leptin concentrations correlate to plasma insulin concentrations independent of body fat content in chronic renal failure. *Nephrol Dial Transplant*; 12: 1321–1325.
- Stolz D, Christ-Crain M, Morgenthaler NG, Leuppi J and Bingisser R (2007):** Copeptin, C-reactive protein, and procalcitonin as prognostic biomarkers in acute exacerbation of COPD. *Chest*; 131 (4):1058–67.

- Sugimoto T, Tanigawa T, Onishi K, Fujimoto N, Matsuda A, Matsuoka K and Nakamura T (2009):** Serum intact parathyroid hormone levels predict hospitalisation for heart failure. *Heart*; 95:395-398.
- Sugita H, Kaneki M, and Tokunaga E (2002):** Inducible nitric oxide synthase plays a role in LPS-induced hyperglycemia and insulin resistance. *Am J Physiol*; 282: E386.
- Sun Y, Asnicar M and Smith RG (2007):** Central and peripheral roles of ghrelin on glucose homeostasis. *euroendocrinology*; 86: 215-228.
- Suzuki H, Toba K and Kato K (2009):** “Serum hepcidin-20 is elevated during the acute phase of myocardial infarction,” *Tohoku Journal of Experimental Medicine*, vol. 218, no. 2, pp. 93–98.
- Swarbrick MM and Havel PJ (2008):** Physiological, pharmacological, and nutritional regulation of circulating adiponectin concentrations in humans. *Metab Syndr Relat Disord*, 6:87-102.
- Swinkels D. W, Girelli D and Laarakkers C (2008):** “Advances in quantitative hepcidin measurements by time-of-flight mass spectrometry,” *PLoS ONE*, vol. 3, no. 7, article e2706.
- Szczepańska M, Szprynger K, Mazur B, Zwolińska D, Kiliś-Pstrusińska K, and Makulska I (2007):** “Plasma ghrelin levels in children with chronic renal failure on peritoneal dialysis,” *Peritoneal Dialysis International*, vol. 27, no. 1, pp. 61–66.
- Tajima Y, Watanabe D, Koshimizu U, Matsuzawa T and Nishimune Y (1995):** Insulin-like growth factor-I and transforming growth factor-alpha stimulate differentiation of type A spermatogonia in organ culture of adult mouse cryptorchid testes. *International Journal of Andrology* , 18 8–12.
- Takala J, Ruokonen E and Webster NR (1999):** Increased mortality associated with growth hormone treatment in critically ill adults. *N Engl J Med*; 341:785–92.
- Takarabe D, Rokukawa Y, Takahashi Y, Goto A, Takaichi M, Okamoto M, Tsujimoto T, Noto H, Oka S and Noda M (2010):** Autoimmune diabetes in HIV-

infected patients on highly active antiretroviral therapy. *Journal of Clin Endocrinol Metab*, 95(8):4056-4060.

Taki K, Nishio K, Hamajima N and Niwa T (2008): Metabolic syndrome defined by new criteria in Japanese is associated with increased liver enzymes and C-reactive protein. *Nagoya J Med Sci*, 70(1–2):1-9.

Tang WH, Francis GS, Morrow DA, Newby LK, Cannon CP and Jesse RL (2007): National Academy of Clinical Biochemistry Laboratory Medicine practice guidelines: Clinical utilization of cardiac biomarker testing in heart failure. *Circulation*. 116 (5):e99–109.

Tariq Saeed Mufti and Asif Jielani (2006): Thyroid hormone status in non thyroid illnesses, *J Ayub Med Coll Abbottabad* 2006; 18(4).

Tengstrand B, Calstrom K and Hafstrom I (2002): Bioavailable testosterone in men with rheumatoid arthritis-high frequency of hypogonadism. *Rheumatology* 41 285–289.

Teranishi Y, Sugino H, Ozono R, Ishioka N, Kumazaki T and Tsuru H (2002): Contribution of endogenous vasopressin to regional hemodynamics in borderline-hypertensive Hiroshima rats. *Hypertens Res*; 25:241-8.

Tesauro M, Schinzari F, Caramanti M, Lauro R and Cardillo C (2010): Metabolic and cardiovascular effects of ghrelin. *Int J Pept*; 2010: 864342.

Toorians AW, Janssen E, Laan E, Gooren LJG, Giltay EJ, Donker AJM and Everaerd W (1997): Chronic renal failure and sexual functioning: clinical status *versus* objectively assessed sexual response. *Nephrology Dialysis Transplantation* 12: 2654–2663.

Toteja GS, Singh P, Dhillon BS and Saxena BN (2004): Iodine deficiency disorders in 15 districts of India. *Indian J Pediatr*, 71(1):25-8.

Tschop M, Smiley DL and Heiman ML (2000): Ghrelin induces adiposity in rodent's *Nature*, 407:908-913.

- Turk S, Karalezli G, Tonbul HZ, Yildiz M, Altintepe L, Yildiz A and Yeksan M (2001):** Erectile dysfunction and the effects of sildenafil treatment in dialyzed patient and continuous ambulatory peritoneal dialysis. *Nephrology Dialysis Transplantation* 16 1818–1822.
- Tuzcu A, Bahceci M, Gokalp D, Tuzun Y and Gunes K (2005):** Subclinical hypothyroidism may be associated with elevated high-sensitive C - reactive protein (low grade inflammation) and fasting hyperinsulinemia. *Endocr J*, 52(1):89-94.
- Unachukwu CN, Uchenna DI and Young EE (2009):** Endocrine and metabolic disorders associated with human immune deficiency virus infection. *West Afr J Med*. Jan; 28(1):3-9.
- Undurti N Das (2011):** Relationship between gut and sepsis: Role of ghrelin. ; *World J Diabetes* January 15; 2(1).
- Unger EF, Thompson AM and Blank MJ (2010):** Erythropoiesis-stimulating agents–time for a reevaluation. *N Engl J Med.*; 362(3):189–192.
- Urbanek M, Legro RS, Driscoll D, Strauss JF, Dunaif A and Spielman RS (2000):** Searching for the polycystic ovary syndrome genes. *Journal of Pediatric Endocrinology and Metabolism*; **13**: (Suppl 5) 1311–1313.
- Uzunlulu M, Yorulmaz E and Oguz A (2007):** Prevalance of subclinical hypothyroidism in patients with metabolic syndrome. *Endocr J*, 54:71-76.
- Valimaki MJ, Laitinen K, Tiitinen ,Steman UH and Ylostalo P (1995):** Gonadal function and morphology in non-cirrhotic female alcoholics: a controlled study with hormone measurements and ultrasonography. *Acta Obstetricia et Gynecologica Scandinavica* 74: 462–466
- Van Den Berghe G (2000):** Novel insights into the neuroendocrinology of critical illness. *Eur J Endocrinol*; 143: 1–13.
- Van den Berghe (2003):** *Endocrinol Metab Clin N, Am* 32:385–410.

- Van den Berghe G, Baxter RC and Weekers F (2002):** The combined administration of GH releasing peptide-2 (GHRP-2), TRH and GnRH to men with prolonged critical illness evokes superior endocrine and metabolic effects than treatment with GHRP-2 alone. *Clin Endocrinol*; 56:655–69.
- Van den Berghe G, de Zegher F and Baxter RC (1998):** Neuroendocrinology of prolonged critical illness: effect of continuous thyrotropin-releasing hormone infusion and its combination with growth hormone-secretagogues. *J Clin Endocrinol Metab*; 83:309–19.
- Van den Berghe G, De Zegher F and Bouillon R (1998):** “Acute and prolonged critical illness as different neuroendocrine paradigms,” *Journal of Clinical Endocrinology and Metabolism*, vol. 83, no. 6, pp. 1827–1834,
- Van den Berghe G, de Zegher F and Lauwers P (1994):** Luteinizing hormone secretion and hypoandrogenemia in critically ill men: effect of dopamine. *Clin Endocrinol*; 41:563–9.
- Van den Berghe G, de Zegher F, Veldhuis JD, Wouters P, Gouwy S and Stockman W (1997):** Thyrotrophin and prolactin release in prolonged critical illness: dynamics of spontaneous secretion and effects of growth hormone-secretagogues. *Clin Endocrinol (Oxf)*; 47:599-612.
- Van den Berghe G, de Zegher F and Vlasselaers D (1996):** Thyrotropin Releasing Hormone in critical illness: from a dopamine-dependent test to a strategy for increasing low serum triiodothyronine, prolactin and growth hormone concentrations. *Crit Care Med*; 24:590–5.
- Van den Berghe G, Weekers F, Baxter RC, Wouters P, Bouillon R and Veldhuis JD (2001):** Five day pulsatile gonadotropin -releasing hormone administration unveils combined hypothalamic-pituitary-gonadal defects underlying profound hypoandrogenism in men with prolonged critical illness. *J Clin Endocrinol Metab*; 86: 3217–3226.
-

- Van den Berghe G, Wouters P and Bowers CY (1999):** Growth hormone releasing peptide-2 infusion synchronizes growth hormone, thyrotropin and prolactin secretion in prolonged critical illness. *Eur J Endocrinol*; 140:17.
- Van den Berghe G, Wouters P and Weekers F (1999):** Reactivation of pituitary hormone release and metabolic improvement by infusion of growth hormone releasing peptide and thyrotropin-releasing hormone in critical illness. *J Clin Endocrinol Metab*; 84:1311–23.
- Van der Poll T, van Zee K and Endert E (1995):** Interleukin-1 receptor blockade does not affect endotoxin-induced changes in plasma thyroid hormone and thyrotropin concentration in man. *J Clin Endocrinol Metab*; 80:1341.
- Van der Meer P, Lok D. J, Januzzi J. L (2008):**“Adequacy of endogenous erythropoietin levels and mortality in anaemic heart failure patients,” *European Heart Journal*, vol. 29, no. 12, pp. 1510–1515.
- Van horebeek I, Langouche L and Van den Berghe G (2006):** Endocrine aspects of acute and prolonged critical illness. *Nat Clin Pract Endocrinol Metab*; 2: 20-31.
- Van Pottelbergh I, Braeckman L, De Backer G and Kaufman JM (2003):** Differential contribution of testosterone and estradiol in the determination of cholesterol and lipoprotein profile in healthy middle-aged men. *Atherosclerosis* 166 95–102.
- Van Thiel DH, Tarter R, Gavalier JS, Schade RR and Sanghvi A (1986):** Thyroid and pituitary hormone responses to TRH in advanced nonalcoholic liver disease. *J Endocrinol Invest*; 9: 479-486.
- Vantrimpont P, Rouleau JL, Ciampi A, Harel F, de Champlain J, Bichet D, Moya LA and Pfeffer M (1998):** Two-year time course and significance of neurohumoral activation in the Survival and Ventricular Enlargement (SAVE) Study. *Eur Heart J.*; 19:1552–1563.

- Veldhuis JD, Wilkowski MJ, Zwart AD (1993):** Evidence for attenuation of hypothalamic gonadotropin-releasing hormone (GnRH) impulse strength with preservation of GnRH pulse frequency in men with chronic renal failure. *J Clin Endocrinol Metab*; 76: 648–654.
- Velissaris T, Tang AT and Wood PJ (2009):** Thyroid function during coronary surgery with and without cardiopulmonary bypass. *Eur J Cardiothorac Surg* ;36(1):148-54.
- Venditti P, Puca A and Di Meo S (2003):** Effect of thyroid state on rate and sites of H₂O₂ production in rat skeletal muscle mitochondria. *Arch Biochem Biophys*; 411: 121–28.
- Vermeulen A, Kaufman JM, Deslypere JP and Thomas G (1993):** Attenuated luteinizing hormone (LH) pulse amplitude but normal LH pulse frequency, and its relation to plasma androgens in hypogonadism of obese men. *Journal of Clinical Endocrinology and Metabolism* 76 1140–1146.
- Vermeulen A and Kaufman JM (1995):** Ageing of the hypothalamo-pituitary-testicular axis in men. *Horm Res*; 43:25–28.
- Vermont CL, den Brinker M, Kakeci N, de Kleijn ED, De Rijke YB, De Groot R and Hazelzet JA (2005):** Serum lipids and disease severity in children with severe meningococcal sepsis. *Crit Care Med* 33:1610–1615.
- Vestergaard P, Mollerup CL, Frokjaer VG, Christiansen P, Blichert-Toft M and Mosekilde L (2003):** Cardiovascular events before and after surgery for primary hyperparathyroidism. *World J Surg*; 27:216-222.
- Vigouroux C, Maachi M and Nguyen TH (2003):** Serum adipocytokines are related to lipodystrophy and metabolic disorder in HIV-infected men. *AIDS*, 17:1503-1511.
- Vila G, Maier C, Riedl M, Nowotny P, Ludvik B and Luger A (2007):** Bacterial endotoxin induces biphasic changes in plasma ghrelin in healthy humans. *J Clin Endocrinol Metab*, 92:3930-3934.

- Vilaricho ST and Costallat LT (1988):** Evaluation of the hypothamic-pituitary-gonadal axis in males with systemic lupus erythematosus. *Journal of Rheumatology* 25 1097–1103.
- Virag JA, Rolle ML, Reece J, Hardouin S, Feigl EO and Murry CE (2007):** Fibroblast growth factor-2 regulates myocardial infarct repair: effects on cell proliferation, and ventricular function. *Am J Pathol*; 171: 1431 –1440.
- Vogeser M, Fischer G and Jacob K (1998):** Quantification of cortisol inactivation in cirrhosis of the liver. *Exp Clin Endocrinol Diabetes*; 106: 410-414.
- Von Wussow U, Klaus J, and Pagel H (2005):** Is the renal production of erythropoietin controlled by the brain stem? *Am J Physiol Endocrinol Metab* :289, E82-E86.
- Wadwekar D and Kabadi UM (2004):** Thyroid hormone indices during illness in six hypothyroid subjects rendered euthyroid with levothyroxine therapy. *Exp Clin Endocrinol Diabetes* 112:373-7.
- Wallace AM, McMahon AD, Packard CJ, Kelly A, Shepherd J, Gaw A and Sattar N (2001):** Plasma leptin and the risk of cardiovascular disease in the west of Scotland coronary prevention study (WOSCOPS). *Circulation*104:3052– 3056.
- Wallace DC (2005):** A mitochondrial paradigm of metabolic and degenerative diseases, aging and cancer: a dawn for evolutionary medicine. *Annu Rev Genet*, 39:359–407.
- Warren MA, Siris R and Petrovich (2008):** The influence of severe illness on gonadotrophins in postmenopausal women. *J. Clin Endocrinol Metab*. 57:671-3.
- Washington (1994):** D.C., Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition. American Psychiatric Press; 438.
- Waston AJ and Di Pette D (1985):** Baroreflex sensitivity and pressor response in a rat model of uremia. *Clin Sci*; 69: 637-40.

- Wei CM, Heutlein DM, Perrella MA, Lerman A, Rodeheffer RJ, McGregor CGA, Edwards WD, Schaff HV and Burnett JC (1993):** Natriuretic peptide system in human heart failure. *Circulation* 88: 1004–1009.
- Weinberg JM (2006):** Lipotoxicity. *Kidney Int* 70:1560– 1566.
- Weisberg SP, McCann D, Desai M, Rosenbaum M, Leibel RL and Ferrante AW Jr (2003):** Obesity is associated with macrophage accumulation in adipose tissue. *J Clin Invest*: 112:1796– 1808.
- Weiss G, Theurl I and Eder S (2009):** “Serum hepcidin concentration in chronic haemodialysis patients: associations and effects of dialysis, iron and erythropoietin therapy,” *European Journal of Clinical Investigation*, vol. 39, no. 10, pp. 883–890.
- Welt CK, Chan JL, Bullen J, Murphy R, Smith P, DePaoli AM, Karalis A and Mantzoros CS (2004):** Recombinant human leptin in women with hypothalamic amenorrhea. *New England Journal of Medicine* 351 987–997.
- Whiteley W, Chong WL, Sengupta A and Sandercock P (2009):** Blood markers for the prognosis of ischemic stroke: a systematic review. *Stroke*: 40 (5):e380–9.
- Wieczorek SJ, Hager D, Barry MB, Kearney L, Ferrier A and Wu AH (2003):** Correlation of B-type natriuretic peptide level to 6-min walk test performance in patients with left ventricular systolic dysfunction. *Clin Chim Acta* 328:87–90.
- Wikipedia (2010):** Liddle's syndrome from the free encyclopedia.
- Wilichowski E, Grüters A and Kruse K (1997):** Hypoparathyroidism and Deafness Associated with Pleioplasmic Large Scale Rearrangements of the Mitochondrial DNA: a Clinical and Molecular Genetic Study of Four Children with Kearns-Sayre Syndrome. *Pediatr Res.*; 41:193-200.
- Williams GH and Hollenberg NK (1991):** Functional derangements in the regulation of aldosterone secretion in hypertension. *Hypertension*; 18:III143–III149.

- Winchester JF, Rotellar C, Goggins M, Rakowski TA and Argy WP (1993):** Calcium and phosphate balance in dialysis patients. *Kidney Int Suppl*; 41: S174–S178.
- Wolf M, Shah a, Gutierrez O, Ankers E, Monroy M, Tamez H, Steele D and Chang Y. (2007):** Vitamin D levels and early mortality among incident hemodialysis patients. *Kidney Int*; 72: 1004-13.
- Wu K (2007):** A nested case-control study of plasma 25-hydroxyvitamin D concentrations and risk of colorectal cancer. *J Natl Cancer Inst*; 99(14):1120–1129.
- Wu R, Dong W, Cui X, Zhou M, Simms HH, Ravikumar TS and Wang P (2007):** Ghrelin down-regulates pro inflammatory cytokines in sepsis through activation of the vagus nerve. *Ann Surg*, 245:480-486.
- Wu R, Dong W, Qiang X, Wang H, Blau SA and Ravikumar TS (2009):** Orexigenic hormone ghrelin ameliorates gut barrier dysfunction in sepsis in rats. *Crit Care Med*, 37:2421-2426.
- Wu R, Dong W, Zhou M, Zhang F, Marini CP and Wang P (2007):** Ghrelin attenuates sepsis-induced acute lung injury and mortality in rats. *Am J Respir Crit Care Med*; 176: 805-813.
- Wu S, Ren S and Nguyen L (2007):** Splice variants of the CYP27b1 gene and the regulation of 1, 25- dihydroxyvitamin D3 production. *Endocrinology*; 148:3410–3418.
- Xin Wang Mei (2009):** Non-endocrine tumors; 49 :(6):753-4.
- Yang SH, Perez E, Cutright J, Liu R, He Z, Day AL and Simpkins JW (2002):** Testosterone increases neurotoxicity of glutamate in vitro and ischemia-reperfusion injury in an animal model. *J Appl Physiol*; 92:195–201.
- Yilmaz Z, Ilcol YO and Ulus IH (2008):** Endotoxin increases plasma leptin andghrelin levels in dogs. *C rit Care Med*: 2008, 36:828-833.

- Yoo RY, Dewan A and Basu R (2006):** Increased luteinizing hormone pulse frequency in obese oligomenorrheic girls with no evidence of hyperandrogenism. *Fertil Steril.* ; 85:1049-1056.
- Yoshimoto A, K. Mori and Sugawara. A (2002):** “Associations between plasma ghrelin levels and body composition in end-stage renal disease: a longitudinal study. Plasma ghrelin and desacyl ghrelin concentrations in renal failure,” *Journal of the American Society of Nephrology*, vol. 13, no. 11, pp. 2748–2752.
- Young B and Zaritsky J (2009):** “Hepcidin for clinicians,” *Clinical Journal of the American Society of Nephrology*, vol. 4, no. 8, pp. 1384–1387.
- Young EA and Korszun A (2002):** The hypothalamic-pituitary-gonadal axis in mood disorders. *Endocrinology and Metabolism Clinics of North America* 31 63–78.
- Young GA, Woodrow G, Kendall S, Oldroyd B, Turney JH, Brownjohn AM and Smith MA (1997):** Increased plasma leptin/fat ratio in patients with chronic renal Failure: A cause of malnutrition? *Nephrol Dial Transplant*; **12**: 2318–2323.
- Yu X, Ibrahimi OA, Goetz R, Zhang F, Davis SI, Garringer HJ, Linhardt RJ, Ornitz DM, Mohammadi M and White KE (2005):** Analysis of the biochemical mechanisms for the endocrine actions of fibroblast growth factor-23. *Endocrinology*; 146:4647–4656.
- Zeimer HJ, Greenaway TM and Slavin J (1998):** Parathyroidhormone- related protein in sarcoidosis. *Am J Pathol*; 152:17–21.
- Zhang Y and Michael A.Meyer (2010):** Clinical analysis on alteration of thyroid hormones in the serum of patients with acute ischemic stroke, Volume 2010, Article ID 290678, 5 pages.
- Zhang Z, Cui Z, and Zhang Y (1996):** “Clinical analysis on alteration of thyroid hormones in the serum of patients with acute head injury,” *Acta Academiae Medicinae Nantong*, vol. 16, no. 1, pp. 70–71.

- Zhou W (2007):** Circulating 25-hydroxyvitamin d levels predict survival in early-stage non-small-cell lung cancer patients. *J Clin Oncol*; 25(5):479–485.
- Zipser RD, Davenport MW, Martin KL, Warner NE, Swinney RR, Davis CL and Horton R (1981):** Hyperreninemic hypoaldosteronism in the critically ill: a new entity. *J Clin Endocrinol Metab* 53:867–873
- Zittermann A, Schleithoff SS and Koerfer (2006):** R Vitamin D insufficiency in congestive heart failure: why and what to do about it. *Heart Fail Rev*; 11:25-33.
- Zoccali C, Mallamaci F and Tripepi G (2006):** Low triiodothyronine and survival in end-stage renal disease. *Kidney Int*; 70: 523–528.
- Zoong-Rock Hong, Hyo-Wook Gil, Jong-Oh Yang, Eun-Young Lee and J Korean (2007):** *Med Sci*; 22: 604-10.
- Zouhour FadoukhairMounia Amzerin ,Nabil Ismaili ,Rhizlane Belbaraka and Rachida (2010):** *BMC Endocrine Disorders*.