

REFERENCES

1. ***Abdou, A.G. and Hanout, H.M. (2008):***
Evaluation of survivin and NF-kB in psoriasis, an immunohistochemical study.
J. Cutan. Pathol.; 35: 445-451.
2. ***Abramovits, W. and Boguniewicz, M. (2006):***
A multicenter, randomized clinical study to examine the efficacy and safety of Atopiclair in the management of mild to moderate atopic dermatitis in adults.
J. Drugs Dermatol.; 5:236-244.
3. ***Ackerman, A.B. and Ragaz, A. (1984):***
A plea to expunge the word “eczema” from the lexicon of dermatology and dermatopathology.
Am. J. Dermatopathol.; 272:407-420.
4. ***Aho, S. (2004):***
Plakin proteins are coordinately cleaved during apoptosis but preferentially through the action of different caspases.
Exp. Dermatol.; 13:700-707.
5. ***Akdis, C.A.; Blaser, K. and Akdis, M. (2004):***
Apoptosis in tissue inflammation and allergic disease.
Curr. Opin. Immunol.; 16:717-723.
6. ***Akiba, H.; Kehren, J.; Horand, F. and Kaiserlian, D. (2002):***
Skin inflammation during contact hypersensitivity is mediated by early recruitment of CD8⁺ T1 cells inducing keratinocyte apoptosis.
J. Immunol.; 168:3079-3087.

7. **Amagai, M.(1995):**
Adhesion molecules. I. Keratinocyte-keratinocyte interactions; cadherins and pemphigus.
J. Invest. Dermatol.; 104:146-152.
8. **Arias-Santiago, S.; Husein, H. and Naranjo-Sintes, R. (2010):**
Palmoplantar eruption.
Cleve. Clin. J. Med.; 77(10):729-731.
9. **Armbruster, N.; Trautmann, A. and Kerstan, A. (2009):**
Suprabasal Spongiosis in Acute Eczematous Dermatitis: cFLIP Maintains Resistance of Basal Keratinocytes to T-Cell-Mediated Apoptosis.
J. Invest. Dermatol.; 129:1696-1702.
10. **Arndt, J.; Smith, N.; Tausk, F. (2008):**
Stress and atopic dermatitis.
Curr. Allergy Asthma Rep.; 8(4):312-317.
11. **Bachmann, F.; Wernli, M. and Erb, P. (2001):**
Ultraviolet light downregulates CD95 ligand and TRAIL expression facilitating actinic keratosis and squamous cell carcinoma formation.
J. Invest. Dermatol.; 117:59-66.
12. **Barkett, M.; Dooher, J.E.; Simmons, L. and Gilmore, T.D. (2001):**
Three mutations in v-Rel render it resistant to cleavage by cell-death protease caspase-3.
Biochim. Biophys. Acta; 1526: 25-36.
13. **Barnes, K.C. (2010):**
An update on the genetics of atopic dermatitis.
J. Allergy Clin. Immunol.; 125(1):16-29.

14. **Batinac, T.; Zamolo, G. and Zauhar, G. (2007):**
Expression of Bcl-2 family proteins in psoriasis.
Croat. Med. J.; 48(3):319-326.
15. **Bell, S.; Degitz, K.; Quirling, M. and Brand, K. (2003):**
Involvement of NF-kappaB signalling in skin physiology and disease.
Cell Signal.; 15(1):1-7.
16. **Belsito, D.V.; Fowler, J.F.; Marks, J.G. and Hanifin, J. (2004):**
Pimecrolimus cream 1%: Potential new treatment for hand dermatitis.
Cutis; 73:31-38.
17. **Berger, T.G.; Duvic, M. and Van Voorhees, A.S. (2006):**
The use of topical calcineurin inhibitors in dermatology.
J. Am. Acad. Dermatol.; 54:818-823.
18. **Bieber, T. (2010):**
Atopic Dermatitis.
Ann. Dermatol.; 22(2):125-37.
19. **Boguniewicz, M. and Leung, D.M. (2010):**
Recent insights into atopic dermatitis and implications for
management of infectious complications.
J. Allergy Clin. Immunol.; 125: 4-13.
20. **Bordel-Gómez, M.T.; Miranda, A. and Castrodeza, J. (2010):**
Epidemiology of contact dermatitis: prevalence of sensitization to
different allergens and associated factors.
Actas Dermosifiliogr.; 101(1):59-75.
21. **Bowen, A.; Hanks, A.; Murphy, K. and Grossman, D. (2004):**
Proliferation, apoptosis, and survivin expression in keratinocytic
neoplasms and hyperplasias.
Am. J. Dermatopathol.; 26: 177-181.

22. **Boyd, A.; Nanney, L.; Cameron, G. and King, L. (1997):**
Expression of bcl-2 in Lichen Planus, Acute Graft-versus-Host Disease, and Erythema Multiforme.
Am. J. Dermatopathol.; 19(1): 46-51.
23. **Burgin, S. (2008):**
Nummular Eczema and Lichen Simplex Chronicus/Prurigo Nodularis.
In: Wolff, K.; Goldsmith, L.A.; Katz, S.I.; Gilchrest, B.A.; Paller, A.S. and Leffell, D.J. (eds.): Fitzpatrick's Dermatology in General Medicine, 7th edition.
McGraw-Hill Press, Ch. 15, PP. 159-162.
24. **Burstein, E. and Duckett, C.S. (2003):**
Dying for NF-kappaB? Control of cell death by transcriptional regulation of the apoptotic machinery.
Curr. Opin. Cell Biol.; 15(6):732-737.
25. **Campbell, M.J. (2003):**
Confidence intervals.
In: Campbell, M.J. (ed.): Statistics at square two: understanding modern statistical applications in medicine, 1st edition.
BMJ Publishing Group Press, Ch. 1, PP. 6.
26. **Candi, E.; Schmidt, R. and Melino, G. (2005):**
The cornified envelope: a model of cell death in the skin.
Nat. Rev. Mol. Cell Biol., 6: 328-340.
27. **Caproni, M.; Torchia, D. Antiga, E. and Fabbri, P. (2005):**
The role of apoptosis in the pathogenesis of dermatitis herpetiformis.
Int. J. Immunopathol. Pharmacol.; 18(4):691-699.

28. ***Cerretti, D.; Kozlosky, C.; Nelson, N. and Van Ness, K. (1992):***
Molecular cloning of the interleukin-1 beta converting enzyme.
Science; 256: 97-100.
29. ***Chew, A.L. and Maibach, H.I. (2005):***
Histopathology of irritant contact dermatitis.
In: Chew, A. and Maibach, H.I. (eds.): Irritant Dermatitis, 1st edition.
Springer-Verlag Press, Ch. 22, PP. 345-351.
30. ***Chipuk, J.; Moldoveanu, T.; Parsons, M.J. and Green, D.R.(2010):***
The BCL-2 family reunion.
Mol. Cell; 37:299-310.
31. ***Chitaev, N.A. and Troyanovsky, S.M.(1997):***
Direct Ca²⁺-dependent heterophilic interaction between desmosomal
cadherins and desmoglein, contributes to cell-cell adhesion.
J. Cell Biol.; 138:193-201.
32. ***Choi, H.J. ; Ku, J.K. ; Kim, M.Y.; Kang, H. and Park, Y.M.(2006):***
Possible role of Fas/Fas ligand-mediated apoptosis in the pathogenesis
of fixed drug eruption.
Br. J. Derm.; 154:419-425.
33. ***Coggon, D. (2003):***
Summarising univariate data.
In: Coggon, D. (ed.): Statistics in Clinical Practice, 2nd edition.
BMJ Publishing Group Press, Ch. 2, PP. 27-46.
34. ***Cogswell, P.C.; Kashatus, D.; Keifer, J. and Guttridge, D.C. (2003):***
NF- κ B and I κ B alpha are found in the mitochondria. Evidence for
regulation of mitochondrial gene expression by NF- κ B.
J. Biol. Chem.; 278: 2963-2968.

- 35. Cohen, D. and Heidary, N. (2004):**
Treatment of irritant and allergic contact dermatitis.
Dermatol. Ther. ; 17:334-340.
- 36. Cohen, D. and Jacob, S. E. (2008):**
Allergic Contact Dermatitis.
In: Wolff, K.; Goldsmith, L.A.; Katz, S.I.; Gilchrest, B.A.; Paller, A.S.
and Leffell, D.J. (eds.): Fitzpatrick's Dermatology in General
Medicine, 7th edition.
McGraw-Hill Press, Ch. 13, PP.135-145.
- 37. Corazza, M. ; Maranini, C.; Bacilieri, S. and Virgili, A. (2000):**
Contact sensitization to corticosteroids: increased risk in long-term
dermatoses.
Eur. J. Dermatol.; 10: 533-535.
- 38. Cox N. (2006):**
Discoid eczema.
In: Lebwohl, M.G.; Heymann, W.R. and Berth-Jones, J. (eds.):
Treatment of Skin Disease: Comprehensive Therapeutic Strategies,
2nd edition.
Mosby Elsevier Press, Ch. 54, PP.168-170.
- 39. Danial, N. and Korsmeyer, S. (2004):**
Cell death: critical control points.
Cell; 116:205-219.
- 40. Danning, C.; Illei, G.; Greer, M. and Mcinnes, I. (2000):**
Macrophage-derived cytokine and nuclear factor κ B p65 expression in
synovial membrane and skin of patients with psoriatic arthritis.
Arthritis Rheum.; 43 (6): 1244-1256.

- 41. Darsow, U.; Wollenberg, A. and Simon, D. (2010):**
ETFAD/EADV eczema task force 2009 position paper on diagnosis and treatment of atopic dermatitis.
J. Eur. Acad. Dermatol. Venereol.; 24: 317-328.
- 42. Daven, N. D. and Alexa, B. K. (2008):**
Vesicular Palmoplantar Eczema.
In: Wolff, K.; Goldsmith, L.A.; Katz, S.I.; Gilchrest, B.A.; Paller, A.S. and Leffell, D.J. (eds.): Fitzpatrick's Dermatology in General Medicine, 7th edition.
McGraw-Hill Press, Ch. 16, PP.163-167.
- 43. Denda, M. and Tsutsumi, M. (2011):**
Roles of transient receptor potential proteins in Epidermal Keratinocytes.
Adv. Exp. Med. Biol.; 704:847-860.
- 44. Diessenbacher, P.; Hupe, M.; Sprick, M.R. and Wachter, T. (2008):**
NF- κ B inhibition reveals differential mechanisms of TNF versus TRAIL-induced apoptosis upstream.
J. Invest. Dermatol.; 128(5):1134-1147.
- 45. El-Bassiouni, A.; Nosseir, M. and Zoheiry, M. (2006):**
Immunohistochemical expression of Fas and c-myc in hepatitis C virus infection, cirrhotic liver disease and hepatocellular carcinoma.
A.P.M.I.S.; 114:420-427.
- 46. Elder, D.; Elenitsas, R.; Johnson, B. and Murphy, F. (2005):**
Outline of cutaneous pathology.
In: Elder, D.; Elenitsas, R.; Johnson, B.; Murphy, F. and Xu, X. (eds.): Lever's Histopathology of the Skin, 9th edition.
Lippincott Williams & Wilkins Press, Ch. 5, PP. 83-133.
-

47. ***El-Domyati, M.; Ahmad, H. and Nagy, I. (2007):***
Expression of apoptosis regulatory proteins p53 and Bcl-2 in skin of patients with chronic renal failure on maintenance haemodialysis.
J.E.A.D.V.; 21:795-801.
48. ***El-Domyati, M.; Attia, S. and Saleh, F. (2003):***
Expression of p53 in normal sun-exposed and protected skin (type IV–V) in different decades of age.
Acta Derm. Venereol.; 83:98-104.
49. ***Elmore, S. (2007):***
Apoptosis: A Review of Programmed Cell Death.
Toxicol. Pathol.; 35(4): 495-516.
50. ***Emmerson, R.W. and Wilson-Jones, E. (1968):***
Eosinophilic spongiosis in pemphigus: a report of an unusual histological change in pemphigus.
Arch. Dermatol.; 97: 252-257.
51. ***Farley, S.M. ; Purdy, D.E. and Sundholm, A.J. (2006) :***
Fas Ligand Elicits a Caspase-Independent Proinflammatory Response in Human Keratinocytes: Implications for Dermatitis.
J. Invest. Dermatol.; 126:2438-2451.
52. ***Farnebo, M.; Vladimir, J.N. and Klas, G. (2010):***
The p53 tumor suppressor: A master regulator of diverse cellular processes and therapeutic target in cancer.
Biochem. Biophys. Res. Commun. ; 396: 85-89.
53. ***Formigli, L.; Papucci, L.; Tani, A. and Orlandini, S.Z. (2000):***
Aponecrosis: morphological and biochemical exploration of a syncretic process of cell death sharing apoptosis and necrosis.
J. Cell Physiol.; 182:41-49.

54. **Fuentes-Prior, P. and Salvesen, G.S. (2004):**
The protein structures that shape caspase activity, specificity, activation and inhibition.
Biochem. J.; 384: 201-232.
55. **Gambichler, T. (2009):**
Management of atopic dermatitis using photo (chemo) therapy.
Arch. Dermatol. Res.; 301(3):197-203.
56. **Goebeler, M.; Trautmann, A.; Voss, A. and Gillitzer, R. (2001):**
Differential and Sequential Expression of Multiple Chemokines during Elicitation of Allergic Contact Hypersensitivity.
Am. J. Pathol.; 158(2):431-40.
57. **Golks, A.; Brenner, D.; Krammer, P. and Lavrik, I.N. (2005):**
c-FLIPR: a new regulator of death receptor-induced apoptosis.
J. Biol. Chem.; 280:14507-14513.
58. **Goossens, A.; Beck, M.H. and Haneke, E. (1999):**
Adverse cutaneous reactions to cosmetic allergens.
Contact Derm.; 40:112-113.
59. **Greenhawt, M. (2010):**
The role of food allergy in atopic dermatitis.
Allergy Asthma Proc.; 31(5):392-397.
60. **Griffith, T.S.; Brunner, T. and Ferguson, T.A. (1995):**
Fas ligand-induced apoptosis as a mechanism of immune privilege.
Science; 270:1189-1192.
61. **Guillet, M.H.; Wierzbicka, E. and Guillet G. A. (2007):**
3-year causative study of pompholyx in 120 patients.
Arch. Dermatol.; 143(12):1504-1508.

62. **Haeck, M.; Rouwen, T.; Timmer, L. and Bruijnzeel, C. (2011):**
Topical corticosteroids in atopic dermatitis and the risk of glaucoma and cataracts.
J. Am. Acad. Dermatol.; 64(2):275-281.
63. **Hague, A.; Eveson, J.; MacFarlane, M. and Huntley, S.(2004):**
Caspase-3 expression is reduced in normal oral epithelium but is increased in oral SCC and correlates with tumour stage.
J. Pathol.; 204(2):175-182.
64. **Hanakawa, Y.; Amagai, M.; Sayama, K. and Hashimoto, K. (2000):**
Different effects of dominant negative mutants of desmocollin and desmoglein on the cell-cell adhesion of keratinocytes.
J. Cell Sci.; 113:1803-1811.
65. **Hanifin, J.M. and Rajka, G. (1980):**
Diagnostic features of atopic dermatitis.
Acta Derm. Venereol. Suppl.; 92:44-47.
66. **Hanifin, J.; Rajka, G.; Cooper, K. and Ho, V. (2004):**
Guidelines of care for atopic dermatitis: Outcomes Task Force.
J. Amer. Acad. Dermatol. ; 50:391-404.
67. **Haw, S.; Shin, M.K. and Haw, C.R. (2010):**
The Efficacy and Safety of Long-term Oral Cyclosporine Treatment for Patients with Atopic Dermatitis.
Ann. Dermatol.; 22(1):9-15.
68. **Hertl, M. (2000):**
Humoral and cellular autoimmunity in autoimmune bullous disorders.
Int. Arch. Allergy Immunol.; 122:91-100.

69. **Hockenbery, D.; Nunez, G. and Milliman, C. (1990):**
Bcl-2 is an inner mitochondrial membrane protein that blocks programmed cell death.
Nature; 348: 334-336.
70. **Hoffmann, A.; Leung, T.H. and Baltimore, D. (2003):**
Genetic analysis of NF-kB transcription factors.
E.M.B.O. J.; 22: 5530-5539.
71. **Hon, K.L.; Leung, T.F. and Ching, G. (2008):**
Patterns of food and aeroallergen sensitization in childhood eczema.
Acta Paediatr.; 97:1734-1737.
72. **Hoss, D.M., Shea, C.R. and Grant-Kels, J.M. (1996):**
Neutrophilic spongirosis in pemphigus.
Arch. Dermatol.; 132:315-318.
73. **Hugo, H.J.; Kokkinos, M.; Thompson, E. and Newgreen, D. (2011):**
Defining the E-cadherin repressor interactome in epithelial-mesenchymal transition: the PMC42 model as a case study.
Cells Tissues Organs; 193(1-2):23-40.
74. **Hussein, M. and Abdel-Magid, W. (2009):**
Phenotypical Characteristics of the Immune Cells in Allergic Contact Dermatitis, Atopic Dermatitis and Pityriasis Rosea.
Pathol. Oncol. Res.; 15:73-79.
75. **Hussein, M.R.; Al-Badaiwy, Z.H. and Guirguis, M.N. (2004):**
Bcl-2 and p53 expression in keratinocytic hyperproliferative lesions.
J. Cutan. Pathol.; 31: 643-651.
76. **Hussein, M.R.; Haemel, A.K. and Wood, G.S. (2003):**
p53-related pathways and the molecular pathogenesis of melanoma.
Eur. J. Cancer Prev.; 12: 93-100.
-

77. Hutchinson, J. (1876):

Cheiro-pompholyx: notes of a clinical lecture.

Lancet; 1:630-631.

Quoted from

Storrs, F. J. (2007):

Acute and Recurrent Vesicular Hand Dermatitis Not Pompholyx or Dyshidrosis.

Arch. Dermatol.; 143 (12): 1578-1580.

78. Igney, F.H. and Krammer, P.H. (2002):

Death and anti-death: tumor resistance to apoptosis.

Nat. Rev. Cancer; 2:277-288.

79. Iordanov, M.; Sundholm, A.J.; Simpson, E. and Hanifin, J. (2005):

Cell Death-Induced Activation of Epidermal Growth Factor Receptor in Keratinocytes: Implications for Restricting Epidermal Damage in Dermatitis.

J. Invest. Dermatol.; 125:134-142.

80. Ito, Y. and Otsuki, Y., (1998):

Localization of apoptotic cells in the human epidermis by an in situ DNA nick end-labeling method using confocal reflectant laser microscopy.

J. Histochem. Cytochem.; 46(6):783-786.

81. Jansen, B.; Schlagbauer, W.H. and Pehamberg, H. (1998):

Bcl-2 antisense chemosensitizes human melanoma in SCID mice.

Nat. Med.; 4: 232-234.

82. Jin, Z. and El-Deiry, W.S. (2005):

Overview of cell death signaling pathways.

Cancer Biol. Ther.; 4:139-163.

- 83. Karin, M. and Ben-Neriah, Y. (2000):**
Phosphorylation meets ubiquitination: The control of NF- κ B activity.
Annu. Rev. Immunol.; 18: 621-663.
- 84. Kato, T.; Delhase, M.; Hoffmann, A. and Karin, M. (2003):**
CK2 Is a C-Terminal I κ B Kinase Responsible for NF- κ B Activation
during the UV Response.
Mol. Cell; 12(4):829-839.
- 85. Kaur, P. and Li, A. (2000):**
Adhesive properties of human basal epidermal cells: analysis of stem
cells, transit amplifying cells, and postmitotic differentiating cells.
J. Invest. Dermatol.; 114:413-420.
- 86. Kerr, J.F.; Wyllie, A.H. and Currie, A.R. (1972):**
Apoptosis. A basic biological phenomenon with wide-ranging
implications in tissue kinetics.
Br. J. Cancer; 26: 239-257.
- 87. Kerstan, A.; Leverkus, M. and Trautmann, A. (2009):**
Effector pathways during eczematous dermatitis: where inflammation
meets cell death.
Exp. Dermatol.; 18: 893-899.
- 88. Klunker, S.; Trautmann, A.; Akdis, M. and Blaser, K. (2003):**
A second step of chemotaxis after transendothelial migration:
keratinocytes undergoing apoptosis release IFN- γ -inducible protein 10
for T cell chemotaxis toward epidermis in atopic dermatitis.
J. Immunol.; 171:1078-1084.
- 89. Koch, A.W.; Bozic, D.; Pertz, O. and Engel, J. (1999):**
Homophilic adhesion by cadherins.
Curr. Opin. Struct. Biol.; 9:275-281.
-

90. **Korsmeyer, S.J.; Wei, M.C.; Saito, M. and Weiler, S. (2000):**
Pro-apoptotic cascade activates BID, which oligomerizes BAK or BAX into pores that result in the release of cytochrome c.
Cell Death Differ.; 7:1166-1173.
91. **Kothakota, S.; Azuma, T.; Reinhard, C. and Williams, L.T. (1997):**
Caspase-3-generated fragment of gelsolin: effector of morphological change in apoptosis.
Science; 278:294-298.
92. **Krasteva, M.; Kehren, J. and Sayag, M. (1999):**
Contact dermatitis II. Clinical aspects and diagnosis.
Eur. J. Dermatol.; 9: 144-159.
93. **Krathen, R.A. and Hsu, S. (2005):**
Failure of omalizumab for treatment of severe adult atopic dermatitis.
J. Am. Acad. Dermatol.; 53:338-340.
94. **Krol, A. and Krafchik, B. (2006):**
The differential diagnosis of atopic dermatitis in childhood.
Dermatol. Ther.; 19: 73-82.
95. **Kumar, S. (2007):**
Caspase function in programmed cell death.
Cell Death Differ.; 14(1):32-43.
96. **Kurosaka, K.; Takahashi, M. and Kobayashi, Y. (2003):**
Silent cleanup of very early apoptotic cells by macrophages.
J. Immunol.; 171:4672-4679.
97. **Langeveld-Wildschut, E.; Riedl, H. and Thepen, T. (2000):**
Modulation of the atopy patch test reaction by topical corticosteroids and tar. J. Allergy Clin. Immunol.; 106:737-743.

- 98. Langner, M. and Maibach, H. (2009):**
Pruritus measurement and treatment.
Clin. Exp. Dermatol.; 34(3):285-288.
- 99. Lavrik, I. N. ; Golks, A. and Krammer, P. H. (2005):**
Caspases: pharmacological manipulation of cell death.
J. Clin. Invest.; 115:2665-2672.
- 100. Lehucher-Michel, M.P.; Koepfel, M. and Sayag, J. (2000):**
Dyshidrotic eczema and occupation: A descriptive study.
Contact Derm.; 43:200-205.
- 101. Leonard, N.; Biswas, A. and Bell, H. (2008):**
Eosinophilic spongiosis in a case of lichen sclerosus: a marker for
superimposed bullous pemphigoid?
Histopathology; 52:885-887.
- 102. Leung, D.Y. (2003):**
Infection in atopic dermatitis.
Curr. Opin. Pediatr. ; 15:399-404.
- 103. Leung, D.Y.; Lawrence, F. and Mark, B. (2008):**
Atopic Dermatitis (Atopic Eczema).
In: Wolff, K.; Goldsmith, L.A.; Katz, S.I.; Gilchrest, B.A.; Paller, A.S.
and Leffell, D.J. (eds.): Fitzpatrick's Dermatology in General
Medicine, 7th edition.
McGraw-Hill Press, Ch. 14, PP.146-158.
- 104. Leverkus, M. and Trautmann, A. (2006) :**
CD95-mediated signals in skin: going out with inflammatory bang?
J. Invest. Dermatol.; 126: 2364-2366.

105. Liang, S.; Ohtsuki, Y. and Furihata, M. (2009):

Sun-exposure and aging dependent p53 accumulation results in tumor growth in carcinogenesis of nonmelanocytic skin cancer.

Virchows Arch.; 434: 193-199.

106. Loffler, H. and Effendy, I. (2002):

Prevention of irritant contact dermatitis.

Eur. J. Dermatol.; 12:4-9.

107. Lyakhovitsky, A.; Baum, S. and Trau, H. (2010):

Low-dose methotrexate treatment for moderate-to-severe atopic dermatitis in adults.

J. Eur. Acad. Dermatol. Venereol. ; 24(1):43-49.

108. Machado-Pinto, J.; Timothy, H. and Loren, E. (1996):

Eosinophilic and Neutrophilic Spongiosis: Clues to the Diagnosis of Immunobullous Diseases and Other Inflammatory Disorders.

Semin. Cutan. Med. Surg.; 115(4):308-316.

109. Mahmoudi, S.; Henriksson, S. and Corcoran, M. (2009):

Wrap53, a natural p53 antisense transcript required for p53 induction upon DNA damage.

Mol. Cell; 33:462-471.

110. Martin, S.F.; Dudda, J.C. and Durr, C. (2008):

Toll-like receptor and IL-12 signaling control susceptibility to contact hypersensitivity.

J. Exp. Med.; 205:2151-2162.

111. Martinon, F. and Tschopp, J. (2004):

Inflammatory caspases: linking an intracellular innate immune system to autoinflammatory diseases.

Cell; 117: 561-574.

112. Martinval, D.; Zhu, P. and Lieberman, J. (2005):

Granzyme A induces caspase- independent mitochondrial damage, a required first step for apoptosis.

Immunity; 22:355-370.

113. Marzano, A.V.; Frezzolini, A.; Caproni, M. and Parodi, A. (2007):

Immunohistochemical expression of apoptotic markers in drug-induced erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis.

Int. J. Immunopathol. Pharmacol.; 20(3):557-566.

114. McFadden, J.P.; Dearman, R.J.; White, J.M. and Kimber, I. (2011):

The Hapten-Atopy hypothesis II: the 'cutaneous hapten paradox'

Clin. Exp. Allergy.; 41: 327-337.

115. McGirt, L.Y. and Beck, L.A. (2006):

Innate immune defects in atopic dermatitis.

J. Allergy. Clin. Immunol.; 118:202-208.

116. McNutt, N.S.; Saenz-Santamaria, C. and Volkenandt, M. (1994):

Abnormalities of P53 expression in cutaneous disorders.

Arch. Dermatol.; 130: 225-232.

117. Meyer, N.; Maya, Z. and Burgler, S. (2010):

IL-32 is expressed by human primary keratinocytes and modulates keratinocyte apoptosis in atopic dermatitis.

J. Allergy. Clin. Immunol.; 125(4):858-865.

118. Miller, J.R. and Moon, R.T. (1996):

Signal transduction through b-catenin and specification of cell fate during embryogenesis.

Genes Dev.; 10:2527-2539.

- 119. Mohamet, L.; Hawkins, K. and Ward, C.M. (2011):**
Loss of function of e-cadherin in embryonic stem cells and the relevance to models of tumorigenesis.
J. Oncol.; 2011:352-356.
- 120. Nagata, S. (1997):**
Apoptosis by death factor.
Cell; 22: 355-364.
- 121. Nakagawa, K.; Yamamura, K.; Maeda, S. and Ichihashi, M. (1994):**
Bcl-2 expression in epidermal keratinocytic diseases.
Cancer; 74(6):1720-1724.
- 122. Natbony, S.F.; Phillips, M.; Godfrey, H.P. and Kaplan, A.P.(1983):**
Histologic studies of chronic idiopathic urticaria.
J. Allergy Clin. Immunol.; 71:177-183.
- 123. Nelson ,J.L. and Mowad, C.M. (2010):**
Allergic Contact Dermatitis: Patch Testing Beyond the TRUE Test.
J. Clin. Aesthet. Dermatol. ; 3(10):36-41.
- 124. Nickoloff, B.J.; Qin, J.Z. and Denning, M.F. (2002):**
Life and death signaling pathways contributing to skin cancer.
J. Investig. Dermatol. Symp. Proc.; 7(1):27-35.
- 125. Nicolas, J.F.; Testud, F. and Vocanson, M. (2008):**
Sensitization versus tolerance in contact eczema.
Ann. Dermatol. Venereol.; 135:733-736.
- 126. Niebuhr, M. and Werfel, T. (2010):**
Innate immunity, allergy and atopic dermatitis.
Curr. Opin. Allergy Clin. Immunol.; 10(5):463-468.

- 127. Nosbaum, A.; Vocanson, M. and Nicolas, J. (2009):**
Allergic and irritant contact dermatitis.
Eur. J. Dermatol.; 19 (4): 325-332.
- 128. Novak, N.; Valenta, R. and Bohle, B. (2004):**
FcεRI engagement of Langerhans cell induces chemotactic signals and different T-cell phenotypes in vitro.
J. Allergy Clin. Immunol.; 113:949-957.
- 129. Noy, N. (2010):**
Between Death and Survival: Retinoic Acid in Regulation of Apoptosis.
Annu. Rev. Nutr.; 21:38-51.
- 130. Oishi, M.; Maeda, K. and Sugiyama, S. (1994):**
Distribution of apoptosis-mediating Fas antigen in human skin and effects of anti-Fas monoclonal antibody on human epidermal keratinocyte and squamous cell carcinoma cell lines.
Arch. Dermatol. Res.; 286(7):396-407.
- 131. Palmer, C.N.; Irvine, A.D. and Lee, S.P.(2006):**
Common loss-of-function variants of the epidermal barrier protein filaggrin are a major predisposing factor for atopic dermatitis.
Nat. Genet.; 38:441-446.
- 132. Phelps, R.G.; Miller, M.K. and Singh, B.A. (2003):**
The Varieties of “Eczema”: Clinicopathologic Correlation.
Clin. Dermatol.; 21:95-100.
- 133. Qin, J. Z.; Bacon, P. and Nockoloff, B. J. (2001):**
Role of NF-κB activity in apoptotic response of keratinocytes mediated by IFN-γ, TNF-α, TNF-related apoptosis inducing ligand.
J. Invest. Dermatol.; 117: 898-907.

- 134. Raj, D.; Brash, D. and Grossman, D. (2006):**
Keratinocyte Apoptosis in Epidermal Development and Disease.
J. Invest. Dermatol.; 126(2): 243-257.
- 135. Raskin, C.A. (1997):**
Apoptosis and cutaneous biology.
J. Am. Acad. Dermatol.; 36(6):885-896.
- 136. Renehan, A.G.; Booth, C. and Potten, C.S. (2001):**
What is apoptosis, and why is it important?
B.M.J.; 322:1536-1538.
- 137. Reshef, A.; Shirvan, A.; Akselrod-Ballin, A. and Ziv, I.(2010):**
Small-Molecule Biomarkers for Clinical PET Imaging of Apoptosis.
J. Nucl. Med.; 51(6):837-840.
- 138. Rietschel, R.L. (2004):**
Clues to an accurate diagnosis of contact dermatitis.
Dermatol. Ther.; 17:224-230.
- 139. Roberts, H. and Orchard, D. (2010):**
Methotrexate is a safe and effective treatment for paediatric discoid
(nummular) eczema: A case series of 25 children.
Australas J. Dermatol.; 51: 128-130.
- 140. Rupec, R.A., Boneberger, S. and Ruzicka, T. (2010):**
What is really in control of skin immunity: lymphocytes, dendritic
cells, or keratinocytes? Facts and controversies.
Clin. Dermatol.; 28: 62-66.
- 141. Saeki, H.; Furue, M. and Hide, M. (2009):**
Guidelines for management of atopic dermatitis.
J. Dermatol.; 36(10): 563-577.

- 142. Saint-Mezard, P.; Rosieres, A. and Kaiserlian, D. (2004):**
Allergic contact dermatitis.
Eur. J. Dermatol.; 14:284-295.
- 143. Sancho-Martinez, I. and Martin-Villalba, A. (2009):**
Tyrosine phosphorylation and CD95: a FAScinating switch.
Cell Cycle; 8: 838-842.
- 144. Sasseville, D. (2009):**
Clinical patterns of phyto dermatitis.
Dermatol. Clin.; 27(3):299-308.
- 145. Sayama, K.; Yonehara, S. and Miki, Y. (1994):**
Expression of antigen on keratinocytes in vivo and induction of apoptosis.
J. Invest. Dermatol.; 103: 330-334.
- 146. Schmidt, E. and Waschke, J. (2009):**
Apoptosis in pemphigus.
Autoimmunity Rev.; 8: 533-537.
- 147. Schneider, L.C.; Baz, Z.; Zarcone, C. and Zurakowski, D. (1998):**
Long-term therapy with rIFN-gamma for atopic dermatitis.
Ann. Allergy Asthma Immunol.; 80:263-268.
- 148. Scorrano, L.; Ashiya, M. and Korsmeyer, S.J.(2002):**
A distinct pathway remodels mitochondrial cristae and mobilizes cytochrome c during apoptosis.
Dev. Cell;2:55-67.
- 149. Seitz, C.S.; Deng, H.; Hinata, K.; Lin, Q. and Khavari, P.A.(2000):**
Nuclear factor kappa B subunits induce epithelial cell growth arrest.
Cancer Res.; 60: 4085-4092.

- 150. Seyfarth, F.; Schliemann, S.; Antonov, D. and Elsner, P. (2011):**
Teaching interventions in contact dermatitis.
Dermatitis; 22(1):8-15.
- 151. Shankar, D.S. and Shrestha, S. (2005):**
Relevance of patch testing in patients with nummular dermatitis.
Indian J. Dermatol. Venereol. Leprol.; 71(6):406-408.
- 152. Shen, Y.; Pielop, J. and Hsu, S.(2005):**
Generalized nummular eczema secondary to peginterferon alfa-2b and
ribavirin combination therapy for hepatitis C infection.
Arch. Dermatol.; 141:102-103.
- 153. Simon, D.; Lindberg, R.L. and Braathen, L.R. (2006):**
Epidermal caspase-3 cleavage associated with interferon- γ -expressing
lymphocytes in acute atopic dermatitis lesions.
Exp. Dermatol.; 15: 441-446.
- 154. Simon, M.M.; Aragane, Y.; Schwarz, A. and Schwarz, T. (1994):**
UVB light induces NF κ B activity independently from chromosomal
DNA damage in Cell-Free cytosolic extracts.
J. Invest. Dermatol.; 102 (4): 422-427.
- 155. Soini, Y.; Kamel, D.; Lehto, V.P. and Oikarinen, A. (1994):**
Aberrant accumulation of p53 associates with Ki67 and mitotic count
in benign skin lesions.
Br. J. Dermatol.; 131(4):514-520.
- 156. Storrs, F. J. (2007):**
Acute and Recurrent Vesicular Hand Dermatitis Not Pompholyx or
Dyshidrosis.
Arch. Dermatol.; 143 (12): 1578-1580.

157. Straus, S.E.; Sneller, M. and Strober, W. (1999):

An inherited disorder of lymphocyte apoptosis: the autoimmune lymphoproliferative syndrome.

Ann. Intern. Med.; 130:591-601.

158. Suneja, T. and Belsito, D.V. (2001):

Comparative study of Finn Chambers and T.R.U.E. test methodologies in detecting the relevant allergens inducing contact dermatitis.

J. Am. Acad. Dermatol.; 45: 836-839.

159. Talasz, H.; Helliger, W. and Lindner, H. (2002):

Hyperphosphorylation of histone H2A.X and dephosphorylation of histone H1 subtypes in the course of apoptosis.

Cell Death Differ.; 9:27-39.

160. Teraki, Y. and Shiohara, T. (1999):

Apoptosis and the skin.

Eur. J. Dermatol.; 9(5):413-425.

161. Thong, H.Y. and Maibach, H.I. (2008):

Irritant dermatitis as a model of Inflammation.

Drug Discov. Today; 5(2):221-228.

162. Toda, M.; Leung, D.Y. and Hamid, Q.A. (2003):

Polarized in vivo expression of IL-11 and IL-17.

J. Allergy Clin. Immunol.; 111:875-881.

163. Tokura, Y. (2010):

Extrinsic and intrinsic types of atopic dermatitis.

J. Dermatol. Sci.; 58(1):1-7.

164. Tomas, D.(2009):

Apoptosis, UV-radiation, precancerosis and skin tumors.

Acta Med. Croatica.; 63 (Suppl):53-58.

165. Trautmann, A.; Akdis, M. and Blaser, K. (2001):

Targeting keratinocyte apoptosis in the treatment of atopic dermatitis and allergic contact dermatitis.

J. Allergy Clin. Immunol.; 108:839-846.

166. Trautmann, A.; Blaser, K. and Akdis, C. A.(2000 a):

Role of dysregulated apoptosis in atopic dermatitis.

Apoptosis; 5 (5): 425-429.

167. Trautmann, A.; Simon, H.U. and Disch, R. (2000 b):

The differential fate of cadherins during T-cell-induced keratinocyte apoptosis leads to spongiosis in eczematous dermatitis.

J. Invest. Dermatol.; 117:927-934.

168. Triscott, J.A.; Ritter, J.H. and Swanson, P.E.(1995):

Immunoreactivity for bcl-2 protein in cutaneous lymphomas and lymphoid hyperplasias.

J. Cutan. Pathol.; 22:2-10.

169. Vallat, L.; Magdelenat, H. and Kruhoffer, M. (2003):

The resistance of B-CLL cells to DNA damage-induced apoptosis defined by DNA microarrays.

Blood; 101:4598-4606.

170. Van Der Valk, P.G.; Devos, S.A. and Coenraads, P.J. (2003):

Evidence-based diagnosis in patch testing.

Contact Derm.; 48: 121-125.

171. Veien, N.K. and Menne, T. (2000):

Acute and recurrent vesicular hand dermatitis (pompholyx).

In: Menne, T. and Maibach, H.I. (eds.): Hand Eczema, 2nd edition.

CRC Press, Ch.15, PP.203-227.

172. Viard, I.; Wehrli, P. and Salomon, D. (1998):

Inhibition of toxic epidermal necrolysis by blockade of CD95 with human intravenous immunoglobulin.

Science; 282:490-493.

173. Viard-Leveugle, I.; Bullani, R.R. and Meda, P. (2003):

Intracellular localization of keratinocyte Fas ligand explains lack of cytolytic activity under physiological conditions.

J. Biol. Chem.; 278:16183-16188.

174. Vocanson, M.; Hennino, A. and Nicolas, J.F. (2009):

Effector and regulatory mechanisms in allergic contact dermatitis.

Allergy; 64(12):1699-1714.

175. Vowels, B.R.; Yoo, E.K. and Gasparro, F.P. (1996):

Kinetic analysis of apoptosis induction in human cell lines by UVA and 8-MOP.

Photochem. Photobiol.; 63:572-576.

176. Wahl, A.F.; Donaldson, K.L. and Demers, W. (1996):

Loss of normal p53 function confers sensitization to Taxol by increasing G2/M arrest and apoptosis.

Nat. Med.; 2:72-79.

177. Wajant, H. (2002):

The Fas signaling pathway: more than a paradigm.

Science; 296:1635-1636.

178. Wallengren, J. (2004):

Prurigo: Diagnosis and management.

Am. J. Clin. Dermatol.; 5:85-95.

179. Wang, H.Q.; Quan, T. and Fisher, G.J. (2003):

Epidermal growth factor receptor-dependent, NF-kB-independent activation of the phosphatidylinositol 3-kinase/Akt pathway inhibits UV irradiation-induced caspases-3, -8, and -9 in human keratinocytes.

J. Biol. Chem.; 14; 278(46):45737-45745.

180. Wang, X.W. and Harris, C.C. (1997):

p53 tumor-suppressor gene: clues to molecular carcinogenesis.

J. Cell Physiol.; 173:247-255.

181. Wehrli, P.; Viard, I.; Bullani, R. and French, L.E. (2000):

Death receptors in cutaneous biology and disease.

J. Invest. Dermatol.; 115(2):141-148.

182. Weil, M.; Raff, M.C. and Braga, V. M. (1999):

Caspase activation in the terminal differentiation of human epidermal keratinocytes.

Curr. Biol.; 9: 361-364.

183. Weinlich, R.; Brunner, T. and Amarante-Mendes, G.P. (2010):

Control of death receptor ligand activity by posttranslational Modifications.

Cell. Mol. Life Sci.; 67:1631-1642.

184. Wenzel, J. and Tüting, T. (2008):

IFN-associated cytotoxic cellular immune response against viral, self-, or tumor antigens is a common pathogenetic feature in "interface dermatitis".

J. Invest. Dermatol.; 128(10):2392-2402.

185. Werfel, T.; Breuer, K. and Kapp, A. (2006):

Usefulness of specific immunotherapy in patients with atopic dermatitis and allergic sensitization to house dust mites: A multi-centre, randomized, dose-response study.

Allergy; 61:202-205.

186. Weston, W.L. and Bruckner, A. (2000):

Allergic contact dermatitis.

Ped. Clin. N. Am.; 47:897-907.

187. White, M.K. and Cinti, C. (2004):

A morphologic approach to detect apoptosis based on electron microscopy.

Methods Mol. Biol.; 285:105-111.

188. Whiteside, S.T.; Epinat, J.C. and Rice, N.R. (1997):

I kappa B epsilon, a novel member of the I kappa B family, controls RelA and cRel NF-kappa B activity.

E.M.B.O. J.;16: 1413-1426.

189. Wilkinson, S.M. and Beck, M.H. (2004):

Contact dermatitis: Irritant.

In: Burns, D.A.; Breathnach, S. M.; Cox, N. and Griffiths, C.A. (eds.): Rook's Textbook of Dermatology, 7th edition.

Oxford, Blackwell Press, Ch. 19, PP. 19.1.

190. Williams, H.C. and Grindlay, D.J.(2009):

What's new in atopic eczema? An analysis of systematic reviews published in 2008. Definitions, causes and consequences of eczema.

Clin. Exp. Dermatol.; 5: 12-15.

191. Willis, C.M.(2002):

Variability in responsiveness to irritants: thoughts on possible underlying mechanisms.

Contact Derm.; 47(5):267-271.

192. Wollina, U. (2009):

Pompholyx or dyshidrosis.

Expert Rev. Dermatol.; 4(4):403-411.

193. Wollina, U. (2010):

Pompholyx: A Review of Clinical Features, Differential Diagnosis, and Management.

Am. J. Clin. Dermatol.; 11(5):305-314.

194. Woo, M.; Hakem, R. and Furlonger, C. (2003):

Caspase-3 regulates cell cycle in B cells: a consequence of substrate specificity.

Nat. Immunol.; 4: 1016-1022.

195. Wrone-Smith, T.; Johnson, T. and Nelson, B.(1995):

Discordant expression of Bcl-x and Bcl-2 by keratinocytes in vitro and psoriatic keratinocytes in vivo.

Am. J. Pathol.; 146:1079-1088.

196. Xiao, G.; Harhaj, E.W. and Sun, S.C. (2001):

NF-kB-inducing kinase regulates the processing of NF-kappaB2 p100.

Mol. Cell; 7: 401-409.

197. Young, P.; Boussadia, O. and Halfter, H. (2003):

E-cadherin controls adherence junctions in the epidermis and the renewal of hair follicles.

E.M.B.O. J.; 22: 5723-5733.

- 198. Zeppa, L.; Bellini, V. and Lisi, P.(2011):**
Atopic dermatitis in adults.
Dermatitis; 22(1):40-46.
- 199. Zhang, J.; Campbell, R.E. and Tsien, R.Y. (2002):**
Creating new fluorescent probes for cell biology.
Nat. Rev. Mol. Cell Biol.; 3:906-918.
- 200. Zhang, Y.; Gao, J.S.; Tang, X. and Tucker, L.D. (2009):**
MicroRNA 125a and its regulation of the p53 tumor suppressor gene.
F.E.B.S. Lett.; 583: 3725-3730.
- 201. Zimmermann, M.; Koreck, A.; Simone, B. and Akdis, C.(2011):**
TNF-like weak inducer of apoptosis (TWEAK) and TNF- α cooperate
in the induction of keratinocyte apoptosis.
J. Allergy Clin. Immunol.; 127(1):200-207.
- 202. Zucker, R.M.; Hunter, E.S. and Rogers, J.M. (2000):**
Confocal laser scanning microscopy of morphology and apoptosis in
organogenesis-stage mouse embryos.
Methods Mol. Biol.; 135:191-202.