

References

- Adams RR, Carmena M, Earnshaw WC (2001).** Chromosomal passengers and the (aurora) ABCs of mitosis. *Trends Cell Biol*; 11: 49-54.
- AH, Ma J (2008)** .Evaluation of sixth edition of AJCC staging system for nasopharyngeal carcinoma and proposed improvement. *Int J Radiat Oncol Biol Phys* 70:1115–1123.
- Al-Sarraf M, LeBlanc M, Giri PG, et al (1998).** Chemoradiotherapy versus radiotherapy in patients with advanced nasopharyngeal cancer: phase III randomized Intergroup study 0099. *J Clin Oncol*. 16(4):1310-7.
- Altaf FJ (2001).** Histopathology of adenoid cystic carcinoma of the larynx and adenocarcinoma hybrid Saudi Med J. 22(10):920-3.
- Altmann M, Hammerschmidt W (2005)** Epstein–Barr virus provides a new paradigm: a requirement for the immediate inhibition of apoptosis. *PLoS Biol* 3(12):e404.
- Amal Abdul-Hussein, Pierre A Morris, and Tsveti Markova (2007)** An unusual presentation of adenoid cystic carcinoma of the minor salivary glands with cranial nerve palsy: a case study *BMC Cancer* 7: 157.
- Ambros V (2004)** The functions of animal microRNAs. *Nature* 431:350–355
- Ambrosini G, Adida C, Altieri DC (1997)** . A novel anti-apoptosis gene, survivin, expressed in cancer and lymphoma. *Nat Med*. 3(8):917-21.

- Angela C Fields ,George Cotsonis, Debbie Sexton, et al (2004).** Survivin expression in hepatocellular carcinoma: correlation with proliferation, prognostic parameters, and outcome. *Modern Pathology* 17, 1378–1385.
- Anita Jayasurya, MD; Boon-Huat Bay, MBBS, PhD; Wai-Ming Yap, FRCP; Nam-Guan Tan, FRCS (2000)** .Lymphocytic Infiltration in Undifferentiated Nasopharyngeal Cancer *Arch Otolaryngol Head Neck Surg*.;126:1329-1332
- Armstrong RW, Imrey PB, Lye MS, et al (2000)** Nasopharyngeal carcinoma in Malaysian Chinese: occupational exposures to particles, formaldehyde and heat. *Int J epidemiol* 29(6):991–998.
- Au JS, Law CK, Foo W, Lau WH (2003)** .In-depth evaluation of the AJCC/UICC 1997 staging system of nasopharyngeal carcinoma: prognostic homogeneity and proposed refinements.*Int J Radiat Oncol Biol Phys* 56:413–426.
- Au JS, Law CK, Foo W, Lau WH (2003)** .In-depth evaluation of the AJCC/UICC 1997 staging system of nasopharyngeal carcinoma: prognostic homogeneity and proposed refinements.*Int J Radiat Oncol Biol Phys* 56:413–426.
- Au JS, Law CK, Foo W, Lau WH (2003)** .In-depth evaluation of the AJCC/UICC 1997 staging system of nasopharyngeal carcinoma: prognostic homogeneity and proposed refinements.*Int J Radiat Oncol Biol Phys* 56:413–426.
- Auclair PL (1994)** . Tumor-associated lymphoid proliferation in the parotid gland. A potential diagnostic pitfall. *Oral Surg Oral Med Oral Pathol* 77: 19-26.

- Augusto F. G. Paulino, MD; Bhuvanesh Singh, MD; et al (2000).** Basaloid Squamous Cell Carcinoma of the Head and Neck Laryngoscope ,110:1479–1482.
- Bakr MH, Mourad M, Agina HA (2000) .** DNA ploidy, nuclear morphometry and ki-67 proliferative index in the differentiation of thyroid follicular neoplasia. Egypt J Pathol, 20(1): 117-124,.
- Barker N, Clevers H (2006) .**Mining the Wnt pathway for cancer therapeutics. Nat Rev Drug Discov 5:997–1014.
- Barnes L, Ferlito A, Altavilla G, et al (1996).** Basaloid squamous cell carcinoma of the head and neck: clinicopathological features and differential diagnosis. Ann Otol Rhinol Laryngol 105: 75-82.
- Bartel DP (2004)** MicroRNAs: genomics, biogenesis, mechanism, and function. Cell 116:281–297.
- Barth S, Pfuhl T, Mamiani A, Ehses C, Roemer K, et al(2008).** Epstein-Barr virus-encoded microRNA miR-BART2 down-regulates the viral DNA polymerase BALF5. Nucleic Acids Res 36: 666–675.
- Bei JX, Li Y, Jia WH, et al (2010).** A genome-wide association study of nasopharyngeal carcinoma identifies three new susceptibility loci. Nature Genetics 42: 599–603.
- Bernadette Brennan (2006).** Nasopharyngeal carcinoma Orphanet J Rare Dis. 2006 ;1 :23.
- Bernardo A. Mainou, David N. Everly Jr., and Nancy Raab-Traub (2007).** Unique Signaling Properties of CTAR1 in LMP1-Mediated Transformation .Journal Virology , p. 9680-9692, Vol. 81, No 1.

- Bhattacharyya N (2004).** The impact of race on survival in nasopharyngeal carcinoma: a matched analysis. *Am J Otolaryngol* 25:94–97.
- Bijan Khademi, M.D, Jalal Mahmoodi, M.D; Shapour Omidvari, M.D et al (2006).** Treatment Results of Nasopharyngeal Carcinoma: A 15-Year Single Institutional Experience *Journal of the . Egyptian Nat. Cancer Inst., Vol. 18, No. 2, June: 147-155.*
- Bischoff JR, Plowman GD (1999).** The aurora/Ipl 1p kinase family: regulators of chromosome segregation and cytokinesis. *Trends Cell Biol.,; 9: 454-459.*
- Boone CW , Stoner GD and Bacus JV .(2000) :** Quantitative grading of rat esophageal carcinogenesis using computer –assisted image tilt analysis .*Cancer Epidemiol Biomarkers & Prev ,9:495-500.*
- Borza CM, Hutt-Fletcher LM (2002)** Alternate replication in B cells and epithelial cells switches tropism of Epstein–Barr virus. *Nat med* 8(6):594–599.
- Bozec A, Peyrade F, Fischel JL, et al (2009) .** Emerging molecular targeted therapies in the treatment of head and neck cancer. *Expert Opin Emerg Drugs* 14:299–310.
- Brendan P Eckelman , Guy S Salvesen & Fiona L Scott (2006) .** Human inhibitor of apoptosis proteins: why XIAP is the black sheep of the family. *EMBO reports* 7, 988 – 994.
- Bruce M Wenig M.D (2002) .** Squamous Cell Carcinoma of the Upper Aerodigestive Tract: Precursors and Problematic Mod *Pathol;15(3):229–254.*

- Burgos JS(2005)** . Involvement of the Epstein–Barr virus in the nasopharyngeal carcinoma pathogenesis. *Med oncol* 22(2): 113–121.
- Cai X, Schafer A, Lu S, et al(2006)** . Epstein–Barr virus microRNAs are evolutionarily conserved and differentially expressed. *PLoS pathog* 2(3):e23.
- Carrasco RA, Stamm NB, Marcusson E, et al (2011)** . Antisense inhibition of survivin expression as a cancer therapeutic. *Mol Cancer Ther.* Feb;10(2):221-32. Epub 2011 Jan 7.
- Castedo M, Perfettini JL, Roumier T, et al (2004)**. Cell death by mitotic catastrophe: a molecular definition". *Oncogene* 23 (16): 2825–37.
- Chan JKC, Pilch BZ, Kuo TT, et al (2005)** Nasopharyngeal carcinoma. In: Barnes L, Eveson JW, Reichart P, Sidransky D (eds) *World Health Organization classification of tumors. Pathology and genetics. Head and neck tumors.* IARC Press, Lyon, pp 83–97.
- Chan SL, Cui Y, van Hasselt A, et al (2007)** . The tumor suppressor Wnt inhibitory factor 1 is frequently methylated in nasopharyngeal and esophageal carcinomas. *Lab invest* 87(7):644–650.
- Chan SY, To KF, Leung SF, et al (2010)** . 14-3-3sigma expression as a prognostic marker in undifferentiated nasopharyngeal carcinoma. *Oncol Rep.*;24(4):949-55.
- Chan, John K. C. MB, BS, FRCPath, FRCPA (2008)** . Nasopharyngeal Carcinoma: Problems in Diagnosis . *Pathology Case Reviews: Volume 13 - Issue 1 - pp 22-33.*

- Chang ET, Adami HO (2006)** The enigmatic epidemiology of nasopharyngeal carcinoma *Cancer Epidemiol Biomarkers Prev* ;15(10):1765.
- Chang JT, Liao CT, Jung SM, et al (2000).** Telomerase activity is frequently found in metaplastic and malignant human nasopharyngeal tissues. *Br J Cancer* 82 (12):1946–1951.
- Chang KP, Hao SP, Chang JH, et al (2008)** .Macrophage inflammatory protein-3a is a novel serum marker for nasopharyngeal carcinoma detection and prediction of treatment outcomes. *Clin Cancer Res* 14:6979–6987.
- Chen H, Hutt-Fletcher L, Cao L, et al (2003).** A positive autoregulatory loop of LMP1 expression and STAT activation in epithelial cells latently infected with Epstein–Barr virus. *J. Virol.* 77(7), 4139–4148..
- Chen HC, Chen GH, Chen YH, et al (2009)** .MicroRNA deregulation and pathway alterations in nasopharyngeal carcinoma. *Br J Cancer* 100:1002–1011.
- Chen YF, Chen FJ, Fang Y, et al (2004)** . Survivin expression in laryngeal squamous cell carcinoma and its relationship with clinical factors. *Ai Zheng.* (11 Suppl):1493-7.
- Chen YJ, Ko JY, Chen PJ, et al (1999)** .Chromosomal aberrations in nasopharyngeal carcinoma analyzed by comparative genomic hybridization. *Genes Chromosomes Cancer* 25(2):169–175.
- Cheng SH, Tsai SY, Yen KL, et al (2005)** .Prognostic significance of parapharyngeal space venous plexus and marrow involvement: potential landmarks of dissemination for stage

- I–III nasopharyngeal carcinoma. *Int J Radiat Oncol Biol Phys* 61:456–465
- Cheng SW, Yang SN, Liang JA, et al (2006).** Value of computed tomography-based tumor volume as a predictor of outcomes in hypopharyngeal cancer after treatment with definitive radiotherapy. *Laryngoscope* 116: 2012–201.
- Che-Pei Kung and Nancy Raab-Traub(2008).** Epstein-Barr Virus Latent Membrane Protein 1 Induces Expression of the Epidermal Growth Factor Receptor through Effects on Bcl-3 and STAT3 . *J Virol*. June; 82(11): 5486–5493
- Che-Pei Kung, David G. Meckes Jr., and Nancy Raab-Traub(2011)** Epstein-Barr Virus LMP1 Activates EGFR, STAT3, and ERK through Effects on PKC .*The Journal of Virology*, p. 4399-4408, Vol. 85, No. 9.
- Chien YC, Chen JY, Liu MY, et al (2001).** Serologic markers of Epstein–Barr virus infection and nasopharyngeal carcinoma in Taiwanese men. *N Engl J Med* 345:1877–1882.
- Chou J, Lin YC, Kim J, et al (2008)** .Nasopharyngeal carcinoma – review of the molecular mechanisms of tumorigenesis. *Head Neck* 30:946–963
- Chow LS, Lo KW, Kwong J, et al (2004)** .RASSF1A is a target tumor suppressor from 3p21.3 in nasopharyngeal carcinoma. *Int J Cancer* 109(6):839–847
- Choy EY, Siu KL, Kok KH, et al(2008).** An Epstein-Barr virus-encoded microRNA targets PUMA to promote host cell survival. *J Exp Med* 205: 2551–2560.
- Conway EM, Pollefeyt S, Steiner-Mosonyi M et al (2002)** . Deficiency of surviving in transgenic mice exacerbates Fas-induced

apoptosis via mitochondrial pathways. *Gastroenterology* : 123: 619-631.

Cooper JS, Lee H, Torrey M, Hochster H (2000) . Improved outcome secondary to concurrent chemoradiotherapy for advanced carcinoma of the nasopharynx: preliminary corroboration of the intergroup experience. *Int J Radiat Oncol Biol Phys*;47:861–6.

Corry J, Fisher R, Rischin D, et al (2006) . Relapse patterns in WHO 2/3 nasopharyngeal cancer: is there a difference between ethnic Asian vs. non-Asian patients? *Int J Radiat Oncol Biol Phys* 64:63–71

Cory, S, Adams, JM (2002). The Bcl2 family: regulators of the cellular life-or-death switch. *Nat. Rev. Cancer.* 2:647-656.

Cosmopoulos K, Pegtel M, Hawkins J, et al (2009) .Comprehensive profiling of Epstein–Barr virus microRNAs in nasopharyngeal carcinoma. *J Virol* 83:2357–2367.

Cynthia Cohen, M.D., Christina M. Lohmann, M.D., George Cotsonis, Ph.D., et al (2003) . Survivin Expression in Ovarian Carcinoma: Correlation with Apoptotic Markers and Prognosis . *Mod Pathol*;16(6):574–583.

Deepak Raj, Tong Liu, George Samadashwily (2008) .Survivin repression by p53, Rb and E2F2 in normal human melanocytes *Carcinogenesis*.29(1): 194–201.

Deng L, Jing N, Tan G, et al (1998) . A common region of allelic loss on chromosome region 3p25.3–26.3 in nasopharyngeal carcinoma. *Genes Chromosomes Cancer* _ 23(1):21–25.

- Derek Kofi O.Boahene, Kerry D.Olsen, Jean E.Lewis et al.(2004)**
Mucoepidermoid Carcinoma of the parotid gland. Arch Otolaryngol Head Neck Surg.; 130:849-856.
- Dhanpat Jain, MD; Vinita Parkash, MD; Maomi Li, MD; et al (2000)**
Epstein-Barr Virus RNA Detection and Glandular Arch Pathol Lab Med—Vol 124.
- Dharmapatni AA; Smith MD; Findlay DM; et al. (2009).** Elevated expression of caspase-3 inhibitors, survivin and xIAP correlates with low levels of apoptosis in active rheumatoid synovium. Arthritis Res Ther. 11:R13.
- Dong Y, Sui L, Watanabe Y, Sugimoto K, Tokuda M (2002) .** Survivin expression in laryngeal squamous cell carcinomas and its prognostic implications. Anticancer Res 22(4):2377-83.
- E. Özer, K. Yörükoğlu, Ö. Sagol , U. Mungan, et al (2002) .** Prognostic significance of nuclear morphometry in renal cell carcinoma . BJU International Volume 90, Issue 1, pages 20–25.
- Ellis GL(1998) .** Clear cell neoplasms in salivary glands: clearly a diagnostic challenge. Ann Diagn Pathol 2: 61-78.
- Erkal HS, Serin M, Cakmak A (2001) .** Nasopharyngeal carcinomas: analysis of patient, tumor and treatment characteristics determining outcome. Radiother Oncol;61:247–56.
- Evan, GI, Vousden, KH (2001).** Proliferation, cell cycle and apoptosis in cancer. Nature.. 411:342-348.
- Fang Y, Guan X, Guo Y, et al (2001) .** Analysis of genetic alterations in primary nasopharyngeal carcinoma by comparative genomic hybridization. Genes Chromosomes Cancer 30(3):254–260.
- Fang Y, Guan X, Guo Y, et al (2001) .** Analysis of genetic alterations in primary nasopharyngeal carcinoma by comparative

genomic hybridization. *Genes Chromosomes Cancer* 30(3):254–260.

Farias TP, Dias FL, Lima RA, Kligerman J, de S JGM, Barbosa MM, Gonçalves FB Jr (2003) .Prognostic factors and outcome for nasopharyngeal carcinoma. *Arch Otolaryngol Head Neck Surg* 129:794–799.

FATHI ABDALLA , JAMELA BODER, RABIA MARKUS, et al (2009). Correlation of Nuclear Morphometry of Breast Cancer in Histological Sections with Clinicopathological Features and Prognosis . *Anticancer Research* vol. 29 no. 5 1771-1776.

Fengzhi Li, Xiang Ling (2006) . Survivin study: An update of “What is the next wave?” *J Cell Physiol.* 208(3): 476.

Fernandez-Lopez F., Paredes-Cotore J.P., Cadarso- Suarez C., Forteza-Vila J., et al (1999) . Prognostic value of nuclear morphometry in colorectal cancer. *Dis. Colon. Rectum.*, 42: 386-392.

Fields AC, Cotsonis G, Sexton D, et al. Survivin expression in hepatocellular carcinoma: correlation with proliferation, prognostic parameters, and outcome. *Mod Pathol* 2004;17:1378–85.

Fredrik Petersson, Kwok Seng Loh, and Diana Lim (2011). Paucilymphoid non-keratinizing nasopharyngeal carcinoma with prominent stromal desmoplasia – an unusual case

reported with brief comments on uncommon histological variants Int J Clin Exp Pathol. 30; 4(4): 410–415.

Friborg J, Wohlfahrt J, Koch A, et al (2005) Cancer susceptibility in nasopharyngeal carcinoma families – a populationbased cohort study. Cancer Res 65(18):8567–8572.

Friborg JT, et al (2007) A prospective study of tobacco and alcohol use as risk factors for pharyngeal carcinomas in Singapore Chinese. Cancer 109(6):1183–119.

Frierson HF, Wolber RA, Berean KW, et al (1995) . Interobserver reproducibility of the Nottingham modification of the Bloom and Richardson histologic grading scheme for infiltrating ductal carcinoma. Am J Clin Pathol 103: 195-198.

Grabowski P, Kuhnel T, Muhr-Wilkenshoff F, et al (2003). Prognostic value of nuclear survivin expression in oesophageal squamous cell carcinoma. Br J Cancer;88:115–9.

Gullo C, Low WK, Teoh G(2008) . Association of Epstein–Barr virus with nasopharyngeal carcinoma and current status of development of cancer-derived cell lines. Ann Acad Med Singapore 37(9):769–777.

Guo X, Johnson RC, Deng H, et al. (2009) Evaluation of nonviral risk factors for nasopharyngeal carcinoma in a high-risk population of Southern China. Int J Cancer,124(12):2942-2947.

- Guzzo M, Andreola S, Sirizzotti G, Cantu G (2002).** Mucoepidermoid carcinoma of the salivary glands: clinicopathologic review of 108 patients treated at the National Cancer Institute of Milan. *Ann Surg Oncol* 9: 688-695.
- Hanahan, D, Weinberg, RA (2000).** The hallmarks of cancer. *Cell*. 100:57-70.
- Helen Angell (2008).** A study into the potential role of Survivin localization in resistance to drug-induced apoptosis *Bioscience Horizons* 1 (2): 85-91.
- Hengartner, MO(2000)** . The biochemistry of apoptosis. *Nature*.. 407:770-776.
- Hsiao JR, Jin YT, Tsai ST (2002)** .Detection of cell free Epstein– Barr virus DNA in sera from patients with nasopharyngeal carcinoma. *Cancer* 94:723–729.
- Hsu WL, et al (2009)** Independent effect of EBV and cigarette smoking on nasopharyngeal carcinoma: a 20-year followup study on 9,622 males without family history in Taiwan. *Cancer Epidemiol Biomarkers Prev*, 18(4):1218–1226.
- Huanzhang Hu , Zhigang Li, Jie Chen et al (2011)** . P16 reactivation induces anoikis and exhibits antitumour potency by downregulating Akt/survivin signalling in hepatocellular carcinoma cells .*Gut* 60:710-721.
- Huey-Chung Huang, You-Di Liao, Li-Li Chen, et al (2007).** Induction of FADD Expression and Caspase Cascades Involved in RC-RNase-Induced Apoptosis in Human Cervical Cancer Cells. *Journal of Cancer Molecules* 3(3): 81-89.

- Hui AB, Cheung ST, Fong Y, et al(1998)** .Characterization of a new EBV-associated nasopharyngeal carcinoma cell line. *Cancer Genet Cytogenet* 101(2):83–88.
- Hui AB, Lo KW, Leung SF, et al (1999)** . Detection of recurrent chromosomal gains and losses in primary nasopharyngeal carcinoma by comparative genomic hybridisation. *Int J Cancer* 82(4):498–503.
- Hui EP, Sung FL, Yu BK, et al (2008)** .Plasma osteopontin, hypoxia, and response to radiotherapy in nasopharyngeal cancer. *Clin Cancer Res* 14:7080–7087.
- Hui Zheng, Lili Li, Duosha Hu, et al (2007)** .Role of Epstein-Barr Virus Encoded Latent Membrane Protein 1 in the Carcinogenesis of Nasopharyngeal Carcinoma. *The Chinese Society of Immunology Volume 4 Number 3*.
- Imai S, Nishikawa J, Takada K (1998)**. Cell-to-cell contact as an efficient mode of Epstein–Barr virus infection of diverse human epithelial cells. *J Virol* 72(5):4371–4378.
- J Thariat, C Badoual, C Faure, C Butori, P Y Marcy, C A Righini(2010)** . Basaloid squamous cell carcinoma of the head and neck: role of HPV and implication in treatment and prognosis. *J Clin Pathol*;63:857-866
- Jahr S, Hentze H, Englisch S, et al (2001)**. DNA fragments in the blood plasma of cancer patients: quantitations and evidence for their origin from apoptotic and necrotic cells. *Cancer Res* 61:1659–1665.
- Jeng JH, Chang MC, Hahn LJ (2001)**. Role of areca nut in betel quid-associated chemical carcinogenesis: current awareness and future perspectives. *Oral Oncol*;37:477–9.2

- Jeyakumar A, Brickman TM, Jeyakumar A, et al (2006)** Review of nasopharyngeal carcinoma. *Ear Nose Throat J* 85(3):168–170, 172–163, 184.
- Jia WH, et al (2005)** .Complex segregation analysis of nasopharyngeal carcinoma in Guangdong, China: evidence for a multifactorial mode of inheritance .*Eur J Hum Genet* 13(2):248–25.
- Jiaoyang Yin ,Ulla Vogel , Yegang Ma, et al (2007)** .The DNA repair gene *XRCC1* and genetic susceptibility of lung cancer in a northeastern Chinese population. *Lung Cancer* Volume 56, Issue 2, May, Pages 153-160
- Jin-Ching Lin(2010)** . Prognostic Factors in Nasopharyngeal Cancer
- Josephine Chou, MS, Yu-Ching Lin, MD,Jae Kim, MD, et al (2008), MD.** Nasopharyngeal carcinoma— Review of the molecular mechanisms of tumorigenesis *Head Neck.*; 30(7): 946–963.
- Kami K, Doi R, Koizumi M, et al (2004).** Survivin expression is a prognostic marker in pancreatic cancer patients. *Surgery*;136:443–8.
- Kaykas A, Sugden B (2000)** .The amino-terminus and membrane-spanning domains of LMP1 inhibit cell proliferation. *Oncogene* 19:1400–1410.
- Kaykas A, Sugden B (2000)** .The amino-terminus and membrane-spanning domains of LMP1 inhibit cell proliferation. *Oncogene* 19:1400–1410.
- Kennedy SM, O’Driscoll L, Purcell R, et al (2003)** . Prognostic importance of survivin in breast cancer. *Br J Cancer*;88:1077–83.
- Kenneth W. Yip, Wei Shi, Melania Pintilie, et al (2006)** . Prognostic Significance of the Epstein-Barr Virus, p53, Bcl-2, and

Survivin in Nasopharyngeal Cancer . Clin Cancer Res
October 1, 12; 5726.

Khademi B, Mahmoodi J, Omidvari S, Mohammadianpanah M (2006)

.Treatment results of nasopharyngeal carcinoma: a 15-year
single institutional experience. J Egypt Natl Cancer Inst
18:147–155.

Kieff E and Rickinson AB. (2001). Fields Virology. 4th edn. Knipe DM

and Howley PM (eds). Lippincott Williams & Wilkins
Publishers: Philadelphia, pp. 2511–2574.

Kim YJ, Go H, Wu HG, et al (2010) . Immunohistochemical study

identifying prognostic biomolecular markers in
nasopharyngeal carcinoma treated by radiotherapy. Head
Neck..

Kondo S, Yoshizaki T, Wakisaka N, et al (2007). MUC1 induced by

Epstein-Barr virus latent membrane protein 1 causes
dissociation of the cell-matrix interaction and cellular
invasiveness via STAT signaling. J Virol; 81: 1554–62.

Kramer, C. E. & Epstein, J. I (1994) . Nucleoli in low-grade prostate

adenocarcinoma and adenosis. Hum. Pathol, 24:618-23,.

Kronqvist P, Kuopio T. and Collan Y(1998) . Breast cancer

prognostication: Morphometric thresholds for nuclear
grading. Br. J. Cancer, , 78: 800-805.

Kumar V, Abbas A, Fausto N, Aster J (2010) . Robbins and Cotran

Pathologic Basis Of Disease, 9th ed. India. Saunders,: 269-
342. Bottom of Form..

Kwok-Wai Lo and Dolly P.Huang (2002). Genetic and epigenetic

changes in nasopharyngeal carcinoma . Seminars in Cancer
Biology Volume 12, Issue 6, Pages 451-462

- Kwong J, Lo KW, To KF, et al (2002).** Promoter hypermethylation of multiple genes in nasopharyngeal carcinoma. *Clin Cancer Res* 8(1):131–137.
- L.S young ,C.W Dawson ,A G Eliopoulos(2000)** .The expression and function of Epstein-Barr virus encoded latent genes. **L.S young ,C.W Dawson ,A G Eliopoulos(2000)** .The expression and function of Epstein-Barr virus encoded latent genes. latent membrane protein 1 induces interleukin-8 through the nuclear factor-kappa B signaling pathway in EBVinfected nasopharyngeal carcinoma cell line. *Laryngoscope* 114:855–859.
- Lawrence D and True M (1996)** : Morphometric applications in Anatomic Pathology HUMAN PATHOLOGY volume 27:5.
- Lawrence S. Young & Alan B. Rickinson (2004)** . Epstein–Barr virus: 40 years on. *Nature Reviews Cancer* 4, 757-768.
- L-C Chen, I-C Chung, C Hsueh, et al (2010).** .The antiapoptotic protein, FLIP, is regulated by heterogeneous nuclear ribonucleoprotein K and correlates with poor overall survival of nasopharyngeal carcinoma patients. *Cell Death & Differentiation* 17, 1463-1473.
- Le QT, Raben D (2009)** .Integrating biologically targeted therapy in head and neck squamous cell carcinomas. *Semin Radiat Oncol* 19:53–62.
- Lee AW, Au JS, Teo PM, et al (2004).** Staging of nasopharyngeal carcinoma: suggestions for improving the current UICC/AJCC staging system. *Clin Oncol* 16:269–276.
- Leon Barnes, John W. Eveson, Peter Reichart, David Sidransky (2005)** Pathology & Genetics Head and Neck Tumours.

- Li W, Ray RM, Gao DL, et al(2006).*** Occupational risk factors for nasopharyngeal cancer among female textile workers in Shanghai, China. *Occup Environ Med*;63:39–44.
- Liao Y, Zeng H, Wang X, et al (2009).*** Expression patterns and prognostic significance of inhibitor of apoptosis proteins in adenoid cystic carcinoma and pleomorphic adenoma of lachrymal gland. *Exp Eye Res.* Jan;88(1):4-11.
- Liaw CC, Wang CH, Huang JS, et al (1997).*** Serum lactate dehydrogenase level in patients with nasopharyngeal carcinoma. *Acta Oncol* 36:159–164.
- Lin J, Johannsen E, Robertson E, et al (2002) .*** Epstein–Barr virus nuclear antigen 3C putative repression domain mediates coactivation of the LMP1 promoter with EBNA-2. *J Virol* 76(1):232–242.
- Lin YC, et al (2006) .***Wnt signaling activation and WIF-1 silencing in nasopharyngeal cancer cell lines. *Biochem Biophys Res Commun* 341:635–40.
- Lin YC, et al (2006).*** Wnt signaling activation and WIF-1 silencing in nasopharyngeal cancer cell lines. *Biochem Biophys Res Commun* 341:635–40
- Liu MY, Chang YL, Ma J, et al (1997).*** Evaluation of multiple antibodies to Epstein–Barr virus as markers for detecting patients with nasopharyngeal carcinoma. *J Med Virol* 52:262–269.
- Liu MZ, Tang LL, Zong JF, et al (2008).*** Evaluation of sixth edition of AJCC staging system for nasopharyngeal carcinoma and proposed improvement. *Int J Radiat Oncol Biol Phys* 70:1115–1123.
- Liu MZ, Tang LL, Zong JF, Huang Y, Sun Y, Mao YP, Liu LZ, Lin***

-
- Lo AK, Huang DP, Lo KW, et al (2004)** Phenotypic alterations induced by the Hong Kong-prevalent Epstein–Barr virus encoded LMP1 variant (2117-LMP1) in nasopharyngeal epithelial cells. *Int J Cancer* 109(6):919–925
- Lo AK, To KF, Lo KW, et al (2007).** Modulation of LMP1 protein expression by EBV-encoded microRNAs. *Proc Natl Acad Sci U S A* 104:16164–16169.
- Lo AK, To KF, Lo KW, et al (2007).** Modulation of LMP1 protein expression by EBV-encoded microRNAs. *Proc Natl Acad Sci U S A* 104:16164–16169.
- Lo K, Huang PW, Lee CK (1997)** Genetic changes in nasopharyngeal carcinoma. *Chin Med J* 110(7):548–549.
- Lo KW, Huang DP (2002).** Genetic and epigenetic changes in nasopharyngeal carcinoma. *Semin Cancer Biol* 12(6): 451–462.
- Lo KW, Teo PM, Hui AB, et al(2000).** High resolution allelotype of microdissected primary nasopharyngeal carcinoma. *Cancer Res* 60(13):3348–3353.
- Lo KW, To KF, Huang DP (2004)** .Focus on nasopharyngeal carcinoma. *Cancer cell* 5(5):423–428.
- Loh KS, Goh BC, Lu J, et al. (2006)** Familial nasopharyngeal carcinoma in a cohort of 200 patients. *Arch Otolaryngol Head Neck Surg*; 132:82.
- Luce D, et al (2002)** Sinonasal cancer and occupational exposures a pooled analysis of 12 case-control studies. *Cancer Causes and Control* 13(2):147–157.
-

- Ma BB, Leung SF, Hui EP, Mo F, Kwan WH, Zee B, Yuen J, Chan AT (2004)** .Prospective validation of serum CYFRA 21–1, b-2-microglobulin, and ferritin levels as prognostic markers in patients with nonmetastatic nasopharyngeal carcinoma undergoing radiotherapy. *Cancer* 101:776–781.
- MacDonald BT, Tamai K, He X (2009)** .Wnt/beta-catenin signaling: components, mechanisms, and diseases. *Dev. Cell* 17(1), 9–26.
- Mai HQ, Zeng ZY, Zhang CQ, et al (2006)**. Elevated plasma big ET-1 is associated with distant failure in patients with advanced stage nasopharyngeal carcinoma. *Cancer* 106:1548–1553.
- Mainou, B. A., Everly, D. N. Jr., Raab-Traub, N (2007)**. Unique Signaling Properties of CTAR1 in LMP1-Mediate Transformation. *J. Virol.* 81: 9680-9692.
- Mamdouh m. Radwan, m.d.; kawther a. Amer, m.d.; nadia m. Mokhtar, m.d. Et al (2003)** . Nuclear Morphometry in Ductal Breast Carcinoma with Correlation to Cell Proliferative Activity and Prognosis. *Journal of the Egyptian Nat. Cancer Inst., Vol. 15, No. 3, 169-182,*.
- Mao YP, Xie FY, Liu LZ, et al (2009)**. Re-evaluation of 6th edition of AJCC staging system for nasopharyngeal carcinoma and proposed improvement based on magnetic resonance imaging. *Int J Radiat Oncol Biol Phys* 73:1326–1334
- Marco Guzzo, Salvatore Andreola, Grazia Sirizzotti et al (2002)** . Mucoepidermoid carcinoma of the salivary glands: Clinicopathologic review of 108 patients treated at the

National Cancer Institute of Milan .Annals of Surgical Oncology Volume 9, Number 7, Pages 688-695.

Martineau-Thuillier S, Andreassen PR, Margolis RL (1998).

Colocalization of TD-60 and INCENP throughout G2 and mitosis: evidence for their possible interaction in signalling cytokinesis. Chromosoma; 107: 461-470.

Martínez Jabaloyas JM, Jiménez Sánchez A, Ruiz Cerdá JL, et al

(2004) . Prognostic value of DNA ploidy and nuclear morphometry in metastatic prostate cancer. Actas Urol Esp. 28(4):298-307.

Martinou, JC, Green, DR (2001). Breaking the mitochondrial barrier.

Nat. Rev. Mol. Cell Biol.. 2:63-67.

Marvaretta M Stevenson, MD; Chief Editor: Jules E Harris, MD

(2011) . Nasopharyngeal Cancer Staging .NCCN Clinical Practice Guidelines in Oncology: Head and Neck Cancers.

Marzia Pennati¹, Mara Binda¹, Michelandrea De Cesare¹, et al (2004)

.Ribozyme-mediated down-regulation of survivin expression sensitizes human melanoma cells to topotecan in vitro and in vivo Carcinogenesis vol.25 no.7 pp.1129—1136.

Masahide Ikeguchi M.D., Takasi Sakatani M.D., Kanenori Endo M.D.,

et al (1999) . Computerized nuclear morphometry is a useful technique for evaluating the high metastatic potential of colorectal adenocarcinoma. Cancer Volume 86, Issue 10, pages 1944–1951, 15 November.

Millot C& Duffer J(2000) .Clinical application of image cytometry to

human tumor analysis .Histol Histopathol 15:1185-200.

- Mokhtar N , Gouda I and Adel I (2007) ,** Cancer pathology registry 2003- 2004 and time trend analysis ,pathology Dept .NCI,P : 69-71
- Morinaga S, Nakamura Y, Ishiwa N, et al (2004) .** Expression of surviving mRNA associates with apoptos is, proliferation and histologically aggressive features in hepatocellular carcinoma. *Oncol Rep*;12:1189–94.
- Morrison JA, Gulley ML, Pathmanathan R, et al (2004) .**Differential signaling pathways are activated in the Epstein– Barr virus-associated malignancies nasopharyngeal carcinoma and Hodgkin lymphoma. *Cancer Res* 64: 5251–5260.
- Morrison JA, Raab-Traub N(2005) .**Roles of the ITAM and PY motifs of Epstein–Barr virus latent membrane protein 2A in the inhibition of epithelial cell differentiation and activation of {beta}-catenin signaling. *J Virol* 79(4):2375–2382.
- Müller E, Beleites E (2000)** The basaloid squamous cell carcinoma of the nasopharynx. *Rhinology* 38:208–21.
- Munoz de Toro, M.M.; Maffini, M.V.; Giardina, R.H.; Luque, E.H. (1998) .**Processing Fine Neeedle Aspirates of Prostate Carcinomas for Standard Immunocytochemical Studies and In Situ Apoptosis Detection. *Pathol. Res. Pract.* 194:631-636.
- Mu-Tai Liu, Chang-Yao Hsieh, Tung-Hao Chang, et al (2003) .** Prognostic Factors Affecting the Outcome of Nasopharyngeal . *Jpn. J. Clin. Oncol* 33 (10): 501-508 .
- Nassar A, Lawson D, Cotsonis G, et al (2008) .** Correlation with prognostic parameters, proliferation, angiogenesis, and outcome. *Appl Immunohistochem .Mol Morphol.* 16(2):113-20.

- Nazar-Stewart V, Vaughan TL, Burt RD, et al (1999)** Glutathione S-transferase M1 and susceptibility to nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev* 8(6):547–551.
- Niedobitek G, Agathangelou A, Steven N, et al (2000)** . Epstein–Barr virus (EBV) in infectious mononucleosis: detection of the virus in tonsillar B lymphocytes but not in desquamated oropharyngeal epithelial cells. *Mol Pathol* 53(1):37–42.
- Niemhom S, Kitazawa S, Murao S, et al(2000)** .Co-expression of p53 and bcl-2 may correlate to the presence of Epstein– Barr virus genome and the expression of proliferating cell nuclear antigen in nasopharyngeal carcinoma. *Cancer Lett* 160(2):199–208.
- Ofer Nativ , Edmond Sabo, Gil Raviv, et al (1998)** . Value of Nuclear Morphometry for Differentiating Localized from Metastatic Renal Cell Carcinoma *Clinical Paper* Vol. 33, No. 2, .
- Okada E, Murai Y, Matsui K, et al (2001).** Survivin expression in tumor cell nuclei is predictive of a favorable prognosis in gastric cancer patients. *Cancer Lett*;163:109–16.
- Ou SH, Zell JA, Ziogas A, Anton-Culver H (2007)** . Epidemiology of nasopharyngeal carcinoma in the United States: improved survival of Chinese patients within the keratinizing squamous cell carcinoma histology. *Ann Oncol* 18:29–35.
- Pamela Wolfe, James Murphy, John McGinley, et al (2004)** . Using Nuclear Morphometry to Discriminate the Tumorigenic Potential of Cells: A Comparison of Statistical Methods. *Cancer Epidemiol Biomarkers Prev*;13(6).
- Pathmanathan R, Prasad U, Sadler R, et al (1995)** Clonal proliferations of cells infected with Epstein–Barr virus in preinvasive

lesions related to nasopharyngeal carcinoma. N Engl J Med 333(11):693–698.

Paulino AF, Singh B, Shah JP, Huvos AG (2000). Basaloid squamous cell carcinoma of the head and neck. Laryngoscope 110: 1479-1482.

Pektas ZO, Keskin A, Günhan O, Karslıoğlu Y(2006) . Evaluation of nuclear morphometry and DNA ploidy status for detection of malignant and premalignant oral lesions: quantitative cytologic assessment and review of methods for cytomorphometric measurements. J Oral Maxillofac Surg. 64(4):628-35.

Pfeffer S, Zavolan M, Grasser FA, et al (2004). Identification of virus-encoded microRNAs. Science 304(5671):734–736

Pizem J, Cor A, Gale N (2004) . Survivin expression is a negative prognostic marker in laryngeal squamous cell carcinoma and is associated with p53 accumulation. Histopathology;45:180–6.

Qian CN, Zhang CQ, Guo X, et al (2000). Elevation of serum vascular endothelial growth factor in male patients with metastatic nasopharyngeal carcinoma. Cancer 88:255–261.

Quynh-Thu Le and Jiade J. Lu (2010) . Molecular Signaling Pathways in Nasopharyngeal Cancer. Medical Radiology , 27-40.

Raab-Traub N (2002) Epstein-Barr virus in the pathogenesis of NPC. Semin Cancer Biol 12: 431–441. Semin Cancer Biol. 2002 Dec;12(6):431-41.

Rachel MA Barrett, Rita Colnaghi, and Sally P Wheatley (2011) Threonine 48 in the BIR domain of survivin is critical to its mitotic and anti-apoptotic activities and can be

phosphorylated by CK2 in vitro Cell Cycle.1; 10(3): 538–548.

Ren Q, Sato H, Muroho S, et al (2004). Epstein–Barr virus (EBV) latent membrane protein 1 induces interleukin-8 through the nuclear factor-kappa B signaling pathway in EBVinfected nasopharyngeal carcinoma cell line. Laryngoscope 114:855–859.

Ren YJ, Zhang QY (2005) . Expression of survivin and its clinical significance in non-small cell lung cancer. Beijing Da Xue Xue Bao. Oct 18;37(5):504-7.

Rickinson A (2002) Epstein–Barr virus. Virus Res 82(1–2):109–113

Robert E Emerson M.D., Thomas M Ulbright M.D. John N Eble M.D. et al (2001). Predicting Cancer Progression in Patients with Penile Squamous Cell Carcinoma: The Importance of Depth of Invasion and Vascular Invasion. Mod Pathol;14(10):963–968.

Ronan J Kelly , Ariel Lopez-Chavez1, et al (2011) . Impacting tumor cell-fate by targeting the inhibitor of apoptosis protein survivin. Molecular Cancer, 10:35.

Rosa A Carrasco, Nancy B Stamm, Eric G Marcusson, et al (2011) . Antisense Inhibition of Survivin Expression as a Cancer Therapeutic. Mol Cancer Ther 10; 221.

Roy NS, Nakano T, Keyoung HM, et al (2004). Telomerase immortalization of neuronally restricted progenitor cells derived from the human fetal spinal cord. Nat Biotechnol 22(3):297–305

S. K. Sarker and K. S. Patel (1997) . Mean nuclear area and chromosomal DNA content of squamous cell carcinomas of

the oral cavity using computerized image analysis . The Journal of Laryngology & Otology 111: 141-144.

Salvesen H., Iversen O.K. and Akslen L.A (1998) Prognostic impact of morphometric nuclear grade of endometrial carcinoma. Am. Cancer Soc., , 83: 956-64.

Salvesen, GS, Duckett, CS (2002) . IAP proteins: blocking the road to death's door. Nat. Rev. Mol. Cell Biol.. 3:401-410.

Sanguineti G, Geara FB, Garden AS, et al (1997). Carcinoma of the nasopharynx treated by radiotherapy alone: determinants of local and regional control. Int J Radiat Oncol Biol Phys;37:985–96.

Sarela AI, Scott N, Ramsdale J, et al (2001) . Immunohistochemical detection of the anti-apoptosis protein, survivin, predicts survival after curative resection of stage II colorectal carcinomas. Ann Surg Oncol;8:305–10.

Schoenfeld A, Kruger KH, Gomm J, et al (1997). The detection of micrometastases in the peripheral blood and bone marrow of patients with breast cancer using immunohistochemistry and reverse transcriptase polymerase chain reaction for keratin 19. Eur J Cancer 33:854–861.

Scott FL, Denault JB, Riedl SJ, Shin H, Renatus M, et al (2005). XIAP inhibits caspase-3 and -7 using two binding sites: evolutionarily conserved mechanism of IAPs. EMBO J.;24:645–655.

Seiji Fukuda and Louis M. Pelus(2006) . Survivin, a cancer target with an emerging role in normal adult tissues . Mol Cancer Ther;5:1087-1098.

- Sengupta S, den Boon JA, Chen IH, et al (2008)** .MicroRNA 29c is down-regulated in nasopharyngeal carcinomas, upregulating mRNAs encoding extracellular matrix proteins. *Proc Natl Acad Sci U S A* 105:5874–5878.
- Sham JS, Choy D(1990)** .Prognostic factors of nasopharyngeal carcinoma: a review of 759 patients .*Br J Radiol.*;63(745):51-8
- Shannon-Lowe C, Baldwin G, Feederle R, et al (2005)** Epstein– Barr virus-induced B-cell transformation: quantitating events from virus binding to cell outgrowth. *J Gen Virol* 86(Pt 11):3009–3019.
- Shao JY, Zeng WF, Zeng YX (2002)**. Molecular genetic progression on nasopharyngeal carcinoma. *Ai Zheng*. Jan;21(1):1-10.
- Shi W, Bastianutto C, Li A, Perez-Ordenez B, et al (2006)**. Multiple dysregulated pathways in nasopharyngeal carcinoma revealed by gene expression profiling. *Int J Cancer* 119:2467–2475.
- Shibata T, Mahotka C, Wethkamp N, et al (2007)**. Disturbed expression of the apoptosis regulators XIAP, XAF1, and Smac/DIABLO in gastric adenocarcinomas. *Diagn Mol Pathol* 16(1):1-8.
- Shih-Hsin Wu L (2006)** Construction of evolutionary tree models for nasopharyngeal carcinoma using comparative genomic hybridization data. *Cancer Genet Cytogenet* 168(2):105–108.
- Shinohara ET, Gonzalez A, Massion PP, et al (2005)**. Nuclear survivin predicts recurrence and poor survival in patients with resected non small cell lung carcinoma. *Cancer*;103:1685–92

- Shiun-Kwei Chiou, Michael K. Jones, Andrzej S. Tarnawski (2003).**
Survivin – an anti-apoptosis protein: its biological roles and implications for cancer and beyond. *Med Sci Monit*; 9(4): PI43-47.
- Sixbey JW, Yao QY (1992)** .Immunoglobulin A-induced shift of Epstein–Barr virus tissue tropism. *Science* 255(5051): 1578–1580.
- SLL HOE MBiotech and CK SAM PhD (2006)** . Mutational analysis of p53 and RB2/p130 genes in Malaysian nasopharyngeal carcinoma samples: a preliminary report. *Malaysian J Pathol*; 28 : 35 – 39.
- SM Kennedy, L O'Driscoll, R Purcell,N Fitz-simons, et al (2003)** . Prognostic importance of survivin in breast cancer. *Br J Cancer*. April 7; 88(7): 1077–1083.
- Spink KE, Polakis P, Weis W (2000)** .Structural basis of the Axin-adenomatous polyposis coli interaction. *The EMBO journal*; 19 (10) : 2270-2279
- Sriuranpong V, Mutirangura A, Gillespie JW, et al (2004)** . Global gene expression profile of nasopharyngeal carcinoma by laser capture microdissection and complementary DNA microarrays. *Clin Cancer Res* 10:4944–4958
- Stefani G, Slack FJ (2008)** Small non-coding RNAs in animal development. *Nat Rev Mol Cell Biol* 9:219–230.
- Stenner M, Klussmann JP (2009)** . Current update on established and novel biomarkers in salivary gland carcinoma pathology and the molecular pathways involved. *Eur Arch Otorhinolaryngol*.266(3):333-41.

- Steve C Lee, MD, PhD(2009).** Salivary Gland Neoplasms web med Dec 9.
- Suarez C, Rodrigo JP, Ferlito A, et al(2006) .** Tumours of familial origin in the head and neck. Oral Oncol 42(10):965–978.
- Sudip K Sarker (2002) .** Mean nuclear area of fine needle aspirates of primary preoperative palpable breast carcinoma using image cytometry. Anal Quant Cytol Histol. 24(2):85-8.
- Sui L, Dong Y, Ohno M, et al (2002).** Survivin expression and its correlation With cell proliferation and prognosis in epithelial ovarian tumors. Int J Oncol;21:315–20.
- Sun LM, Li CI, Huang EY, Vaughan TL (2007).** Survival differences by race in nasopharyngeal carcinoma. Am J Epidemiol 165:271–278
- Sun SS ,Hsieh JF , Tsai SC, et al (2000) .**Tissue Polypeptide Specific antigen(TSP) as a tumor marker in nasopharyngeal carcinoma anticancer Res ;20 (6c) : 4661-3.
- Swaminathan S (2008) .**Noncoding RNAs produced by oncogenic human herpesviruses. J Cell Physiol 216: 321–326.
- Takai N, Miyazaki T, Nishida M, et al (2002).** Survivin expression correlates with clinical stage, histological grade, invasive behavior and survival rate in endometrial carcinoma. Cancer Lett;184:105–16.
- Takehiko Dohi, Elena Beltrami, Nathan R. Wall (2004) .**Mitochondrial survivin inhibits apoptosis and promotes tumorigenesis J Clin Invest.;114(8):1117–1127.
- Tamer El-Nahas, M.D(2010).** Epidemiology of cancer in Egypt and the Arab region

- Tang L, Li L, Mao Y, et al (2008).** Retropharyngeal lymph node metastasis in nasopharyngeal carcinoma detected by magnetic resonance imaging. *Cancer* 113:347–354..
- Tao Q, Chan AT(2007) .** Nasopharyngeal carcinoma: molecular pathogenesis and therapeutic developments. *Expert Rev Mol Med*, 9(12):1-24.
- Terence P. Farias, MD, Fernando L. Dias, MD, et al (2003) .** .Prognostic Factors and Outcome for Nasopharyngeal Carcinoma *Arch Otolaryngol Head Neck Surg.* ;129:794-799.
- Thompson LDR (2006).** Malignant neoplasms of the nasal cavity, paranasal sinuses and nasopharynx. In: Thompson LDR, editor. *Head and neck pathology*. Goldblum JR, series editor. *Foundations in Diagnostic Pathology*. Vol 3. Philadelphia: Churchill Livingstone Elsevier,:155–213.
- Tiwawech D, Srivatanakul P, Karalak A, et al (2006).** Cytochrome P450 2A6 polymorphism in nasopharyngeal carcinoma. *Cancer Lett* 241(1):135–141.
- Tjia WM, Sham JS, Hu L, et al (2005)** Characterization of 3p, 5p, and 3q in two nasopharyngeal carcinoma cell lines, using region-specific multiplex fluorescence in situ hybridization probes. *Cancer Genet Cytogenet* 158(1):61–66.
- Trieb K, Lehner R, Stulnig T, et al (2003).** Survivin expression in humanosteosarcoma is a marker for survival. *Eur J Surg Oncol*;29: 379–82.
- Tsai ST, Jin YT, Su IJ (1996) .**Expression of EBER1 in primary and metastatic nasopharyngeal carcinoma tissues using in situ

- hybridization. A correlation with WHO histologic subtypes. *Cancer* 77:231–236.
- Tsao SW, Tramoutanis G, Dawson CW, et al (2002)** . The significance of LMP1 expression in nasopharyngeal carcinoma. *Semin Cancer Biol.* Dec;12(6):473-87.
- Urano M, Abe M, Horibe Y, et al (2002)** . Sclerosing mucoepidermoid carcinoma with eosinophilia of the salivary glands. *Pathol Res Pract* 198(4):305-10.
- Uren AG, Wong L, Pakusch M et al (2000)**. Survivin and the inner centromere protein INCENP show similar cell-cycle localization and gene knockout phenotype. *Curr Biol*,; 10: 1319-1328.
- Vaughan TL, et al (1996)** .Nasopharyngeal cancer in a low-risk population: defining risk factors by histological type". *Cancer Epidemiol Biomarkers Prev* ,5(8):587–593.
- WAFAA HELMY, M.D. ,GAMAL I SELMY ,M.D.and ADEL OSSMAN ,M.D(2003)** .Nuclear morphometry and Ki 67 proliferative marker in renal clear cell carcinoma . *Journal of the Egyptian Nat. Cancer Inst.*, Vol. 15, No. 3, 169-182.
- Walling DM, Ray AJ, Nichols JE, et al (2007)** .Epstein–Barr virus infection of Langerhans cell precursors as a mechanism of oral epithelial entry, persistence, and reactivation. *J Virol* 81(13):7249–7268
- Wan J, Sun L, Mendoza JW, et al (2004)** Elucidation of the c-Jun N-terminal kinase pathway mediated by Estein-Barr virus encoded latent membrane protein 1. *Mol Cell Biol* 24(1): 192–199.

- Wan J, Sun L, Mendoza JW, et al (2004)** Elucidation of the c-Jun N-terminal kinase pathway mediated by Epstein-Barr virusencoded latent membrane protein 1. *Mol Cell Biol* 24(1): 192–199.
- Wang WY, Chien YC, Jan JS, et al (2002).** Consistent sequence variation of Epstein–Barr virus nuclear antigen 1 in primary tumor and peripheral blood cells of patients with nasopharyngeal carcinoma. *Clin Cancer Res* 8:2586–2590.
- Wang, X., Liu, X., Jia, Y., Chao, Y., Xing, X., Wang, Y., Luo, B. (2010).** Widespread sequence variation in the Epstein-Barr virus latent membrane protein 2A gene among northern Chinese isolates. *J. Gen. Virol.* 91: 2564-2573.
- Wei WI, Sham JS (1996).** Cancer of the Nasopharynx. In: Myers EN, Suen JY eds. *Cancer of the Head and Neck*. Philadelphia: W.B. Saunders,:277-93.
- Wenig BM (2007).** Tumors of the upper respiratory tract: part A: nasal cavity, paranasal sinuses and nasopharynx. In:Fletcher CDM (ed) *Diagnostic Histopathology of Tumors*,3rd edn. Elsevier, London, pp 83–149.
- Wong N, Hui AB, Fan B, et al (2003).**Molecular cytogenetic characterization of nasopharyngeal carcinoma cell lines and xenografts by comparative genomic hybridization and spectral karyotyping. *Cancer Genet Cytogenet* 140(2):124–132.
- Woong Na, Se Min Jang, Young Jin Jun, et al (2009)** Clinicopathologic significance of survivin expression in colorectal Adenocarcinoma. *Basic and Applied Pathology*; 2: 94–100.

- Wu HC, Lin YJ, Lee JJ, et al (2003)** Functional analysis of EBV in nasopharyngeal carcinoma cells. *Lab Invest* 83(6):797–812.
- Xiang Y, Yao H, Wang S, et al (2006)** . Prognostic value of Survivin and Livin in nasopharyngeal carcinoma. *Laryngoscope*. Jan;116(1):126-30.
- Xiao-Dong Zhu, Geng-Jin Lin, Li-Ping Qian, et al (2003)** . Expression of survivin in human gastric carcinoma and gastric carcinoma model of rats. *World J Gastroenterol*;9(7):1435-1438.
- Xing Lu ,Chao-Nan Qian , Ning-Wei Li et al (2011)** .Serum CCL2 and serum TNF- α – Two new biomarkers predict bone invasion, post-treatment distant metastasis and poor overall survival in nasopharyngeal carcinoma .*European Journal of Cancer* Volume 47, Issue 3 , Pages 339-346.
- Xiong W, Zeng ZY, Xia JH, et al (2004)** . A susceptibility locus at chromosome 3p21 linked to familial nasopharyngeal carcinoma. *Cancer Res* 64(6):1972–1974 .
- Xu L, Pan J, Wu J, et al (2010)** . Factors associated with overall survival in 1706 patients with nasopharyngeal carcinoma: significance of intensive neoadjuvant chemotherapy and radiation break *Radiother Oncol*. Jul;96(1):94-9.
- Yan Hu Zhang ,Hiroshi Kanamaru , Nobuyuki Oyama ,et al (2000)** . Prognostic value of nuclear morphometry on needle biopsy from patients with prostate cancer: is volume-Weighted mean nuclear volume superior to other morphometric parameters? *Urology* Volume 55, Issue 3 , Pages 377-381.