

- Azouz, Y.M. (1958) : Studies on the contents of water and lipids of tissues, of adults and youngs of *Columba livia schimperi*, *Burhinus oedicnemus Saharae* Reichenow. M.Sc. Thesis, Cairo Univ., U.A.R.
- Azouz, Y.M. (1966) : Water economy and water content of tissues of *Corvus corone sardonius* and *Corvus corax ruficollis* at adult and young stages, under normal starvation and dehydration conditions. Ph.D. Thesis, Cairo Univ., U.A.R.
- Azouz, Y.M.; Khalifa, M.H. and Abdel Daiem, M.E. (1984) : Some constituents of two Egyptian doves living in different environmental conditions. I. Water content. Proc. Zool. Soc., A.R.E., vol. 7, p: 91-102.
- Balasch, J.; Musquera, S.; Palacios, L.; Jimenez, M. and Palomeque, J. (1976) : Comparative hematology of some Falconiforms. The Condor 78 : 258-259.
- Balasch, J.; Palomeque, J.; Palacios, L.; Musquera, S. and Jimenez, M. (1974): Hematological values of some great flying and aquatic-diving birds. Comp. Biochem. Physiol., vol. 49A, 137-145.
- Balnave, D. (1969): The effects of certain gonadal hormones on the content and composition of lipids in the blood and liver of immature male chicks. Comp. Biochem. Physiol., 28 , 709.
- Bartholomew, G.A. and Cade, T.J. (1963) : The water economy of land birds. Auk, 80 : 539.

- Bedrak, E. (1965) : Blood serum enzyme activity of dogs exposed to heat stress and muscular exercise. *J. Appl. Physiol.* 20 (4) : 587-590.
- Beenackers, A.M. JR. (1969) : Carbohydrate and fat as a fuel for insect flight. A comparative study. *J. Insect. Physiol.*, vol. 15 : 353-361.
- Beljan, J.R.; Madley, T.I.; Hellewell, A.B. and Hein, L.J. (1971) : Determination of selected Avian blood plasma chemistry values using the Technicon Auto Analyzer. *Poult. Sci.* 50 (1): 229-232.
- Bell, D.J. (1957) : Tissue components of the domestic fowl I. The D-glucose content of whole blood. *Biochem. J.* Vol. 66, 137-141.
- Bell, D.J. (1971): Plasma enzymes pages 965-969 in *Physiology and Biochemistry of the domestic fowl*. Vol. 2. D. J. Bell, and B.M. Freeman, ed. Academic Press, New York and London.
- Belo, P.S.; Romsos, D.R. and Leveille, G.A. (1976) : Blood metabolites and glucose metabolism in the fed and fasted chicken. *J. Nutr.* 106 : 1135-1143.
- Bernstein, M.H.; Thomas, S.P. and Schmidt-Nielsen, K. (1973): Power input during flight of the fish crow Corvus ossifragus. *J. Exp. Biol.* 58, 401-410.
- Bessey, O.A.; Lowrey, O.H. and Brock, M.J. (1946) : A method for the rapid determination of alkaline phosphatase with five cubic millimeters of serum. *J. Biol. Chem.* 164 : 321-329.

- Bilby, L.W. and Widdowson, E.M. (1971) : Chemical composition of growth in nestling blackbirds and thrushes. *Brit. J. Nutr.* 25 : 127-134.
- Bodansky, A. (1934) : Phosphatase studies VI. Non-osseous origins of serum phosphatase. Its increase after ingestion of carbohydrates. *J. Biol. Chem.* Vol. 104, 473-482.
- Brake, J.; Garlich, J.D ; Parkhurst, C.R ; Thaxton, P. and Morgan, G.W. (1981) : Physiological profile of caged layers during one production season, molt, and postmolt : organ weights and blood constituents. *Poult. Sci.* 60 : 2157-2160.
- Brakenbury, J.H. and El-Sayed, M.S. (1984) : Changes in plasma glucose and lipid concentrations during treadmill exercise in domestic fowl. *Comp. Biochem. Physiol.* Vol. 79A, No.3, pp. 447-450.
- Cade, T.J. (1964) : Water and salt balance in carnivorous birds, reprinted from (thirst) - proceedings of the first international symposium on thirst in the regulation of body water. pp. 237-256, Pergamon press, Oxford, London, New York, Paris.
- Cantarow, A. and Trumper, M. (1975) : *Clinical Biochemistry*. 7th edition, W.B. Saunders Company, Philadelphia, London, Toronto.
- Cherry, J.A. and Jones, D.E. (1982) : Dietary cellulose, wheat bran, and fish meal in relation to hepatic lipid, serum lipids, and lipid excretion in laying hens. *Poult. Sci.* 61 : 1873-1878.

- Chew, R.M. (1961) : Water metabolism of desert-inhabiting vertebrates. *Biol. Rev.*, 36 : 1-31.
- Clark, J.H. and Conlee, R.K. (1979) : Muscle and liver glycogen content: diurnal variation and endurance. *J. Appl. Physiol : Respirat. Environ. Exercise Physiol.* 47 (2): 425-428.
- Davies, F.R.E. Davies; Francis, E.T.B. and Whittam, R. (1952): The sodium and potassium content of cardiac and other tissues of the Ox. *J. Physiol.* 118 : 150-151.
- Didier, R.; Remesy, C. and Demigne, C. (1983) : Changes in glucose and lipid metabolism in starved or starved-refed Japanese quail (Coturnix coturnix Japonica) in relation to fine structure of liver cells. *Comp. Biochem. Physiol.* Vol. 74A, No. 4 : 839-848.
- Dunn, E.H. and Brisbin, I.L. JR. (1980) : Age-specific changes in the major body components and caloric values of Herring Gull chicks. *Conder* 82 : 393-401.
- Eaton, T.H. JR. (1960) : Comparative anatomy of the vertebrates. Second edition. Harper and brothers, Publishers, New York.
- Farner, D.S.; Oksche, A.; Kamemoto, F.I.; King, J.R. and Cheyney, H.E. (1961) : A comparison of the effect of long daily photoperiods on the pattern of energy storage in migratory and non-migratory finches. *Comp. Biochem. Physiol.*, Vol. 2 : 125-142.
- Fishman, W.H. and Lerner, F. (1953) : A method for estimating serum acid phosphatase of prostatic origin. *J. Biol. Chem.* 200, 89-97.

- Fourie, F.L.E .R. and Hattingh, J. (1980) : Variability in birds haematology. *Comp. Biochem. Physiol.* 65A , 147-150.
- Frankel, H.M., Yousef, M.K.; Bayer, R. and Dill, D.B. (1972) : Blood composition in normothermic and hyperthermic Kangaroo rats Dipodomys merriami and Laboratory rats Rattus Norvegicus *Comp. Biochem. Physiol.* Vol. 43A, 733-738.
- Freeman, B.M. (1978) : Metabolic responses of the neonatal fowl, Gallus domesticus to short-term heat stress. *J. Thermal Biol.* Vol. 3. P : 49-50.
- Fritz, I.B. (1961) : Factors influencing the rates of long-chain fatty acid oxidation and synthesis in mammalian systems. *Physiol. Rev.* 41 : 52-129.
- Garbus, J.; Highman, B. and Altland, P.D. (1964) : Serum enzymes and lactic dehydrogenase isoenzymes after exercise and training in rats. *Am. J. Physiol.* 207 (2) : 467-472.
- George, R.K. (1967) : Adipose tissues composition in experimentally induced fat deposition in the white crowned sparrow. *Comp. Biochem. Physiol.* 21 (2) : 393-403.
- George, J.C. and Berger, A.J. (1966) : Avian myology. Academic press, New York.
- George, J.C. and Chandra-Bose, D.A. (1967) : Diurnal changes in glycogen and fat levels in the pectoralis of the migratory starling, Sturnus roseus. *Pavo* 5, 1-8.

- George, J.C. and Naik, R.M. (1957a) : Studies on the structure and physiology of the flight muscles of birds - I. The variation in the structure of the pectoralis major muscle of a few representative types and their significance in the respective modes of flight. *J. Anim. Morphol. Physiol.* 4, 23-32.
- George, J.C. and Naik, R.M. (1958) : Relative distribution and chemical nature of the fuel store of the two types of fibres in the pectoralis major muscle of the Pigeon *Nature* 181 : 709-711.
- George, J.C. and Yoti, D. (1955a) : Histological features of the breast and leg muscles of bird and bat and their physiological and evolutionary significance. *J. Anim. Morphol. Physiol.* 2 : 31-36.
- George, J.C. and Yoti, D. (1955b) : The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. *J. Anim. Morphol. Physiol.* 2, 37-45.
- Giffor, L. and Gambino, S.R. (1974) : A composition of serum venous heparinized plasma for routine chemistry tests. *Am. J. Clin. Path.*, 61 : 108.
- Goodridge, A.G. and Ball, E.G. (1967) : Lipogenesis in the pigeon : in vivo studies. *Am. J. Physiol.* 213: 245-249.
- Graber, G.; Leveille, G.A. and Netke, S.P. (1972) : Effect of fasting on glycogen body stability in the mature chicken. *Poult. Sci.* 51 : 704-705.
- Grande, F. (1968) : Effect of glucagon on plasma free fatty acids and blood sugar in birds. *Proc. Soc. Exp. Biol. Med.* 128 : 532-536.

- Grinyer, I. and George, J.C. (1969) : An electron microscopic study of the pigeon breast muscle. *Can. J. Zool.* 47 : 516-523.
- Grollman, S. and Costello, L. (1972) : Effect of age and exercise on lipid content of various tissues of the male albino rat. *J. Appl. Physiol.* 32 (6) : 761-765.
- Grzimek, B. (1978) : *Grzimek's animal life encyclopedia*. Van Nostrand Reinhold Comp. New York-London.
- Gutowska, M.S.; Parkhurst, R.T.; Parrot, E. M. and Verburg, R.M. (1943) Alkaline phosphatase and egg formation. *Poult Sci.* 22, 195.
- Halonen, P.I. and Konttinen, A. (1962) : Effect of physical exercise on some enzymes in the serum. *Nature* 193 : 942-944.
- Harper, H.A.; Rodwell, V.W. and Mayes, P.A. (1979) : Review of physiological chemistry. 17th edition by Librairie Duliban, Beirut-Lebanon.
- Havel, R.J.; Carlson, L.A.; Ekelund, L.G. and Holmgren, A.J. (1964): Turnover rate and oxidation of different fatty acids in man during exercise. *J. Appl. Physiol.* 19 : 613-618.
- Havel, R.J.; Naimark, A. and Borchgrevink, C.F. (1963) : Turnover rate and oxidation of free fatty acids of blood plasma in man during exercise : studies during continuous infusion of palmitate 1-C¹⁴ *J. Clin. Invest.* 42: 1054-1063.
- Hazelwood, R.L. and Lorenz, F.W. (1959) : Effects of fasting and insulin on carbohydrate metabolism of the domestic fowl. *Am. J. Physiol.* 197 (1) : 47-51.

- Highman, B. and Altland, P.D. (1963) : Effects of exercise and training on serum enzyme and tissue changes in rats. *Am. J. Physiol.* 205 (1) : 162-166.
- Hughes, M.R. (1974) : Water content of the salt glands and other avian tissues. *Comp. Biochem. Physiol.* vol. 47A, 1089-1093.
- Hussein, M.F.; Azouz, Y.M. and Khalifa, M. (1978) : Water content of tissues of two Egyptian birds (Tyto alba alba and Gallinula chloropus chloropus) under normal conditions. *Proc. Zool. Soc. Vol.5*, 263-273, A.R.E.
- Hyden, H. (1954): Physical properties of protoplasm. *Ann. Rev. Physiol.* 16, P. 14 and 20.
- Issekutz, B.JR. ;Miller, H.I.; Paul, P. and Rodahl, K. (1964): Source of fat oxidation in exercising dogs. *Amer. J. Physiol.* 207: 583-589.
- Issekutz, B. JR.; Paul, P. and Miller, H.I. (1967) : Metabolism in normal and pancreatectomized dogs during steady state exercise. *Am. J. Physiol.* 213 : 857-862.
- John, T.M. and George, J.C. (1973): Effect of prolonged exercise on levels of plasma glucose, free fatty acids and corticosterone and muscle free fatty acids in the pigeon. *Archs. Int. Physiol. Biochem.* 81, 421-425.
- Jordan, E.L. and Verma, P.S. (1986) : Chordate zoology and animal physiology. Sixth edition. S. Chad and Company LTD. Ram Nagar, New Delhi, 110055.

- Kent, G.C. (1973) : Comparative anatomy of the vertebrates. 3rd edition.
The C.V. Mosby Company, Saint Louis.
- Khalifa, M.H. (1972) : Comparative studies on water economy, water content and lipid content of tissues of the two Egyptian birds Tyto alba alba and Gallinula chloropus chloropus under normal and starvation-dehydration conditions. M.Sc. Thesis, Cairo Univ., A.R.E.
- Khalifa, M.H. (1986) : Concentrations of carbohydrates and lipid of guinea pigs after five days starvation. Comp. Biochem. Physiol. Vol. 85A, No. (2) : 225-227.
- Khalifa, M.H.; Azouz, Y.M. and Marzouk, M. (1986): Water content of tissues of two Egyptian birds (Centropus senegalensis aegyptius and Pterocles senegallus) under normal conditions. Bull. Fac. of Sci. Cairo Univ. 54 (1) : 133-141.
- Khalil, F. and Abdel-Messih, G. (1962) : Tissues constituents of reptiles in relation to their mode of life. I. Water content. Comp. Biochem. Physiol. 5 : 327-330.
- Khalsa, N.; Maitrya, B.B.; Hurkat, P.C. and Sharma, P.K. (1977): A study of hypo and hyperthermia induced changes in carbohydrate and lipid metabolism in dogs. Ind. J. Med. Res. Vol. (65) No: 5 , P: 729-733.
- King, J.R. and Farner, D.S. (1966) : The adaptive role of winter fattening in the white-crowned sparrow with comments on its regulation. Am. Nat. 100 : 403-418.

- Kleiber, M. (1961) : The fire of life. An introduction to animal energetics, John Wiley and Sons, Inc.
- Kuroda, K. and Ebina, R. (1936) : The water content of the blood in various species of birds. Keijs. J. Med. 7 :459-467.
- Landauer, W.; Pfeiffer, C.A.; Gardner, W.U. and Shaw, J.C. (1941): Blood serum and skeletal changes in two breeds of ducks receiving estrogens. Endocrinology. 28, 458.
- Lasiewski, R.C. (1972) : Avian Biology, Vol. II, (Edited by Farner D.S. and King J.R.), P. 325. Academic Press, New York.
- Leveille, G.A. (1969) : In vitro hepatic lipogenesis in the hen and chick. Comp. Biochem. Physiol. 28A, 431-435.
- Lisano, M.E. and Kennamer, J.E. (1977) : Values for several blood parameters in eastern wild turkeys. Poult. Sci. 56 (1), 157-166.
- Lynch, J.E. and Stafseth, H.J. (1932) : Electrophoretic studies on the serum proteins of turkeys 1- The composition of normal turkey serum. Poult Sci. Vol.3, p: 1068-1073.
- Manery, J.F. (1954) : Water and electrolyte metabolism. Physiol. Rev. 34 : 334-417.

- Marsh, R.L. and Dawson, W.R. (1982) : Substrate metabolism in seasonally acclimatized American goldfinches. Am. J. Physiol. 242 (Regulatory Integrative Comp. Physiol. 11) : R 563-R 569.
- Marsh, R.L. and Wickler, S.J. (1982) : The role of muscle development in the transition to endothermy in nestling Bank Swallows, Riparia riparia. J. Comp. Physiol. 149 : 99-105.
- Marzouk, M. (1976) : Comparative studies on water and lipid contents of tissues of two Egyptian birds under normal conditions. M.Sc. Thesis , Cairo Univ., A.R.E.
- Marzouk, M. (1980) : Serum proteins and contents of water and lipids of tissues of Egyptian birds under normal and experimental conditions. Ph.D. Thesis, Cairo Univ., A.R.E.
- Masoro, E.J.; Rowell, L.B. and McDonald, R.M. (1964): Skeletal muscle lipids : 1. Analytical method and composition of monkey gastrocnemius and soleus muscles. Biochim. Biophys. Acta, 84 : 493-506.
- McFarland, W.N.; Pough, F.H.; Cade, T.J. and Heiser, J.B. (1985): Vertebrate life. Second edition. Macmillan publishing company, a division of Macmillan, Inc. U.S.A.

- Mitchell, H.H.; Hamilton, T.S.; Steggerda, F.S. and Bean, H.W.
(1945) : Chemical compsoition of the adult human
body and its bearing on tne biochemistry of growth.
J. Biol. Chem., 158 : 625-637.
- Nair, K.K. (1952) : The chemical composition of the pectoralis
muscle of some Indian birds and its bearing on
their flight. Univ. Bombay, Sec., B., 21 : 90-
98.
- Neptune, E.M., JR.; Sudduth, H.C. and Foreman, D.R. (1959) :
Labile fatty acids of rat diaphragm muscle and
their possible role as a major endogenous substrate
for maintenance of respiration. J. Biol. Chem.
234 : 1659-1664.
- Neptune, E.M., JR.; Sudduth, H.C.; Foreman, D.R. and Fash, F.J.
(1960) : Phospholipid and triglyceride metabolism
of exercised rat diaphragm and the role of these
lipids in fatty acid uptake and oxidation. J.
Lipid Res. 1 : 229-235.
- O'Connor, R.J. (1977) : Differential growth and body composition
in altricial passerines. Ibis 119 : 147-166.
- Oser, B.L. (1979): Hawk's Physiological chemistry. The blakiston division
Mc Graw-Hill book company, New York, 783-784.
- Parry, G. and Putman, R. (1979) : The countery life books of
birds of prey. Trewin Copplestone publishing limit-
ed, 1st ed., page 88-90.
- Pernod, A.; Vincent-Falnuet, J.C.; Jomain, M.J. and Minaive,
Y. (1972) : Glucose and glycogen as fuels for
thermogenesis in cold exposed dogs. Life Sci.
Vol.II, Part 1, p. 475-482.

- Pfleiderer, G. (1963) : Glycogen. Pages 59-62 in methods of enzymatic analysis. H.U. Bergmeyer, ed. Academic press, New York, N.Y.
- Pikul, J.; Leszczynski, D.E. and Kummerow, F.A. (1985) : Influence of fat content and composition on malonaldehyde concentration in chicken meat and skin. Poultry Sci. 64 : 311-317.
- Pilo, B. and George, J.C. (1983) : Diurnal and seasonal variation in liver glycogen and fat in relation to metabolic status of liver and M-pectoralis in the migratory starling, Sturnus rosens, Wintering in India. Comp. Biochem. Physiol. Vol. 74A, No. (3), 601-604.
- Pitts, G.C. (1956) : Body fat accumulation in the guinea pig. Am. J. Physiol., 185 (1): 41-48.
- Raveling, D.G. and Le Febvre, E.A. (1967) : Energy metabolism and theoretical flight range of birds. Bird-banding 38, 97-113.
- Reitman, S. and Frankel, S. (1957) : A colorimetric method for the determination of serum glutamic oxalacetic and glutamic pyruvic transaminase. Am. J. Clin. Pathol. 28, 56-63.
- Ricklefs, R.E. (1967) : Relative growth, body constituents, and energy content of nestling Barn Swallows and Red-Winged Blackbirds. Auk. 84 : 560-570.

- Ricklefs, R.E. (1979a) : Patterns of growth in birds. V. A comparative study of development in the starling, Common Tern, and Japanese Quail. *Auk* 96 : 10-30.
- Ricklefs, R.E. and Webb, T. (1985) : Water content, thermogenesis, and growth rate of skeletal muscles in the European starling. *Auk*. 102 : 369-376.
- Romer, A.S. (1962) : Vertebrate paleontology Ninth Impression. The University of Chicago press, Chicago, Illinois, U.S.A.
- Sarkar, N.K. (1977) : Implication of alanine and aspartate aminotransferases, glutamic dehydrogenase and phosphoenolpyruvate carboxykinase in glucose production in rats, chicken and pigs. *Int. J. Biochem.* Vol. 8 : 427-432.
- Schlang, H.A. (1961) : The effect of physical exercise on serum transaminase. *Am. J. Med. Sci.* 242: 338-341.
- Schmidt-Nielsen, K. (1964) : Desert birds, in Desert animals: Physiological problems of heat and water. pp. 304-224. The clarendon press. Oxford.
- Scrutton, M.C. and Utter, M.F. (1968) : Regulation of glycolysis and gluconeogenesis in animal tissues. *A. Rev. Biochem.* 37, 249-302.
- Sloane-Stanley, G.H. (1952) : Lipids of the central nervous system. *Biochem. J.* 50 (4) : 24.

- Smith, V.D.E. and Jackson, C.M. (1931) : The changes during desiccation and rehydration in the body and organs of the Leopard Frog (Rana Pipiens). Biol. Bull., 60 (1): 80-93.
- Stanely, C.; Simmons, K.; Gillmor, R.; Hudson, R. ; Hollom Pad and Olney PJS. (1980) : Handbook of the birds of Europe the Middle East and North Africa. The birds of the western palearctic. Vol.II. Hawks to bustards. Oxford Univ. Press. Page 289.
- Sturkie, P.D. (1976) : Avian Physiology 3rd ed., Springer-Verlag, New York, N.Y.
- Stutts, E.C.; Briles, W.E. and Kunkel, H.O. (1957) : Plasma alkaline phosphatase activity in mature inbred chickens. Poult. Sci. 36 : 269-276.
- Tapper, D.N. and Kare, M.R. (1960) : Blood glucose distribution in the domestic fowl. Proc. Soc. Exp. Biol. Med. Vol. 103, 789-790.
- Trinder, P. (1969) : Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. Ann. Clin. Biochem. 6, 24-25.
- Tucker, V.A. (1972) : Metabolism during flight in the laughing gull Larus atricilla. Am. J. Physiol. 222,237-245.
- Umminger, B.L. (1975) : Body size and whole blood sugar concentrations in mammals. Comp. Biochem. Physiol. Vol.52A: 455-458.

- Utter, J.M. and LeFebvre, E.A. (1970): Energy expenditure for free flight by the purple martin (Progne subis). Comp. Biochem. and Physiol. 35 : 713-729.
- Vallyathan, N.V.; Grinyer, I. and George, J.C. (1970) : Effect of fasting and exercise on lipid levels in muscle. A cytological and biochemical study. Can. J. Zool. 48 : 377-383.
- Wahren, J.; Felig, P.; Ahlborg, G. and Jorfeldt, L. (1971): Glucose metabolism during leg exercise in man. The J. of Clin. Invest. Vol. 50 : 2715-2725.
- Weichselbaum, T.E. (1946): An accurate and rapid method for the determination of proteins in small amounts of blood serum and plasma. Am. J. Clin. Pathol. (Tech. Sect.), 16 : 40.
- Willoughby, J.E. (1966) : Water requirements of the ground dove, Columba passerina . Condor., 63 (3), 243.
- Willoughby, J.E. (1969) : Evaporative water loss of small xerophilous finch, Lonchura metabarica . Comp. Biochem. Physiol. 28 : 655.
- Winder, W.W.; Boullier, J. and Fell, R.D. (1979) : Liver glycogenolysis during exercise without a significant increase in cAMP. Am. J. Physiol. 237 (3): R 147-R 152.
- Yannet, H. and Darrow, D.C. (1938) : The effect of growth on the distribution of water and electrolytes in brain, liver and muscle. J. Biol. Chem. 123 (1): 295-305.
- Young, J.Z. (1962): The life of vertebrates. 2nd ed. , Univ. press, Oxford.

- Zakaria, E. and Shafrir, E. (1967) : Yellow bone marrow as adipose tissue. *Proc. Soc. Exp. Biol. Med.* 124 (4) : 1265-1268.
- Zimber, A.; Perk, K. and Yegana, Y. (1985) : Iron, transferrin, and acid phosphatase in healthy turkeys and in turkeys inoculated with the lymphoproliferative disease virus. *Poult. Sci.* 64 : 71-77.
- Zöllner, N. and Kirsch, K. (1962) : Determination of lipids (micro-method) by means of the sulfophosphanillin reaction common to many natural lipids (all known plasma lipids). *Z. Gesamte Exp. Med.* 135 : 545-561.