REFERENCES

- Abayachi, J. and Al-Saad H.T. (1988). Trace elements in fish from the Arabian Gulf and the Shatt al-Arab River, Iraq. Bulletin of Environmental Contamination and Toxicology, 40: 226–232.
- **Abdel-Tawwab, M., Ahmad, M.H., Khattab, Y.A.E., and Shalaby, A.M.E.** (2010). Effect of dietary protein level, initial body weight, and their interaction on the growth, feed utilization, and physiological alterations of Nile tilapia, *Oreochromis niloticus* (L.). Aquaculture, 298: 267–274.
- **Abdel-Tawwab, M., Khattab, Y.A.E., Ahmad, M.H., and Shalaby, A.M.E.** (2006). Compensatory growth, feed utilization, whole body composition and hematological changes in starved juvenile Nile tilapia, *Oreochromis niloticus* (L.). Journal of Applied Aquaculture, 18: 17-36.
- **Abdel-Tawwab, M., Mousa, M.A.A., Ahmad, M.H., and Sakr, S.F.**(2007). The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.). Aquaculture, 264: 236-246.
- **Alabaster, J.S. and Lloyd, R., (1982).** Water Quality Criteria for Freshwater Fish. Butterworths, London, UK, pp 361.
- Alexis, M.N. and Papaparaskeva-Papoutsoglou, E. (1986).

 Aminotransferase activity in the liver and white muscle of *Mugil capito* fed diets containing different levels of protein and carbohydrate.

 Comparative Biochemistry and Physiology, 83B: 245–249
- Allen, H. E. and Hansen, D. L. (1996): The importance of trace metal

- speciation to water quality criteria. Water Environment Research, 68: 42–54.
- Alsop, D.H., McGeer, J.C., McDonald, G., and Wood, C.M. (1999). Costs of chronic waterborne zinc exposure and the consequences of zinc acclimation on the gill/zinc interactions of rainbow trout in hard and soft water. Environmental Toxicology and Chemistry, 18: 1014–1025.
- **Amutha, C. and Subramanian, P. (2009).** Tissues damaging effect of zinc oxide nanoparticle on *Oreochromis mossambicus*. Biochemical and Cellular Archives, 9 (2): 235-239.
- AOAC (1990). Official Methods of Analyses. 15th edition. K. Helrich (Ed.). Association of Official Analytical Chemists Inc., Arlington, VA, USA.
- **APHA** (1985). American Public Health Association. Standard methods for the examination of water and wastewater. 16th ed., Washington, D. C., USA.
- Atli, G., and Canli, M. (2003). Natural occurrence of metallothionein-like proteins in the liver of fish *Oreochromis niloticus* and effects of cadmium, lead, copper, zinc, and iron exposures on their profiles.
 Bulletin of Environmental Contamination and Toxicology, 70: 619–627.
- **Atli, G. and Calni, M. (2007).** Enzymatic responses to metal exposures in a freshwater fish *Oreochromis niloticus*. Comparative Biochemistry and Physiology, 145C: 282–287.
- **Ballantyne**, **J.S.** (2001). Amino acid metabolism. Fish Physiology, 20: 77–107.

- **Barron, M.G. and Albeke, S. (2000).** Calcium control of zinc uptake in rainbow trout. Aquatic Toxicology, 50: 257–264.
- **Barton, B.A.** (2002). Stress in fishes: a diversity of responses with particular reference to changes in circulating costicosteroids. Integrative and Comparative Biology, 42: 517-525.
- **Barton, B.A. and Iwama, G.K.** (1991). Physiological changes in fish from stress in aquaculture with emphasis on the response and effects of corticosteroids. Annual Reviews of Fish Disease, 10: 3-26.
- Barton, B.A., Morgan, J.D., and Vijayan, M.M. (2002). Physiological and condition-related indicators of environmental stress on fish. In: S.M. Adams (ed.), Biological Indicators of Aquatic Ecosystems Stress, American Fisheries Society, Bethesda, MD, USA, pp. 111-148.
- Beaumont, M.W., Butler, P.J., and Taylor, E.W. (2003). Exposure of brown trout *Salmo trutta* to a sublethal concentration of copper in soft acidic water: effects upon gas exchange and ammonia accumulation. Journal of Experimental Biology, 206: 153–162.
- **Bengari, K.V. and Patil, H.S. (1986).** Respiration, liver glycogen and bioaccumulation in *Labeo rohita* exposed to zinc. Indian Journal of Comparative Animal Physiology, 4: 79-84.
- Benson, N.U., Etesin, M.U., Essien, I. U. and Umoh, M. A. (2006). Tissue elemental levels in fin-fishes Imo River System, Nigeria: Assessment of liver/muscle concentrations ratio. Journal of Fisheries and Aquatic Science, 1 (3): 277-283.

- **Boyd, C.E.** (1984). Water Quality in Warm water Fishponds. Auburn University Agriculture Experimental Station, Auburn, Alabama, USA.
- Bradley, R.W. and Sprague, J.B. (1985). The influence of pH, water hardness and alkalinity on the acute lethality of zinc to rainbow trout (*Salmo gairdneri*). Canadian Journal of Fisheries and Aquatic Sciences, 42: 731-736.
- **Bradley, R.W., Duquesnay, C., and Spragu, B.** (1985). Acclimation of rainbow trout, *Salmo gairdneri* Richardson, to zinc: kinetics and mechanism of enhanced tolerance induction. Journal of Fish Biology, 27: 367-379.
- Buthelezi, P.P., Wepener, V. and Cyrus, D.P. (2000). The sublethal effects of zinc at different water temperatures on selected haematological variables in *Oreochromis mossambicus*. African Journal of Aquatic Science, 25(1): 146 151.
- Cakmak, G., Dogan, I., and Severcan, F. (2006). 17b-Estradiol induced compositional, structural and functional changes in rainbow trout liver, revealed by FT-IR spectroscopy: a comparative study with nonylphenol. Aquatic Toxicology, 77: 53–63.
- Campbell, P.G.C. and Stokes, P.M. (1985). Acidification and toxicity of metals to aquatic biota. Can. J. Fish. Aquat. Sci. 42: 2034-2049.
- Carrelliac, P.T., Simpson, C.F., White, F.H., Thompson, T.N.P. and Carr, W.E. (1981). Evidence of metal poisoning in acute death of large red dram *Scranops ocellata*. Bulletin of Environmental Contamination and Toxicology, 27: 639-644.

- Chakraborty, S.C. and Chakraborty, S. (1998). Effect of dietary protein level on excretion of ammonia in Indian major carp, *Labeo rohita*, fingerlings. Aquaculture Nutrition, 4: 47–51.
- **Chapman, G.A.** (1978). Effects of continuous zinc exposure of sockeye salmon during adult-to-smolt freshwater residency. Transactions of the American Fisheries Society, 107: 828–836.
- Chapman, G.A. (1985). Acclimation as a factor influencing metal criteria. In: Bahner RC, Hansen DJ (eds.), Aquatic Toxicology and Hazard Assessment: Eighth symposium. ASTM STP 891. American Society for Testing and Materials, Philadelphia, PA, USA, pp. 119–136.
- Chen, C.Y., Wooster, G.A., and Bowser, P.R. (2004). Comparative blood chemistry and histopathology of tilapia infected with *Vibrio vulnificus* or *Streptococcus iniae* or exposed to carbon tetrachloride, gentamicin, or copper sulfate. Aquaculture, 239: 421–443.
- Chiu, S.K., Collier, C.P., Clark, A.F., and Wynn-Edwards, K.E. (2003).

 Salivary cortisol on ROCHE Elecsys immunoassay system: Pilot biological variation studies. Clinical Biochemistry, 36: 211–214.
- Coppo, J.A., Mussart, N.B., and Fioranelli, S.A. (2003). Physiological variation of enzymatic activities in blood of bullfrog, *Rana catesbeiana* (Shaw, 1802). Revista Veterinaria, 12: 22-27.
- Cousins, R. J. (1996): Zinc. In: Brown, M.L. (Ed.), Present Knowledge in Nutrition, 7th ed. International Life Sciences Institute, Washington, DC, USA, pp 293 306.

- Cusimano R.F., Brakke D.F. and Chapman G.A. (1986). Effects of pH on the toxicities of cadmium, copper and zinc to steelhead trout (*Salmo gairdenri*). Canadian Journal of Fisheries and Aquatic Sciences, 43: 1497-1503.
- **De Boeck, G., De Smet, H., and Blust, R. (1995).** The effect of sublethal levels of copper on oxygen consumption and ammonia excretion in the common carp, *Cyprinus carpio*. Aquatic Toxicology, 32: 127–141.
- De Boeck, G., Van der Ven, K., Meeus, W., and Blust, R. (2007). Sublethal copper exposure induces respiratory stress in common and gibel carp but not in rainbow trout. Comparative Biochemistry and Physiology, 144C: 380–390.
- **De Schamphelaere, K.A. and Janssen, C.R. (2004).** Bioavailability and chronic toxicity of zinc to juvenile rainbow trout (*Oncorhynchus mykiss*): comparison with other fish species and development of a biotic ligand model. Environmental Science and Technology, 38: 6201–6209.
- **Dixon, D.G. and Sprague, J.B.** (1981). Acclimation to copper by rainbow trout A modifying factor in toxicity. Canadian Journal of Fisheries and Aquatic Sciences, 38: 880–888.
- **Dock, L. and Vahter, M. (1999)**. Metal toxicology. In: General and Applied Toxicology (Ballantyne, B., Marrs, T. and Syversen, T. eds.), London, UK, pp 2049-2078.
- **Dojlido, J. and Best, G. A. (1993).** Chemistry of water and water pollution. Ellis Harwood Ltd, Great Britain.

- **Driedzic, W.R. and Hochachka, P.W. (1978).** Metabolism in fish during exercise. Fish Physiology, 7: 503–543.
- **Dytham, C. (1999).** Choosing and using statistics: A Biologist's guide. Blackwell Science Ltd., London, UK.
- **Ebrahimpour, M., Alipour, H. and Rakhshah, S. (2010).** Influence of water hardness on acute toxicity of copper and zinc on fish. Toxicology and Industrial Health, 26(6): 361–365.
- **Eid, A. and Ghonim, S. I. (1994):** Dietary zinc requirement of fingerling *Oreochromis niloticus*. Aquaculture, 119: 259 264.
- **Eisler, R. (1981).** Trace metal concentrations in marine organisms. Pergamon Press, New York, USA, pp 687.
- **Eisler, R.** (1984). Trace metal changes associated with age of marine vertebrates. Biological Trace Element Research, 6: 165-180.
- **Eisler, R.** (1993). Zinc Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report Fish and Wildlife Service, vol. 10, 106. US Department of Interior, Washington DC, USA.
- Elinder, C.G. (1986). Zinc. In: Friberg L, Nordberg GF, Vouk VB (eds.), Handbook on the Toxicology of Metals, 2nd ed. Amsterdam, Elsevier Science Publishers, pp 664-679.
- **Engin, K. and Carter, C.G. (2001).** Ammonia and urea excretion rates of juvenile Australian Short-finned eel (*Anguilla australis australis*) as influenced by dietary protein level. Aquaculture, 194: 123–136.
- **EPA** (U.S. Environmental Protection Agency) 1987. Ambient water quality criteria for zinc. U.S. Environmental Protection Agency Report

- 440/5-87-003, pp. 207.
- **Everall, N.C.** (1987). The effects of water hardness and pH upon the toxicity of zinc to the brown trout *Salmo trutta*. Ph.D. thesis, Trent Polytechnic, Nottingham, U.K, pp. 242.
- **Everall, N.C., MacFarlane, N.A.A., and Sedgwick, R.W.** (1989). The interactions of water hardness and pH with the acute toxicity of zinc to the brown trout, *Salmo trutta* L. Journal of Fish Biology, 35: 27–36.
- **Fauconneau, B.** (1984). The measurements of whole body protein synthesis in larval and juvenile carp (*Cyprinus carpio* L.). Comparative Biochemistry and Physiology, 78: 845-850.
- Firat, O. and Kargin, F. (2010). Individual and combined effects of heavy metals on serum biochemistry of Nile tilapia *Oreochromis niloticus*.

 Archive for Environment and Contamination Toxicology, 58: 151–157.
- **Fromm, P. O. (1980):** A review of some physiological and toxicological responses of freshwater fish to acid stress. Environmental Biology of Fishes, 5:79-93.
- **Gatlin III, D.M. and Wilson, R.P.** (1983). Dietary zinc requirement of fingerling channel catfish. Journal of Nutrition, 113: 630–635.
- Gbem, T.T., Balogun, J.K., Lawaland, F.A., and Annune, P.A. (2001).

 Trace metal accumulation in *Clarias gariepinus* Teugules exposed to sublethal levels of tannery effluent. Science of the Total Environment, 271: 1–9.

- **Glover, C.N. and Hogstrand, C. (2002).** In vivo characterisation of intestinal zinc uptake in freshwater rainbow trout. The Journal of Experimental Biology, 205: 141–150.
- **Hakanson, L. (1984):** Metals in fish and sediment from the River Kolbacksan water system, Sweden. Archive Hydrobiology, 101: 373-400.
- Handy, R.D. (1996). Dietary exposure to toxic metals in fish. In: Taylor,
 E.W. (Ed.), Toxicology of Aquatic Pollution: Physiological, Cellular
 and Molecular Approaches. Cambridge University Press, Cambridge,
 England, UK, pp. 29–60.
- **Handy, R.D. and Eddy, E.B.** (1990). The influence of starvation on waterborne zinc accumulation by rainbow trout, *Salmo gairdneri*, at the onset of episodic exposure in neutral soft water. Water Research, 24: 521-527.
- Hardy, R.W., Sullivan, C.V., and Koziol, A.M. (1987). Absorption, body distribution, and excretion of dietary zinc by rainbow trout (*Sahno gairdneri*). Fish Physiology and Biochemistry, 3: 133–143.
- Harper, D. D., Farag, A. M. and Brumbaugh, W. G. (2008). Effects of acclimation on the toxicity of stream water contaminated with zinc and cadmium to juvenile cutthroat trout. Archives of Environmental Contamination and Toxicology, 54: 697–704.
- **Heath, A.G.** (1987). Water Pollution and Fish Physiology. CRC Press, Inc., Florida, USA, pp 245.

- **Henry, R.J.** (1964). Colorimetric determination of total protein. In: Clinical Chemistry. Harper and Row Publication, New York, USA.
- **Henry, R.J.** (1974). Clinical Chemistry Principles and Techniques. 2nd ed., Harper and Row Publication, New York, USA.
- Hilmy, A.M., El-Domiaty, N.A., Daabees, A.Y., and Abdel Latife, H.A. (1987). Toxicity in *Tilapia zillii* and *Clarias lazera* (Pisces) induced zinc, seasonally. Comparative Biochemistry and Physiology, 86C: 263-265.
- Hogstrand, C. and Wood, C.M. (1996). The physiology and toxicology of zinc in fish. In: Toxicology of Aquatic Pollution: Physiological, Cellular and Molecular Approaches, Society for Experimental Biology, (Taylor, E.W., Ed.), Seminar Series: 57. Cambridge University Press, Cambridge, UK, pp. 61–84.
- **Hughes, G.M. and Tort, L. (1985).** Cardio-respiratory responses of rainbow trout during recovery from zinc treatment. Environmental Pollution, 37: 225-226.
- **Hughes, S.G.** (1985). Nutritional eye diseases in salmonids: a review. Progressive Fish-Culturist, 47: 81–85.
- **Ibrahim, A., MacKinnon, B.M., and Burt, M.D.B.** (2000). The influence of sub-lethal levels of zinc on smoltifing Atlantic salmon *Salmo salar* and their subsequent susceptibility to infection with *Lepeophtherius salmonis*. Contributions to Zoology, 69 (1/2): 1-11.
- Institute of Medicine & Food and Nutrition Board (2001): Dietary

 Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron,

- Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. National Academy Press, Washington, DC, USA.
- Jauncey, K. and Ross B. (1982). A Guide to Tilapia Feeds and Feeding.

 Institute of Aquaculture, University of Stirling, UK.
- Joseph, A., Knight, M., Anderson, S., James, M., and Rawie, H. (1972).

 Chemical basis of the sulfophospho-vanillin reaction for estimating total serum lipid. Clinical Chemistry, 18(3): 198-201.
- **Karuppasamy, R.** (2004). Evaluation of Hg concentration in the tissue of fish *Channa punctatus* (Bloch.) in relation to short and long-term exposure to phenyl mercuric acetate. Journal of Platinum Jubilee, AU, 40: 197.
- Kendrick, M.H., May, M.T., Plishka, M.J. and Robinson, K.D. (1992).

 Metals in Biological System. Ellis Horwood Ltd., London, UK.
- **Khare, S. and Singh, S. (2002).** Histopathological lessons induced by copper sulphate and lead nitrate in the gills of fresh water fish Nandus. Journal of Ecotoxicological and Environmental Monitoring, 12: 105–111.
- Kiron, V., Gunji, A., Okamoto, N., Satoh, S., Ikeda, Y., and Watanabe, T. (1993). Dietary nutrient dependent variations on natural-killer activity of the leucocytes of rainbow trout. Fish Pathology, 28: 71-76.
- **Klassen, C.D.** (1991). Principles of toxicology. In: Gilman, A.G., Tall, T.W., Nies, A.S., Taylor, P. (Eds.), Pharmacological Basis of Therapeutics, eighth ed. McGraw-Hill, Berlin, Germany, pp. 49–61.

- **Kori-Siakpere, O.** (1995). Some alterations in haematological parameters in *Clarias isheriensis* (Sydenham) exposed to sublethal concentrations of water-borne lead. Bioscience Research Community, 8(2): 93-98.
- **Kori-Siakpere, O. and Ubogu, E. O. (2008).** Sublethal haematological effects of zinc on the freshwater fish, *Heteroclarias sp.* (Osteichthyes: Clariidae). African Journal of Biotechnology, 7 (12): 2068-2073.
- Kunwar, P.S., Tudorache, C., Eyckmans, M., Blust, R., and De Boeck,
 G. (2009). Influence of food ration, copper exposure and exercise on the energy metabolism of common carp (*Cyprinus carpio*).
 Comparative Biochemistry and Physiology, 149C: 113–119.
- **Li, M. and Lowell, R.T. (1992).** Effect of dietary protein concentration on nitrogenous waste in intensively fed catfish ponds. Journal of the World Aquaculture Society, 23: 122–127.
- **Lloyd, R.** (1992): Protection of freshwater fish. In Pollution and freshwater fish. Fishing News Books, Oxford, UK, pp 122 161.
- **Lone, K.P., Ince, B.W., and Matty, A.J.** (1982). Changes in the blood chemistry of rainbow trout, *Salmo gairdneri* fish, in relation to dietary protein level, and an anabolic steroid hormone, ethylestrenol. Journal of Fish Biology, 20: 597–606.
- **Lovegrove, S.M. and Eddy, B.** (1982). Uptake and accumulation of zinc in juvenile rainbow trout, *Salmo gairdneri*. Environmental Biology and Fisheries, 7: 285-289.
- Lovell, T. (1989). Nutrition and feeding of fish. Van Nostrand Reinhold,

New York, USA.

- Lundstedt, L.M., Melo, J.F.B., Santos-Neto, C., and Moraes, G. (2002).

 Diet influences proteolytic enzyme profile of the South American catfish *Rhamdia quelen*. Proceedings of International Congress on the Biology of Fish, Biochemistry and Physiology Advances in Finfish Aquaculture, Vancouver, Canada, pp. 65–71.
- Maity, S, Roy S, Chaudhury S, and Bhattacharya S. (2008). Antioxidant responses of the earthworm *Lampito mauritii* exposed to Pb and Zn contaminated soil. Environmental Pollution, 151: 1–7.
- Martinez, C.B.R., Nagae, M.Y., Zaia, C.T.B.V., and Zaia, D.A.M. (2004).

 Acute morphological and physiological effects of lead in the neotropical fish, *Prochidolus lineatus*. Brazilian Journal of Biology, 64: 797–807.
- Matthiessen, P. (1974). Some effects of slow release bis(tri-n-butyltin) oxide on the tropical food fish, *Tilapia mossambica* (Peters). In: Controlled Release Pesticide Symposium, Report No. 25. The University of Akron, Ohio, USA.
- McGeer, J.C., Szebedinszky, C., McDonald, D.G., and Wood, C.M. (2000). Effects of chronic sublethal exposure to waterborne Cu, Cd or Zn in rainbow trout. 1. Iono-regulatory disturbance and metabolic costs. Aquatic Toxicology, 50: 231–234.
- Melo, J.F.B., Lundstedt, L.M., Metón, I., Baanante, I.V., and Moraes, G. (2006). Effects of dietary levels of protein on nitrogenous metabolism

- of *Rhamdia quelen* (Teleostei: Pimelodidae). Comparative Biochemistry and Physiology, 145A: 181–187.
- Metón, I., Mediavilla, D., Casearas, A., Cantó, E., Fernández, F., and Baanante, I.V. (1999). Effect of diet composition and ration size on key enzyme activities of glycolysis—gluconeogenesis, the pentose phosphate pathway and amino acid metabolism in liver of gilthead sea bream (*Sparus aurata*). British Journal of Nutrition, 82: 223–232.
- Mohanty, M., Adhikari, S., Mohanty, P., and Sarangi, N. (2009). Effect of waterborne zinc on survival, growth, and feed intake of Indian major carp, *Cirrhinus mrigala* (Hamilton). Water Air and Soil Pollution, 201: 3 7.
- Mommsen, T.P., Vijayan, M.M., and Moon, T.W. (1999). Cortisol in teleosts: dynamics, mechanisms of action, and metabolic regulation. Reviews in Fish Biology and Fisheries, 9: 211-268.
- Monteiro, S.M., Mancera, J.M., Fernandes, A.F., and Sousa, M. (2005).

 Copper induced alterations of biochemical parameters in the gill and plasma of *Oreochoromis niloticus*. Comparative Biochemistry and Physiology, 141C: 375 383.
- Moore, J. W. and Ramamoorthy, S. (1984). Heavy Metals in Natural Waters: Applied Monitoring and Impact Assessment. Springer, Berlin, Germany, pp. 182-204.
- Mount, D. I. (1986): Principles and concepts of effluent testing. In:

 Bergman, L., R.A. Kimerle, and A.W. Maki (eds.), Environmental

 Hazard Assessment of Effluents, Permagon Press, Oxford, UK, pp. 61

-65.

- Moyano, F.J., Cardente, G., de la Higuera, M. (1991). Nutritive and metabolic utilization of proteins with glutamic acid content by the rainbow trout *Oncorhynchus mykiss*. Comparative Biochemistry and Physiology, 100A: 759–762.
- NRC (National Research Council) (1993). Nutrient requirements of fish.

 Committee on Animal Nutrition. Board on Agriculture. National
 Research Council. National Academy Press. Washington DC., USA.

 pp 114.
- O'Dell, B.L. (1984). Bioavailability of trace elements. Nutrition Reviews, 42: 301–308.
- Ogino, C. and Yang, G.Y. (1978). Requirement of rainbow trout for dietary zinc. Bulletin of the Japanese Society of Scientific Fisheries, 44: 1015–1018.
- Olguin, E. J. and Hurnandoz, E. (1998). Use of aquatic plants for recovery of nutrients and heavy metals from wastewaters. Round Table on Municipal Water, Vancouver, Canada, March, 15 17.
- Omeregie, K., Okoronkwo, M.O., Eziashi, A.C. and Zoakah, A.I. (2002).

 Metal concentrations in water column, benthic macroinventerbrates and tilapia from Delimi river, Nigeria. Journal of Aquatic Sciences, 17: 55-59.
- Omoregie, E., Ufodike, E.B.C., and Keke, I.R. (1990). Tissue chemistry of *Oreochromis nitoloticus* exposed to sublethal concentrations of gammalin 20 and actellic 25EC. Journal of Aquatic Sciences, 5: 33-36.

- Ortiz, J.B., Arellano, J.M., and Desilva, C. (1999). Levels of copper, zinc, manganese and iron of candiz bay. Boletin del Instituto Espanol de Oceanografia, 15: 14.
- Palaniappan, PL.RM., Nishanth, T., and Renju, V.B. (2010).

 Bioconcentration of zinc and its effect on the biochemical constituents of the gill tissues of *Labeo rohita*: An FT-IR study. Infrared Physics and Technology, 53: 103–111.
- Parvathi, K., Sivakumar, P., Ramesh, M., and Sarasu. (2011). Sublethal effects of chromium on some biochemical profiles of the fresh water teleost, *Cyprinus carpio*. International Journal of Applied Biology and Pharmaceutical Technology, 2 (1): 295-300.
- **Patrick, F.M. and Loutit, M.W. (1978).** Passage of metals to freshwater fish from their food. Water Research, 12: 395–398.
- **Peres, H. and Oliva-Teles, A. (2001).** Effect of dietary protein lipid level on metabolic utilization of diets by European sea bass (*Dicentrarchus labrax*) juveniles. Fish Physiology and Biochemistry, 25: 269–275.
- **Perschbacher, P.W. and Wurts, W.A. (1999)**. Effects of calcium and magnesium hardness on acute copper toxicity to juvenile channel catfish *Ictalurus punctatus*. Aquaculture, 172: 275-280.
- **Pickering, A.D.** (1998). Stress responses of farmed fish. In: Biology of farmed fish (ed. by K. Black and A. Pickering), Sheffield Academic Press, Sheffield, UK, pp. 222-382.
- Prasad, B. B. and Pandey, V. C. (2000). Separation and pre concentration of copper and cadmium ion from multi elemental solutions using

- *Nostoc muscorum*-based biosorbent. World Journal of Microbiology and Biotechnology, 16: 819 827.
- Rajamanickam, V. and Muthuswamy, N. (2008). Effect of heavy metals induced toxicity on metabolic biomarkers in common carp (*Cyprinus Carpio* L.). Maejo International Journal of Science and Technology, 2: 192-200.
- Rand, G.M. (1995). Fundamentals of aquatic toxicology: Effects, environmental fate and risk assessment, 2nd ed. Taylor and Francis, Philadelphia, PA, USA.
- **Rathor, R.S. and Khangarot, B.S. (2003).** Effects of water hardness and metal concentration on a fresh water *Tubifex tubifex muller*. Water, Air, and Soil Pollution, 142: 341–356.
- **Reitman, S. and Frankel, S. (1957).** Colorimetric determination of glutamic oxaloacetic and glutamic pyruvic transaminases. American Journal of Clinical Pathology, 28: 53-56.
- Romanenko, V.D., Malyzheva, T.D., and YU Yevtushenko, N. (1986).

 The role of various organs in regulating zinc metabolism in fish.

 Hydrobiological Journal, 21(3): 7–12.
- **Roy, R. and Campbell, P. G. C. (1995):** Survival time modeling of exposure of juvenile Atlantic salmon (*Salmo salar*) to mixtures of aluminium and zinc in soft water at low pH. Aquatic Toxicology, 33: 155 176.
- Sánchez-Muros, M.J., Gárcia-Rejón, L., Gárcia-Salguero, L., de la Higuera, M., and Lupiánes, J.A. (1998). Long-term nutritional

- effects on the primary liver and kidney metabolism in rainbow trout. Adaptive response to starvation and high-protein, carbohydrate-free diet on glutamate dehydrogenase and alanine aminotransferase kinetics. Biochemistry and Cell Biology, 30: 55–63.
- Sappal, R., Burka, J., Dawson, S. and Kamunde, C. (2009).

 Bioaccumulation and subcellular partitioning of zinc in rainbow trout

 (*Oncorhynchus mykiss*): Cross-talk between waterborne and dietary

 uptake. Aquatic Toxicology, 91: 281–290.
- Satoh, S.; Yamamoto, H.; Takeuchi, T. and Watanabe, T. (1983). Effects on growth and mineral composition of rainbow trout of deletion of trace elements or magnesium from fish meal diet. Bulletin of the Japanese Society of Scientific Fisheries, 49: 425 429.
- **Scarpa, J. and Gatlin, D.M.I.** (1992). Dietary zinc requirements of channel catfish, *Ictalurus punctatus*, swim-up fry in soft and hard water. Aquaculture, 106: 311–322.
- Scherer, E., McNicol, R.E., and Evans, R.E. (1997). Impairment of lake trout foraging by chronic exposure to cadmium: a black-box experiment. Aquatic Toxicology, 37: 1–7.
- Senthil Murugan S., Karuppasamy, K. Poongodi, K., and Puvaneswari, S.S. (2008). Bioaccumulation pattern of zinc in freshwater fish *Channa punctatus* (Bloch.) after chronic exposure. Turkish Journal of Fisheries and Aquatic, 8: 55-59.
- Seymore, T., Du Preez, H.H., and Van Vuren, J.H.J., Deacon, A. and Strydom, G. (1994). Variation in selected water quality variables and

- the metal concentrations in the sediment of the lower Olifants and Selati Rivers. South Africa Koedoe, 37(2): 1–18.
- Shearer, K.D., Maage, A., Opstvedt, J. and Mundheim, H. (1992). Effects of high-ash diets on growth, feed efficiency, and zinc status of juvenile Atlantic salmon (*Salmo salar*). Aquaculture, 106: 345–355.
- Shetty Akhila, J., Deepa, S., and Alwar, M.C. (2007). Acute toxicity studies and determination of median lethal dose. Current Science, 93(7): 917 920.
- **Shukla, J.P. and Pandey, K. (1986).** Effect of a sub lethal concentration of zinc sulphate on the growth rate of fingerlings of *Channa punctatus* (Bloch), a freshwater murrel. Acta Hydrochimica et Hydrobiologica, 14: 677–680.
- **Spear, P.A.** (1981). Zinc in the aquatic environment: Chemistry, distribution and toxicology. Natl. Res. Coun. Canada. Publ. NRCC 17589, pp 145.
- Spry, D.J., Hodson, P.V., and Wood, C.M. (1988). Relative contributions of dietary and waterborne zinc in the rainbow trout, *Salmo gairdneri*. Canadian Journal of Fisheries and Aquatic Sciences, 45: 32–41.
- Srivastava R. and Srivastava N. (2008). Changes in nutritive value of fish, Channa punctatus after chronic exposure to zinc. Journal of Environmental Biology, 29(3): 299-302.
- **Smith, M.A.K.** (1981). Estimation of growth potential by measurement of tissue protein synthetic rates in feeding and fasting rainbow trout, *Salmo gairdneri* Richardson. Journal of Fish Biology, 19: 213-220.

- Stone, D.A., Allan, G.L., and Anderson A.J. (2003). Carbohydrate utilization by juvenile silver perch, *Bidyanus bidyanus* (Mitchell). III. The protein-sparing effect of wheat starch-based carbohydrates. Aquaculture Research, 34: 123–134.
- Suárez, M.D., Hidalgo, M.C., García Gallego, M., Sanz, A., and de la Higuera, M., (1995). Influence of relative proportions of energy yielding nutrients on liver intermediary metabolism of the European eel. Comparative Biochemistry and Physiology, 111A: 421–428.
- **Sultana, R. and Rao, D.P. (1998).** Bioaccumulation pattern of zinc, copper, lead and cadmium in grey mullet, *Mugil cephalus* (L.), from harbour waters of Visakhapatnam, India. Bulletin of Environmental Contamination and Toxicology, 60: 949–955.
- **Takahashi, H., French, S.M., and Wong, P.T.T.** (1991). Alterations in hepatic lipids and proteins by chronic ethanol intake: a high-pressure Fourier transforms infrared spectroscopic study on alcoholic liver disease in the rat. Clinical and Experimental Research, 15: 219–223.
- Taneja, S.K., Arya, P., and Bains, U. (1988). Effects of zinc sulphate toxicity on the skeletal muscle of the mosquito fish *Gambusia affinis*.Research Bulletin of Punjab University Science, India, 39: 207-211.
- **Tang, Y. and Gartside, E.T. (1987)**. Preexposure and subsequent resistance to lead in yearling brook trout, *Salvelinus fontinalis*. Canadian Journal of Fisheries and Aquatic Sciences, 44: 1089–1091.
- Taylor, E.W., Beaumont, M.W., Butler, P.J., Mair, J., and Mujallid,M.S.I. (1996). Lethal and sub-lethal effects of copper upon fish: a role

- for ammonia toxicity. In: Taylor, E.W. (Ed.), Toxicology of Aquatic Pollution: Physiological, Cellular and Molecular Approaches. Cambridge University Press, Cambridge, UK, pp. 85–113.
- **Trinder, P.** (1969). Determination of glucose concentration in the blood. Annual Clinical Biochemistry, 6: 24.
- Vallee, B. L. and Falchuk, K. (1993). The biochemical basis of zinc physiology. Physiological Reviews, 73: 79–118.
- van der Oost, R., Beyer, J., and Vermeulen, N.P.E. (2003). Fish bioaccumulation and biomarkers in environmental risk assessment: a review. Environmental Toxicology and Pharmacology, 13: 57–149.
- van Dyk, J.C., Pieterse, G.M., and van Vuren, J.H.J. (2007). Histological changes in the liver of *Oreochromis mossambicus* (Cichlidae) after exposure to cadmium and zinc. Ecotoxicology and Environmental Safety, 66: 432–440.
- VanWaarde, A., Van Den Thillart, G., and Kesbeke, F. (1983). Anaerobic energy metabolism of the European eel, *Anguilla anguilla* L. Journal of Comparative Physiology, 149B: 469–475.
- Vijayan, M.M., Pereira, C., Grau, E.G., and Iwama, G.K. (1997).

 Metabolic responses associated with confinement stress in tilapia: the role of cortisol. Comparative Biochemistry and Physiology, 116C: 89–95.
- Watanabe, T., Kiron, V., and Satoh. S. (1997). Trace minerals in fish nutrition. Aquaculture, 151: 185-207.
- Watson, T. A. and McKeown, B. A. (1976). The effect of sub lethal

- concentrations of zinc on growth and plasma glucose levels in rainbow trout, *Salmo gairdneri* (Richardson). Journal of Wildlife Diseases, 12: 263–270.
- Weatherley, A.H., Lake, P.S., and Rogers, S.C. (1980). Zinc pollution and the ecology of the freshwater environment. In: J. O. Nriagu (ed.), Zinc in the Environment. Part I: Ecological Cycling. John Wiley, New York, USA, pp 337-417.
- Webb, K.A. and Gatlin III, D.M. (2003). Effects of dietary protein level and form on production characteristics and ammonia excretion of red drum *Sciaenops ocellatus*. Aquaculture, 225: 17-26.
- **Wendelaar Bonga, S.E.** (1997). The stress response in fish. Physiological Reviews, 7: 591–625.
- WHO (World Health Organization) (1998): Evaluation of Certain Food Additives and Contaminants. Technical Report Series, 1993, Number 837. Geneva.
- Wood, C.M. (2001). Toxic responses of the gill. In: Schlenk, D., Benson,W.H. (Eds.), Target Organ Toxicity in Marine and FreshwaterTeleosts. Vol. 1. Taylor and Francis, London, UK, pp. 1–89.
- Woodling, J.D., Brinkman, S.F., and Horn, B.J. (2001). Non-uniform accumulation of cadmium and copper in kidney's of wild brown trout *Salmo trutta* populations. Archives of Environmental Contamination and Toxicology, 40: 318–385.

- Yamaguchi, M. (1998). Role of zinc in bone formation and bone resorption.

 The Journal of Trace Elements in Experimental Medicine, 11: 119–
 135.
- Yang, S., Liou, C., and Liu, F. (2002). Effects of dietary protein level on growth performance, carcass composition and ammonia excretion in juvenile silver perch (*Bidyanus bidyanus*). Aquaculture, 213: 363–372.
- **Zweig, R. D., Morton, J. D., and Stewart, M. M. (1999):** Source Water Quality for Aquaculture: A Guide for Assessment. The World Bank, Washington DC, USA.
- **Zyadah, M.** (1995). Environmental impact assessment of pollution in Lake Manzalah and its effect on fishes. Ph.D. Thesis, Faculty of Science, Mansura University, Egypt, pp 127.
- **Zyadah, M.A. and Abdel-Baky, T.E. (2000)**. Toxicity and bioaccumulation of copper, zinc, and cadmium in some aquatic organisms. Bulletin of Environmental Contamination and Toxicology, 64: 740–747.