

## Reference

- Abd-El-Rhman, A.M.M. 2009.** Antagonism of *Aeromonas hydrophila* by propolis and its effect on the performance of Nile tilapia, *Oreochromis niloticus*. ScienceDirect journal. 27, 454–459.
- Ainsworth, A. J., Mao, C. P., and Boyle, C. R., 1994.** Immune response enhancement in channel catfish, *Ictalurus punctatus*, using  $\beta$ -glucan from *Schizophyllum commune*. Pages 67–82 in J. S. Stolen and T. C. Fletcher, editors. Modulators of fish immune responses, Vol. 1. SOS Publications, Fair Haven, New Jersey, USA.
- Alexander, J. B., and Ingram, G. A., 1992.** Noncellular nonspecific defence mechanisms of fish. Annual Review of Fish Diseases. 249-279.
- Al-Harbi, A. H. and Uddin, M. N., 2004.** Seasonal variation in the intestinal bacteria flora of hybrid tilapia (*Oreochromis niloticus*  $\times$  *Oreochromis aureus*) cultured in earthen ponds in Saudi Arabia. Aquaculture 229, 37–44.
- Alliot, C., Desablens, B., Garidi, R., and Tabuteau S., 2000.** Opportunistic infection with *Rhodotorula* in cancer patients treated by chemotherapy: Two case reports. Clin Oncol-Uk. 12, 115-117.

**American Public Health Association (APHA) 1995.** Standard methods for the examination of dairy products, 14<sup>th</sup> ed., American Public Health Association, Washington D.C.

**Anderson, D.P., 1992.** Immunostimulants, adjuvants, and vaccine carriers in fish: applications to aquaculture. *Ann. Rev. J. Fish. Dis.* 2, 281–307.

**Andlid, T., Juárez, R.V., and Gustafsson, L., 1995.** Yeast colonizing the intestine of rainbow trout (*Salmo gairdneri*) and turbot (*Scophthalmus maximus*). *Microb. Ecol.* 30, 321-334.

**Austin, B. and Austin, D., 1985.** Microbial quality of water in intensive fish rearing. *Appl. Bacteriol. Symp. Suppl.* 207-226.

**Barnett, J.A., Yarrow, D., and Payne, R.W., 1990.** The yeasts: Classification and identification. 2nd Ed., Cambridge University Press.

**Barnett, J.A., Payne R. W. and Yarrow D., 2000.** Yeasts characteristics and identification. Cambridge: Cambridge University Press.

**Barnes, A.C., Balebona, M.C., Horne, M.T., and Ellis, A.E., 1999.** Superoxide dismutase and catalase in photobacterium

damselae subsp. Piscida and their roles in resistance to reactive oxygen species. Microbiology 145, 483–494.

**Barnes, M.E., Durben, D.J., Reeves, S.G., and Sanders, R., 2006.** Dietary yeast culture supplementation improves initial rearing of McConaughy strain rainbow trout. Aquaculture Nutrition. 12, 388–394

**Barnes, M.E., and Durben, D.J., 2010.** An evaluation of DVAqua®, a fully-fermented yeast culture, during long-term hatchery rearing of McConaughy strain rainbow trout. Aquaculture Nutrition . 16(3), 299–304.

**Bjorklund, H., and Bylund, G., 1990.** Temperature related absorption and excretion of oxytetracycline in rainbow trout (*Salmo gairdneri* R.). Aquaculture. 84, 363-372.

**Bjorklund, H., Roberg, C.M.I., and Bylund, G., 1991.** Residues of oxolinic acid and oxytetracycline in fish and sediments from fish farms. Aquaculture. 89, 359-367.

**Blaxhall, P.C., 1972.** The haematological assessment of the health of freshwater fish. Review of selected literature. J. Fish Biol., 4, 593-604.

**Bogut, I. Milakovic, Z., Brkic, S., and Zimmer R., 1998.** Influence of probiotic (*Streptococcus faecium* M74) on growth and

content of intestinal microflora in carp (*Cyprinus carpio*).  
Czech J. Anim. Sci. 439 (5), 231-235.

**Bonaldo, A., Thompson, K.D., Manfrin, A., Adams, A., Murano, E., Mordenti, A.L., and Gatta, P.P., 2007.** The influence of dietary  $\beta$ -glucans on the adaptive and innate immune responses of European sea bass (*Dicentrarchus labrax*) vaccinated against vibriosis. Ital. J. Anim. Sci. 6, 151–164.

**Burgents, J.E., Burnett, K.G., and Burnett, L.E., 2004.** Disease resistance of pacific white shrimp, *Litopenaeus vannamei*, following the dietary administration of yeast culture food supplement. Aquaculture. 231, 1–8.

**Burrells, C., William, P.D., and Forno, P.F., 2001.** Dietary nucleotides: a novel supplement in fish feeds: 1. Effects on resistance to diseases in salmonids. Aquaculture 199, 159– 169.

**Calvente, V., Benuzzi, D., and de Tosetti, M.I.S., 1999.** Antagonistic action of siderophores from *Rhodotorula glutinis* upon the postharvest pathogen *Penicillium expansum*. Int. Biodeter. Biodegrad. 47, 167-172.

**Carver, J.D., and Walker, W.A., 1995.** The role of nucleotides in human nutrition. Nutr. Biochem. 6, 58–72.

**Castagliuolo, I., Riegler, M.F., Valenick, L., LaMont, J.T., and Pothoulakis, C., 1999.** *Saccharomyces boulardii* protease inhibits the effects of *Clostridium difficile* toxins A and B in human colonic mucosa. *Infect. Immun.* 67, 302–307.

**Celligoi, M.A.P.C., Angelis, D.F.D., and Buzato, J.B.C., 1997.** Application of sugar-cane molasses in the production of lipids by yeast. *Arquivous Biol. Technol. Curitiba.* 40 (3), 693- 698.

**Chandra Mohan, M., Srinivasulu, M. , and Rangaswamy, V., 2010.** Effect of Pharmaceutical Compounds Alone and In Combination on Microbial Activity. *Development microbiology and molecular biology.* 1, 55-63.

**Dealler, S.F., 1991.** *Candida albicans* colony identification in 5 minutes in a general microbiology laboratory. *J. Clin. Microbiol.* 29, 1081-1082.

**De Hoog, G. S., J. Guarro, J. Gene, and M. J. Figueras., 2000.** *Atlas of Clinical Fungi*, 2nd ed, vol. 1. Centraalbureau voor Schimmelcultures, Utrecht, The Netherlands.

**Duncan, P.L., and Klesius, P.K., 1996.** Dietary immunostimulants enhance nonspecific immune responses in channel catfish but not

resistance to *Edwardsiella ictaluri*. J. Aquat. Anim. Health 8, 241-248.

**Edskes, H. K. Lindsay M. M., Andrea M. H. and Wickner R. B., 2009.**  
Prion Variants and Species Barriers Among *Saccharomyces*  
Ure2 Proteins. Genetics, Vol. 181, 1159-1167.

**El-Boshy M. E., El-Ashram A. M., AbdelHamid F M., and Gadalla H. A. 2010.** Immunomodulatory effect of dietary *Saccharomyces cerevisiae*,  $\beta$ -glucan and laminaran in mercuric chloride treated Nile tilapia (*Oreochromis niloticus*) and experimentally infected with *Aeromonas hydrophila*. Fish and Shellfish Immunology, 28, 802-808.

**Ellis, A.E., 1999.** Immunity to bacteria in fish. Fish Shellfish Immunol. 9, 291–308.

**Ellis, A.E., 2001.** Innate host defense mechanisms of fish against viruses and bacteria. Dev. Comp. Immunol. 25, 827–839.

**EL-Haroun, E.R., Goda, A. M., and Kabir M. A. C., 2006.** Effect of dietary probiotic Biogens supplementation as a growth promoter on growth performance and feed utilization of Nile tilapia *Oreochromis niloticus* (L.). Aquaculture Research. 37, 1473-1480.

**Emilina D. S., Ginka I. F., and Dora M. B., 2003.** Effect of Aeration on the Production of Carotenoid Pigments by *Rhodotorula rubra* and *Lactobacillus. casei* Co-Cultures in Whey Ultrafiltrate. Z. Naturforsch. 58c, 225-229.

**Esteban, M.A., Cuesta, A. Oruno, J., and Meseguer, J., 2001.** Immunomodulatory effects of dietary intake of chitin in gilthead seabream (*Sparus aurata* L.) innate immune response. Fish shellfish immunol. 11, 305-315.

**FAO., (United Nations Food and Agriculture Organization), 2003.** Aquaculture production statistics (2000-2003). Fisheries Circular. No.815 Revision 7. Rome. Italy.

**FAO., 2004.** The state of world fisheries and aquaculture. Rome, Italy. 14-17.

**FAO., 2005.** Yearbook of Fisheries Statistics extracted with Fish State Version 2.30 (Copyright 2000). Fisheries database: Aquaculture production quantities 1950-2003; aquaculture production values 1984-2003; capture production 1960-2003; Commodities Production and Trade 1976-2002. [www.fao.org/fi/statist/FISOFT/FISHPLUS/asp](http://www.fao.org/fi/statist/FISOFT/FISHPLUS/asp).

**FAO/WHO/OIE June 13–16, 2006.** Expert consultation on antimicrobial use in aquaculture and antimicrobial resistance. Seoul: Republic of South Korea; 2006.

**FAO., 2009.** The state of world fisheries and Aquaculture 2008. Fisheries and Aquaculture Department of the Food and Agriculture Organization (FAO) of the United Nations. Rome. FAO FishStat.[www.fao.org/fishery/statistics/programme/3,1,1/en](http://www.fao.org/fishery/statistics/programme/3,1,1/en).

**Finegold, S.M., and Martin, W.J., 1982.** Diagnostic microbiology. 6<sup>th</sup> edition. The C.V. Mosby company. London.

**Fox H.E., White S.A., Koa M.F., and Fernald R.D., 1997** Stress and dominance in a social fish. The Journal of Neuroscience.16, 6463–6469.

**Gaëtan B., Danielle A., José P. and Georges B., 2011.** *Candida oceani* sp. nov., a novel yeast isolated from a Mid-Atlantic Ridge hydrothermal vent (–2300 meters). Antonie van Leeuwenhoek. 10, 1007.

**Galuppi, R., Fioravanti, M.L., Delgado Montero, M.L., Quaglio, F., Caffara M., and Tampieri, M.P., 2001.** Segnalazione di due casi di micosi della vescica natatoria in *Sparus aurata* e *Carassius auratus*. Boll. Soc. Ital. Patol. Ittica 13, 26–34.

**Gatesoupe, F.J., Zambonino Infante, J.L., Cahu, C., and Quazuguel, P., 1997.** Early weaning of sea bass larvae, *Dicentrarchus*

labrax the effect on microbiota, with particular attention to iron supply and exoenzymes. *Aquaculture* 158, 117-127.

**Gatesoupe, F. J., 1999.** The use of probiotics in aquaculture. *Aquaculture*. 180, 147-165.

**Gatesoupe F.J., 2007.** Live yeasts in the gut: Natural occurrence, dietary introduction, and their effects on fish health and development *Aquaculture*. Volume 267, 20-30.

**GDFA (Genral of Development Fisheries Authority) 2006.** Annual report of fish production in Egypt.

**Gedek, B.R., 1999.** Adherence of *Escherichia coli* serogroup O 157 and the *Salmonella typhimurium* mutant DT 104 to the surface of *Saccharomyces boulardii*. *Mycoses* 42, 261–264.

**Ginka I. F., Emilina D. S., and Dora M. B., 2004.** Improvement of Carotenoid-Synthesizing Yeast *Rhodotorula rubra* by Chemical Mutagenesis. *Z. Naturforsch.* 59c, 99.103.

**Goede R.W, and Barton B.A., 1990.** Organismic indices and an autopsy based assessment as indicators of health and condition of fish. In: Adams SM, editor. *Biological indicators of stress in fish.* , Bethesda, MD: American Fisheries Society. 93–108.

**Gohi, B., 1991.** Tropical feeds. FAO/Oxford computer Journals LTD, Version1.7.

**Gonsales G.Z, Oris R.O., Fernandes J.R.A., Rodrigues P., and Funari S.R.C., 2006.** Antibacterial activity of propolis collected in different regions of Brazil. *Venomous Animals and Toxins Including Tropical Diseases*;12, 276–84.

**Greenlees, K. J., Machado, J., Bell, T., and Sundlof, S., 1998.** Food borne microbial pathogens of cultured aquatic species. *Vet. Clin. North Am.* 14, 101–112.

**Groll, A. H., and Walsh, T. J., 2001.** Uncommon opportunistic fungi new nosocomial threats. *Clin Microbiol Infect.* 7, 8-24.

**Gyaurgieva, O. H., Bogomolova, T. S. and Gorshkova, G. I., 1996.** Meningitis caused by *Rhodotorula rubra* in an HIV-infected patient. *J. Med. Vet. Mycol.* 34,357-359.

**Hansen, G. H. and Olafsen., J. A., 1999.** Bacterial inters- actions in early life stages of marine cold water fish. *Microbial Ecology* 38:1–26.

**Hardie, L.J., Ellis, A.E., and Secombes, C.J., 1996.** In vitro activation of rainbow trout macrophages stimulates inhibition of Reni

bacterium *salmoninarum* growth concomitant with augmented generation of respiratory burst products. Dis. Aquat. Org. 25, 175–183.

**Harikrishnan, R., Balasundaram C., and Heo M., 2010.** Herbal supplementation diets on hematology and innate immunity in goldfish against *Aeromonas hydrophila*. Fish and Shellfish Immunology 28, 354-361.

**He, S., Zhou, Z., , Meng, K., Zhao, H., Yao, B., Ringø, E. and Yoon, I., 2011.** Effects of dietary antibiotic growth promoter and *Saccharomyces cerevisiae* fermentation product on production, intestinal bacterial community, and nonspecific immunity of hybrid tilapia (*Oreochromis niloticus* female × *Oreochromis aureus* male). J. Anim. Sci. 89 . 84-92.

**International Commission on Microbiological Specification for Food (ICMSF) 1978.** Sampling Plans for Fish and Fishery Products. In. ICMSF, Microorganisms in foods. Sampling for Microbiological Analysis. Principles and Scientific Application. 2nd, Edition. Vol. 2. Univ. of Toronto Press, Toronto, Canada. 25, 92-104, 333–342.

**Irianto, A., and Austin, B., 2002.** Use of probiotics to control furunculosis in rainbow trout *Oncorhynchus mykiss* (Walbaum). J. Fish Dis. 25, 333-343.

**Ismail, M.A.; Nassar, A.; Amal Ahmed and Youssef, H., 1994.**  
Mycological Status of Ready-to-Eat Salted Fish. Assiut Vet.  
Med. J. 32, 63.

**Jory, D.E., 1998.** Use of probiotics in penaeid shrimp growout. Aquaculture  
magazine. 62-67.

**Kappe, R., and Schulze-Berge, A., 1993.** New cause for false-positive  
results with the Pastorex *Aspergillus* antigen latex  
agglutination test. J. Clin. Microbiol. 31, 2489-2490.

**Kumari, J., and Sahoo, P.K., 2006.** Dietary B-1,3 glucan potentials innate  
immunity and disease resistance of Asian catfish, *Clarias*  
*batrachus* (L.). J Fish Dis. 29, 95–101.

**Lara-Flores, M., Olvera-Novoa, M.A., Guzmán-Méndez, B.E., and  
López-Madrid, W., 2003.** Use of the bacteria  
*Streptococcus faecium* and *Lactobacillus acidophilus*, and  
the yeast *Saccharomyces cerevisiae* as growth promoters in  
Nile tilapia (*Oreochromis niloticus*). Aquaculture 216, 193–  
201.

**Larone, D. H., 1995.** Medically Important Fungi - A Guide to Identification,  
3rd ed. ASM Press, Washington, D.C.

**Lee, K.J. and Kim, j.k., 2001.** Production of candida utilis on molasses in  
different culture typrs. Aquacult. Eng., 25, 111-124.

- Leganes, F., Sanchez-Maeso, E. and Fernandez-Valinte, E., 1987.** Effect of indole acetic acid on growth and dinitrogen fixation by blue green algae. *Sven.Bot. Tidskr.* 64:460-461.
- Lewin, C.S., Michel C., and Alderman D.J., 1992.** Chemotherapy in Aquaculture: From Theory to Reality, O.I.E., Paris. 288–301.
- Li, P., and Gatlin III, D.M., 2003.** Evaluation of brewers yeast (*Saccharomyces cerevisiae*) as a feed supplement for hybrid striped bass (*Morone chrysops*×*M. saxatilis*). *Aquaculture* 219, 681–692.
- Li, P., and Gatlin, D.M., 2004.** Dietary brewers yeast and the prebiotic Grobiotic TM AE influence growth performance, immune responses and resistance of hybrid striped bass (*Morone chrysops* x *M. saxatilis*) to *Streptococcus iniae* infection. *Aquaculture* 231, 445-456.
- Li, F., Long, T., Lu, Y., Ouyang, Q., Tang, C., 2004.** The yeast cell-cycle network is robustly designed. *Proc Natl Acad Sci USA* 101, 4781–4786.
- Li, P., and Gatlin III, D.M., 2005.** Evaluation of the prebiotic GroBiotic®-A and brewers yeast as dietary supplements for subadult hybrid striped bass (*Morone chrysops*xm. *saxatilis*)

challenged in situ with *Mycobacterium marinum*.  
*Aquaculture* 248, 197–205.

**Li, A., Yang, W., Hu, J., Wang, W., Cai, T., and Wang, J., 2006.**  
Optimization by orthogonal array design and humoral immunity of the bivalent vaccine against *Aeromonas hydrophila* and *Vibrio fluvialis* infection in crucian carp (*Carassius auratus* L.). *Aquac. Res.* 37, 813–820.

**Lotz, J.M., Overstreet, R.M., and Grimes, D.J., 2005.** Aquaculture and animal pathogens in the marine environment with emphasis on marine shrimp viruses. In: Belkin, Colwell (Eds.), *Oceans and Health: Pathogens in the Marine Environment*. Springer, New York. 431–451.

**Magliani, W., Conti, S., Salati, A., Vaccari, S., Ravanetti, L., Maffei, D.L., 2004.** Therapeutic potential of yeast killer toxin-like antibodies and mimotopes. *FEMS Yeast Res.* 5, 11–8.

**Magnadóttir, B., 2006.** Innate immunity of fish (overview). *Fish Shellfish Immunol.* 20, 137–151.

**Martha R. B., Dariel T.R., Felipe A.V., Roberto C.C., Vicente G.L., and Valérie B.S., 2008.** Effects of dietary live yeast *Debaryomyces hansenii* on the immune and antioxidant system in juvenile leopard grouper *Mycteroperca rosacea* exposed to stress. *Aquaculture* 280, 39–44.

- Marzouk., M., mousafa, M. and Nermeen,M., 2008a.** Eveluation of immunomodulatory effects of some probiotics on cultured *Oreochromis niloticus*. ISTA. VIII. 1043-1058.
- Marzouk., M., mousafa, M. and Nermeen,M., 2008b.** The influence of some probiotics on the growth performance and intestinal microbial flora of *Oreochromis niloticus*. ISTA. VIII. 1059-1071.
- McCracken VJ, and Gaskins HR. ,1999.** Probiotics and the immune system. InIn: Tannock GW,editor. Probiotics: A Critical Review. Wymondham, UK Horizon Scientific Press. 85-112.
- Mires. D., 1995.** The tilapias. In C. E. Nash and A. J. Novotny (editors). Production of Aquatic Animals, pp. 133-152.
- Misra, C.K., Das, B.K., Mukherjee, S.C., and Pattnaik, P., 200°.** Effect of multiple injections of  $\beta$ -glucan on non-specific immune response and disease resistance in *Labeo rohita* fingerlings. Fish Shell fish Immunol. 20, 305–319.
- Misra,C.K., Das, B.K., Mukherjee, S.C., and Pattnaik, P.,2006.** Effects of long term administration of dietary  $\beta$ -glucan on immunity, growth, and survival of Labio rohita fingerlings. Aquaculture 255:82–94.

**Mohsen A.T., Azza M. A., and Nahla E.M., 2008.** Evaluation of commercial live bakers' yeast, *Saccharomyces cerevisiae* as a growth and immunity promoter for Fry Nile tilapia, *Oreochromis niloticus* (L.) challenged in situ with *Aeromonas hydrophila*. Aquaculture. 280, 185–189.

**Moore, M.M., and Strom, M.S., 2003.** Infection and mortality by the yeast *Metschnikowia bicuspidata* var. *bicuspidata* in chinook salmon fed live adult brine shrimp (*Artemia franciscana*). Aquaculture. 220, 43-57.

**Mueller, G.J., and Whisler, H.C., 1994.** Fungal parasites of salmon from the columbia river watershed. In: Mueller, G.J. (Ed.), Salmon saprolegniasis, Report to Bonneville Power Administration, Contract No. 1990BP02836, Project No. 199006100, (BPA Report DOE/BP 02836-1). University of Washington, Seattle, Washington. 163–188.

**Muench, T.M., White, M.R., and Wu, C.C., 1996.** Visceral mycosis in Chinook salmon (*Oncorhynchus tshawytscha*) due to *Sporobolomyces salmonicolor*. Vet. Pathol. 33, 238–241.

**Nahvi, I. and H. Moeini., 2004.** Isolation and identification of yeast strains with high beta-galactosidase activity from dairy products. Biotechnol. 3, 35-40.

- Noh, S.H., Han, K., Won, T.H., and Choi, Y.J., 1994.** Effect of antibiotics, enzyme, yeast culture and probiotics on the growth performance of Israeli carp. *Korean J. Anim. Sci.* 36, 480–486.
- Ohwada, K., Tabor, P.S., and Colwell, R.R., 1980.** Species composition and barotolerance of gut microflora of deep-sea benthic macrofauna collected at various depths in the Atlantic Ocean. *Appl. Environ. Microbiol.* 40, 746-755.
- Ogrydziak, D.M., 1993.** Yeast extracellular proteases. *Critical Reviews in Biotechnology* 13(1), 1-55.
- Ortuño, J., Cuesta, A., Rodríguez, A., Esteban, M.A., and Meseguer, J., 2002.** Oral administration of yeast, *Saccharomyces cerevisiae*, enhances the cellular innate immune response of gilthead seabream (*Sparus aurata* L.). *Vet. Immunol. Immunopathol.* 85, 41-50.
- Osman, H. A. M., Taghreed, Ibrahim, B. Soliman, W. E., and Maather, Monier, M., 2010.** Influence of dietary commercial Beaker's yeast, *Saccharomyces cerevisiae* on growth performance, survival and immunostimulation of *Oreochromis niloticus* challenged with *Aeromonas hydrophila*. *Nature and Science.* 8 (3), 96-103.

**Panigrahi, P.A., Kiron, V., Kobayshi, T., Puangkaew, J., Satoh, S., and Sugita, H., 2004.** Immune responses in rainbow trout *Oncorhynchus mykiss* induced by a potential probiotics bacteria *Lactobacillus rhamnosus* JCM 1136. Vet. Immunol. Immunopathol. 102, 379–388.

**Patterson, T.F., and McGinnis, M.R. (Eds.), 2006.** Doctor Fungus. <http://www.doctorfungus.org/imageban/help.htm#a>.

**Pedro de O. N., Mirella A. F., and Fumio Y., 2004.** Screening for yeast with antibacterial properties from an ethanol distillery . 92, 1, 1-6.

**Peng Li, and Delbert M. G., 2003.** Evaluation of brewers yeast (*Saccharomyces cerevisiae*) as a feed supplement for hybrid striped bass (*Morone chrysops* x *M. saxatilis*). Aquaculture 219, 681–692.

**Peter J. M., Howerd G. W., and Peter J., 1994.** Production of Antibacterial Compounds by Phylloplane- Inhabiting Yeasts and Yeas tlike Fungi applied and enviromental microbiology. 60, 3, 927-931

**Polonelli, L. Se´guy, N. Conti, S. Gerloni, M. Bertolotti, D. Cantellii, C. Magllani, W. and Cailliez, J. C., 1997.** Monoclonal yeast killer toxin-like candidacidal anti-idiotypic antibodies.

Clinical and diagnostic laboratory immunology. 4, 2, 142–146.

**Rahman, M.H., Kawai, K., and Kusuda, R., 1997.** Virulence of starved *Aeromonas hydrophila* to cyprinid fish. Fish Pathol. 32, 163–168.

**Rana, K.J. and Suliman, E.M., 1993.** Incubation of tilapia eggs and fry under semi-intensive and intensive aquaculture system. Proceeding of Aquaculture Symposium "Technology and Investment Opportunities" Riyadh, Saudi Arabia. 208-218.

**Rao, Y.V., Das, B.K., Jyotirmayee, P., and Chakrabarti, R., 2006.** Effect of *Achyranthes aspera* on the immunity and survival of *Labeo rohita* infected with *Aeromonas hydrophila*. Fish & Shellfish Immunology. 20, 3, 263-273.

**Reuter, R.E., Hutchinson, W., Ham, J., and Davis, S., 2003.** *Exophiala* sp. infection in captured king george whiting (*Sillaginodes punctata*). Bull. Eur. Assoc. Fish Pathol. 23, 128–134.

**Rijkers, G.T., Van Oosterom, R. Van Muiswinkel, W.B., 1981.** The immune system of cyprinid fish Oxytetracycline and the regulation of humoral immunity in carp (*Cyprinus carpio*). Vet. Immunol. Immunopathol. 2, 281-290.

**Ringø, E., and Gatesoupe, F. J., 1998.** Lactic acid bacteria in fish. A review. Aquaculture. 160, 177-203

**Ringø, E. and Olsen, R. E., 1999.** The effect of diet on aerobic bacterial flora associated with intestine of Arctic charr (*Salvelinus alpinus* L.). *Journal of Applied Microbiology* 86, 22–28.

**Ringø, E., Sperstad, S., Myklebust, R., May-hew, T. M. and Olsen, R.E., 2006a.** The effect of dietary inulin on bacteria associated with hindgut of *Arctic charr* (*Salvelinus alpinus* L.). *Aquaculture Research* 37, 891–897.

**Ringø, E., Sperstad, S., Myklebust, R., Refstie, S., and Krogdahl, A ., 2006b.** Characterisation of the microbiota associated with the intestine Atlantic cod (*Gadus morhua* L.). The effect of fish meal, soybean meal and abioprocessed soybean meal. *Aquaculture* 261, 829–841.

**Robert R. S., 2000.** Encyclopedia of aquaculture. Library of Congress Cataloging in Publication.42-80.

**Robertson, P.A.W., Odowd, C., Williams, P. and Austin, B., 2000.** use of *Carnobacterium* sp. As a probiotic for atlantic salmon (*Salmo salar*) and rainbow trout, *Oncorhyncus mykiss* (walbaum). *Aquaculture*. 185, 235-243.

**Ruangpan, L. and Kitao, T., 1992.** Minimal inhibition concentration of 19 chemotherapeutants against *Vibrio* bacteria of shrimp,

*Penaeus monodon*. In M. Shariff, R.P. Subasinghe and J.R. Arthur (eds.), Disease in Asian Aquaculture I. Fish Health Section, Asian Fish. Soc. Manila, Philippines, 135-142.

**Ruangpan, L., Prapadson, S., and Sangrungruang, K., 1997.** Minimal concentration of five chemotherapeutants against *Vibrio* Bacteria and their Transfer of R-plasmid. In T.W. Flegel and I.H. MacRae (eds.), Diseases in Asian Aquaculture. Fish Health Section, Asian Fisheries Society, Manila. 221-226.

**Rusmesy, G.L., Hughes, S.G., and Kinsella, J.E., 1990.** Use of dietary yeast *Saccharomyces cerevisiae* nitrogen by lake trout. J. World Aquacult. Soc. 21, 205-209.

**Rusmesy, G.L., Winfree, R.A., and Hughes, S.G., 1992.** Nutritional values of dietary nucleic acids and purine bases to rainbow trout (*Oncorhynchus mykiss*). Aquaculture. 108, 97-110.

**Sahoo, P.K., and Mukherjee S.C., 2002.** Effect of dietary immunomodulation upon *Edwardsiella tarda* vaccination in healthy and immunocompromised Indian major carp (*Labeo rohita*). Fish and Shellfish Immunology. 12, 1-16.

**Sakai, M., Yoshida, T., Astuta, S., and Kobayashi, M., 1995.** Enhancement of resistance to vibriosis in rainbow trout,

*Oncorhynchus mykiss* (Walbaum) by oral administration of *Clostridium butyricum* bacteria. J. Fish Dis. 18, 187–190.

**Sakai, M., Taniguchi, K., Mamoto, K., Ogawa, H., and Tabata, M., 2001.** Immunostimulant effects of nucleotide isolated from yeast RNA on carp, *Cyprinus carpio* L. J. Fish Dis. 24, 433-438.

**Salminen, S., Ouwehand, A., Benno, Y., and Lee, Y.K., 1999.** Probiotics: how should they be defined. Trends in Food Science and Technology 10, 107–110.

**Sajeevan, T.P., Rosamma P., and Bright I.S., 2006.** Immunostimulatory effect of a marine yeast *Candida sake* S165 in *Fenneropenaeus indicus*. Aquaculture 257, 150–155.

**Sangrungruang K., Aoki, T. and Yoshida, T., 1993.** Minimal inhibition concentration of chemotherapeutants and drug resistance against *vibrio* bacteria isolated from shrimp (*Penaeus monodon*) in Thailand. In A.Smdvongs, W. Utoompoukton and M. Hungsprtugs (eds.), NRCT-JSPS seminar on marine science, Dept. of Marine Science, Chulalongkorn Univ. Bangkok. 221- 226.

**Schaperclaus, W., Kulow, H., and Schreckenbach, K., 1992.** Fish disease.  
Rotterdam, the Netherlands: A.A. Balkema. 101–105.

**Scholz, U., Garcia Diaz, G., Ricque, D., Cruz Suarez, L.E., Vargas Albores, F., and Latchford, J., 1999.** Enhancement of vibriosis resistance in juvenile *Penaeus vannamei* by supplementation of diets with different yeast products. *Aquaculture* 176, 271–283.

**Shaheen, A. A., 1991.** Studies on yeast in freshwater fish. Ph.D. microbiology (mycology) Microb. Dep. Fac. Of Vet. Med. Zagazig Univ.

**Siwicki, A.K., Studnicka, M., and Ryka, B., 1985.** Phagocytic ability of neutrophils in carp. *Bamidgeh*. 37, 123-128.

**Siwicki, A.K., Anderson, D.P., and Rumsey, G.L., 1994.** Dietary intake of immunostimulants by rainbow trout affects non-specific immunity and protection against furunculosis. *Vet. Immunol. Immunopathol.* 41, 125-139.

**Smith C.E. 1967.** Hematological change in coho salmon fed folic acid deficient diet. *Journal of the Fisheries Research Board of Canada*. 25, 151–6.

- Song, Y. L., Liu, J. J., Chan, L. C., and Sung, H. H., 1997.** Glucan induced disease resistance in Tiger Shrimp (*Penaeus monodon*). Fish Vaccinology. Developments in Biological Standardisation. Basel, Karger.90, 413-421.
- Stones, C.S., and Mills, D.V., 2004.** The use of live yeast and yeast culture products in aquaculture. Int. Aquafeed 7, 5, 28-34.
- Subasinghe R.P., 2005.** Epidemiological approaches to aquatic animal health management: opportunities and challenges for developing countries to increase aquatic production through aquaculture. Preventive Veterinary Medicine. 67, 117-124.
- Sugita H, Miyajima C, and Deguchi Y.,1991.** The vitamin B12-producing ability of the intestinal microflora of freshwater fish. Aquaculture;92:267–76.
- Sun YH, and Sun Q.H., 1998.** Studies on pathogenic organism and prevention and cure for explosive epidemic disease of parent prawn of *Macrobrachium rosenbergh*. J Fish China. 22, 56–60.
- Sung, H. H., Kou, G. H., and Song, Y. L. 1994.** Vibriosis resistance induced by glucan treatment in tiger shrimp (*Penaeus monodon*). Fish Pathology 29:11–17.

**Sutton, D.A., Fothergill, A.W., and Rinaldi, M.G., 1998.** Guide to Clinically Significant Fungi, 1st ed. Williams & Wilkins, Baltimore. Sutton, D. A., A. W. Fothergill, and M. G. Rinaldi (ed.). Guide to Clinically Significant Fungi, 1st ed. Williams & Wilkins, Baltimore.

**Tanaka, R., Sugimura, I., Sawabe, T., Yoshimizu, M., and Ezura Y., 2003.** Gut microflora of abalone *Haliotis discus hannai* in culture changes coincident with a change in diet. Fishery Sciences 69, 951–958.

**Taoka, Y., Maeda, H., Kim, S.M., Park, S.I., Yoshikawa, T., and Sakata, T., 2006.** Use of live and dead probiotic cells in tilapia *Oreochromis niloticus*. Fisheries Sci. 72, 755-766.

**Thompson, F.L., Abreu, P.C., and Cavalli, R., 1999.** The use of microorganisms as food source for *Penaeus paulensis* larvae. Aquaculture 174, 139–153.

**Tovar, D., Zambonino-Infante, J.L., Cahu, C., Gatesoupe, F.J., Vázquez-Juárez, R., and Lésel, R., 2002.** Effect of live yeast incorporation in compound diet on digestive enzyme activity in sea bass larvae. Aquaculture 204, 113–123.

**Tovar-Ramirez, D., Zambonino Infante, J., Cahu, C., Gatesoupe, F.J. & Vázquez-Juárez, R., 2004.** Influence of dietary live

yeast on European sea bass (*Dicentrarchus labrax*) larval development. *Aquaculture*, 234, 415–427.

**Tukmechi A, Rahmati Andani HR, Manaffar R, Sheikhzadeh N., 2011.**

Dietary administration of beta-mercapto-ethanol treated *Saccharomyces cerevisiae* enhanced the growth, innate immune response and disease resistance of the rainbow trout, *Oncorhynchus mykiss*. *Fish Shellfish Immunol.* 30(3), 923-928

**Vazquez-Juarez,R., Ascenio, F., Andlid, T., Gustafsson, L., and**

**Wadtrom, T., 1993.** The expression of potential colonization factors of yeasts isolated from fish during different growth conditions. *Can. J. Microbiol.* 39, 1135-1141.

**Vecchiarelli, A., 2000,** Immunoregulation by capsular components of

*Cryptococcus neoformans*. *Medical Mycology : Official publication of the International Society for Human and Animal Mycology.* 38, 407-417.

**Verschuere, L., Rombaut, G., Sorgeloos, P., and Verstraete, W., 2000.**

Probiotics bacteria as biological control agents in aquaculture. *Microbiol. Mol. Biol. Rev.* 64, 655–671.

**Villamil, L., Tafalla, C., Figueras, A., and Novoa, B., 2002.** Evaluation of

immunomodulatory effects of lactic acid bacteria in turbot

(*Scophthalmus maximus*). Clin. Diag. Lab. Immunol. 9, 1318–1323.

**Waché, Y., Auffray, F., Gatesoupe, F.J., Zambonino, J., Gayet, V., Labbé, L., and Quentel, C., 2006.** Cross effects of the strain of dietary *Saccharomyces cerevisiae* and rearing conditions on the onset of intestinal microbiota and digestive enzymes in rainbow trout, *Onchorhynchus mykiss*, fry. *Aquaculture* 258, 470–478.

**Warren, N.G. and Hazen, K.C., 1999.** *Candida*, *Cryptococcus*, and other yeasts of medical importance. In Murray, P.R., Baron, E.J., Tenover, F.C., Tenover, F.C., Tenover, F.C., Tenover, F.C., Tenover, F.C., Tenover, F.C., Tenover, F.C., Tenover, F.C. (eds.), Manual of Clinical Microbiology. American Society for Microbiology, Washington DC., USA. 1184-1199.

**Welker T., Lim C., Yildirim-Aksoy M., and Klesius P., 2011.** Effect of short-term feeding duration of diets containing commercial whole-cell yeast *Increasing Antibiotic Resistance in Clinical Isolates of *Aeromonas* Strains in Taiwan* yeast subcomponents on immune function and disease resistance in channel catfish, *Ictalurus punctatus*. National institutes of health. 10,1111.

Wen, C. K., Kwok W. Y., Cheng Y. L., Ching T., Hsieh S., and Yincheng C., 1996. Increasing Antibiotic Resistance in Clinical

Isolates of *Aeromonas* Strains in Taiwan. Antimicrobial agent and chemotherapy.1260-1262.

**Ya L. and Shuang, C., 2010.** Identification and Pathogenicity of *Aeromonas sobria* on Tail-rot Disease in Juvenile Tilapia *Oreochromis niloticus*. Current Microbiology.62, 623-627.

**Yambot, A.V., and V. Inglis., 1994.** *Aeromonas hydrophila* isolated from Nile tilapia (*Oreochromis niloticus* L.) with "Eye Disease". International Symposium on Aquatic Animal Health, Seattle, WA (USA). University of California, School of Veterinary Medicine, Davis, CA. 103.

**Yoshimizu, M., Kimura, T., and Sakai, M., 1976.** Studies on the intestinal microflora of salmonids: V. The intestinal microflora of the anadromous salmon. Bull. Jpn. Soc. Sci. Fish. 42, 1291–1298.

**Yuan, C., Pan, X., Gong, Y., Xia, A., Wu, G., Tang, J., and Han, X., 2008.** Effects of Astragalus polysaccharides (APS) on the expression of immune response genes in head kidney, gill and spleen of the common carp, *Cyprinus carpio* L. Intern. Immunopharm. 8, 51–58.

**Yurkov, A.M., Vustin, M.M., Tyaglov, B.V., Maksimova, I.A., Sineokiy, S.P., 2008.** Pigmented basidiomycetous yeasts are a

promising source of carotenoids and ubiquinone Q-10.  
Microbiology 77, 1-6.

**Zargham, D., Mozhgan, E., Homayoon, H. S., Tayebbeh, B., Komeil, R., 2011.** The Effect of Probiotic *Saccharomyces Cerevisiae* Strain ptcc5052 on Growth Parameters and Survival of Rainbow Trout (*Oncorhynchus Mykiss*) Larvae. *Advances in Environmental Biology*. 5(6),1393-1400.

**Ziemer, C. J., and Gibson, G. R., 1998.** An overview of probiotics, prebiotics and synbiotics in the functional food concept. Perspectives and future strategies. *Int. Dairy J.* 8, 473-479.

**Zlatanov M, Pavlova K, Grigorova D., 2001.** Lipid composition of Some yeast strains from Livingston Island, Antarctica. *Folia Microbiol.* 46, 402-406.