

REFERENCES

- Abdel-Rheem A.M. (1975): A study of the effect of Gastro-esophageal decongestion & splenectomy operation (Hassab) in patients with bilharzial hepatic fibrosis on portal haemodynamics in correlation to ascites. M.sc. Thesis, Alex. University, Egypt.
- Abdel-Wahab M.F. (1982): Schistosomiasis in Egypt, First ed., 9-12. Library of congress cataloging in publishing data, U.S.A.
- Allam H.I. (1991): The role of duplex scanning in the study of the pathological anatomy anal blood flow in portal bed in portal hypertension M.sc. Thesis, Menofia University, Egypt.
- Alves C.A.P., Alves A.R. & Abreu W.N. (1977): Hepatic artery hypertrophy and sinusoidal hypertension in advanced schistosomiasis. Gastroenterology, 72:126.

- Atikson M, Sherlock S. (1984): Intrahepatic pressure as an index of portal venous pressure. *Lancet*; i: 1325.
- BasMajian J.N.V. (1980): Grant's method of anatomy: Tenth ed., 159: 161. William of Wilkin company, Baltimore, U.S.A.
- Becker D. & Peter L., (1988): Sonography of the hepatic system. *A.J.R.* 150; 999-1005.
- Bellamy E.A., Bossi M.G., Cosgrove D.O. (1984): Ultrasound demonstration of changes in the normal portal venous system following a meal. *Br. J. Radiol.*, 57: 147-149.
- Belondi L., Gandolfi L., Arienti V. & Galetti G.C. (1982): Ultrasonography in the diagnosis of portal hypertension, diminished response of portal vessels to respiration. *Radiology*, 142: 167-170.

- Beker S. (1976): Portal hypertension, P. 417. In: Gastroentrology. Third ed. Bochs, H.L., W.B. II 32 o II Saunders company London.
- Beppu K., Inokuchi K., Koyanagi N., Chinichi N., Sakata H., Kitano S., Kobayashi M. (1981): Prediction of variceal haemorrhage by oesophageal endoscopy. Gastrointestinal endoscopy, (4): 213-218.
- Bernardino M.E., Steinberg H.V. & Pearson T.C. (1986): Shunts for portal hypertension: MRI and angiography for determination of patency. Radiology, 158:57.
- Berk J.E. & Bockus L. (1985): Gastroenterology, 159(5) 3062-3079, Fourth ed., W.B. Sounders company, philadelphia.
- Blendis L.M., Orrego H. & Crossly I.R. (1982): The role of hepatocyte enlargement in hepatic pressure in cirrhotic and non-cirrhotic alcoholic liver disease. Hepatology 2: 539.

- Bosch J. & Groszmann R.J. (1984): Measurement of azygos venous blood flow by a continuous thermal dilution technique: an index of blood flow through gastrooesophageal collaterals in cirrhosis. *Hepatology*; 4: 424.

- Bosch J., Rigau J. & Bordas J.M. (1986): Non-invasive measurements of the pressure of oesophageal varices using an endoscopic gauge: comparison with measurements by variceal puncture in patients undergoing endoscopic sclerotherapy. *Hepatology*, 6:667.

- Brazzini A., Hunter D.W. & Darey M.D. (1987): Safe splenoportography. *Radiology*, 162: 607.

- Broe P.J., Conley L. & Cameron J.L. (1981): Thrombosis of the portal vein following splenectomy for myeloid metaplasia. *Surg. Gynecol. Obstet.*, 152: 488-92.

- Bruix J., Taylor K. & Blei A.T. (1985): Doppler flowmetry and portal hypertension. *Gastroenterology*, 38:340.
- Bulter H. (1951): The veins of the oesophagus. *Thorax* 6; 276-280 (cited by Rizk-allah, MA., 1982; M.D. Thesis, Cairo University).
- Cales P., Braillon A. & Jiron M.I. (1985): Superior porto-systemic collateral circulation estimated by azygos blood flow in patients with cirrhosis-lack of correlation with oesophageal varices and gastro-intestinal bleeding. Effect of propranolol. *J. Hepat.*, 1:37.
- Cameron J.L. & Maddrey W.C. (1978): Mesoarterial shunt: A new treatment of the Budd-Chiari syndrome. *Ann. Surg.*, 187:402.
- Capron J.P., Gineston J.L. & Remond A. (1984): Inferior mesenteric arteriovenous fistula associated with portal hypertension and acute ischemic colitis, *Gastroenterology*, 86:351.

- Cottene M., Sciarrino E., Marceno M.P., Maringhim A., D'Amico G., Traina M., Amusu M., Paliaro L. (1983): Ultrasound in the screening of patients with cirrhosis with large varices. *Br. Med. J.*, 287: 533-536.
- Dagradi A.E., Stempien S.J. & Tan D.T. (1970): Endoscopic study of the cirrhotic patient before and following portocaval shunt for bleeding varices. *Am. J. Gastroenterol.*, 53: 425.
- Dar-in Tai, Chi-Siu Shongechico, Chiu-Jung Chen (1996): sequential evaluation of portal venous haemodynamics by doppler ultrasound in patient with severe acute hepatitis. *Am. J. Gastroenterol*, 91(3) 545-551.
- Datta D.V. (1976): Arsenic and non-cirrhotic portal hypertension. *Lancet*; i: 433.

- Dawson J., Gertsch P. & Mosiman F. (1985): Endoscopic variceal pressure measurements: response to isosorbide dinitrate. *Gut*, 26:843.
- Dawson S.B. & Trapp R.G. (1990): Basic and clinical biostatistics, First eds., Appleton & Lange, U.K.
- Decker G.A.G., Plessis D.J. (1986): The liver and biliary system. ch. 12. P. 833. In: Lee McGregor's synopsis of surgical anatomy, 12th ed., John Wright & Sons Ltd., Bristol.
- Dick R. (1984): Investigation of oesophageal varices. ch. 4. P. 280. In: Disorders of the oesophagus. Waston A, Celestin LR, eds. London: Pitman.
- Donna B.J. & Ernest R.F. (1987): Experience with the esophagogastric devascularization procedure. *Surgery*, 101 (6) 685-690.

- El-Gohary, A.M. (1970): Portal and cardio-pulmonary haemodynamic changes before and after Hassab's decongestion operation in bilharzial hepatic fibrosis M.D. Thesis. Alex. University, Egypt.

- Elsaka S.H. (1992): Color Doppler sonography of the hepatic artery and portal venous system in children with chronic liver disorders. M.Sc. Thesis, Menofia university, Egypt.

- Elwi A.M. & Attia O.M. (1972): Pathology of hepatosplenic schistosomiasis. Proc. 1st Int. Symp. Bilh.-Part II. Cairo. 93-109.

- Ganong W.F. (1989): Gastrointestinal function In: Review of medical physiology. Fourteenth ed., Lang medical book, California, U.S.A.

- Garcia - Taso G., Groszmann R.J. & Fisher R.L. (1985): Portal pressure, presence of gastro-oesophageal varices and variceal bleeding. Hepatology, 5:419.

- Gerard J.T. & Nicolas P.A. (1987): Principle of anatomy and physiology. Fifth ed., Harper & Row publisher, New York.
- Ghosh M.I. & Emery J.L., (1973): Hypoxia and asymmetrical fibrosis of the liver in children. Gut, 14: 209.
- Gordon M.J. & Delguercio L.R.M. (1972): Late effects of portal systemic shunting procedures on cardio-respiratory dynamics in man. Ann. Surg., 176(3): 672.
- Hassab M.A. (1967): Gastroesophageal decongestion and splenectomy in the treatment of oesophageal varices in bilharzial cirrhosis: Further studies with a report on 355 operations. surgery, 61:2.
- Hassab M.A., Younis M.T. & El-Kilany M.S. (1968): Gastroesophageal decongestion and splenectomy in the treatment of oesophageal varices secondary to bilharzial cirrhosis: anatomical and experimental studies. surgery, 53: 731.

- Hassab M.A. & Abdel-Ghaffar Y. (1984): Surgery of portal congestion. ch. 10. P. 129. In: Review of liver disease 1st ed., 4th Arab-African meeting of hepatology. Association of friends of liver patients in Arab community.
- Heidi P., Michel L., Peter N.B. & Michel D. (1987): Duplex Doppler examination in portal hypertension technique and anatomy. A.J.R., 149: 71-76.
- Hunter T.B. (1983): Nontraumatic diseases of the spleen. ch. 4. P. 221. In: Medical imaging of the liver and spleen. Serafini AN, Gutter M, eds., Connecticut: Appleton-century-crofts, U.S.A.
- Hutson D.G., Pereiras P., Zeppa R. & Levi J.U. (1976): The fate of oesophageal varices following selective distal splenorenal shunt. Ann. Surg., 183:496.

- Inkushi K., Beppu K. & Koyanagi N. (1984): Exclusion of non-invasive splenic vein in distal splenorenal shunt for prevention of portal malcirculation. *Ann. Surg.*, 200: 711-717.
- Kamel R. (1973): Hepatic schistosomiasis - a concise review. *Ain Shams Med. J.*; 24(5): 355-365.
- Khairy M. (1960): Bleeding oesophageal varices in bilharzial hepatic fibrosis. *J. Egypt Med. Associ.*, 43: 790.
- Kane R.A. & Katz S.G. (1982): The spectrum of sonographic findings in portal hypertension a subject review and new observations. *Radiology*, 142: 453.
- Kawasaki S., Akio K., Mitsuo S., Kensho S. & Yasuo I. (1987): Effect of non-shunting operations on portal venous pressure and hepatic blood flow. *Am. J. Surg.*, 153: 295-298.

- Kissane J.M. (1990): Anderson's pathology, Ninth ed., volume two, P. 1248-1257. Thec. V., Mosby company, Baltimore, U.S.A.
- Langer B., Stone R.M. & Celapinto R.I. (1975): Clinical spectrum of Budd-Chiari syndrome and its surgical managment. Am. J. Surg., 129(2): 137.
- Last RJ. (1990): Abdomen. ch. 5. P. 351. In: Regional and applied anatomy. Eighth ed., Churchill livingstone, Longman group. UK.
- Lee S.S., Moreau R. & Hadengue A. (1988): Glucagon selectively increases splanchnic blood flow in patients with well compensaded cirrhosis. Hepatology, 8:1501.
- Macdougall B.R.D. & William R. (1983): A controlled trial of cimetidine in the recurrence of variceal haemorrhage: implications about the pathogenesis of haemorrhage. Hepatology: 11:69.

- MacSween R.N.M., Anthony P.P. & Scheuer P.J. (1987): Pathology of the liver, second ed., 480-492. Churchill Livingstone, Longman group, U.K.

- Marvin J.W. & Berry L.S. (1990): Non-shunting operations for variceal haemorrhage, surgical clinics of North America, 70(2): 425-448.

- McCormack T., Rose J.D. & Smith P.M. (1983): Perforating varices and blood flow in esophageal varices. Lancet: ii: 1442.

- Mcvay C.B. (1984): Surgical anatomy. sixth ed., Vol. 1, WB Saunders co., Philadelphia. USA.

- Michel L., Denis M. & Guy B. (1984): Portal venous system measurments in portal hypertension. Radiology, 151:27.

- Mitchell K.J. & Macdougall B.R.D. (1982): A prospective reappraisal of emergency endoscopy in patient with portal hypertension. *Scand. J. Gastroenterol.*, 17: 965.

- Moriyasu F., Osama N., Nabuyuki B., Takefumi N., Mosuhiko S., Takeo M. & Haruto U. (1986): Congestion index of the portal vein. *A.J.R.*, 146: 735-739.

- Morris J.S., Schmid M. & Newman S. (1974): Arsenic and non-cirrhotic portal hypertension. *Gastroenterology*, 66: 86.

- Nakamura T., Fuminori M., Nobuguki B., Osamu M., Takashi T. & Toshihiko K. (1987): Haemodynamic analysis of post splenectomy portal thrombosis using ultrasonic Doppler duplex system. *Am. J. Gastroenterol.*, 82:11.

- Nelson C.R., Karen E.L., Judith L.C. & Joseph H.M. (1987): Comparison of pulsed Doppler sonography and anangiography in patients with portal hypertension. A.J.R., 149: 77-81.
- Nigel A., Robert G. & George K. (1986): Duplex scanning of the portal vein and portosystemic shunts. surgery, 94;5.
- Ohnishi K., Saito M. & Nakayama T. (1985a): Portal venous haemodynamics in chronic liver disease: Effects of posture changes and exercise. Radiology, 155: 757-761.
- Ohnishi K., Saito M. & Sato S. (1985b): Direction of splenic venous flow assessed by pulsed Doppler flowmetry in patients with large splenorenal shunt. Gastroenterology, 89:180.
- Ohnishi K., Saito M. & Sato S. (1986): Clinical utility of pulsed doppler flowmetry in patients with portal hypertension. Am. J. Gastroenterol., 81:1.

- Okuda K., Kono K. & Ohnishi K. (1984): Clinical study of 86 cases of idiopathic portal hypertension and comparison with cirrhosis with splenomegaly. *Gastroenterology*, 86:600.
- Orrego H., Isreal Y. & Blendis L.M. (1981): Alcoholic liver disease information of knoweledge. *Hepatology*, 1: 267.
- Palmar E.D (1966): Reassessment of the fate of oesophageal varices following portal decompression in cirrhosis. *Am. J. Gastroenterol.*, 46:38.
- Parvey R., Ronald L. & Wishan G. (1989): Duplex sonography of the portal venous system "Pitfalls and limitations". *A.J.R.*, 152: 765-770.
- Pierce E.G., James H.T. & Norman C.E. (1977): A transthoracic devascularization procedure for control of bleeding oesophageal varices: Preliminary report. *Am. J. Surg.*, 134: 794-798.

- Quintero E., Pique J.M. & Bombi J.A. (1987): Gastric mucosal vascular ectasis causing bleeding in cirrhosis. *Gastroenterology*, 93:1054.
- Ralls W.P. (1990): Color Doppler sonography of the hepatic artery and portal venous system. *A.J.R.*, 155: 517-525.
- Rector W.G. & Redeker A.G. (1984): Direct transhepatic assessment of hepatic vein pressure and direction of flow using a thin needle in patients with cirrhosis and Budd-chiari syndrome. *Gastroenterology*, 86: 1395.
- Rezk M., Bahgat O., Shawky A., Ali M.M. & Shedid N. (1992): Can portal vein diameter be an indicator for portal hypertension and a risk factor in bleeding oesophageal varices? *Benha Med. J.*, 9(3): 9-25.

- Romanes G.J. (1991): Cuningham's text book of anatomy, Twelfth ed., 962-957, Oxford university press, U.S.A.
- Sama S.K., Bahrgava S. & Gopivath N. (1971): Non-cirrotic portal fibrosis. Am. J. of Med., 51: 160.
- Sato S., Ohinohi K. & Sugitos S. (1987): Splenic artery and superior mesenteric artery blood flow: non - surgical doppler US measurments in healthy subjects an patients with chronic liver disease. Radiology, 164: 347.
- Saito M., Kunihiro O., Hideo T. & Kunio O. (1987): Effect of oesophageal transection combined with splenectomy on portal haemodynamics. Am. J. Gastroenterol., 82:1.
- Schiff J.B. & Eugene R. (1993): Portal hypertension. ch. 33. P. 935. In: Diseases of the liver, seventh ed., Lippincott co., Philadelphia, U.S.A.

- Seitz K. & Wermke W. (1995): Portal hypertension-current status of ultrasound diagnosis. *Gastroenterology*, 33(6): 349-361.
- Shaldon S. & Sherlock S. (1982): portal hypertension in myeloproliferative syndrome and reticuloses. *Am. J. Surg.*, 32: 758.
- Sherlock S. (1989): Imaging the portal venous system In: *Diseases of the liver and biliary system. Portal hypertension*; 151, Eighth ed., Blackwell scientific publications, Oxford, London, Edinburgh, Boston & Melbourne.
- Sherlock S. (1994): The portal venous system and portal hypertension. ch. 10. P. 132. In: *Diseases of the liver and biliary system. Ninth ed.*, Blackwell scientific publications, Oxford, London, Edinburgh, Boston & Melbourne.
- Silk D.B. & William R. (1979): Portal hypertension ch. 8. P. 1002. In: *Liver and biliary disease*. W.B. Saunders Co. Ltd. London

- Smith L.G., Camilo M.E. & Dick R. (1980): Percutaneous transhepatic portography in the assessment of portal hypertension. *Gastroenterology*, 80: 1031.

- Smith J.W., Murphy T.R. & Blair J.S.G. (1983): *Regional anatomy illustrated*. Third edi., P. 230, Churchill Livingstone, Edinberg, London.

- Snell S.R. (1978): *Atlas of clinical anatomy, Abdomen*, 1st ed., Litile & Brown company, Boston, U.S.A.

- Spencer L.B., Ronald W.B. (1986): Portal hypertension. ch. 6 P. 999. In: *Vascular surgery*. Second ed., Grune of Strutton, Inc. U.S.A.

- Steegmuller K.W., Marklin H.M. & Hollis H.W. (1984): Intraoperative haemodynamic investigations during portocaval shunt. *Arch. Surg.*, 119:269-73.

- Subramanyam B.R., Belthozar E.G., Madamba M.R. & Raghaendra B.N. (1983): Sonography of portosystemic venous collaterals in portal hypertension. *Radiology*, 146: 161.
- Takanaka H., Nakao K., Miyata M. & Nakahara M. (1990): Haemodynamic study after devascularization procedure in patients with oesophageal varices. *Surgery*, 107: 1.
- Umeyama K., Yoshikawa K. & Yamashita T. (1983): Transabdominal oesophageal transection for oesophageal varices: Experience in 101 patients. *Br. J. surg.*, 70: 419-422.
- Wachsberg R.H. & Obolevich A.T. (1995): Blood flow characteristics of vessels in the ligamentum teres fissure at color doppler sonography: findings in healthy volunteers and in patients with portal hypertension. *A.J.R.*, 164(6): 1403-1405.

- Waldram R., Davis M. & Numerleg H. (1974): Emergency endoscopy after gastro-intestinal haemorrhage in 50 patients with portal hypertension. Br. Med. J., 4: 94-96.

- Waldram R., Nannerleg H. & Devis M. (1977): Detection and grading of oesophageal varices by fiberoptic endoscopy and barium swallow with and without Buscopan. Clin. Radiol., 28: 137-141.

- William P.L. & Warwick R. (1980): Angiology. ch. 7. P. 763. In: Grays anatomy, 36th ed., Churchill living stone. Edinburgh.