
References

Agarwal S, Agarwal A, Sachdev MS, Mehta KR, Fine IH, and Agarwal A : Phacoemulsification, Laser Cataract Surgery & Foldable IOL's, 2nd ed. Jaypee Brothers Delhi, India, 2000: 204-216

Aizawa D, Shimizu K, and Komatsu M: Clinical outcomes of wavefront-guided laser in situ keratomileusis: 6-month follow-up. J Cataract Refract Surg 2003; 29(8): 1507-1513.

Akura J, Matsuura K, and Hatta S: Clinical application of full-arc, depth-dependent, astigmatic keratotomy. Cornea 2001; 20(8): 839-843.

Alio JL, Artola A, and Ayala MJ: Correcting simple myopic astigmatism with the excimer laser. J Cataract Refract Surg 1995; 21(5): 512-515.

American Academy of ophthalmology: Refractive states of the eye, section 3. Optics, refraction and contact lenses; 2000; 3: 98-115.

-
- Applegate RA, Hilmantel G, and Howland H:*** Corneal first surface optical aberrations and visual performance. J Refract Surg, 2000; 16: 507-514.
- Arreas JC, Cunha F, Arreas TA:*** Limbal relaxing incisions during cataract surgery: one-year follow-up [in Portuguese]. Arq Bras Oftalmol, 2006; 69 (3): 361.
- Artal P:*** Understanding aberrations by using double-pass techniques. J Refract Surg, 2000; 16: S 547-S551.
- Asbell PA, Uchakhan OO, Durrie DS and Lindstrom RL:*** Adjustability of refractive effect for corneal ring segments. J Refract Surg 1999; 15: 627-631.
- Atchinson DA and Smith G:*** Astigmatic refractive errors. In: Optics of the human eye: 1st ed. Butter worth, Oxford 2000: 55-73.
- Barkana Y, Gerber Y, Elbaz U, Schwartz S, Ken-Dror G, Avni I, et al .*** Central corneal thickness measurement with the Pentacam Scheimpflug system, optical low-coherence reflectometry pachymeter and ultrasound pachymetry. J Cataract Refract Surg 2005;31:1729-35.

-
- Bayramlar H, Daglioglu MC, and Borazan M:** Limbal relaxing incisions for primary mixed astigmatism and mixed astigmatism after cataract surgery. J Cataract Refract Surg 2003; 29(4): 723-728.
- Bilgihan K, Ozdek S, and Sari A:** A new surgical technique for the treatment of keratoconus. Stromal sandwich. XIX ESCRS Congress, Amsterdam, 2001.
- Budak K, Yilmaz G, Aslan BS and Duman S:** Limbal relaxing incisions in congenital astigmatism: 6 month follow-up. J Cataract Refract Surg 2001; 27(5): 715-719.
- Buzard K and Fundingsland B:** Treatment of irregular astigmatism with a broad beam excimer laser. J Refract Surg 1997; 13: 624-636.
- Chang DF:** Pearls for Toric IOL Implantation, Video report. Br J Ophthalmol 2001; 85: 1251-1266.
- Chayet AS, Magallanes R, and Montes M:** Laser in situ keratomileusis for simple myopic, mixed, and simple hyperopic astigmatism. J Refract Surg 1998; 14(2 Suppl): S175-176.
-

-
- Choi KH, Chung SE, Chung TY, and Chung ES:*** Ultrasound biomicroscopy for determining visian implantable contact lens length in phakic IOL implantation. J Refract Surg 2007; 23: 362-367.
- Christie CL:*** Therapeutic contact lenses. Cont Lens Anterior Eye 1999; 22 Suppl 1: S20-25.
- Colin J, Cochener B, Savary G, Malet F and Holmes-Higgin D:*** Intacs inserts for treating keratoconus: one year results. Ophthalmology 2001; 108(8): 1409-1414.
- Colin J and Velou S:*** Implantation of Intacs and a refractive intraocular lens to correct keratoconus. J Cataract Refract Surg 2003; 29: 832-834.
- Dausch D, Klein R, Landes M, and Schroder E:*** Photorefractive keratectomy to correct astigmatism with myopia or hyperopia. J Cataract Refract Surg 1994; 20 Suppl: 252-257.
- Davidorf JM, Zaldivar R, and Oscherow S:*** Results and complications of laser in situ keratomileusis by experienced surgeons. J Refract Surg 1998; 14(2): 114-122.
-

-
- Doane JF:** Accommodating intraocular lens. *Curr Opin Ophthalmol*, 2004, 15: 16-21.
- Duke Elder SS:** Astigmatism. In: *Duke Elder's practice of refraction*. 10th ed. 1993; Churchill living stone, Edinburgh, London, Madrid, New York, 3: 65-70.
- El-Raggal T and Abdel-Fattah A:** Intacs in keratoconus. Three years follow up. *Bull Ophthalmol Soc Egypt*, 2004, 97: 229-233.
- El-Refai M:** Ametropia. In: *Text book of clinical Ophthalmoptics*, 3rd ed. 2000; 9: 45-61.
- Eydelman MB, Drum D, Holladay J, Hilmantel G, Kezirian G, Durrie D, Stulting RD, Sanders D, and Wong B :** Standardized analysis of correction of astigmatism (reply). *J Refract Surg* 2006; 22: 638.
- Faktorovich EG, Maloney RK, and Price FW:** Effect of astigmatic keratotomy on spherical equivalent: results of the Astigmatism Reduction Clinical Trial. *Am J Ophthalmol* 1999; 127(3): 260-269.

-
- Feder R:** Non inflammatory ectatic disorders. In: Cornea: Cornea and External disease-Clinical Diagnosis and Management. 1999, **Krachmer J, Mannis M, and Holland E** (eds.), Mosby, Philadelphia, Volume II, 91: 1091-1106.
- Gerten G and Schipper I P:** Toric correction of high astigmatism. Cataract & Refractive Surgery Today 2003: 211.
- Gibralter R and Trokel S:** Correction of irregular astigmatism with the excimer laser. Ophthalmology 1994; 101: 1310-1311.
- Gills JP, Van Der Karr M and Cherchio M:** Combined Toric intraocular lens implantation and relaxing incisions to reduce high pre-existing astigmatism. J Cataract Refract Surg 2002; 28 (9):1585.
- Gills JP, and Van Der Karr MA:** Correcting high astigmatism with piggyback Toric intraocular lens implantation. J Cataract Refract Surg 2002; 28 (3): 547-549.
- Gills JP:** Treating astigmatism at the time of cataract surgery. Curr Opin Ophthalm 2002; 13 (1): 2-6.

-
- Gimbel HV and Stoll SB:*** Photorefractive keratectomy with customized segmental ablation to correct irregular astigmatism after laser in situ keratomileusis. J Refract Surg 2001; 17(suppl2): S229-S232.
- Goss D, Gerstman D:*** The Optical Science Underlying the Quantification of Corneal Contour. Indiana Journal of Optometry 2000; 3 (1): 21-25.
- Guell JL and Velasco F:*** Laser assisted deep anterior lamellar keratoplasty (LA-DALK). Presented at the ASCRS meeting, 4 Philadelphia, 2002: (1): 5-9.
- Guttman C:*** Toric IOL safe, effective in reducing corneal astigmatism. Ophthalmology Times, special report 2003; (photo courtesy of Alcon) (A).
- Hays J and Thornton S:*** Astigmatism, Astigmatic Keratotomy. eMedicine Journal 2001; Available at: www.emedicine.com/oph/topic_654.htm.
- Hoffer KJ:*** Biometry of 7,500 cataractous eyes. Am J Ophthalmol 1980; 90(3): 360-368.

-
- Holmes-Higgin DK, Burris TE, and Asbell PA:** Topographic predicted corneal acuity with intrastromal corneal ring segments. *Refract Surg* 1999; 15: 324-330.
- Holsclow DS:** Surgical correction of Astigmatism, *Ophthalmology clinics of North America*. 1997; 4: 555-576.
- Ignacio T S, Nguyen T B, and Chuck R S:** Top hat wound configuration for penetrating keratoplasty using the femtosecond laser: a laboratory model. *Cornea* 2006; 25(3):336-340.
- Jabbur NS and Kraff C:** Wavefront-guided laser in situ keratomileusis using the WaveScan system for correction of low to moderate myopia with astigmatism: 6-month results in 277 eyes. *J Cataract Refract Surg* 2005; 31(8): 1493-1501.
- Jupiter DG and Katz HR:** Management of irregular astigmatism with rigid gas permeable contact lenses. *CLAO J* 2000; 26(1): 14-17.
- Kang SW, Chung ES, and Kim WJ:** Clinical analysis of central islands after laser in situ keratomileusis. *J Cataract Refract Surg* 2000; 26: 536-542.
-

Kasetsuwan N, Puangsrucharern V, and Pariyakanok L:

Excimer laser photorefractive keratectomy and laser in situ keratomileusis for myopia and astigmatism. J Med Assoc Thai 2000; 83(2): 182-192.

Kaufman C, Peter J, Ooi K: Limbal relaxing incisions versus on-axis incisions to reduce corneal astigmatism at the time of cataract surgery. J Cataract Refract Surg 2005; 31(12): 2261-2265.

Klyce S and Dingeldein S: Corneal topography In: Noninvasive Diagnostic Techniques in Ophthalmology 1990; Masters B (ed.), Springer-Verlag, New York, 61.

Knoz M and Jendritza B: Topographically guided laser in situ keratomileusis to treat corneal irregularities. Ophthalmology 2000; 107: 1138-1143.

Lackner B, Schmidinger G, Skorpik C. Validity and repeatability of anterior chamber depth measurements with pentacam and orbscan. Optom Vis Sci 2005;82:858-61.

Lane SS: The AcrySof Single-Piece Toric IOL: ASCRS 2002; (7): 112-118.

Lee JS, Oum BS, Lee BJ, and Lee SH: Photorefractive keratectomy for astigmatism greater than -2.00 diopters in eyes with low, high, or extreme myopia. J Cataract Refract Surg 1998; 24(11): 1456-1463.

Lindstrom RL: The surgical correction of astigmatism: a clinician's perspective. Refract Corneal Surg 1990; 6(6): 441-454.

Linebarger EJ, Hardten DR, and Lindstrom RL: Sands of the Sahara. In: **Curatto, Brint, eds.** LASIK: Surgical Techniques and Complications. Thorofare 1999: 591-596.

Lombardi M and Abbondanza M: Asymmetric radial keratotomy for the correction keratoconus. J Refract Surg 1996, 13(3): 302-307.

Machat J: LASIK complications. In Machat SP, ed. The art of LASIK. Thorofare, NJ: Slack, 1999: 371-411.

Margaritis AG, Pallikaris IG and Siganos DS: Properties of a new two component gel material as an aid in PRK corneal remodeling. Invest Ophthalmol Vis Sci 1994; 35(4): 3553.

Martin RG: A pilot topographical study. Staar Toric IOL, User's Guide, 2000; (9): 615-624.

-
- Maurino V, Allan B, Stevens J and Tuft S:*** Fixed dilated pupil (Urrets-Zavalía syndrome) after air/gas injection after deep lamellar keratoplasty for keratoconus. *Am Ophthalmol* 2002; 133: 266-268.
- Melles GR, Lander F and Rietveld F:*** A new surgical technique for deep stromal, anterior lamellar keratoplasty. *Br J Ophthalmol* 1999; 83: 327-333.
- Miranda D and Krueger RR:*** Highlights of the 1st international congress of wavefront sensing and aberration-free refractive correction. *J Refract Surg* 2000; 17: S566-S572.
- Morris E, Kirwon J and Sujatha S:*** Corneal endothelial specular microscopy following deep lamellar keratoplasty with lyophilized tissue. *Eye* 1998; 12: 612-622.
- Mrochen M, Kaemmerer M and Seiler T:*** Clinical results of wavefront-guided laser in situ keratomileusis 3 months after surgery. *J Cataract Refract Surg* 2001; 27(2): 201-207.
- Nordan LT:*** Quantifiable astigmatism correction: concepts and suggestions, 1986. *J Cataract Refract Surg* 1986; 12(5): 507-518.
-

-
- Partner AM, Scott RA, Shaw P, and Coker WJ:** Contact lenses and corrective flying spectacles in military aircrew-implications for flight safety. *Aviat Space Environ Med.* 2005; 76: 661-665.
- Patel M, Krueger R, and Saedy N:** Intraocular lens after cataract: *Arch Ophthalmol* 1999; (118): 852-861.
- Pascotto A, Fioretto M and Allinson R:** Surgical correction of astigmatism: *Am J Ophthalmol* 2002; 9: 211-219.
- Price FW, Grene RB, Marks RG and Gonzales JS:** Astigmatism reduction clinical trial: a multicenter prospective evaluation of the predictability of arcuate keratotomy. Evaluation of surgical nomogram predictability. ARC-T Study Group. *Arch Ophthalmol* 1995; 113(3): 277-282.
- Rufer F, Schroder A, Bader C, and Erb C:** Femtosecond laser versus mechanical trephine-initiated corneal transplantation *J Cataract Refract Surg.* 2005;31(1):120-6.
- Sanders D, Schneider D, Martin R, Brown D, Dulaney D, Vukich J, Slade S, and Schallhorn S:** Toric Implantable Collamer Lens for moderate to high myopic astigmatism. *Ophthalmology* 2007; 114: 54-61.
-

Soong H K, Mian S, Abbasi O, and Juhasz T: Femtosecond laser-assisted posterior lamellar keratoplasty: initial studies of surgical technique in eye bank eyes. *Ophthalmology* 2005; 112(1):44-49.

Stevens SX, Bowyer BL, Sanchez and Thorin JC: The BioMask for treatment of corneal surface irregularities with excimer laser phototherapeutic keratectomy. *Cornea* 1999; 18(2): 155–163.

Stoncipher K, Terry M, and Rowsey J: Wedge resection to treat ectatic dystrophies. *J Cataract Refract Surg* 1995; 21:598.

Sugita J and Kondo J: Deep lamellar keratoplasty with complete removal of pathological stroma for vision improvement. *Br J Ophthalmol* 1997; 81: 184-188.

Sun XY, Vicary D, Montgomery P, and Griffiths M: Toric intraocular lenses for correcting astigmatism in 130 eyes. *Ophthalmology* 2000; 107: 1776-1782.

Tamayo GE and Serrano MG: Early clinical experience using custom excimer laser ablations to treat irregular astigmatism. *J Cataract Refract Surg* 2000; 26(10): 1442-1450.

Terry MA: The evolution of lamellar grafting techniques over twenty-five years. *Cornea* 2000; 19(5): 611-616.

Thornton SP, and Sanders DR: Graded nonintersecting transverse incisions for correction of idiopathic astigmatism. *J Cataract Refract Surg* 1987 Jan; 13(1): 27-31.

Tomidokoro A, Oshika T and Amano S: Quantitative analysis of regular and irregular astigmatism induced by pterygium. *Cornea* 1999; 18(4): 412–415.

Verma A, Talavera F, and Roy H: Phakic toric intraocular lens: *Arch Ophthalmol* 2005; 121: 1141-1147.

Vinciguerra P, Sborgia M, and Epstein D: Photorefractive keratectomy to correct myopic or hyperopic astigmatism with a cross-cylinder ablation. *J Refract Surg* 1999; 15(2 Suppl): S183-185.

Waring GO: History of radial keratotomy. In: **Sanders DR, Hofmann RF, and Salz JJ**, eds. *Refractive Corneal Surgery*. Thorofare, NJ; 1985: 3-14.

Wollensak G: Stabilization of keratoconus by collagen-cross linking. Deutsche Ophthalmologische Gesellschaft 2005; 73(2): 102-107.

Yan W, Kanxing Z, and Tong Z: Photoastigmatic refractive keratectomy or laser in situ keratomileusis for moderate and high myopic astigmatism. J Refract Surg 2000; 16 (Suppl): S268-S271.

Yanoff M, Duker J: Ophthalmology 2nd ed. 2004; Mosby. ISBN 0-323-01634-0.