

References

- Adams MM and Hicks AL (2005).*** Spasticity after spinal cord injury. Spinal Cord; 43:577.
- Ahn JH and Sullivan R (1998).*** Medical and rehabilitation management in spinal cord trauma. In Good gold, J., Ed.: Rehabilitation Medicine.St. Louis, C.V. Mosby, Chap 10.
- Allen BL and Ferguson RL (1982).*** Amechanistic classification of closed, indirect fractures and dislocation of the lower cervical spine. Spine 7: 1 – 27.
- Alvarez L, Perez-Higueras A, Quinones D, Calvo E and Rossi RE (2003).*** Vertebroplasty in the treatment of vertebral tumors: post procedural outcome and quality of life. Eur Spine J, 12:356–60.
- Amador MJ and Guest JD(2005).*** An appraisal of ongoing experimental procedures in human spinal cord injury. J Neurol Phys Ther 29, 70–86.
- Anderoson LD and D'Alonzo RT (1994).*** Fractures of the odontoid process of the axis. J Bone Joint surg Am 56: 1663 – 1674.
- Anderoson PA and Montesano PX (1988).*** Morphology and treatment of occipital condyl fracture. Spine 13: 731.
- Arrington ED, Smith WJ and Chambers HG (1996).*** Complications of iliac crest bone graft harvesting. Clin Orthop 329:300-309.
- Bannister H and Berry M (2005).*** Skeletal system(Anatomy of axial skeleton). Grey's anatomy (Thirty Egh) Ed 6: 500 – 560.

- Ball JR and Sekhon LH (2006).** Timing of Decompression and Fixation after Spinal Cord Injury – When is Surgery Optimal? J.Critical Care and Resuscitation; 8: 56-63
- Battie MC and Viderman T (2006).** Lumbar disc degeneration, epidemiology and genetics. J Bone joint surg Am 88 (supple 2): 3 – 9.
- Benzel EC (1995).** Biomechanically relevant anatomy and material properties of the spine and associated elements, in Benzel EC (ed) : Biomechanics of spine stabilization. New York, McGraw Hill, pp 3-16.
- Benzel EC, Hadden TA and Saulsbery CM (1989).** A comparison of the Minerva and halo jackets for stabilization of the cervical spine. J Neurosurg; 70(3):411-414.
- Bergstrom N and Braden B (1992).** A prospective study of pressure sore risk among institutionalized elderly. J Am Geriatr Soc, 40:747-758.
- Bernhard M, Helm M, Aul A and Gries A (2004).** Preclinic management of multiple trauma. Anaesthesist; 53:887–904.
- Berry JL, Moran JM and Berg VVS (1999).** A morphometric study of Human lumbar and selected thoracic vertebrae. Spine 12:362-366.
- Blam OG, Ehrler DM and Rauschning W (2003).** Anatomy and Pathophysiology of traumatic spinal cord injury. In: Vaccaro AR ed: Fractures of the cervical, thoracic, and Lumbar Spine. New York. Marcel Dekker, Inc.Ch 2: 9-21.
- Blauth M and Tscherne H (1998).** Lower Cervical Spine (Untere Halswirbelsäule). In Tscherne: Unfallchirurgie Wirbelsäule Berlin, Heidelberg, New York: Springer;153-238.

- Blauth M, Knop C, Bastian L, Krettek C and Lange U (1998).** Komplexe erletzungen der Wirbelsäule. Orthopäde;27:17–31.
- Blight AR and Zimmer MP (2001).** Acute spinal cord injury: pharmacotherapy and drug development perspectives. Curr Opin Invest Drugs 2: 801–808, BMJ 292: 1558 – 1580.
- Bogduk N and Twomey LT (1987).** Clinical anatomy of the lumbar spine. New York, Churchill living stone.
- Boockvar JA, Philips MF, Telfeian AE, O'Rourke DM and Marcotte PJ (2001).** Results and risk factors for anterior cervicothoracic junction surgery. J Neurosurg 94:12–7.
- Braakman R, Fontijne WP and Zeegers R (1991).** Neurological deficit in injuries of the thoracic and lumbar spine: A consecutive series of 70 Patients. Acta Neurochir. 111:11.
- Brodke DS, Anderson PA, Newell DW, Grady MS and Chapman JR(2003).** Comparison of anterior and posterior approaches in cervicalspinal cord injuries. J Spinal Disord Tech;16:229–35.
- Browner BD, Jupiter JD and Levin MA (1992).** Skeletal Trauma,Philadelphia: WB Saunders, 746.
- Brummett R, Rushton S, and Vaccaro AR (2003).** Imaging in spinal trauma. In: Vaccaro AR Ed: fractures of the cervical, Thoracic, and lumbar spine. New York. Marcel Dekker, Inc. 7: 81-102.
- Bucholz RW, Heckman JD and Court Brawn (2006).** Rockwood and Green's Fractures in adults. 6th Ed Philadelphia Lippincott William & Wilkins.
- Bühren V, Potulski M and Jaksche H(1999).** Chirurgische Versorgung bei etraplegie. Unfallchirurg;102:2–12.
- Bung RP, Puckett WR and Becerra L (2004).** Observation on the pathology of human spinal cord injury. A review and

classification of 22 new cases with details from a case of chronic cord compression with extensive Focal demyelination. Adv neurol 59: 75 – 89.

Burns AS, Rivas DA and Ditunno JF (2001). The management of neurogenic bladder and sexual dysfunction after spinal cord injury. Spine; 26:S129.

Chen J, Dihne M and Schachner M (2005). Cell adhesion molecule L1-transfected embryonic stem cells with enhanced survival support regrowth of corticospinal tract axons in mice after spinal cord injury. J Neurotrauma 22, 896–906.

Chiodo AE, Scelza WM and Kirshblum SC (2007). Spinal cord injury medicine. 5. Long-term medical issues and health maintenance. Arch Phys Med Rehabil; 88:S76.

Chiu WC, Haan JM and Cushing BM (2001). Ligamentous injuries of the cervical spine in unreliable blunt trauma patients: incidence, evaluation and outcome. J Trauma; 50:455-7.

Christian Hierholzer, Volker Bühren and Alexander Woltmann (2007). Focus on Spinal Injuries in Multiple Trauma Patients. Eur J Trauma Emerg Surg; 33:488–500.

Christodoulou AG, Ploumis A, Terzidis IP, Timiliotou K, Gerogianni N and Spyridis C (2004). Spleen rupture after surgery in Marfan syndrome scoliosis. J Pediatr Orthop 24:537–4.

Coggrave M, Wiesel PH and Norton C (2006). Management of faecal incontinence and constipation in adults with central neurological diseases. Cochrane Database Syst Rev: CD002115.

Court Brown CM and Caesar B (2006). Epidemiology of adult fractures injury. Int. J cares injured 37: 691- 697.

- Dai L and Jia L (2000).*** Central cord injury complicating acute cervical disc herniation in trauma. *Spine* 25:331-335.
- Dai LY (2001).*** Low lumbar spinal fractures: management options. *Injury, int. J. care injured* 33: 579 – 582.
- Del Bigio MR and Johnson GE (1989).*** Clinical presentation of spinal cord concussion. *Spine* 14:37.
- Denis F (1983).*** The three column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine* 8:817-831
- Denis F, Davis S and Comfort T (1988).*** Sacral fracture an important problem retrospective analysis of 236 cases. *Clinic orthop* 227: 67 – 81.
- Derry FA, Dinsmore WW and Fraser M (1998).*** Efficacy and safety of oral sildenafil (Viagra) in men with erectile dysfunction caused by spinal cord injury. *Neurology*; 51:1629.
- Devereaux MW (2007).*** Anatomy and examination of the spine. *Neurologic clinics* vol 25, Issue 2: 330 – 351.
- DeWal H and McLain R (2005).*** The polytrauma patient. In: *Orthopaedic KnowledgeUpdate* 8. Rosemont, IL: American Academy of Orthopaedic Surgeons;;159–168.
- Drake's R (2006).*** Anatomy of medulla spinalis .In "Gray's Anatomy of the Human Body" 38th Ed Lea and Faberge. Philadelphia. Ch.35: Pp 722-734.
- Driscoll P and Wardrobe J(2005).*** ATLS: Past, present, and future. *Emerg Med J*; 22:2–3.
- Dyson-Hudson TA and Stein AB (1999).*** Acute management of traumatic cervical spinal cord injuries. *Mt Sinai J Med*;66:170–8.

- Farfan HF, Cossette JW and Robertson GH (1990).** The effects of torsion on the lumbar intervertebral joints: the role of torsion in the production of disc degeneration. J Bone Joint Surg 52A:468-497.
- Ferguson RL and Allen BC (1994).** A mechanistic classification of thoracolumbar spine fractures. Clin Orthop 189: 77 – 88.
- Finkelstein JA and Ford MH (2004).** Diagnosis and management of Pathological fractures of the spine. Current orthopaedics 18: 396 -405.
- Finnson BE (1980).** Textbook, low back pain 2nd ed. J B Lippincott Company. Philadelphia, Toronto.
- Flanders AE, Schaefer DM and Doan HT (2002).** Acute cervical spine trauma: correlation of MRI imaging findings with degree of neurologic deficit. Radiology; 177(1):25-33.
- Formal CS, Saulino MF and Ditunno JF (2003).** Rehabilitation after traumatic spinal cord injury. In: Vaccaro AR Ed: Fractures of the cervical, thoracic, and lumbar Spine. Marcel Dekker, Inc New York. Ch 52: 717-734.
- Francis RM and Baillie SP (2004).** Acute and long term management of patients with vertebral fractures. Oxford Journal, Medicine 97 (2): 63 -74.
- Franga DL, Hawkins ML, Medeiros RS and Adewumi D (2006).** Recurrent asystole resulting from high cervical spinal cord injuries. Am Surg; 72:525.
- Frankel HL, Coll JR and Charlifue SW (1998).** Long-term survival in spinal cord injury: a fifty year investigation. Spinal Cord; 36:266.

- Frankel HL, Hancock DO and Hyslop G (1969).** The value of postural reduction in the initial Management of closed injuries of the spine with Paraplegic and Tetraplegia: I, Paraplegia, 7:179-192.
- Freebourn TM, Barber DB and Able AC (1999).** The treatment of immature heterotopic ossification in spinal cord injury with combination surgery, radiation therapy and NSAID. Spinal Cord; 37:50.
- Freed CR, Greene PE, Breeze RE and Fahn S(2001).** Transplantation of embryonic dopamine neurons for severe Parkinson's disease. New Engl. J Med 344: 710–719.
- Galler D (2006).** Critical Care Considerations in Triage. Emerg Med J. Jul; 19(4):348-53.
- Gayer G, Caspi I, Garniek A, Hertz M and Apter S (2002).** Perirectal urinoma from ureteral injury incurred during spinal surgery mimicking rectal perforation on computed tomography scan. Spine 27:E451–3.
- Gehri R, Zanetti M and Boos N (2000).** Subacute subdural haematoma complicating lumbar microdiscectomy. J Bone Joint Surg Br 82:1042–5.
- Geisler FH, Coleman WP, Grieco G, and Dorsey FC (2001).** The GM-1 Ganglioside multi-center acute spinal cord injury study. Spine 26:S87-S98.
- Gertzbein SD and Court Brown CM (1989).** Treatment of flexion distraction injury of the thoracolumbar spine based on a new classification. J Spine Disord, 2:176.
- Giannoudis PV (2003).** Surgical priorities in damage control in polytrauma. J Bone Joint Surg Br; 85:478–83.

- Gillilan LA (1999).** The arterial blood supply to the human spinal cord. *J Comp Neural* 110: 75-103.
- Gondim FA, Lopes AC Jr and Oliveira GR (2004).** Cardiovascular control after spinal cord injury. *Curr Vasc Pharmacol*; 2:71–9.
- Goodkin R and Laska LL (1998).** Vascular and visceral injuries associated with lumbar disc surgery: medicolegal implications. *Surg Neurol* 49:358–70; discussion 370–2.
- Gruenthal M, Mueller M and Olson WL (1997).** Gabapentin for the treatment of spasticity in patients with spinal cord injury. *Spinal Cord*; 35:686.
- Gunzburg R, Szpalski M and Van Goethem J (2003).** Initial assessment of whiplash patients. *Pain Res Manag* 8:24-27.
- Haaker RG, Senkal M, Kielich T and Kramer J (1997).** Percutaneous lumbar discectomy in the treatment of lumbar discitis. *Eur Spine J* 6:98–101.
- Haines D (2004).** Neuroanatomy: an atlas of structure, sections and systems. 6Th (Ed) Lippincott, Williams & Wilkins; Philadelphia, pp 409–412.
- Hains BC, Black JA and Waxman SG (2003a).** Primary cortical motor neurons undergo apoptosis after axotomizing spinal cord injury. *Journal of Comparative Neurology* 462(3): 328-341.
- Hains BC, Klein JP and Saab CY (2003b).** Up regulation of sodium channel Nav1.3 and functional involvement in neuronal hyperexcitability associated with central neuropathic pain after spinal cord injury. *Journal of Neuroscience* 23(26): 8881-8892.
- Hardley MN, Walters BC and Grabb PA (2002).** Guidelines for the management of acute cervical spine and spinal cord injuries. *Clin Neurosurgery*; 49: 407-98.

- Heller J and Pedlow F (2002).** Anatomy of the cervical spine and spinal cord. In: Clark, C., and ed. "The cervical spine" Philadelphia: Lippincott-Raven, 12-14.
- Harvey LA and Herbert RD (2002).** Muscle stretching for treatment and prevention of contracture in people with spinal cord injury. Spinal Cord; 40:1.
- Heggeness MH and Esses SI (1991).** Classification of pseudarthroses of the lumbar spine. Spine 16:S449-454.
- Helkowski WM, Ditunno JF and Boninger M (2003).** Autonomic dysreflexia: incidence in persons with neurologically complete and incomplete tetraplegia. J Spinal Cord Med; 26:244.
- Herzenberg JE, Hensinger RN and Phillips WA (1989).** Emergency transport and positioning of young children who have an injury of the cervical spine: The standard backboard may be hazardous. J Bone Joint Surg 71A: 15-22.
- Hewleg-Larson S and Sorensen PS (1994).** Symptoms and signs in metastatic spinal cord compression: a study of progression from first symptom until diagnosis in 153 patients. Eur J Cancer, 30A:396–8.
- Heylings DJA (1978).** Supraspinous and interspinous ligaments of the human lumbar spine. J Anato 125: 127 – 131.
- HickeyJ(2003).** The clinical practice of neurological and neurosurgical nursing.5th (Ed). Lippincott, Williams & Wilkins; Philadelphia, pp 432–439.
- Hiersemenzel LP, Curt A and Dietz (2000).** From spinal shock to spasticity: neuronal adaptation to spinal cord injury. Neurology; 54 (8): 1574 – 1582.

- Hodgetts TJ and Smith J (2000).** Essential role of prehospital care in the optimal outcome from major trauma. *Emerg Med*;12:103–11.
- Hoffmann JR, Mower WR and Wolfson AB (2006).** Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. National Emergency X-Radiography Utilization Study Group. *N Engl. J Med* Jul 13; 343(2): 94-99.
- Holdsworth and Rauschnig W (1986).** Anatomy of the normal and traumatized spine. In: Sances, A., Jr. Thomas, D.J. Ewing, C.L. Mechanisms of Head and Spine Trauma. Goshen, NY. Aloray Publishers, 531-564.
- Holdsworth FW (1993).** Fractures, Dislocations, and fracture dislocations of the spine. *J Bone Joint surg Br.* 45: 6 -20.
- Hood RW, Riseborough EJ, Nehme AM, Micheli LJ, Strand RD and Neuhauser EB (1998).** Diastematomyelia and structural spinal deformities. *J Bone Joint Surg Am* 62:520–8.
- Horan TC, Gaynes RP, Martone WJ, Jarvis WR and Emori TG (1992).** CDC definitions of nosocomial surgical site infections: a modification of CDC definitions of surgical wound infections. *Am J Infect Control* 20:271–4.
- Hughes SJ (1998).** How effective is the Newport/Aspen collar? A prospective radiographic evaluation in healthy adult volunteers. *J Trauma*; 45(2):374-384.
- Ister B (1990).** Lumbosacral lesions associated with pelvic ring injuries. *J Comp Neural* 110: 75-103.
- Jamison J, Maguire S and McCann J (2004).** Catheter policies for management of long term voiding problems in adults with neurogenic bladder disorders. *Cochrane Database Syst Rev*:CD004375.

- Jay Jagannathan, John A and Jane JR (2006).** Cervical spine injuries in pediatric athletes: mechanisms and Management. Neurosurg Focus / Vol 21 /Pps 124-128.
- Jenkins AL 111, Vollmer DG and Eichler ME (2004).** Fractures cervical spine. Neurological surgery. 5th Ed vol 9, 315: 4885 – 4913.
- Jiang SD, Dai LY and Jiang LS (2006).** Osteoporosis after spinal cord injury. Osteoporosis. Int; 17:180.
- Johnson (1989).** The myth of skeletal muscle spasm (editorial). Journal of Comparative Neurology 462(3): 328-341.
- Johnson KD, Cadambi A and Seibert BG (1985).** Incidence of adult respiratory distress syndrome in patients with multiple musculoskeletal injuries: effect of early operative stabilization of fractures. J Trauma; 25:375–84.
- Jones LL, Sajed D and Tuszynski MH (2003).** Axonal regeneration through regions of chondroitin sulfate proteoglycan deposition after spinal cord injury: A balance of permissiveness and inhibition. Journal of Neuroscience 23(28): 9276-9288.
- Kakulas BA (2002).** A review of the neuropathology of human spinal cord injury, with emphasis on special features. J spinal cord Med. 22: 119 – 124.
- Kalsi V, Gonzales G and Popat R (2007).** Botulinum injections for the treatment of bladder symptoms of multiple sclerosis. Ann Neurol; 62:452.
- Karlsson AK(1999).** Autonomic dysreflexia. Spinal Cord; 37:383.
- Kazarian LE (1995).** Creep characteristics of the human spinal column. Orthop Clin North Am 6:3-18.
- Keirstead HS, Nistor G, Bernal G, Totoiu M, Cloutier F and Sharp K (2005).** Human embryonic stem cell-derived oligodendrocyte

progenitor cell transplants remyelinate and restore locomotion after spinal cord injury. J Neurosci, 25:4694-4705

Kerr DA, Shamlott MJ, and Rothstein JD (2003). Human embryonic germ cell derivatives facilitate motor recovery of rats with diffuse motor neuron injury. J Neurosci 23: 5131–5140.

Kerslake RW, Jaspan T and Worthington BS (2002). Magnetic resonance imaging of spinal trauma. Br J Radiol; 64: 386-402.

Kilburn MPB, Smith DP and Hadley MN (2001). The Initial evaluation and treatment of the patient with spinal trauma. In: “Batjer HH and LoftusCL (eds.) Textbook of Neurological Surgery”. Lippincott/Williams & Wilkins, Philadelphia, PA.Pps 234-239.

Kirshblum S (2004). New rehabilitation interventions in spinal cord injury. J Spinal Cord Med, 27:342.

Kohler A, Friedl HP, Kach K, Stocker R and Trentz O(1994). Versorgungskonzept eim Polytraumatisierten mit Halswirbelsäulenverletzung. elv Chir Acta;60:547–50.

Koivikko MP, Myllynen P, Karjalainen M, Vornanen M (2000). Conservative and operative treatment in cervical burst fractures. Arch Orthop Trauma Surg;120:448–51.

Kossmann T, Trease L, Freedman I and Malham G (2004). Damage control surgery for spine trauma. Injury;35:661–70.

Koval K and Zuckerman JD (2004). Fractures cervical spine. Handbook of fractures, 3rded. Lippincott William & Wilkins ,81-99.

Lang SM, Moyle DD and Berg EW (1988). Correlation of mechanical properties of vertebral trabecular bone with equivalent mineral density as measured by computed tomography. J. Bone Joint Surg. 70A:1531-1538.

- Lim TH, An HS and Hasegawa T (1995).** Prediction of fatigue screw loosening in anterior spinal fixation using dual energy X-ray absorptiometry. *Spine* 20:2565-2569.
- Linsenmaier U, Krotz M, Hauser H, Rock C and Reiser M (2002).** Whole body computed tomography in polytrauma: techniques and management. *Eur Radiol* 12:1728-1740.
- Louis R (1986).** Fusion of the lumbar and sacral spine by internal fixation with screw plates. *Clin Orth. Related Research*, vol 203, P.B.
- Louis R (1993).** Surgery of the spine. Surgical anatomy and operative approaches. Springer Verlag, 567–80.
- Maimoun L, Fattal C and Micallef JP (2006).** Bone loss in spinal cord-injured patients: from physiopathology to therapy. *Spinal Cord*; 44:203.
- Markolf KL and Morris JM (1994).** The structural components of the intervertebral disc. A study of their contributions to the ability of the disc to withstand compressive forces. *J Bone Joint Surg* 56A:675-687.
- McAfee PC and Yuan HA (1982).** The unstable burst fracture. *Spine* 7: 365- 373.
- McAfee PC, Weiland DJ and Carlow JJ (1991).** Survivorship analysis of pedicle spinal instrumentation. *Spine* 16:490-494.
- McClelland S, 3rd, Bethoux, FA, Boulis, NM) (2008).** Intrathecal baclofen for spasticity-related pain in amyotrophic lateral sclerosis: efficacy and factors associated with pain relief. *Muscle Nerve*; 37:396.
- McCormack BM, Benzel EC and Adam MS (1995).** Anatomy of thoracic spine. *Neurosurgery* 37: 303 – 308.

- McDonald JW, Becker D, Sadowsky CL and Schultz LM(2002).** Late recovery following spinal cord injury – case report and review of the literature. J Neurosurg (Spine 2);97:252-6.
- McGuire RA (2004).** Physical examination in spinal trauma. IN: Levine AM Eismont FJ, GArfin SR, Zigler JE d. Spinal Trauma. W.B. Saunders Company 3: 13-27.
- McGuire RA, Neville S and Green B (1987).** Spinal and the log rolling maneuver. J Trauma 27: 252-531.
- Merola A, O'Brien MF and Castro BA (2002).** Histologic characterization of acute spinal cord injury treated with intravenous methylprednisolone .J Orthop trauma 16 (3): 155 – 161
- Milne (1991).** The role of the facet joint orientation in controlling motion in the cervical spine. J Anat 78:189-201.
- Mitchel B, Harris MD, Rajiv K and Sethi MD(2006).** The Initial Assessment and Management of the Multiple-Trauma Patient with an Associated Spine Injury. SPINE Volume 31, Number 11 Suppl., pp S9–S15 , Lippincott Williams & Wilkins, Inc.
- Moonka R, Stiens SA, Resnick and WJ (1999).** The prevalence and natural history of gallstones in spinal cord injured patients. J Am Coll Surg; 189:274.
- Muller JB and Davenport M (2007).** Fractures cervical spine. e medicine; 2: 1- 23.
- Muller JB, Belval E and Loudon M (2006).** Traumatic atlanto-occipital Dislocation: case repots. J neurosurg 65: 863 – 870.
- Obenauer S, Alamo L, Herold T, Funke M, Kopka L and Grabbe E (2002).** Imaging skeletal anatomy of injured cervical spine

specimens: comparison of single slice vs multi-slice helical CT.
Eur Radiol 12:2107-2111.

Ogawa Y (2002). Transplantation of in vitro-expanded fetal neural progenitor cells results in neurogenesis and functional recovery after spinal cord contusion injury in adult rats. J Neurosci Res 69, 925–933.

Okuyama K, Abe E, Suzuki T, Tamura Y, Chiba M and Sato K (2001). Spine 1(6):402–7.

Panjabi MM, Oda and Crisco JJ 111 (1991). Experimental study of atlas injuries 1. Biomechanical analysis of their mechanisms and fractures patterns. Spine 16 (10 suppl) S460 – S465.

Parent A and Carpenter MB (2006). Spinal cord fiber tracts. In: Carpenter's Human Neuroanatomy. 9th Ed. Lippincott, Williams & Wilkins; Philadelphia, Pa: 325-417.

Pasquale M and Fabian TC (2008). Practice management guidelines for trauma from the Eastern Association for the Surgery of Trauma. J Trauma; 44:941.

Petitjean ME, Mousselard H, Pointillart V, Lassie P and Dabadie P (1995). Thoracic spinal trauma and associated injuries: should early spinal decompression be considered. J Trauma; 39:368–72.

Phillis JW (1994). A radical view of cerebral ischemic injury. Prog. neurobiol; 42 (4) : 441 – 448.

Pintar FA, Yoganandan N and Myers T (1992). Biomechanical properties of human lumbar spine ligaments. J Biomech 25:1351-1356.

- Pollard ME and Apple DF(2003).** Factors associated with improved neurologic outcomes in patients with incomplete tetraplegia. Spine 28:33-39.
- Proctor MR(2002).** Spinal cord injury. Crit Care Med ; 30:S489.
- Rasmussen H(1996).** The calcium messenger system (1) Eng; Med; 314 (17): 1094 – 1101.
- Roy Camille R, Saillant G and Gagna G (1989).** Transverse fracture of the upper sacrum suicidal jumper's. Fracture spine 10: 838 – 45.
- Sapru HN (2002).** Spinal cord: anatomy, physiology and pathophysiology in: kirshblums, campagnolod and Delisaj, Ed's Spinal cord medicine philadelphia: lippincott Williams & Wilkins: 5-26.
- Schaefer DM, Flanders A and Northrup BE(2005).** Magnetic resonance imaging of acute cervical spine trauma: correlation with severity of neurologic injury. Spine 14:1090-1095.
- Schafer RC (1983).** Clinical biomechanics. Williams and Wilkins Baltimore. London, 375-390.
- Schneider man A and Alexander T (2004).** Vertebral fractures. e medicine 2: 1 -21. Available at: <http://www.e medicine.com/emerg/ topic189.htm>.
- Schneider RC, Living stone KE and Cave AJ (1995).** Hangman's fracture of the cervical spine. J Neurosurg 22: 141 – 154.
- Schwab ME and Bartholdi D (1999).** Degeneration and regeneration of axons in the lesioned spinal cord . Physiol Rev 76 (2): 319 – 370.

- Schwartz, Eric D, Flanders and Adam E (2007).** Spinal Trauma: Imaging, Diagnosis, and Management, 1st Edition Copyright. Lippincott Williams & Wilkins: 42-49.
- Shehu B and Ismail NJ (2004).** Practical management of spinal cord injury. Annals of African Medicine Vol 3, No 1; 46 – 57.
- Shellock FG (2002).** Magnetic resonance safety update: implants and devices. J Magn Reson Imaging 16:485-496.
- Siddall PJ and Loeser JD(2001).** Pain following spinal cord injury. Spinal Cord ; 39:63.
- Simpson, DM, Gracies, JM, Graham, HK (2008).** Assessment: Botulinum neurotoxin for the treatment of spasticity (an evidence-based review): report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. Neurology ; 70:1691.
- Sipski ML and Alexander CJ (2000).** Sexual function and dysfunction after spinal cord injury. Physical medicine and rehabilitation.Clinics of North America WB Saunder Company.Philadelphia: (pp. 811-828).
- Smith HC and Savic G (2000).** Corticospinal function studied over time following incomplete spinal cord injury. Spinal Cord, 38(5): 292–300.
- Snell RS (2004).** Clinical anatomy by Regions of the spine, 8(Ed): Lippincott, Williams & Wilkins.chap12:851-890.
- Stevens RD, Bhardwaj A, Kirsch JR and Mirski MA (2003).** Critical care and perioperative management in traumatic spinal cord injury. J Neurosurg Anesthesiol;15:215–29.

- Stockl B, Wimmer C, Innerhofer P, Kofler M and Behensky H (2005).** Delayed anterior spinal artery syndrome following posterior scoliosis correction. *Eur Spine J* 14:906–9.
- Strange vognsen HH and Lebech A (1991).** A usual type of fracture in the upper sacrum. *Ortho Trauma* 5: 200 – 3.
- Szoke G, Lipton G, Miller F and Dabney K (1998).** Wound infection after spinal fusion in children with cerebral palsy. *J Pediatr Orthop* 18:727–33.
- Tator CH (2004).** Acute management of spinal cord injury. *Br J Surg* May; 77(5): 485-6.
- Tator CH, Fehling M, Thrope K and Taylor W (1999).** Current use and timing of spinal surgery for management of acute spinal cord injury in North America: results of retrospective multi centre study. *J neurosurgery (spinel)* 91:12 -18.
- Tay B and Eismont FJ (2003).** Physical examination: ASIA motor/sensory examination and spinal cord injury syndrome. In: Vaccaro AR Ed: *Fractures of cervical spine*. 1st ed. Lippincott. Williams & Wilkins, Philadelphia.
- Terre R, Valles M and Vidal J (2000).** Post-traumatic syringomyelia following complete neurological recovery. *Spinal cord* 38(9): 567-570.
- Van Goethem JW, Maes M, Ozsarlak O and Parizel PM (2005).** Imaging in spinal trauma. *Eur Radiol* 15:582-590.
- Velmahos GC, Kern J and Chan LS (2000).** Prevention of venous thromboembolism after injury: an evidence-based report--part II: analysis of risk factors and evaluation of the role of vena caval filters. *J Trauma*; 49:140.

- Waites KB, Canupp KC, Armstrong and DeVivo MJ (2004).** Effect of cranberry extract on bacteriuria and pyuria in persons with neurogenic bladder secondary to spinal cord injury. *J Spinal Cord Med*; 27:35.
- Waxaman SG (2003).** Spinal cord and spine. In: *Clinical neuroanatomy* edition By Waxman SG 25th ed. McGraw Hill 3: 45-86.
- White A and Panjabi MM (1978).** *Clinical Biomechanics of the spine.* Chap 1.J.D. Lippincott Co. Philadelphia 1978.
- White AA and Panjabi MM (1990).** The Problem of Clinical Instability in the human Spine: A systemic Approach. In *Clinical Biomechanics of the Spine* 2nd edition. Lippincott Williams & Wilkins;:277-378.
- White AA and Panjabi MM (1990).** Clinical biomechanics of the spine, 2-nd Ed. Philadelphia; J. B. Lippincott. Co., 146: 150.
- Wilkin TD, Kraus MA, Lane KA and Trerotola SO (2003).** Internal jugular vein thrombosis associated with hemodialysis catheters. *Radiology* 228:697–700.
- Wilkins RH and Rengachary SS (1994).** Fractures spine. *Principle of neurosurgery* 20: 342-360.
- Wobus, Anna M , Kenneth R and Boheler(2005).** Embryonic Stem Cells: Prospects for Developmental Biology and Cell Therapy. *Physiol Rev* 85: 635–678.
- Yarbrough DE, Thompson GB, Kasperbauer JL and Grant CS (2004).** Intraoperative electromyographic monitoring of the recurrent laryngeal nerve in reoperative thyroid and parathyroid surgery. *Surgery* 136:1107–15.
- Yarkony GM and Heinemann AW (1995).** Pressure ulcers. In: *Spinal cord injury: Clinical outcomes from the model systems*, Stover,

SL, DeLisa, JA, Whiteneck, GG, (Eds), Aspen Publishing, Gaithersburg, MD. p.100.

Young PA and Young PH (2002). Basic clinical neuroanatomy. 1st ed
Lippincott, Williams & Wilkins; Philadelphia, Pps13-22; 99-116; 127-152; 217-234.

Young W and Koreh I (1996). Potassium and calcium changes in injured spinal cord. Brain res. 366.