

References

- **Aislinn Vaughan, Jill Dietz, Rebecca, et al, (2007):**
Pattern of local breast cancer recurrence after skin-sparing mastectomy and immediate breast reconstruction. The American Journal Of Surgery, 194:p438-443.
- **Allweis TM, Boisvert MF, Otero SF, Perry DJ, (2002):**
Immediate reconstruction after mastectomy for breast cancer. American Journal Of Surgery; 183: pp 218-221.
- **Anderson BO, Masetti R and Silverstein MJ, (2005):**
Oncoplastic approaches to partial mastectomy: an overview of volume-displacement techniques. Lancet Oncol, (6):145–157.
- **Apantaku L., (2002):**
Breast-Conserving Surgery for Breast Cancer. Am Fam Physician, 66:p2271-2281.
- **Beham E and Buckingham J, (2002):**
SLN in larger or multifocal Breast cancer. Anu J Surg; 78(3): pp 151-7.
- **Berberich W., Schnabel K., Berg D., et al., (2001):**
Boost irradiation of breast carcinoma: Teletherapy vs. brachytherapy. Eur J Obstet Gynecol Reprod Biol., 94:p276-282.
- **Berliner JL, Fay AM, Sauven P., (2007):**
Risk assessment and genetic counseling for hereditary breast and ovarian cancer: recommendations of the National Society of Genetic Counselors. Genet Counsel; 16: 241-260.
- **Bernd Gerber, Annette Krause, Toralf Reimer, et al, (2003):**
Skin-sparing mastectomy with conservation of nipple-areola complex and autologous reconstruction is an oncologically safe procedure. Annals Of Surgery, 238:p120-127.

- **Bland KI and Copeland EM, (2004):**
comprehensive management of benign and malignant disorders
in: *Mastery of Surgery* 5th Ed, Philadelphia: WB Saunders with
permission.Ch.41.P.484.
- **Bland KI, (2007):**
Anatomy of the breast. In: *Mastery of surgery*, 5TH Ed.,
Lippincott-Williams and Wilkins, Vol.1, Ch.41, P.482-491.
- **Bland KI, Samuel W Beenken and Edward M Copeland III (2005):**
The Breast. In: *Schwartz's Principles of Surgery*, 8th(ed),
McGraw-Hill publishing; Ch.17.P.453-496.
- **Bland KI, Samuel W Beenken and Edward M Copeland III (2005):**
The Breast. In: *Schwartz's Principles of Surgery*, 8th(ed),
McGraw-Hill publishing; Ch.17.P.453-496.
- **Bogue DP, Mungara AK, Thompson M, Cederna PS, (2003):**
Modified technique for nipple-areolar reconstruction: a case
series. *Plast Reconstr Surg* ; 112 (5): p1274.
- **Brady B., Fant J., Jones R., et al (2003):**
Sentinel lymph node biopsy followed by delayed mastectomy and
reconstruction, *American Journal Of Surgery*, 185, p114-117.
- **Braunstein GD, (2007):**
Clinical practice. Gynecomastia. *North England Journal Of
Medicine*; 357(12): pp 1229-1237.
- **Buchholz T., Tucker S., Masullo s., et al, (2002):**
Predictors of loco- regional recurrence after neoadjuvant
chemotherapy and mastectomy without radiotherapy. *Journal of
Clinical Oncology*, 20:p17–23.

- **Burstein H, Harris J and Morrow M, (2008):**
Malignant Tumors of the Breast, In: *Devita, Hellman & Rosenberg's Cancer: Principles & Practice of Oncology*, 8th Ed., Volume 1, Lippincott-Williams and Wilkins, Ch.43 (section 2), P.1606-1654.
- **Cady B (2001):**
A contemporary view of axillary dissection. *Breast Dis Year Book*. 8th Ed; pp 12:22.
- **Cady B (2002):**
Consensus on sentinel node biopsy. *Breast J Cancer*; (66): pp123-125.
- **Carter ML (1996):**
Block dissection of axillary lymph node. In: *The anatomy of general surgical operation*. Jamieson GG (Ed). Churchill Livingstone, London; p.145
- **Chung MA, (2001):**
Breast cancer: surgical therapy. In *Cameron L. : Current Surgical Therapy*, 7th ed. St Louis, Mosby; pp 702-709.
- **Clarke M, Collins R, Darby S, (2005):**
Effects of radiotherapy and extent of surgery for early breast cancer on local recurrence and 15 year survival: an overview of randomized trials. *Lancet* 2005; 366: 2087-2106.
- **Clough KB., Louis Sylvestre C., Fitoussi A., Couturaud B., Nos C., (2002):**
Donor site sequelae after autologous breast reconstruction with an extended latissimus dorsi flap. *Plastic Reconstruction Surgery*, 109:p1904-1911.

- **Cordeiro P G, McCarthy C M(2006):**
A single surgeon's 12-year experience with tissue expander/implant breast reconstruction. II. An analysis of long-term complications, aesthetic outcomes, and patient satisfaction. *Plast Reconstr Surg* , 118: pp832-839.
- **Cuzick J., Powles T., Veronesi U., et al, (1998):**
Overview of the main outcomes in breast cancer prevention trials. *Lancet*; 361: p296.
- **Cuzick J., (2008):**
a breast cancer prevention trial in postmenopausal women using the aromatase inhibitor Anastrozole. *Expert Rev Anticancer Ther* 2008; 8:1377-1385.
- **Daniel F. roses, (2005):**
Development of Modern Breast Cancer Treatment. In: *Breast Cancer*. Edited by: Daniel F. Roses, 2nd Edition; Ch. 21; PP: 333-352. Elsevier Inc.
- **Deapen D, Hamilton A, Bernstein L, Brody G S, (2000):**
Breast cancer stage at diagnosis and survival among patients with prior breast implants. *Plast Reconstr Surg* , 105:pp535-540.
- **Dixon J. and Soon M., (2007):**
Breast Conserving Surgery. In: Fischer J ,ed. *Mastery of surgery: Lippincott Williams & Wilkins* 5th ed.; ch., 43: P502-517.
- **Dixon J., (2006):**
Breast surgery: a companion to specialist surgical practice, 3rd ed., P517-527. London: Elsevier Saunders.
- **Dobson AR, (2003):**
Subspecialty of oncoplastic breast surgery is needed to meet demand. *BMJ* ; 326:1165-1167.

- **Eccles DM, Evans DG, Mackay J., (2000):**
Guidelines for a genetic risk based approach to advising women with a family history of breast cancer. UK Cancer Family Study Group (UKCFSG). *Med Genet*; 37: 203-209.
- **Elsen A, (2000):**
Prophylactic surgery in women with a hereditary predisposition to breast and ovarian cancer. *Eur J Cancer* (18):1980-1995.
- **Eng JS (2004):**
Bell flap nipple reconstruction--a new wrinkle. *Ann Plast Surg* ;36(5):p485
- **Ernst MF, Voogd AC, Balder W, et al (2002):**
Early and late morbidity associated with axillary levels I–III dissection in breast cancer. *J Surg Oncol*; (79): pp 151-159.
- **Estourgie SH, Nieweg OE, Olmos RA, et al. (2004):**
Lymphatic drainage patterns from the breast. *Ann Surg*, (239):232–237.
- **Fisher B., Redmond C. and Fisher ER., (1995):**
Ten Year Results of a Randomized Clinical Trial Comparing Radical Mastectomy and Total Mastectomy with or Without Radiation. *North England Journal of Medicine*; 342: PP: 674-676.
- **Fisher B, Anderson S, Bryant J, (2002):**
Twenty year follow up of a randomized trial comparing total mastectomy, lumpectomy and lumpectomy plus radiation for treatment of invasive breast cancer. *N Engl j Med*; 347: 1233-1241.
- **Fischer B and Josef E (2006):**
Surgical Management of Carcinoma in Situ and Proliferative Lesions of the Breast. In: *Mastery of Surgery*, 5th Edition.Ch 41.P.523-529.

-
- **Fitzal F and Gnant F., (2006):**
Breast Conservation Evolution of Surgical Strategies:*The Breast Journal* 2006;12: 12: 165– 173
 - **Fitzal F, Mittlboeck M, Trischler H, et al., (2008):**
Breast-Conserving Therapy for Centrally Located Breast Cancer. *Ann. Surg.*, (247):470–476.
 - **Foote R, Johnson R, Donohue J, et al, (2008):**
Trends in Surgical Treatment of breast cancer at Mayo Clinic 1980-2004. *The Breast* 2008;17:555-562.
 - **Ford D, Easton DF, Stratton M, (2000):**
Genetic heterogeneity and penetrance analysis of the BRCA1 and BRCA2 genes in breast cancer families. The Breast Cancer Linkage Consortium. *Am / Hum Genet*; 62: 676-689.
 - **Gilles Cunnick and Kefal Mokbel (2004):**
Skin sparing mastectomy, *American Journal Of Surgery*, 188: p78-84
 - **Gill PS, Hunt JP, Guerra AB, et al, (2004):**
A 10-year retrospective review of 758 DIEP flaps for breast reconstruction. *Plast Reconstr Surg* ;113(4):pp1153-60.
 - **Gotzsche PC and Nielsen M, (2006):**
Screening for breast cancer with mammography. *Cochrane Database Syst Rev*; CD001877.
 - **Grant W. Carlson, (2006):**
Invasive Carcinoma: Mastectomy and Staging The Axilla. In: *Surgery of The Breast*. Edited by: Scott L. Spear. 2nd Edition; vol. 1; ch. 8; PP: 122- 146.

- **Hartmann LC, Sellers TA, Schaid DJ, (2001):**
Efficacy of bilateral prophylactic mastectomy in BRCA1 and BRCA2 gene mutation carriers. *Natl Cancer Inst*; 93: 1633-1637.
- **Henry-Tillman R, Johnson A, Smith L, et al,(2001):**
Intraoperative ultrasound and other techniques to achieve negative margins .*SeminSurgOncol* 2001;20:206–213.
- **Hultman C.S.,Daiza S.,(2003):**
Skin sparing mastectomy flap complications after breast reconstruction, review of incidence, management, and outcome, *Annals Of Plastic Surgery*,50: p249-255.
- **Iglehart J and Smith B, (2008):**
Diseases of the breast. In: *Sabiston Textbook of Surgery* ‘The biological basis of modern surgical practice’ 18th Ed., Pliladelphia, London, New Yourk, W.B-Saunders Co., Ch.34, p.555-590.
- **Irwig L, Houssami N, van Vliet C, (2004):**
New technologies in screening for breast cancer: a systematic review of their accuracy. *Br J Cancer*; 90: 2118-2122.
- **Jatoi, Manfred Kaufmann,Jean Y and Petit (2006):**
Surgery of breast carcinoma. In: *Atlas of Breast Surger*, 3rd Ed ,Ch .6,p61-84.
- **Jatoi I. and Anderson WF., (2008):**
Management of women who have a genetic predisposition for breast cancer. *Surg Clin North Ai.*; 88: 845-861.
- **Jian Farhadi, Giedra K., Dirk J., et al, (2006):**
Reconstruction of nipple-areola complex. *Plastic Reconstruction Surgery*,59:p40-53.

- **Johnson D, Shah P, Collins P and Wigley C, (2008):**
Breast. In: *Gray's Anatomy*. 39th Ed., Elsevier Churchill Livingstone, Ch. 58, P.969-976.
- **Jonathan S. Zager, Carmen C. Solorzano, Eva Thomas Barry W. Feig, Gildy V. Babiera V (2006):**
Invasive breast cancer:, in MD Anderson Surgical Oncology Handbook, 4th Edition; p.24-45.
- **Judy C., Kelly K. and Elizabeth K., (2007):**
Oncoplastic Surgery for Breast Cancer. In: *Surgical Oncology*. Edited by: Graeme J. Poston, Daniel Beauchamp and Theo J. Ruers. 1st Edition; Ch. 13, PP: 127- 144. Informa.
- **Kass RB, (2007):**
Breast procedures. In: Souba W, et al.; *ACS Surgery: principles and practice*. 6th ed. Philadelphia, p.112-160.
- **Kebbeck TR, Lynch HT, Neuhausen SL, (2002):**
Prophylactic oophorectomy in carriers of BRCA1 or BRCA2 mutations. *N Engl Med*; 346:1616-1622.
- **Kim T, Gilluano A and Lyman G (2007):**
lymphatic mapping and SLN In early stage Breast cancer. *J Clin Oncol*; (106): pp 4-16.
- **Kronowitz SJ, Robb GL., (2004):**
Breast reconstruction with post –mastectomy radiation therapy, *Plastic Reconstruction Surgery*, 114: p950-960.
- **Kuerer H, Gwyn K, Ames F., et al, (2002):**
Conservative surgery and chemotherapy for breast carcinoma during pregnancy .*Surgery* 2002;131:108–10.

- **Lieberman L, Goodstone S, Dershaw, et al., (2002):**
One operation after percutaneous diagnosis Of non palpable breast cancer :frequency and associated factors .AJR Am J Roentgenol 2002;178:673–679.
- **Lyman G, Giuliano A ,Somerifield M (2008):**
American Society of clinical oncology Gudline .recomendation for SLN in early Breast cancer. J Clin oncology: 23(30): pp 7703-20.
- **Mahmoud Bassiouny, Hamdy EL-Marakby, Nagy Saber, et al,(2005):**
Quadrantectomy and nipple saving mastectomy in treatment of early breast cancer, Journal Of The Egyptian National Cancer Institute, 34, p149-159.
- **Mansel RE, Fallowfield L, Kissin M et al. (2006):**
Randomized multicenter trail of sentinel node biopsy versus standard axillary treatment in operable breast cancer: the ALMANAC Trial. J Nat Cancer Inst; 98(9): pp 599 -609.
- **Martin IK, (2000):**
Axillary dissection. Operative Techniques Gen Surg; Eur J Surg Oncol; 450(2): pp152-160.
- **Marzia Sargarello and Eugenio Farallo, (2005):**
Immediate breast reconstruction with definitive anatomical implants after skin-sparing mastectomy. British Journal Of Surgery,58:p216-222.
- **Masetti R, Pirulli PC, Magno S, (2000):**
Oncoplastic techniques in conservative surgical treatment of the breast. Breast Cancer; 7: 276-280.

-
- **Masetti R, Di Leone A, Franceschini G, et al, (2006):**
Oncoplastic Techniques in the Conservative Surgical Treatment of Breast Cancer: An Overview. *The Breast Journal* 2006;12:2:174–180.
 - **McGlothlin TDQ, (2005):**
Breast surgery as a specialized practice. *Am j Surg*; 190: 264-268.
 - **Meijers-Heijboer H, van Geel B, van Putten WL, (2001):**
Breast cancer after prophylactic bilateral mastectomy in women with a BRCA1 or BRCA2 mutation. *N Engl J Med*; 345: 159-164.
 - **Metcalf KA, Lubinski J, Ghadirian P (2008):**
Predictors of contralateral prophylactic mastectomy in women with a BRCA1 or BRCA2 mutation: the Hereditary Breast Cancer Clinical Study Group. *J Clin Oncol*; 26: 1093-1097.
 - **Michael Douek, (2009):**
Recognition and management of patients with inherited risk of breast cancer. In: *Recent Advances In Surgery*; 32: pp. 1-10.
 - **Michael S. Sabel, (2009):**
Surgical Management of Primary Breast Cancer. In: *Essentials of Breast Surgery*. Edited by: Michael S. Sabel. 1st Edition; Ch. 12; PP: 157- 178. Mosby Inc.
 - **Moore KL and Agur A, (2007):**
Thorax. In: *Essential Clinical Anatomy*, 3rd Ed., Lippincott Williams & Wilkins, Ch. 1, and P.49-114.
 - **Morrow M and Khan S, (2006):**
Breast disease. In: *Greenfield's Surgery: Scientific Principles and Practice*, 4th Ed. Lippincott Williams and Wilkins, Ch.76, P.1251-1289.

- **Morrow M, Strom E, Lawrence W et al, (2002):**
Standard for Breast Conservation Therapy in the Management of Invasive Breast carcinoma: CA Cancer J Clin 2002;52;277-300.
- **Nannelli A, Calabrese C, Cataliotti L, Querci della Rovere C, (2004):**
Oncoplastic and Reconstructive Surgery of the Breast, Vol. 12. New York: Taylor Francis; 115-125.
- **Newman L. and Kuerer H., (2005):**
Advances in breast conservation therapy .J Clin Oncol 2005;23:8:1685–1697
- **Newman L. and Washington T., (2003):**
New trends in breast conservation therapy: Surg Clin N Am 2003; 83: 841–883.
- **Nystrom L, Andersson I, Bjurstam N, (2002):**
Long-term effects of mammography screening: updated overview of the Swedish randomised trials. Lancet; 359: 909-919.
- **OlevierWA., Hazen A., LevineJP.,et al,(2003):**
Reliable assessment of skin flap viability using orthogonal polarization imaging, Plastic Reconstruction Surgery,112: p547-555.
- **Paige KT., Bostwick J., Bried JT.,and Jones GA.,(1998):**
Comparison of morbidity from bilateral uni-pedicled and unilateral uni-pedicled TRAM flap breast reconstruction. Plastic Reconstruction Surgery,101:p1819-1824.
- **Peter LW, Lawernce HB, Martin MB, et al, (2005):**
Breast. In: Gray's anatomy, 39th(Ed). Puplished by Churchill Livingstone.; pp 417-24.
- **Petit J, Youssef O, Garusi C, (2004):**
Oncoplastic and Reconstructive Surgery of the Breast, Vol. 10. New York: Taylor Francis,; 102-109.

- **Peyser PM., Abel JA., Straker VF., Hall VL., Rainsbury RM., (2000):**
Ultra-constructive skin-sparing mastectomy and immediate breast and areola reconstruction, Annual Rcoll.Surg. Eng., 82: p227-235.
- **Pisano ED, Gasonis CG, Hendrik E, (2005):**
Diagnostic performance of digital versus film mammography for breast-cancer screening. Engl j Med; 353: 1773-1783.
- **Polgar C, Fodor J, Major T, et al, (2001):**
The role of boost irradiation in the conservative treatment of Stage I – II breast cancer. Pathol Oncol Res 2001;7:241-250.
- **Punglia R., Morrow M., Winer E., et al, (2007):**
Local therapy and survival in breast cancer .N Engl J Med 2007;256:2399–2405
- **R.M. Rainsbury, (2006):**
Axillary metastases in breast cancer, British Journal Of Surgery, 93: p276-281.
- **Richard J., Bleicher M., Neal S., Topham N., et al, (2008):**
Management of breast cancer after plastic surgery. Beauty And The Breast,247:p680-686.
- **Roberta H. Baron, (2007):**
Surgical management of breast cancer, Seminars On Oncology Nursing: Vol.23, No.1, p10-19.
- **Robson M. and Offit K., (2007):**
Clinical practice. Management of an inherited predisposition to breast cancer. N Engl / Med; 357: 154-162.
- **Romerell L and Bland K, (2004):**
Anatomy of the breast, axilla, chest wall and related metastatic sites. In : The breast; comprehensive management of benign and malignant disorders, 3rd Ed., W.B-Saunders Co., Vol.1, Ch.2, P.21-42.

-
- **Romrell L and Bland K , (1998):**
Anatomy of the breast: Axilla, chest wall, and related metastatic sites. In: *The Breast: Comprehensive Management of Benign and Malignant Diseases*. Bland KI, Copeland EM III (Eds). Philadelphia. WB Saunders; chap2.
 - **Romrell L and Bland K , (1998):**
Anatomy of the breast: Axilla, chest wall, and related metastatic sites. In: *The Breast: Comprehensive Management of Benign and Malignant Diseases*. Bland KI, Copeland EM III (Eds). Philadelphia. WB Saunders; chap2.
 - **Ronka R, Smitten KV, Sintonen H, et al (2004):**
The impact of sentinel node biopsy and axillary staging strategy on hospital costs. *Ann J Oncol*; 15: pp88–94.
 - **Rozen WM, Phillips TJ, Ashton MW, Stella DL, Gibson RN, Taylor GI, (2008):**
Preoperative imaging for DIEA perforator flaps: a comparative study of computed tomographic angiography and Doppler ultrasound. *Plast Reconstr Surg* ;121(1):pp9-16.
 - **Sabel M., (2009):**
Surgical Management of Primary Breast Cancer.in *SURGICAL FOUNDATIONS: ESSENTIALS OF BREAST SURGERY* chapter 12:157-178
 - **Sainsbury R (2004):**
The breast. In: *Bailey and Love's. short practice of surgery*, 24th edition, Ch.55, P.824-846.
 - **Schule J,Frisell J, Ingvar C (2007):**
SLN Biopsy of early Breast Cancer. *Br J Surg*; 94(8): pp94 8-51.

- **Scott L., Ivica D., Frank C., and Nathan T., (2007):**
Effect of obesity on flap and donor site complications in pedicled TRAM flap breast reconstruction. *Plastic Reconstruction Surgery*, 119:p789.
- **Shestak KC(2006):**
Technical tips for avoiding complications in TRAM flap breast reconstruction. In: *Reoperative Plastic Surgery of the Breast*. Philadelphia, Pa: Lippincott Williams;pp302-39.
- **Shokuhi S. and Clarke D., (2007):**
Surgical techniques in breast cancer: *Surgery (Oxford)* 2007;25: 6:268-271.
- **Simmons RM., Hollenbeck ST., Latrenta GS., (2003):**
Areola-sparing mastectomy with immediate breast reconstruction, *Annals Of Plastic Surgery*, 51: p851-854.
- **Singh I, (2002):**
Pectoral region, axilla and breast. In: *Essentials of anatomy*, 1st Ed., Jaypee Brothers Medical Publishers LTD, New Delhi, Ch.3, p.18-26.
- **Singleetary SE, (2000):**
Skin-sparing mastectomy with immediate breast reconstruction. *Operative Techniques Gen Surg*; (2):137-151.
- **Sinnatamby C, (2006):**
Axilla. In: *Last's Anatomy; regional and applied*. 11th Ed., Elsevier Health Sciences, Ch.2 (4), P.53-58.
- **Skandalakis, John E and Panajiotis N, (2009):**
Breast in: *Skandalakis Surgical Anatomy And Technique Breast* 93-112.

- **Skandalakis, John E and Panajiotis N, (2009):**
Breast in: Skandalakis Surgical Anatomy And Technique Breast
93-112.
- **Skillman JM, Humzah MD, Brown IM, (2003):**
The future of breast surgery: a new subspecialty of oncoplastic
breast surgeons. Breast; 12: 161-162.
- **Smith RL, Pruthi S, Fitzpatrick LA, (2004):**
Evaluation and management of breast pain. Mayo Clin
Proc;79:pp 353.
- **Snell R.S, (2000):**
Anatomy of the pectoral region and axilla. In: Clinical anatomy
for medical students, 6th(Ed). Snell R.S (edit). Little Brown and
Ompany, Boston; p351.
- **Snell R.S, (2004):**
The upper limb. In: Clinical anatomy, 7th Ed., edited by Sun B,
Lippincott Williams and Willkins. Ch.9, P.455-590.
- **Staradub Vt, (2000):**
Modified radical mastectomy in: Techniques Gen Surg; Ch2.
- **Struewing J., (1997):**
The risk of breast cancer associated with specific mutations of
BRCA1 and BRCA2 among Ashkanazi Jews. N Engl J Med ;
336: p1401 1407.
- **Taghizadeh R, Hart A, Shoaib T, Weiler-Mithoff EM(2008):**
Seroma reduction in extended latissimus dorsi flap donor site by
injection of Triamcinolone- results of randomised controlled trial.
J Plast Reconstr Aesth Surg ;In press.

- **Tejler G, Aspegren K, Fentiman IS, (2000):**
Complications and hospital stay after surgery for breast cancer: A prospective study of 385 patients. British Journal Of Surgery: 72:pp 542-548.
- **Van Dongen IA., Bartelink H. and Fentiman IS., (2000):**
Randomized Clinical Trial to Assess the Value of Breast-Conserving Therapy in Stage I and II Breast Cancer. S. Nail Cancer Institute, 22: PP: 15- 18.
- **Vitug AF, Newman LA, (2007):**
Complications in breast surgery. Surg Clin North Am: 87(2): pp431-451.
- **Vlastos G., Mirza N., Meric F., et al,(2002):**
Breast conservation therapy in early stage breast cancer patients with a positive family history .Annual Cancer Symposium of the Denver, March, 2002 Society of Surgical Oncology.
- **Warner E, Foulkes W, Goodwin P et al (2002):**
Prevalence and penetrance of BRCA1 and BRCA2 gene mutations in unselected Ashkenazi Jewish women with breast cancer. J Natl Cancer Inst ; 91: p1241.
- **Wilke LG, McCall LM, Posther KE, (2006):**
Surgical complications associated with sentinel lymph node biopsy. Ann Surg Oncol; 13(4): pp491-500.
- **Wise GJ, Roorda AK, Kalter R, (2005):**
Male breast disease. J Am Coll Surg ;200: pp 255-269.