

References

- Abou-khalil B, Krass GL, Betts T, et al (2003):** levetiracetam treatment of idiopathic generalized epilepsy. *Seizure* 12(8):617-620
- Ambrosetto G and Tassinari CA (1990):** Antiepileptic drug treatment of benign childhood epilepsy with Rolandic spikes: is it necessary? *Epilepsia*. ;31(6)802-5.
- Andermann F and Berkovic SF (2001):** Idiopathic generalized epilepsy with generalized and other seizures in adolescence. *Epilepsia*. ;42(3):317-20.
- Annegers J (2005):** The epidemiology of Epilepsy, In: Wyllie E (ed.) *Treatment of Epilepsy: principles and practice*. 4th ed., Williams & Wilkins. 131- 138.
- Avanzini G and Franceschetti S (2003):** Cellular biology of epileptogenesis. *The Lancet Neurology*; 2(1): 151-167
- Aydin A, Ergor A, Ergor G, et al (2002):** The prevalence of epilepsy amongst school children in Izmir, Turkey. *Seizure*. 11(6):392.
- Babb T and Najm HI (2005):** Mechanism of Epileptogenesis. In: Wyllie E. (ed) *Treatment of Epilepsy: principles and practice*. 4th ed. Williams and Wilkins. 105-114.
- Baglietto MG, Battaglia FM, Nobili L, et al (2001):** Neuropsychological disorders related to interictal epileptic discharges during sleep in benign epilepsy of childhood with centrottemporal or Rolandic spikes. *Dev Med Child Neurol*.;43(6):407-12.
- Baudry M and Bi X (2005):** Neurotransmitters and Receptors. In: Wyllie E (ed). *Treatment of Epilepsy: principles and practice* 4th ed. Williams & Wilkins; 25-32.
- Bazil CW, Morrel MJ and Pedley TA. (2005):** Epilepsy in: Rowland LP (ed). *Merritt's Neurology*, (11th edition). Williams and Wilkins; Philsdelphia; P. 991-1014.

- Beaumanoir A (2002):** The Landau-Kleffner Syndrome. In: Roger J, Bureau M, Dravet C, Deifsuss FE, et al. (eds). *Epileptic Syndromes in Infancy, Childhood and Adolescence*. John Libbey, London; 231-243.
- Beaumanoir A (1983):** Infantile epilepsy with occipital focus and good prognosis. *Eur Neurol.*; (22):43-52
- Beaussart M (1972):** Benign epilepsy of children with Rolandic (centrotemporal) paroxysmal foci. A clinical entity: study of 221 Cases. *Epilepsia.* ; (13):795-811.
- Bell GS and Sander JW (2001):** "The epidemiology of epilepsy: the size of the problem." *Seizure*; 10(4): 306-14.
- Bello-Espinosa L and Roberts S (2003):** Levetiracetam for benign childhood epilepsy with centrotemporal spikes-three cases. *Seizure.*; (12):157-9.
- Benbadis SR (2005):** Practical management issues for idiopathic generalized epilepsies. *Epilepsia.* ;46 Suppl 9:125-32.
- Berg AT and Kelly MM. (2006):** Defining intractability comparisons among published definitions. *Epilepsia*; 47 (2): 431-436.
- Berg AT and Shinnar S (2007):** Unprovoked seizures in children with febrile seizures: Short-Term outcomes. *Neurology*; 47:562-568.
- Berg AT, Blackstone NW (2003):** Of cabbages and kings: perspectives on classification from the field of systematics. *Epilepsia.* ;44:8–12.
- Berg AT, Vickrey BG. Langfitt J, et al. (2003):** The Multicenter Epilepsy Surgery Study: recruitment and selection for surgery. *Epilepsies* ; 44:1425-1433.
- Bergman I and Painter MJ. (2000):** "Seizures disorders". In: Behrman RE and Kleigman RM (eds). *Nelson essential of pediatrics*, 16th edition. WB Saunders Company, Philadelphia; USA, P. 793-800.
- Bergy GK (2005):** Evidence-based treatment of idiopathic generalized epilepsies with new antiepileptic drugs. *Epilepsia.*;465 suppl 9:161-8.

- Berkovic S and Benbadis S (2005):** Absence Seizures. In: Wyllie E (ed) Treatment of Epilepsy principles and practice. Williams & Wilkins. 357- 368.
- Berkovic SF, Knowlton RC, Leroy RF, et al (2007):** Placebo-controlled study of levetiracetam in idiopathic generalized epilepsy. *Neurol.*;69(18):1751-60
- Betting LE, Mory SB, Lopes-Cendes I, et al (2006).** EEG features in idiopathic generalized epilepsy: clues to diagnosis. *Epilepsia.*;47(3):523-8
- Bouma P, Bovenherk A, Westendorp R, et al (1997):** The course of benign childhood epilepsy with centrotemporal spikes: a meta-analysis. *Neurol.* ;48:430-7.
- Bourgeois B, Beaumanoir A, Blajev B, et al (1987):** Monotherapy with valproate in primary generalized epilepsies. *Epilepsia.* ;28 Suppl 2:S8-11
- Bourgeois B, Brown LW and Pellock JM (1998):** Gabapentin (Neurontin) monotherapy in children with benign childhood epilepsy with centrotemporal spikes (BECTS): a 36-week, double-blind, placebo-controlled study. *Epilepsia.* ;39 suppl 6:163.
- British National Formulary; 57Edition (March2009)** British Medical Association and Royal Pharmaceutical Society of Great Britain, London
- C.P. Panayiotopoulos, T. Obeid and A.R. Tahan (1994):** Juvenile myoclonic epilepsy: a 5-year prospective study, *Epilepsia* 35, pp. 285–296. View Record in Scopus | Cited By in Scopus (137)
- Camfield PR and Camfield CS (2002):** Epileptic syndromes in childhood: clinical features, outcomes, and treatment. *Epilepsia.*;43 suppl 3:27-32.
- Caraballo R, Cersosimo R, Medina C, et al (2000):** Panayiotopoulos-type benign childhood occipital epilepsy: a prospective study. *Neurology.*;55(8):1096-1100. [Medline].

- Chadwick DW (1993):** Seizures, epilepsy, and other episodic disorders. In Watton J (ed.). Brain's diseases of the nervous system. 10th ed. Oxford University Press II.;697-723.
- Chahine LM and Mikati MM(2006):** Benign pediatric localization-related epilepsies, Part I: Syndromes in Infancy. *Epileptic Disord.*;8:169-83.
- Chen Y, Lu J, Pan H, et al (2003):** Association between genetic variation of CACNA1H and childhood absence epilepsy. *Ann Neurol.*;54(2):239-43
- Choonara IA and Rane A (1990):** Therapeutic drug monitoring of anticonvulsants. State of the art. *Clin Pharmacokinet*; 18:318-328.
- Claassen J, Hirsh LJ, Emerson RG, et al (2002):** Treatment of refractory status epilepticus with pentobarbital, propofol, or midazolam: A systemic review. *Epilepsia* ; 43:146-153.
- Commission on Antiepileptic drugs of the International League Against Epilepsy (1993):** "Guideline for the therapeutic monitoring on antiepileptic drugs". *Epilepsia*;34(4):582-587.
- Commission on classification and terminology of the ILAE (2005):** Proposal for revised clinical and EEG classification of epileptic seizures. In: Wyllie E (ed). *Treatment of Epilepsy, principles and practice* (4thed) .Williams and Wilkins; 27, 457-466.
- Commission on Classification and Terminology of the International League Against Epilepsy(1981):** Proposal for revised clinical and electroencephalographic classification of epileptic seizures. *Epilepsia*. ;22:489–501.
- Commission on Classification and Terminology of the International League Against Epilepsy(1989):** Proposal for revised classification of epilepsies and epileptic syndromes. *Epilepsia*. ;30:389–99.
- Commission on Epidemiology and Prognosis, International League Against Epilepsy (1993):** Guidelines for epidemiologic studies on epilepsy. *Epilepsia*.;(34):592–6.

Coppola G, Auricchio G, Federico R, et al (2004): Lamotrigine versus valproic acid as first-line monotherapy in newly diagnosed typical absence seizures: an open-label, randomized, parallel-group study. *Epilepsia*.;45(9):1049-53.

Corda D, Gelisse P, Genton P, et al (2001): Incidence of drug-induced aggravation in benign childhood epilepsy with centrotemporal spikes. *Epilepsia*. ;42:754-9.

Cross J (2002): Topiramate monotherapy for childhood absence seizures: an open label pilot study. *Seizure*.;11(6):406.

Crunelli V and Leresche N (1991): A role for GABA receptors in excitation and inhibition of thalamocortical cells. *Trends Neurosci*; 14: 16-21.

Crunelli V and Leresche N (2002): Childhood absence epilepsy: genes, channels, neurons and networks. *Nat. Rev. Neurosci.* ;(3):371-82.

Delgado-Escueta AV (2007): Advances in genetics of juvenile myoclonic epilepsies. *Epilepsy Curr*.;7(3):61-70.

Delgado-Escueta AV, Bascal FE and Treiman DM (1982): Complex partial seizures on closed circuit television and EEG: a study of 691 attacks in 79 patients. *Ann. Neurol.* ;11:292-300.

Delgado-Escueta AV, Medina MT, Serratosa JM, et al (1999): Mapping and positional cloning of common idiopathic generalized epilepsies: juvenile myoclonic epilepsy and childhood absence epilepsy. *Adv. Neurol.*;79:351-374.

Dravel C, Bureau M, Guerrini R, et al. (2006): Severe myoclonic epilepsy in infants. In: Riger J, Bureau M, Dravet C et al. (eds): *Epileptic syndromes in Infancy, Childhood and Adolescence*. John Libbey, London; 75-88.

Dreifuss F.E. (1989): Juvenile myoclonic epilepsy: characteristics of a primary generalized epilepsy, *Epilepsia* 30 (Suppl. 4) (1989), pp. S1–S7 [Discussion S24–7]. View Record in Scopus | Cited By in Scopus (28)

Dreifuss FE (1999): Partial seizures: In Swaiman KF, and Ashwal S (ed.). *Pediatric neurol.* 3rd ed. Mosby. ; p.646-660.

- Dreifuss FE, Martinez-Larg M, Roger J, et al (1985):** Proposal for classification of epilepsies and epileptic syndromes. *Epilepsia*; 26: 268-278
- Duchowny M and Harvey AS (1996):** Pediatric epilepsy syndromes: an update and critical review. *Epilepsia*. ;37:S26-S40.
- Duchowny M, Gilman J, Messenheimer J, et al (2002):** Long term tolerability and efficacy of lamotrigine pediatric patients with epilepsy. *J Child Neurol*.;17(4): 278-285.
- Duchowny M. (2005):** Febrile seizures: In Wylie E (ed). *Treatment of Epilepsy, principles and practice*. Williams and Wilkins. USA; 601-608.
- Duncan JS and Sander JW (1991):** The Chalfont seizure severity scale. *J Neurol. Neurosurg. Psychiatr*.;54:873-876.
- El-Afify M, (1981):** A Study of epilepsy in general hospital population Egypt Ain Shams University. M.SC.
- El-Khayat H, EL-Hodhod MA, and Abdel Aziz H, (1994):** "prevalence and epidemiology of epidepsy among Egyptian infants and children." *SCI med J Cai Synd* 2: 93-101.
- Engel J Jr (1998):** Classifications of the International League Against Epilepsy: time for reappraisal. *Epilepsia*.;39:1014–7.
- Engel J Jr (2001):** A proposed diagnostic scheme for people with epileptic seizures and with epilepsy: report of the ILAE Task Force on classification and terminology. *Epilepsia*. ;42:796–803.
- Engel J Jr (2003):** Reply to “Of cabbages and kings: some considerations on classifications, diagnostic schemes, semiology, and concepts.” *Epilepsia*. ;44:4–6.
- Engel J Jr (2006):** Report of the ILAE classification core group. *Epilepsia*. ;47(9):1558-68
- Epilepsy and learning disability** available at <http://www.Epilepsysociety.com/>
information produced July 2010. next review February 2012

Ericksson KJ and Koivikko MJ(1997): Prevalence, classification, and severity of epilepsy and epileptic syndromes in children. *Epilepsia.* ;38:1275-82.

Farrell K and Wirrell E (2006): "The definition and prediction of intractable epilepsy in children." *Adv Neurol* ;97: 435-42.

Fenichel GM (2001): Paroxysmal disorders: In Fenichel GM (ed.). *Clinical Pediatric Neurol.* 4th ed. Saunders Company. Philadelphia. Pennsylvania.;19(106):1-46.

Fenichel GM (2009): Paroxysmal disorders: In Fenichel GM (ed.). *Clinical Pediatric Neurology.* 6th ed. Saunders Company. Philadelphia. Pennsylvania. ;19(106):1-46.

Fenichel GM. (2005): Paroxysmal disorders. In: Fenichel GM (ed). *Clinical Pediatric Neurology*, (5th edition). Saunders WB Company, Philadelphia; P. 1-45.

Ferrendelli JA (2001): Concerns with antiepileptic drug initiation: safety, tolerability, and efficacy. *Epilepsia.* ;42 suppl 4:28-30.

Ferrie C, Caraballo R, Covanis A, et al (2006): Panayiotopoulos syndrome: a consensus view. *Dev Med Child Neurol.* Mar 2006;48(3):236-40. [Medline].

Ferrie CD, Beaumanoir A, Guerrini R, et al (1997): Early-onset benign occipital seizure susceptibility syndrome. *Epilepsia.* ;38(3):285-93.

Ferrie C and Grunewald R (2001): Panayiotopoulos syndrome: common and benign childhood epilepsy. *Lancet*;357:821-3.

Fisher RS and Handforth A (1999): Reassessment: vagus nerve stimulation for epilepsy: A report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology*; 53:666-669.

Fisher RS, van Emde Boas W, Blume W, et al (2005): Epileptic seizures and epilepsy: definitions proposed by the International League Against

Epilepsy (ILAE) and the International Bureau for Epilepsy (IBE).
Epilepsia. ;46(4):470-2.

Foldvary-Schaefer N and Wyllie E (2007): Goetz: Textbook of Clinical Neurology, 3rd ed.; 52: 364-450. .

Forsgren L, Beghi E, Oun A and Sillanpaa M (2005): The epidemiology of epilepsy in Europe: a systemic review. *Eur. J Neurol.*;12:245-253.

Forsgren L, Hauser WA, Olafsson JW, et al (2005): Mortality of epilepsy in developed countries: a systemic review. *Eur. J Neurol.*;(12):245-253.

Freeman J, Veggiotti P, Lanzi G, et al (2006): The ketogenic diet: from molecular mechanisms to clinical effects. *Epilepsy Res*; 68: 145-180.

Freitag CM, May TW, Pfafflin M, et al (2001) : Incidence of epilepsies: and epileptic syndromes in children and adolescents: a population based prospective study in Germany. *Epilepsia.* 2001;42(8): 979-985

French JA, Kanner AM, Bautista J, et al (2004a) : Efficacy and tolerability of the new antiepileptic drugs I: treatment of new onset epilepsy: report of the Therapeutics and Technology Assessment Subcommittee and Quality Standards Subcommittee of the American Academy of Neurology and the American Epilepsy Society. *Rev. Neurol.* 2004a Apr 27;62(8):1252-60.

French JA, Kanner AM, Bautista J, et al (2004b): Efficacy and tolerability of the new antiepileptic drugs II: treatment of refractory epilepsy: report of the Therapeutics and Technology Assessment Subcommittee and Quality Standards Subcommittee of the American Academy of Neurology and the American Epilepsy Society. *Rev. Neurol.* 2004b Apr 27;62(8):1261-73.

G. Kleveland and B.A. Engelsen (1998): Juvenile myoclonic epilepsy: clinical characteristics, treatment and prognosis in

a Norwegian population of patients, *Seizure* 7, pp. 31–38.
Article |  PDF (2741 K) | View Record in Scopus | Cited
By in Scopus (27)

G.L. Krauss, T. Betts, B. Abou-Khalil, et al (2003): Levetiracetam treatment of idiopathic generalised epilepsy, *Seizure* 12 (2003), pp. 617–620. Article |  PDF (38 K) | View Record in Scopus | Cited By in Scopus (54)

Ganong WF (2001): Chemical transmission of synaptic activity. In: Ganong WF (ed), *Review of medical physiology*, 18th ed, Appleton and Lange, Connecticut, 75-105

Ganong WF. (2000): Chemical transmission of synaptic activity. In: Ganong W.F. (ed.): *Review of medical physiology*, 17th ed., Appleton and Lange, Connecticut, 06855; 75-105.

Gardiner M. (2005): Genetics of idiopathic generalized epilepsy. *Epilepsia*. ;46 suppl 9:15-20.

Gastaut H (1982): A New Type of epilepsy: benign partial epilepsy of childhood with occipital spike-waves. *Clin Electroencephalogr.* 1982;(13):13-22.

Gericke CA, Picard F, De Saint- Martin A, et al (1999): Efficacy of lamotrigine in idiopathic generalized epilepsy syndromes: a video EEG- Controlled open study. *Epileptic Disord.* 1999 Sep;1(3):159-165.

Glick TH. (1993): Electroencephalography. In: Glick TH (ed). *Neurologic skills*. Blackwell scientific Publications, Cambridge, Massachusetts 02142, USA; P. 332-35.

Goa KL, Ross SR and Chrisp P. Lamotrigine: a review of its pharmacological properties and clinical efficacy in epilepsy. *Drugs.* 1993;(46):152-176.

Goodkin HP (2007): The founding of the American Epilepsy Society: 1936-1971. *Epilepsia.* 2007 Jan;48(1):15-22.

- Goutieres F and Aicardi J (2004):** A typical presentation of pyridoxine dependent seizures. *Ann. Neurol*; 17(2): 117-120.
- Grioni D, Contri M, Redaelli S, et al (2009):** Clinical and genetic familial study of a large cohort of Italian children with idiopathic epilepsy. *Brain Research Bulletin*.;(79):89–96.
- Guerrini R, Belmonte A and Genton P (1998):** Antiepileptic drug-induced worsening of seizures in children. *Epilepsia*.;39 Suppl 3:S2-10
- Guerrini R, Belmonte A, Veggiotti P, et al (1997):** Delayed appearance of interictal EEG abnormalities in early onset childhood epilepsy with occipital paroxysms. *Brain Dev.* ;19(5):343-6.
- Hamer HM, Moller JC, Oertel WH, et al (2001):** Late-onset myoclonic epilepsy in down's syndrome (lomed). *Seizure*; 10:303-306.
- Hanhan UA, Fiallos MR and Orlowski JP (2001):** Status epilepticus. *Pediatr Clin North Am* 2001;48:683.
- Harvey AS, Nolan T and Carlin JB (1993):** Community based study of the mortality in children with epilepsy. *Epilepsy.* ;(34):597-603.
- Haslam RH (1997):** Nonfebrile seizures. *Pediatr Rev*; 18:39-49.
- Hauser WA (1994):** The prevalence and incidence of convulsive disorders in children. *Epilepsia*.;35 suppl 2:S1–6.
- Hauser WA (1995):** Epidemiology of epilepsy in children. *Neurosurg. Clin. N. Am.*;6(3):419-429.
- Hauser WA and Hesdorffer DC (1990):** Epilepsy, frequency, causes and Consequences. New York. Demos Publications. 1990.
- Hauser WA, Annegers JF and Elveback LR (1980):** Mortality in patients with epilepsy. *Epilepsia*; 21:399–412.
- Hirsch E and Panayiotopoulos CP (2005):** Childhood absence epilepsy and related syndromes: In Roger J, Bureau M, Dravet C, et al. *Epileptic syndromes in infancy childhood and adolescence*. 4th edition, with video. Montrouge. France. John Libbey Eurotext. ;p.315-35.

- Hitiris N, Mohnaraj R, Norrie J, et al (2007):** Mortality of epilepsy. *Epilepsy Behave.* 2007;(10):363-76.
- Hodaie M, Wennberg A, Dostrovsky, et al (2002):** Chronic anterior thalamus stimulation for intractable epilepsy. *Epilepsia*; 43(6):603-608.
- Holmes GL (1999):** Generalized seizures: In Saiman K and Ashwal S (eds.) *Pediatric neurol.* 3rd ed. Mobsy. ;Chap.34: p.634-645.
- Holmes GL, Khazipov R and Ben Ari Y (2002):** New concepts in neonatal seizures. *Neuroreport.* 2002;(13):A3-8.
- Holmes G (1993):** Benign focal epilepsies of childhood. *Epilepsia.* ; 34 Suppl 3:S49-S61
- Ikeno T, Shigematsu H, Miyakoshi M, et al. (2003):** An analytic study of epileptic falls. *Epilepsia* ; 26:61.
- Jallon P (2002):** Epilepsy and epileptic disorders: an epidemiological marker, contribution of descriptive epidemiology. *Epileptic Disord.*;4(1):1-13.
- Jallon P and Latour P (2005):** Epidemiology of idiopathic generalized epilepsies. *Epilepsia.*;46 Suppl 9:10-4.
- Janszky J, Foqarasi A and Mafalova V (2006):** Unilateral hand automatisms in temporal lobe epilepsy. *Seizure.*;15(6):393-396.
- Janz D (2005):** The idiopathic generalized epilepsies of adolescence with childhood and juvenile age of onset, *Epilepsia*; 38(1): 4-11.
- Janz D and Durner M (1997):** Juvenile myoclonic epilepsy. In: Engel JJr, Pedley TA, eds. *Epilepsy: a comprehensive textbook.* Philadelphia. Lippincott-Raven Publishers. ;2389-400.
- Janz D and Wolf P(1997):** Epilepsy with grand mal on awakening. In: Engel J Jr, Pedley T, eds. *Epilepsy: a comprehensive textbook.* Philadelphia. Lippincott-Raven Publishers. 1997;2347-54.
- Jiang W, Duoug TM and de Lancerolle NC. (1999):** The neuropathology of hypothermic seizures in the rat. *Epilepsia*; 40 (1): 5-19.

- John M, Pellock MD, Blaise F, et al (2007):** Pediatric Epilepsy diagnosis and therapy. Mosby Inc; 126: 311- 320.
- Johnston M (2007):** Seizures in Childhood; Kliegman: Nelson Textbook of Pediatrics, 18th ed.; 593:4153-4199.
- Johnston MY (2004):** Seizures in childhood. In: Behrman RE, Kliegman RM and Jenson HB (eds.), Nelson Textbook of Pediatrics (17th edition). WB Saunders Company, Philadelphia, USA; P 1994-2009.
- Jones SW (2005):** Basic cellular neurophysiology. In Wyllie E. (ed), Treatment of Epilepsy, principles and practice, 4th ed, Williams and Wilkins. 2-24.
- Kaddurah AK, Moorjani BI, Rividlo JJ ,et al (2011):** Benign childhood epilepsy available at <http://www.medscape.com>.
- Kellerman K (1993):** Benign epilepsy of childhood with occipital paroxysms: familial occurrence with three affected children. Epilepsia.; 34 Suppl 2:65.
- Kivity S and Lerman P(1992):** Stormy onset with prolonged loss of consciousness in benign childhood epilepsy with occipital paroxysms. J Neur Neurosurg. Psychiatry. 1992;(55):45-8.
- Kivity S, Ephraim T, Weitz R, et al (2000):** Childhood epilepsy with occipital paroxysms: clinical variants in 134 patients. Epilepsia.;41(12):1522-33.
- Kotogal S (1990):** Paroxysmal disorders. In Kotogal S. (eds.). Essentials of Child Neurology. Euro. America inc. ;p.49-59.
- Kotsopoulos IAW, Van Merode T, Kessels FGH, et al (2002):** Systemic review and meta-analysis of incidence studies of epilepsy and unprovoked seizures. Epilepsia.;43:1402-1409
- Koutroumanidis M. (2002):** Panayiotopoulos syndrome: a common benign but underdiagnosed and unexplored early childhood seizure syndrome. BMJ.;324:1228-9.
- Kramer U, Zelnik N, Lerman-Sergie T, et al (2002):** Benign childhood epilepsy with centrotemporal spikes: clinical

characteristics and identification of patients at risk for multiple seizures. J Child Neurol.;(17):17-9.

Kriel R and Cloyd J (2006): Classification of seizures. In: Swaiman K, Ashwal S. and Ferriero D. (ed) Pediatric Neurology: Principles and Practice by Mosby year book Inc. 473.

Kuzniesky RI (2007): Neuroimaging in pediatric epilepsy, Epilepsia; 37 (1): 10-21.

Kwan P and Brody M. (2004): Drug treatment of epilepsy: when does it fail and how to optimize its use. CNS Spectrums; 9:110-119.

Labate A, Colosimo E, Gambardella A, et al (2006):levetiracetam in patients with generalized epilepsy and myoclonic seizures, an open labeled study. Seizure 15 (3):214-218.

Lada C, Skiadas K, Theodorou V, et al (2003): A study of 43 patients with panayiotopoulos syndrome, a common and benign childhood seizure susceptibility. Epilepsia. Jan 2003;44(1):81-8. [Medline].

Lada C, Skiadas K, Theodorou V, et al (2003): A study of 43 patients with Panayiotopoulos syndrome: a common and benign childhood seizure susceptibility. Epilepsia. ;44(1):81-8.

Lagae L. (2008): What's new in Genetics in childhood epilepsy Eur J Pediatr; 167:715–722.

Langlais PJ, Wardlow ML and Yamamoto H (1999): Changes in CSF neurotransmitters in infantile spasms. Pediatr Neurol; 7(6): 440-445.

Langtry HD, Gillis JC and Davis R. Topiramate: a review of its pharmacodynamic and pharmacokinetic properties and clinical efficacy in the management of epilepsy. Drugs. 1997;(54):752-773.

Laura, Guilhoto LM, Manreza ML, et al (2006): Occipital intermittent rhythmic delta activity in absence epilepsy. Arq Neuropsiquiatr. 2006 Jun;64(2A):193-7. Epub 2006 Jun 9.

- Lesser RP, Pippenger CE, Luders H, et al (1984):** High-dose monotherapy in treatment of intractable seizures. *Neurology*; 34:707-711.
- Levados J, Germain L and Morales A (1992):** A descriptive study of epilepsy in the district of El-Salvador. Chile (1984-1988). *Acta. Neurol. Scand.* ;85:249-256.
- Loiseau P, Duch B and Pedespan JM (2006):** Absence Epilepsies. *Epilepsia*; 36: 1182-1187
- Lowenstein DH, Bleck T and Macdonald RL (2007):** It's time to revise the definition of status epilepticus. *Epilepsia*; 40: 120-122.
- Lowenstien DH and Alldredge BK (1998):** Status epilepticus. *N Engl J med* 1998; 338:970-976.
- Lydia U, Martha F, Nahid F, et al (2006):** A GABRB3 promoter haplotype associated with childhood absence epilepsy impairs transcriptional activity. *Human Molecular Genetics*. Vol.15.16: 2533–2541.
- M.J. Clement and S.J. Wallace (1988):** Juvenile myoclonic epilepsy, *Arch Dis Child* 63 (1988), pp. 1049–1053. View Record in Scopus | Cited By in Scopus (11)
- Ma and Chan, Ma CKL and Chan KY (2003):** Benign childhood epilepsy with centrotemporal spikes: a study of 50 Chinese children. *Brain Dev.*;(25):390-5.
- Mac ML, Tran DS, Quet F, et al (2007):** Epidemiology, aetiology and clinical management of epilepsy in Asia: a systemic review. *Lancet Neurol.*;6:533-543.
- Manelis J and Dublin M.(1995):** The benign epilepsies of childhood and adolescence. In: Aldenkamp A, Dreifuss F, Renier W, Suurmeiger T, eds. *Epilepsy in children and adolescents*. New York. CRC Press Inc. 1995;32..
- Manufacturer's PIL, Diazepam Tubes,** (wockhardt UK LTd, electronic Medicines Compendium. Revised February 2004, accessed may 2009.

- Margretta R Seashore and Rebecca S Wappner. (1996):** Genetic and epilepsy genetics in primary care and clinical medicine 1st (ed) Asimon and Sctruster Co; P132-152.
- Marini C, Harkin LA, Wallace RH, et al (2003):** Childhood absence epilepsy and febrile seizures: a family with a GABA(A) receptor mutation. Brain. 2003 Jan;126(Pt 1):230-40.
- Marshall R and Mayer S. (1997):** Seizures. In: Marshall R and Mayer (eds). On call Neurology. Saunders WB Company. Philadelphia; P. 51-63.
- Marson AG, Al-Kharusi AM, Alwaidh M, et al (2007b)** The SANAD study of effectiveness of carbamazepine, gabapentin, lamotrigine, oxcarbazepine, or topiramate for treatment of partial epilepsy: an unblinded randomised controlled trial. Lancet.;369 (9566): 1000-15.
- Marson AG, Al-Kharusi AM, Alwaidh M, et al (2007a):** The SANAD study of effectiveness of valproate, lamotrigine, or topiramate for generalised and unclassifiable epilepsy: an unblinded randomised controlled trial. Lancet.; 369(9566):1016-26.
- Massoud MK, (1997):** "Neuroepidemiological study of epilepsy among school children in Cairo aged between 6-15 years". Egypt, Cairo University. MD.
- Matricardi M, Brinciotti M and Benedetti P (1989):** Outcome after discontinuation of AED therapy in children with epilepsy. Epilepsia; 30:582-9.
- Mattson RH, Cramer JA, Collins, JF. And the Department of Veteran Affairs Epilepsy Cooperative Study No. 264 Group (1992):** A comparison of valproate with carbamazepine for the treatment of complex partial seizures and secondarily generalized tonic-clonic seizures in adults. N. Engl. J. Med. 1992;327:765-771.
- Mayer SA, Claassen J, Lokin J, et al (2002):** Refractory status epilepticus: frequency, risk factors, and impact on outcome. Arch Neurol.;59:205–210.

- Maytal J, Shinnar S, Moshe SL, et al (1989):** Low morbidity and mortality os statue epilepticus in children, *Pediatrics* ;83:323-331.
- McNamara J (2001):** Kindling: An animal model of complex partial epilepsy. *Ann Neurol*; 16:72-76.
- Medina MT, Reyna MD, Martinez L, et al (2005):** Prevalence incidence and aetiology of epilepsies in rural Honduras. The Salama study. *Epilepsia.* ;46:124-131.
- Menkes J and Sankar R (2005):** Paroxysmal disorders. In: Menkes J Sarnat H and Bernard L (ed) *Child Neurology*. Williams & Wilkin; 919- 1026
- Merlin LR, Tyalor GW and Wong RS (1995):** Role of metabotropic glutamate receptor subtypes in the patterning of epileptiform activities in vitro. *J Neurophysiol*; 74: 896-900.
- Mikati MA, Fayad M, Hussein R, et al (2002):** Efficacy, tolerability, and kinetics of lamotrigine in infants. *J Pediatr.* 2002 Jul;141(1):31-35.
- Mullins GM, O'sullivan SS, Neligan A, et al (2007):** A study of idiopathic generalised epilepsy in an Irish population. *Seizure.*;16(3):204-10.
- Nagendra K and Rossiter MA (1990):** Benign occipital epilepsy of childhood: a family study. *J R Soc. Med.*;(83):804-5.
- Najm I, Janigro D and Babb T (2007):** Mechanism of Epileptogenesis. In: Forsyth R. and Newton R. (eds) *Pediatric Neurology, Oxford Specialist Hand book in Pediatrics*. Livingston Churchill . 330- 337.
- Najm I, Ying Z and Janigro D (2001):** Mechanisms of epileptogenesis. *Neurologic Clinics*; 19(2):92 -114.
- Nancy AS, Hoda YT, Rasha HA and Reham MS(2010):** Medical thesis for M.S.C master degree, Faculty of Medicine Ain Shams University, Idiopathic Epilepsy: the Experience of Pediatric Neurology Clinic.
- Neubauer BA, Fiedler B, Himmelein B, et al (1998):** Centrottemporal spikes in families with r olandic epilepsy: linkage to chromosome 15q14. *Neurology.* 1998 Dec;51(6):1608-12.

- Niaz FE, Abou Khalil B and Fakhoury T(1999):** The generalized tonic-clonic seizure in partial versus generalized epilepsy. Semilogic differences. *Epilepsia*.;40(11):1664-1666.
- Nicolai J, Aldenkamp AP, Arends J, et al (2006):** Cognitive and behavioral effects of nocturnal epileptiform discharges in children with benign childhood epilepsy with centrotemporal spikes. *Epilepsy Behav.*;8:56-70.
- Nicolson A, Appleton RE, Chadwick DW, et al (2004):** The relationship between treatment with valproate, lamotrigine, and topiramate and the prognosis of the idiopathic generalised epilepsies. *J Neurol Neurosurg. Psychiatry.* ;75(1):75-9.
- Nordli D(2002):** The ketogenic diet. Uses and abuses. *Neurol.*;12 suppl 7:21-24.
- Nordli DR, Jr.(2005):** Idiopathic generalized epilepsies recognized by the International League Against Epilepsy. *Epilepsia.* ;46 suppl 9: 48-56.
- North KN, Storey G and Henderson-Smart DJ (2008):** Fifth day fits in the newborn. *J Paediatrics and Child Health.*; 25(5):284-287.
- Oguni H (2001):** Panayiotopoulos syndrome. *Lancet.*;358:69.
- Oguni H, Hayashi K, Imai K, et al (1999):** Study on the early-onset variant of benign childhood epilepsy with occipital paroxysms otherwise described as early-onset benign childhood occipital seizure susceptibility syndrome. *Epilepsia.* ; (40):1020-30
- Ohtsu M, Oguni H, Hayashi K, et al (2003):** in children with early-onset benign occipital seizure susceptibility syndrome: Panayiotopoulos syndrome. *Epilepsia.* Mar 2003;44(3):435-42. [Medline]
- Panayiotopoulos CP (2004):.** Autonomic seizures and autonomic status epilepticus peculiar to childhood: diagnosis and management. *Epilepsy Behav.* Jun 2004;5(3):286-95. [Medline].

Panayiotopoulos CP (2005): Idiopathic generalized epilepsies: a review and modern approach. In Panayiotopoulos CP, ed. The epilepsies: seizures, syndromes and management. Oxford. Bladon Medical Publishing.;271-348.

Panayiotopoulos CP (2008): Typical Absence Seizures. The International League Against Epilepsy. . Available at http://www.ilae-epilepsy.org/Visitors/Centre/ctf/typical_absence.cfm.

Panayiotopoulos CP (1993): Benign childhood partial epilepsies: benign childhood seizure susceptibility syndromes. J Neurol Neurosurg. Psychiatry.;(56):2-5.

Panayiotopoulos CP (1999a): Early-onset benign childhood occipital seizure susceptibility syndrome: a syndrome to recognize. Epilepsia.; 40:621-30.

Panayiotopoulos CP (1999b): Benign childhood partial seizures and related epileptic syndromes. London, England. John Libbey and Company Ltd.

Panayiotopoulos CP (1999c): Visual phenomena and headache in occipital epilepsy: a review, a systematic study and differentiation from migraine. Epileptic Disord. ;1:205-16.

Panayiotopoulos CP (2001): Panayiotopoulos syndrome. Lancet. ; (358):68-9.

Pedley TA, (2005): " Seizure disorders" Pediatric Neurology New York, Theory and Practice, Theme, Stuttgart: 531-568.

Pellock JM (2004): Incidence of seizure type, by age. Neurology; 62(5): 73.

Pellock JM, (2004): Treatment of seizures and epilepsy in children and adolescents. Neurology; 51(4): 8-14.

Perez ER, Maeder P, Villemure KM, etal (2000): Acquired hippocampal damage after temporal lobe seizures in 2 infants. Ann Neurol ;48:384-387.

Plouin P (2000): [Value of video electroencephalography in neonatology]. Arch Pediatr.;7 Suppl 2: 332s-333s

Plouin P (2006): Epileptic seizures amongst neonates. In Panayiotopoulos CP (ed.). Volume 1. A practical guide to childhood epilepsies. Oxford. Medicae.; pp 38-44.

Plouin P and Anderson V.E (2005): Benign familial and non familial neonatal seizures. In Roger J, Bureau M, Dravet C, Genton P, Tassinari C.A, Wolf P, eds. Epileptic syndromes in infancy, childhood and adolescence. 4th edition. Montrouge. France. John Libbey Eurotext Ltd.; pp 3-15.

Plouin P and Anderson VE (2002): Benign familial and non-familial neonatal seizures. In Roger J, Bureau M, Dravet C, Genton P, Tassinari CA, Wolf P, eds. Epileptic syndromes in infancy, childhood and adolescence. 3rd edition. London. John Libbey and Co Ltd.; pp 3-13.

Posner EB, Mohamed K and Marson AG (2005): Ethosuximide, sodium valproate or lamotrigine for absence seizures in children and adolescents. Cochrane Database Syst. Rev. ;4:CD003032

Prats JM, Garaizar C, Garcia-Nieto ML et al (1997): Antiepileptic drugs and atypical evolution of idiopathic partial epilepsy. Pediatr. Neurol.;18(5):402-6.

Prior PF and Binnie CD. (1994): Electroencephalography. J Neurol. Neurosurg Psychiatr; 57: 1304-1319.

Prividera M, Fineham R. and Penry J (1996): Topiramate placebo controlled doseranging trial in refractory partial epilepsy using 200, 400, 600 mg dosages. Neuro. ;46:1678-1683.

R.A. Grunewald and C.P. Panayiotopoulos (1993): Juvenile myoclonic epilepsy. A review, Arch Neurol 50 (1993), pp. 594–598. View Record in Scopus | Cited By in Scopus (62)

Ravat S and Gupta R (2008): Antiepileptic drugs in pediatric epilepsy. Journal of Pediatric Neurosciences; 3(1):7-15.

- Reutens S and Sachdev PS (2005):** Periodic limb movements and other movement disorders in sleep: Neuropsychiatric dimensions. *Int Rev Psychiatry*; 17:283-292.
- Rho JM, Sankar R and Cavazos JE (2004):** *Epilepsy: Scientific Foundations of Clinical Practice*. New York. Marcel Dekker.
- Riikonen R (2006):** Childhood convulsive status epilepticus, *Lancet* ;368:184-185.
- Riviello JJ Jr., Ashwal S, Hirz D, et al (2006):** Practice parameter: diagnostic assessment of the child with status epilepticus (an evidence- based review). *Neurology* ;67:1542-1550.
- Roger J, Bureau M, Dravet C, et al (2005):** *Epileptic syndromes in infancy, childhood and adolescence*. 4th ed. Myontrouge. John Libbey Eurotext. .
- Roger J, Dreifuss FE, Martinez- Large M and Munari C. (1989):** proposal for revised classification of epilepsies and epileptic syndromes. *Epilepsia*; 30: 389-399
- Rossi PG, Parmeggiani A, Posar A, et al (1997):** Benign myoclonic epilepsy: long-term follow-up of 11 new cases. *Brain Dev.* 1997 Nov;19(7):473-9.
- Sachdeo RC, Sachdeo SK, Levy RH, et al (2002):** Topiramate and phenytoin pharmacokinetics during repetitive monotherapy and combination therapy to epileptic patients. *Epilepsia.* ;43(7):691-696.
- Sadleir LG, Farrell K, Smith S, et al (2006):** Electroclinical features of absence seizures in childhood absence epilepsy. *Neurol.*;67(3):413-8.
- Sander JW and Pal DK (2000):** Long term prognosis of epilepsy. In Schmidt D and Schachter SC eds. *Epilepsy problem solving in clinical practice*. Martin Dunitz Lt. ;29: 367-380.
- Schmidt D and Sorvon S. The epilepsies. (1996):** In: Brandt T, Caplan LR, Dichgans J, Diener HC and Kennurd C (eds). *Neurological Disorders: Course and Treatment*. Academic Press, A Harcourt Brace and Company, San Diego; P 159.

- Serratosa JM (2001):** Juvenile myoclonic epilepsy. In: Wyllie E ed. The treatment of epilepsy: principles and practice. Philadelphia. Lippincott Williams and Wilkins.;491–507.
- Serratosa JM (2005):** The progressive Myoclonus Epilepsies. In: Wyllie E (ed) Treatment of Epilepsy Principles and Practice, Williams & Wilkins. 509.
- Serratosa JM, Delgado-Escueta AV, Medina MT, et al. (2004):** Clinical and genetic analysis of a large pedigree with juvenile myoclonic epilepsy. Ann Neurol; 39: 187-195.
- Shain M, Menache CC, Homes GI, et al (2001):** Outcome of severe refractory status epilepticus in children. Epilepsia ;42:1461-1467.
- Shiner S, Pellock JM, Berg AT, et al (2001):** Short- term outcome of children with febrile status epilepticus. Epilepsia ;42:47S-53S.
- Shinnar S and Pellock JM (2002):** Update on the epidemiology and prognosis of pediatric epilepsy. J Child Neurol.;17 Suppl 1:S4-17.
- Shinnar S, Berg AT, O'Dell C, et al (2000):** Predictors of multiple seizures in a cohort of children prospectively followed from the time of their first unprovoked seizure. Ann Neurol. 2000 Aug;48(2):140-7.
- Shorvon SD (2000):** Definitions and classification of epilepsy. In Shorvon SD (ed.). Handbook of epilepsy treatment. Blackwell Science Ltd.;p.1-15.
- Shorvon SD, Perucca E, Fish D, et al(2004):** The treatment of epilepsy. 2nd eds. Blackwell Publishing. Oxford.
- Shouse MN, Scordato JC and Farber PR (2004):** Sleep and arousal mechanism in experimental epilepsy: epileptic components of NREM and antiepileptic components of REM sleep. Men. Retard Dev. Disabil. ;10:117-21.

Smith C, Lieberman M, Marks DB, et al (2007): Marks' essential medical biochemistry. Hagerstown, MD: Lippincott Williams & Wilkins; 366-372.

Smith MC, Byrne R and Kanner AM (2006): Corpus callosotomy and multiple subpial transection. In: Wyllie E, Gupta A and Lachhwani DK, eds. The Treatment of Epilepsy: Principles and Practice, 4th ed. Philadelphia: Lippincott, Williams & Wilkins; 1159-1168.

Smith SJ (2005): "EEG in the diagnosis, classification, and management of patients with epilepsy." J Neurol Neurosurg Psychiatry; 76(Suppl 2): ii2-7.

Spencer SS, Berg AT, Vickery BG, et al. (2003): Initial outcomes in the multicenter study of epilepsy surgery. Neurology; 61:1680-1685.

Stefan H, Halasz P, Gil-Nagel A, et al. (2002): Recent advances in the diagnosis and treatment of epilepsy. Eur J Neurol ; 8:519-539.

Steinhoff BJ, Neuss K and Thegeder H (1996): Leisure time activity and physical fitness in patients with epilepsy. Epilepsia.;(37):1221-1227.

Stephan L, Sills G and Brodie M (2000): Topiramate in refractory epilepsy: a prospective observational study. Epilepsia. ;41(8):977-980.

Tassinari CA, Michelucci R. and Riguzzi P (1998): The use of diazepam and clonazepam in epilepsy. Epilepsia. ;39 suppl 1:S7–S14.

Tatum N, Genton P, Bureau M, et al (2005): Less common epilepsy syndromes, In: Wyllie E, ed, Treatment of Epilepsy, Williams and Wilkins; 551-575.

Tsai ML, Hsin-Yu L and Chaou WT (2001): Clinical and electroencephalographic findings in early and late onset benign epilepsy with occipital paroxysms. Brain Dev. ;23:401-5.

Vanlandingham KE, Heinz ER, Cavazos JE, et al (1998): Magnetic resonance imaging evidence of hippocampal injury after prolonged focal febrile convulsions. Ann neurol;43:413-426.

Vendrame M, Khurana DS, Cruz M, et al (2007): Aggravation of seizures and/or EEG features in children treated with oxcarbazepine monotherapy. *Epilepsia*. 2007 Nov;48(11):2116-20.

Verrotti A, Coppola G, Manco R, et al (2007): Levetiracetam monotherapy for children and adolescents with benign rolandic seizures. *Seizure*. Apr 2007;16(3):271-5. [Medline].

Vidaurre JA, Ballaban-Gill K, Plouin P, Moshe SL. Benign neonatal seizures (non-familial). 2003; 2006.

Waalder PE, Blom BH, Skeidsvoll H , et al (2000): Prevalence, classification and severity of epilepsy in children in Western Norway. *Epilepsia*.;41:802-810.

Walczak TS, Leppik IE, D'Amelio M, et al (2001): Incidence and risk factors in sudden unexpected death in epilepsy: a prospective cohort study. *Neurology*.;56(4):S519-25.

Wallace R (2005): Identification of a new JME gene implicates reduced apoptotic neuronal death as a mechanism of epileptogenesis. *Epilepsy. Curr*. 2005;(1): 11-3.

Wallace SJ and Farrell K. *Epilepsy in children*. Arnold, London. 2004.

Weber Y.G. and H. Lerche (2008): Genetic mechanisms in Idiopathic epilepsies. *Dev. Med. Child Neurol*.;50:648–654.

Weisberg LA. Carcid C, Strub R. Seizure and epilepay. (1996): In: Weisberg LA; Garcid C and Strub R (ed). *Essential of Clinical Neurology* (3rd edition). Mosby- Year book, Missouni; 6314: P 306-330.

Wirrell and Wirrell E (1998): Benign childhood epilepsy with centrotemporal spikes . *Epilepsia*. 1998;39 Suppl 4:S32-S41.

Wirrell E, Camfield C, Camfield P, et al (2001): Prognostic significance of failure of the initial antiepileptic drug in children with absence epilepsy. *Epilepsia*. ;42(6):760-3.

Wirrell EC (2003): Natural history of absence epilepsy in children.
Can J Neurol Sci. 2003 Aug; 30(3):184-8.

Wirrell EC, Camfield CS, Camfield PR, et al (1996): Long-term prognosis of typical childhood absence epilepsy: remission or progression to juvenile myoclonic epilepsy. Neurology. 1996 Oct; 47(4):912-8.

Wirrell EC, Camfield CS, Camfield PR, et al. (2002): Long-term prognosis of typical childhood absence epilepsy: Remission or progression to juvenile myoclonic epilepsy. Neurology; 47: 912-918.

Wirrell EC, Camfield PR, Gordon KE, et al (1995): Benign rolandic epilepsy: atypical features are very common. J Child Neurol. 1995 Nov;10(6):455-8.

Wiznitzer M (2005): Buccal midazolam for seizures. Lancet ;366:182-184.

Woert M, Robensaum D, Howieso J,et al (2006): Long term therapy of myoclonus and other neurologic disorders with L- 5- hydroxy tryptophan and carbidopa . N Engl J Med; 269: 70- 75.

Wolf P (1992): Epilepsy with grand mal on awakening. In Roger J, Bureau M, Dravet C, eds. Epileptic syndromes in infancy, childhood and adolescence. London. John Libbey & Co. Ltd. ;pp 329-341.

Wolf P (1996):Treatment of the idiopathic (primary) generalized epilepsies. In: Shorvon S, Dreifuss FE, Fish D, Thomas D, editors. The treatment of epilepsy. Oxford. Blackwell. ;238-46.

Wolf P (1997): Isolated seizures. In: Engel J Jr, Pedley T, editors. Epilepsy: a comprehensive textbook. Philadelphia. Lippincott - Raven. ;2475-81.

Wolf P (2002): The role of nonpharmaceutic conservative interventions in the treatment and secondary prevention of epilepsy. Epilepsia; 43 (9):2-5.

Wolf P (2003): Of cabbages and kings: some considerations on classifications, diagnostic schemes, semiology, and concepts. Epilepsia. ;44:1-4.

- Wolf P (2006):** Basic principles of the ILAE syndrome classification. *Epilepsy Res.*;70 Suppl 1:S20-6.
- Won HJ (2001):** Comparison of MR imaging with PET and ictal SPECT in 118 patients with intractable epilepsy. *Am J Neuro Radiol*; 20: 593-599.
- Wyllie E (1991):** Routine laboratory monitoring for serious adverse effects of antiepileptic medications: The controversy. *Epilepsia*; 32 (5): 74-79.
- Zifkin B, Andermann E and Andermann F (2005):** Mechanisms, genetics, and pathogenesis of juvenile myoclonic epilepsy. *Curr Opin Neurol*; 18:147-153.