

REFERENCES

- Abdel-Kader, M. M.; N. S. El-Mougy and A. M. A. Ashour. (2002).** Suppression of root rot incidence in faba bean fields by using certain isolates of *Trichoderma*. Egypt J. Phytopathol., 30:15–25.
- Abou-Zeid, N. M.; G. A. EL-Morsy; A. M. Hassanein and M. K. Arafa. (1997)** Major organisms causing root-rot wilt and their relative importance on faba bean, lentil and chickpea. Egypt J. Agric. Res., 75:529–542.
- Agrios, N.A. (1988).** Plant pathology. 3rd Edn., Academic Press, USA., Pp., 220-222.
- Akutsu, K., (2006).** Studies into biocontrol technology and development of genetic control technology for plant diseases. J Gen Plant Pathol., 72: 396–399.
- Alberton, O.; G. Kaschuk and M. Hungria. (2006).** Sampling effects on the assessment of genetic diversity of rhizobia associated with soybean and common bean. Soil Biology & Biochemistry, 38:1298-1307.
- Alef, K. (1995).** Methods in Applied Soil Microbiology and Biochemistry. 2nd Ed. Pp., 360-361. Academic Press Ltd.
- Alikhani, H. A.; N. S. Rastin and H. Antoun. (2006).** Phosphate solubilization activity of rhizobia native to Iranian soils. Plant Soil, 287:35–41.
- Altindag, M.; M. Sahin; A. Esitken; S. Ercisli; M. Guleryuz; F. M. Donmez and F. Sahin. (2006).** Biological control of brown rot (*Moniliana laxa* Ehr.) on apricot (*Prunus armeniaca* L. cv. Hacıhaliloğlu) by *Bacillus*, *Burkholdria*, and *Pseudomonas* application under *in-vitro* and *in-vivo* conditions. J. Biol. Cont. 38: 369-372.
- American Type Culture Collection, ATCC. (1992).** Catalogue of Bacteria and Bacteriophages, 18th ed., Pp. 428.
- Andrup, L. and K. Andersen. (1999).** A comparison of the kinetics of plasmid transfer in the conjugation systems encoded by the F plasmid from *Escherichia coli* and plasmid pCF10 from *Enterococcus faecalis*. Microbiology, 145: 2001–2009.
- Andrup, L.; L. Smidt; K. Andersen and L. Boe. (1998).** Kinetics of conjugative transfer: a study of the plasmid pXO16 from *Bacillus thuringiensis* subsp. *israelensis*. Plasmid, 40: 30–43.

- Antoun, H.; C. J. Beauchamp; N. Goussard; R. Chabot and R. Lalande. (1998).** Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: Effect on radishes (*Raphanus sativus* L.). *Plant and Soil*, 204: 57–67.
- Arshad, M. and W.T. Frankenberger. (1991).** Microbial production of plant hormones. In: Keister DL, Cregan PB, Eds. *The rhizosphere and plant growth*. Dordrecht, The Netherlands: KluwerAcademic Publishers, Pp., 327-334.
- Avery, O. T.; MacLeod C. M. and M. McCarty. (1944).** Studies on the chemical nature of the substance-inducing transformation of pneumococcal types. *J. Exp. Med.*, 79:137–158.
- Badawia, F.Sh.F.; A.M.M. Biomy and A.H. Desoky. (2011).** Peanut plant growth and yield as influenced by co-inoculation with *Bradyrhizobium* and some rhizo-microorganisms under sandy loam soil conditions. *Annals Agricultural Science*, 56: 1-9.
- Baker, K. F. (1987).** Evolving concepts of biological control of plant pathogens. *Annu. Rev. Phytopathol.*, 25: 67-85.
- Bakker, P.; R. van Peer and B. Schippers. (1991).** Suppression of soil-borne plant pathogens by fluorescent *Pseudomonads*: mechanisms and prospects. In: Beemster A, *et al.*, editors. *Biotic interactions and soil-borne disease*. Amsterdam: Elsevier Scientific Publishers. Pp. 217-30.
- Bangera, M. G. and L.S. Thomasshow. (1999).** Identification and characterization of a gene cluster for synthesis of polyketide antibiotic 2,4-Diacetylphoroglucinol from *Pseudomonas fluorescens* Q2-87. *J. Bacteriol.*, 181: 3155-3163.
- Baquero, F. and J. Blázquez (1997).** Evolution of antibiotic resistance. *Trends Ecol. Evol.* 12: 482–487.
- Bardin, S. D.; H. C. Huang; J. Pinto; E. J. Amundsen and R. S. Erickson. (2004)** Biological control of *Pythium* damping-off of pea and sugar beet by *Rhizobium leguminosarum* bv. *viceae*. *Can. J. Bot.*, 82:291–296.
- Bashan, S. and K. Ulaganathan. (2002).** Antagonism of *Bacillus* species (strain BC121) towards *Curvularia lunata*. *Current science*, 82: 1457-1463.
- Bashan, Y. (1998).** *Azospirillum* plant growth promoting strains are non-pathogenic on tomato, pepper, cotton and wheat. *Canadian J. Microbiol.*, 44: 168-174.
- Becker, J. O. and F.J. Schwinn. (1993).** Control of soil born pathogens with living bacteria and fungi: status and outlook. *Pestic. Sci.*, 37: 355-363.

- Beever, D.; F. Brentrup; P. Eveillard; P. Fixen; P. Heffer; B. Herz; R. Larson and R. Pallière. (2007).** Sustainable Management of the Nitrogen Cycle in Agriculture and Mitigation of Reactive Nitrogen Side Effects. International Fertilizer Industry Association. Paris, France ISBN 2-9523139-1-1. pp. 53.
- Beijerinck, M. W. (1888).** Culture des *Bacillus radicola* aus Knollchen. Bot. Ztg. 46: 740–750.
- Beyeler, M.; C. Keel; P. Michaux and D. Haas. (1999).** Enhanced production of indole-3-acetic acid by a genetically modified strain of *Pseudomonas fluorescens* CHA0 affects root growth of cucumber, but does not improve protection of the plant against *Pythium* root rot. FEMS Microbiology Ecology, 28: 225-233.
- Biswas, J. C.; J. K. Ladha and F. B. Dazzo. (2000).** Rhizobia inoculation improves nutrient uptake and growth of lowland rice. Soil Sci Soc Am J., 64:1644–1650.
- Bliss, F. A.; P. A. A. Pereira; R. A. Henson; K. A. Kmiecik; J. R. McFerson; M. G. Teixeira and C. C. de Silva. (1989).** Registration of five high nitrogen fixing common bean germplasm lines. Crop Science, 29: 240-241.
- Bohlool, B. B.; J. K. Ladha; D. P. Garrity and T. George. (1992).** Biological nitrogen fixation for sustainable agriculture: A perspective. Plant and Soil, 141: 1-11.
- Bourion, V.; S. Rizvi; S. Fournier; H. De Larambergue; F. Galmiche; P. Marget; G. Duc and J. Burstin. (2010).** Genetic dissection of nitrogen nutrition in pea through a qtl approach of root, nodule, and shoot variability. Theoretical and applied genetics, 121:71-86.
- Bromfield, E.S.B. and D.G. Jones. (1979).** The competitive ability and symbiotic effectiveness of doubly labelled antibiotics resistant mutants of *Rhizobium trifolii*. Ann. Appl. Biol., 91:211-219.
- Broughton, W. J.; G. Hernandez; M. Blair; S. Beebe; P. Gepts and J. Vanderleyden. (2003).** Beans (*Phaseolus* spp.) – model food legumes. Plant Soil, 252: 55–128.
- Broughton, W. J.; S. Jabbouri and X. Perret. (2000).** Keys to symbiotic harmony. Journal of Bacteriology, 182: 5641-5652.
- Brown, S.A. (1988).** Treatment of gram-negative infections. Vet. Clin. N. Am. Small Animal Pract., 18:1141-1165.
- Bumb, B. and C. Baanante. (1996).** The role of fertilizer in sustaining food security and protecting the environment to 2020. Discussion paper No. 17. International Food Policy Research Institute, Washington, DC, USA.

- Burd, G.I.; D.G Dixon and B.R. Glick. (1998).** A plant growth-promoting bacterium that decreases nickel toxicity in seedlings. *Appl. and Environ. Microbiol.*, 64: 3663-3668.
- Caˆmara, G. M. S. (1998).** Introducaˆo a` cultura do amendoim. (21 p) Departamento de Agricultura, Escola Superior de Agricultura “Luiz de Queiroz”, Universidade de Saˆo Paulo, Piracicaba.
- Cabezon, E. and F. De la Cruz. (2006).** TrwB: An F1-ATPase-like molecular motor involved in DNA transport during bacterial conjugation. *Research in Microbiology*, 157:299–305.
- Chan, C.L.; T.A. Lumpkin and C.S. Root. (1988).** Characterization of *Bradyrhizobium* sp. (*Ashagolus sinicus*1.) using serological agglutination, intrinsic resistance, plasmid visualization and field performance. *Plant and Soil*, 109: 85-91.
- Chen, Q.; X. Zhang; Z. Terfework; S. Kaijalainen; D. Li and K. Lindström. (2003).** Diversity and compatibility of peanut (*Arachis hypogaea* L.) bradyrhizobia and their host plants. *Plant soil*, 225: 605-617.
- Chin, A. W.; G. V. Bloemberg; A. J. van der Bij; K. M. G. F. van der drift; J. Schripsma; B. Kroon; R. J. Scheffer; C. Keel; P. A. H. M. Bakker; H. V. Tichy; F. J., De Bruijn; J. E. Thomas-oates and B. J. J. Lugtenberg. (1998).** Biological control by phenazine-1- carboxamide-producing *Pseudomonas chlororaphis* PCL 1391 of tomato root rot caused by *Fusarium Oxysporum* f.sp. *radicis-lycopersici*. *Molecular plant-microbe interactions*, 11:1069-1077.
- Christie, P. J. and J. P. Vogel, (2000).** Bacterial type IV secretion: conjugation systems adapted to deliver effector molecules to host cells. *Trends Microbiol.* 8: 354–360
- Christie, P. J.; K. Atmakuri; V. Krishnamoorthy; S. Jakubowski and E. Cascales. (2005).** Biogenesis, architecture, and function of bacterial type IV secretion systems. *Annu. Rev. Microbiol.*, 59: 451–485.
- Cleveland, C. C.; A. R. Townsend; D. S. Schimel; H. Fisher; R. W. Howarth; L. O. Hedin; S. S. Prekisi; E. F. Latty; J. C. Von Fischer; A. Elserlroad and M. F. Watson. (1999).** Global patterns of terrestrial biological nitrogen (N₂) fixation in natural ecosystems. *Global Biogeochemical Cycles*, 13: 623-645.
- Clewell, D. B. (1993).** Bacterial conjugation. Plenum Press. New York.
- Clewell, D. B. and M.V. Francia. (2004).** Conjugation in Gram-positive bacteria. In: Funnell, B., Phillips, G. (Eds.), *The Biology of Plasmids*. ASM Press, Washington, DC, Pp. 227–260.

- Cole, M.A. and G. H. Elkan. (1979).** Multiple antibiotic resistance in *Rhizobium japonicum*. Appl. Environ. Microbiol., 37:867-870.
- Cole, R. J.; J. W. Dorner and C.C. Holbrook. (1995).** Advances in mycotoxin elimination and resistance. In: Stalker, H.T., Pattee, H.E. (Eds.), Advances in Peanut Science. American Peanut Research and Education Society, Stillwater, OK, Pp. 456–474.
- Compant, S.; B. Duffy; J. Nowak; C. Clement and E. A. Baraka. (2005).** Use of plant growth promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. Applied and Environmental microbiology, 71: 4951-4959.
- Conrath, U.; G. Beckers; V. Flors; P. García-Agustín; G. Jakab; F. Mauch; et al. (2006)** Priming: getting ready for battle. Mol Plant Microbe Interact., 9: 1062-71.
- Cook, R. J. (1993).** Making greater use of microbial inoculants in agriculture. Annu. Rev. Phytopathol., 31: 53-80.
- Cook, R. J. (2008).** Tell me again what it is that you do. Ann. Rev. Phytopathol., 45: 1–23.
- Cook, R. J. and G.W. Bruehl. (1968).** Ecology and possible significance of the perithecia of *Calonectria nivalis* in the Pacific Northwest. Phytopathology, 58: 702–703.
- Cook, R. J. and K. F. Baker. (1983).** The Nature and Practice of Biological Control of Plant Pathogens. The American Phytopathological Society, St. Paul, MN, USA.
- Crouch, J. H.; H. K. Buhariwalla; M. Blair; E. Mace; B. Jayashree and R. Serraj. (2004).** Biotechnology-based Contributions to Enhancing Legume Productivity in Resource-poor Areas. In Symbiotic Nitrogen Fixation, Prospects for Enhanced Application in Tropical Agriculture. Editor: Rachid Serraj, Oxford and IBH. Publishing Co. Pvt. Ltd. New Delhi. Pp. 47-66.
- Davison, J. (1988).** Plant beneficial bacteria. Biotechnol., 6: 282-286.
- De Faria, S. M.; G. P. Lewis; J. I. Sprent and J. M. Sutherland. (1989).** Occurrence of nodulation in the *leguminosae*. New Phytol., 111: 607–619.
- De Queiroz, B.P.V. and I.S. De Melo. (2006).** Antagonism of *Serratiamarcescens* towards *Phytophthora parasitica* and its effects in promoting the growth of citrus. Brazilian J. Microbiol., 37: 448–450.
- De Weger, L. A.; A. J. van der Bij; L.V. Dekkeres; M. Simmons; C.A. Wijffelman and B.J. J. Lugtenberg. (1995).** Colonization of the rhizosphere of crop plants by plant – beneficial *Pseudomonas*. FEMS Microbiol. Ecol., 17:221-228.

- Dey, R.; K. K. Pal; D. M. Bhatt and S. M. Chauhan. (2004).** Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth-promoting rhizobacteria. *Microbiological Research*, 159: 371-394.
- Diaz, E.; M. Munthali; V. de Lorenzo and K. N. Timmis. (1994).** Universal barrier to lateral spread of specific genes among microorganisms. *Mol. Microbiol.*, 13: 855–861.
- Diener, U.L., R.J. Cole; T. H. Sanders; G. A. Payne; L. S. Lee and M.A. Klich. (1987).** Epidemiology of aflatoxin formation by *Aspergillus flavus*. *Annu. Rev. Phytopathol.*, 25: 249–270.
- Diouf, A.; P. de Lajudie; M. Neyra; K. Kersters; M. Gillis; E. Martinez-Romero and M. Gueye. (2000).** Polyphasic characterization of rhizobia that nodulate *Phaseolus vulgaris* in West Africa (Senegal and Gambia). *International Journal of Systematic and Evolutionary Microbiology*, 50: 159–170
- Dobbelaere, S.; J. Vanderleyden and Y. Okon. (2003).** Plant growth-promoting effects of diazotrophs in the rhizosphere. *Crit. Rev. Plant Sci.*, 22: 107–149.
- Dröge, M.; A. Pühler and W. Selbitschka. (1999).** Horizontal gene transfer among bacteria in terrestrial and aquatic habitats as assessed by microcosm and field studies. *Biol Fertil Soils.*, 29 :221–245.
- Dubey, S. K. (1996).** Combined effect of *Bradyrhizobium japonicum* and phosphate solubilizing *Pseudomonas striata* on nodulation, yield attributes and yield of rainfed soybean (*Glycine max*) under different sources of phosphorus in vertisols. *Ind. J. Agric. Sci.*, 66: 28-32.
- Duijff, B. J.; G. Recorpet; P.A.H.M. Bakker; J.E. Loper and P. Lemanceau. (1999).** Microbial antagonism at the root level is involved in the suppression of *Fusarium* wilt by the combination of non pathogenic *Fusarium oxysporum* F047 and *Pseudomonas putida* WCS358. *The Am. Phytopathol. Soc.*, 89: 1073-1079.
- Dunne, C.; Y. Moesne-Loccoz; J. McCarthy; P. Higgins; J. Powell; D.N. Dowling and F. O'gara. (1998).** Combining proteolytic and phloroglucinol- producing bacteria for improved biocontrol of Pythium-mediated damping off of sugar beet. *Plant Pathol.*, 47: 299-307.
- Dupuy, N.; A. Willems; B. Pot; D. Dewettinck; I. Vandenbruaene; G. Maestrojuan; B. Dreyfus; K. Kersters; M. D. Collins and M. Gillis. (1994).** Phenotypic and

- genotypic characterization of bradyrhizobia nodulating the leguminous tree *Acacia albida*. *Int. J. Syst. Bacteriol.*, 44:461–473.
- Durrani, R.; M. Abubakar; M. J. Arshed; S. Saleha; I. Ullah and Q. Ali., (2008).** Biological characterization and protein profiles of two model bacteria by SDS-PAGE and FT-IR. *ARPN Journal of Agricultural and Biological Science*, 3: 6-16.
- Economic Affairs Sector, Ministry of Agriculture and Land Reclamation, Arab Republic of Egypt. (2009).** Study of Important Indicators of Agriculture Statistics (Summer crops). 1, 61-62
- Ehteshamul-Haque, S. and A. Ghaffar. (1993).** Use of rhizobia in the control of root rot diseases of Sunflower, Okra, Soybean and Mungbean. *Journal of Phytopathology*, 138: 157–163.
- Eilenberg, J.; A. Hajek and C. Lomer. (2001).** Suggestions for unifying the terminology in biological control. *BioControl*, 46: 387–400.
- El-Akhal, M. R.; A. Rincón; A. Francisco; M. M. Lucas; N. El Mourabit, S. Barrijal and J. J. Pueyo. (2008).** Genetic diversity and symbiotic efficiency of rhizobial isolates obtained from nodules of *Arachis hypogaea* in northwestern Morocco. *Soil Biology & Biochemistry*, 40: 2911-2914.
- Elbadry, M.; R. M. Taha; K. A. EldougDoug and H. Gamal Eldin. (2006).** Induction of systemic resistance in faba bean (*Vicia faba* L.) to bean yellow mosaic potyvirus (BYMV) via seed bacterization with plant growth promoting rhizobacteria. *J Plant Dis Prot.*, 113:247–251.
- Elsas, J. D. (1992).** Antibiotic resistance gene transfer in the environment: an overview. In: Wellington EMH, van Elsas JD (eds) *Genetic interactions among microorganisms in the natural environment*. Pergamon, Oxford, Pp: 17–39.
- El-Tarabily, K. A.; M. H. Soliman; A. H. Nassar; H. A. Al-Hassani; K. Sivasithamparan; F. Mckenna and G.E.S.J. Hardy. (2000).** Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. *Plant Pathol.*, 49: 573-583.
- Essalmani, H. and H. Lahlou. (2003).** [Bioprotection mechanisms of the lentil plant by *Rhizobium leguminosarum* against *Fusarium oxysporum* f. sp. lentis](#). *Biologies*, 326: 1163-1173.

- Estevez de Jensen, C.; J. A. Percich and P. H. Graham. (2002).** The effect of *Bacillus subtilis* and *Rhizobium* inoculation of dry bean seed on root rot severity and yield in Minnesota. Annu Rep Bean Improv Coop., 45:98–99.
- Fageria, N. K.;V. C. Ballgarand C. A. Johanes. (1997).** Growth and mineral nutrient of field crop. 2nd Ed Pp: 494. Marcel Dekker. Inc., New York, USA.
- Ferguson, G. C. and J.A. Heinemann. (2002).** Recent history of trans-kingdom conjugation. In: Syvanen, M., Kado, C.I. (Eds.), Horizontal Gene Transfer. Academic Press, San Diego, Calif. London, Pp. 3–17.
- Filutowicz, M.; R. Burgess; R. L. Gamelli; J. A. Heinemann; B. Kurenbach; S. A. Rakowski and R. Shankar. (2008).** Bacterial conjugation-based antimicrobial agents. Plasmid, 60: 38–44.
- Food and Agriculture Organization of the United Nations, FAO. (2000).** Fertilizer requirements in 2015 and 2030. Food and Agriculture Organization of the United Nations, Rome, Italy. <http://www.faostat.fao.org>
- Frank, B. (1889).** Ueber die Pilzsymbiose der Leguminosen. Ber. Deut. Bot. Ges., 7: 332–346.
- Fred, E. B.; I. L. Baldwin and E. McCoy. (1932).** Root Nodule Bacteria and Leguminous Plants. Univ. Wisconsin Studies in Science, No. 5.
- Fridlender, M.; I. Inbar and I. Chet. (1993).** Biological control of soilborne plant pathogens by a B-1, 3 glucanase-producing *Pseudomonas cecropia*. Soil Biology & Biochemistry, 25: 1211-1221.
- Fuchs, R. L.; S. A. McPherson and D. J. Drahos. (1986)** Cloning of a *Serratiamarcescens* gene encoding chitinase. Applied and Environmental Microbiology, 51: 504-509.
- Galloway, J. N.; F. J. Dentener; D. G. Capone; E. W. Boyer; R. W. Howarth; S. P. Seitzinger; G. P. Asner; C. C. Cleveland; P. A. Green; E. A. Holland; D. M. Karl; A. F. Michaels; J. H. Porter; A. R. Townsend and C. J. Vörösmarty. (2004).** Nitrogen cycles: past, present, and future. Biogeochem., 70: 153-226.
- Ghazi, F.; D. E. Henni; Z. Benmechernene and M. Kihal., (2009).** Phenotypic and whole cell protein analysis by SDS-PAGE for identification of dominants lactic acid bacteria isolated from Algerian raw milk. World Journal of Dairy & Food Sciences, 4: 78-87.
- Giller, K. E. and K. Wilson, (1991).** Nitrogen Fixation in Tropical Cropping Systems. Wallingford: CAB International, Pp.313.

- Giri, A. V.; N. Anandkumar; G. Muthukumaran and G. Pennathaur. (2004).** A novel medium for the enhanced cell growth and production of prodigiosin from *serratia marcescens* isolated from soil. BMC Microbiol., 4: 4-11.
- Glick, B. R. (1995).** The enhancement of plant growth by free-living bacteria. Canad. J. Phytologist, 128: 197-210.
- Gomis-Rüth, F. X. and M. Coll. (2006).** Cut and move: protein machinery for DNA processing in bacterial conjugation. Current Opinion in Structural Biology, 16:744–752
- Graham, P. H. and C. A. Parker. (1964).** Diagnostic features in the characterization of root nodule bacteria of legumes. Plant Soil, 20: 383- 396.
- Graham, P. H. and C. P. Vance. (2000).** Nitrogen fixation in perspective: an overview of research and extension needs. Field Crops Research, 65: 93-106.
- Graham, P. H. and C. P. Vance. (2003).** Legumes: Importance and Constraints to Greater Use. Plant Physiology, 131: 872–877
- Graham, P. H. (1988).** Principles and Applications of Soil Microbiology (eds D. M. Sylvia *et al.*), Pp. 322–345.
- Gray, F. C.; N. Beri and P. Tauro. (1985).** Interinsic antibiotic resistance in chickpea (*Cicer atietenium*) rhizobia. J. Agric.Camb., 105:85-89.
- Grimont, P.A.D. and F. Grimont. (1984).** Bergey's Manual of Systematic Bacteriology, Williams & Wilkin, Krieg, N.R. (ed), Vol. 1, Pp. 477-483. Baltimore/London.
- Guan, S. H.; W. F. Chen; E. T. Wang; Y. L. Lu; X. R. Yan; X. X. Zhang and W. X. Chen. (2008).** *Mesorhizobium caraganae* sp. nov., a novel rhizobial species nodulated with *Caragana* spp. In China. International Journal of Systematic and Evolutionary Microbiology, 58: 2646–2653
- Gustafson, P. A. and M. Kreys (2006).** Legume Inoculants and Their Role in Sustainable Agriculture. Research Report, Pp.13-56.
- Gutiérrez, R. T. (2008).** Phytostimulatory effect of Rhizobium and Plant Growth Promoting Rhizobacteria in common bean (*Phaseolus vulgaris* L.) interaction. A thesis submitted in fulfillment of the requirements for the degree of Doctor of Philosophy at Faculty of Bioscience Engineering Katholieke Universiteit Leuven.
- Gwata, E. T., D. S. Wofford; K. J. Boote and H. Mushoriwa. (2003).** Determination of effective nodulation in early juvenile soybean plants for genetic and biotechnology studies. Afr. J. Biotechnol., 2:417-420.

- Haas, D. and G. Défago. (2005).** Biological control of soil-borne pathogens by fluorescent *Pseudomonads*. *Nature Rev. Microbiol.*, 3: 307-319.
- Hafeez, F. Y.; M. E. Safdar; A. U. Chaudhry and K. A. Malik. (2004).** Rhizobial inoculation improves seedling emergence, nutrient uptake and growth of cotton. *Aust. J. Exp. Agric.*, 44:617–622.
- Hammons, R. O. (1982).** Origin and early history of the peanut. In: eds. H.E. Puttee and C.T. Young, *Peanut Science and Technology*, Am. Peanut Res. Educ. Soc., Inc., Yoakum, TX, Pp. 1-20.
- Hammons, R. O. (1994).** The origin and history of the groundnut. In: ed. J. Smartt, *The Groundnut Crop: A Scientific Basis for Improvement*, Chapman and Hall, London, Pp. 24-42.
- Hardarson, G. and C. Atkins (2003).** Optimising biological N₂ fixation by legumes in farming systems. *Plant and Soil*, 252: 41-54.
- Hass, D. and C. keel. (2003).** Regulation of antibiotic production in root colonizing *Pseudomonas* spp. and relevance for biological control of plant disease. *Annual Review of Phytopathology*, 41: 117-153.
- Hassanein, A.M.; A. M. El-Garhy and G.A.A. Mekhemar (2006).** Symbiotic nitrogen fixation process in faba bean and chickpea as affected by biological and chemical control of root-rot. *J. Agric. Sci., Mansoura Univ.*, 31: 963-980.
- Haugan, K.; P. Karunakaran; A. Tondervik and S.Valla. (1995).** The host range of RK2 minimal replicon copy-up mutants is limited by species-specific differences in the maximum tolerable copy number. *Plasmid*, 33: 27–39.
- Heffer, P. and M. Prud'homme. (2006).** Medium-term outlook for global fertilizer demand, supply and trade, 2006-2010; summary report. International Fertilizer Industry Association, Paris, France.
www.fertilizer.org/ifa/publicat/PDF/2006_cape_town_ifa_summary.pdf
- Hejazi, A. and F. R. Falkner. (1997).** *Serratia marcescens*. *J. Medical Microbiol.*, 46: 903-912.
- Heydari, A. (2007).** Biological control of turfgrass fungal diseases in: turfgrass management and physiology, Pessarakli, M. (Ed). CRC Press, Florida, USA.
- Heydari, A. and I. J. Misaghi. (1998).** Biocontrol activity of *Burkholderia cepacia* against *Rhizoctonia solani* in herbicide-treated soils. *Plant Soil*, 202: 109-116.

- Heydari, A. and I. J. Misaghi. (1999).** Herbicide-Mediated changes in the populations and activity of root associated microorganisms: a potential case of plant stress. : Hand Book of plant and crop stress, Pessarakli, M. (Ed). 2nd Edn., Marcel Dekker Press, New York.
- Heydari, A. and I. J. Misaghi. (2003).** The role of rhizosphere bacteria in Herbicide-Mediated increase in *Rhizoctonia solani*- induced cotton seedling damping-off. Plant Soil, 257: 391-396.
- Heydari, A. and M. Pessarakli. (2010).** A Review on Biological Control of Fungal Plant Pathogens Using Microbial Antagonists. Journal of Biological Sciences, 10:273-290.
- Heydari, A.; H. Fattahi; H. R. Zamanizadeh; N. Hassanzadeh and L. Naraghi. (2004).** Investigation on the Possibility of using bacterial antagonists for biological control of cotton seedling damping-off in green house. Appl. Entomol. Phytopathol., 72:51-68.
- Heydari, A.; I. J. Misaghi and G. M. Balestra. (2007).** Pre-Emergence herbicides influence the efficacy of fungicides in controlling cotton seedling damping –off in the field. Int.J. Agric. Res., 2:1049-1053.
- Hill, D. S.; J. I. Stein; N. R. Torkewitz; A. M. Morse; C. R. Howell; J. P. Pachlatko; J. O. Becker and J. M. Ligon. (1994).** Cloning of genes involved in the synthesis of pyrrolnitrin from *Pseudomonas fluorescens* and role of pyrrolnitrin synthesis in biological control of plant disease. Applied and Environmental Microbiology, 60: 78-85.
- Hollis, A. B.; W. E. Kloos and G. E. Elkan. (1981).** DNA: DNA hybridization studies of *Rhizobium japonicum* and related Rhizobiaceae. J Gen Microbiol, 123: 215-222.
- Horn, B. W.; R.L. Greene, V. S. Sobolev; J. W. Dorner; J.H. Powell and R.C. Layton (1996).** Association of morphology and mycotoxin production with vegetative compatibility groups in *Aspergillus flavus*, *A. parasiticus*, and *A. tamarii*. Mycologia, 88: 574–587.
- Howie, W. J. and T. V. Suslow. (1991).** Role of antibiotic biosynthesis in the inhibition of *Pythium ultimum* in the cotton spermosphere and rhizosphere by *Pseudomonas fluorescens*. Molecular Plant Microbe Interactions, 4: 393-399.
- Huang, H. C.; R. S. Erickson and T. F. Hsieh. (2007).** Control of bacterial wilt of bean (*Curtobacterium flaccumfaciens* pv. *flaccumfaciens*) by seed treatment with *Rhizobium leguminosarum*. Crop Prot., 26:1055–1061.

- Inbar, J. and I. Chet. (1991).** Evidence that chitinase produced by *Aeromonas caviae* is involved in the biological control of soil-borne plant pathogens by this bacterium. *Soil Biology & Biochemistry*, 23: 973-978.
- Infantin, A.; M. Kharrat; L. Riccioni; C. J. Coyne; K. McPhee; J. Niklaus and N. J. Grunwald. (2006).** Screening techniques and sources of resistance to root diseases in cool season food legumes. *Euphytica*, 147: 201-221.
- Irisarri, E.; F. Milnitsky; J. Monza and E. J. Bedmar. (1996).** Characterization of rhizobia nodulating *Lotus subbiflorus* from Uruguayan soils. *Plant and Soil*, 180: 39-47
- Jackson, M.L. (1973).** *Soil Chemical Analysis*. Prentice-Hall India Private limited, New Delhi.
- Jensen, E. S. and H. Hauggaard-Nielsen. (2003).** How can increased use of biological N₂ fixation in agriculture benefit the environment? *Plant and Soil*, 252: 177-186.
- Jensen, G. B.; L. Andrup; A. Wilcks; L. Smidt and O. M. Poulsen. (1996).** The aggregation-mediated conjugation system of *Bacillus thuringiensis* subsp. *israelensis*: host range and kinetics of transfer. *Curr. Microbiol.*, 33: 228-236.
- Jones, J. D. G.; K. L. Grady; T. V. Suslow and J. R. Bedbrook. (1986)** Isolation and characterization of genes encoding two chitinase enzymes from *Serratia marcescens*. *European Molecular Biology Journal*, 5: 467-473.
- Jordan, D. C. (1982).** Transfer of *Rhizobium japonicum* Buchanan 1980 to *Bradyrhizobium* gen. nov., a genus of slow-growing, root nodule bacteria from leguminous plants. *Int. J. Sys Bacteriol.*, 32:136-139.
- Jordan, D. C. (1984).** Genus I. *Rhizobium* Frank 1889, 338AL. In *Bergey's Manual of Systematic Bacteriology*. Edited by N. R. Krieg & J. G. Holt. Baltimore, 1: 235-242.
- Kamilova, F.; L. V. Kravchenko; A. I. Shaposhnikov; N. Makarova and B. Lugtenberg. (2005).** Effects of the Tomato Pathogen *Fusarium oxysporum* f. sp. *radicis-lycopersici* and of the Biocontrol Bacterium *Pseudomonas fluorescens* WCS365 on the Composition of Organic Acids and Sugars in Tomato Root Exudate. *The American Phytopathological Society*, 19: 1121-1126.
- Kandil, B.A. A.; F.Sh.F Badawi; M.G.M. El-Baz and A. F. M. Abdel- Wahab.(2008).** Response of peanut to inoculation with both *Bradyrhizobium* sp. and silicate bacteria (*Bacillus circulans*) under graded levels of feldspar amendment. *J. Agric.Sci., Mansoura Univ.*, 33: 4463-4477.

- Keel, C.;P. Wirthner; T. Oberhansli;C. Voisard;U. Burger;D. Haas and G. Defago. (1990).***Pseudomonas* as antagonists of plant pathogens in the rhizosphere: role of the antibiotic 2,4-diacetylphloroglucinol in the suppression of black rot of tobacco. *Symbiosis*, 9: 327-341.
- Keel, C.;U. Schnider; M. Maurhofer; C. Voisard; J. Laville; U. Burger;P. Wirthner;D. Haas and G. Defago. (1992)** Suppression of root diseases by *Pseudomonas fluorescens* CHAO:importance of the bacterial secondary metabolite 2,4-diacetyl Phloroglucinol. *Molecular Plant-Microbe Interaction*, 5: 4-13
- Kellman, A. W. (2008).***Rhizobium* inoculation, cultivar and management effects on the growth, development and yield of common bean (*Phaseolus vulgaris* L.) A thesis submitted in fulfillment of the requirements for the degree of Doctor of Philosophy at Lincoln University, Canterbury, New Zealand.
- Khalid, A.;M. Arshadand Z.A. Zahir. (2004).** Screening plant growth promotin rhizobacteria for improving growth andyield of wheat. *J. Appl. Microbiol.*, 96: 473-480.
- Kiers, E. T.; M. G. Hutton and R. F. Denison. (2007).** Human selection and the relaxation of lgume defences against ineffective rhizobia.*P.Roy. Soc.*, 274:3119-3126.
- Kloepper, J. W.; J. Leong; M. Teintze and M. N. Schroth. (1980).** Enhanced plant growth by siderophores produced by plant growth-promoting rhizobacteria. *Nature*, 286: 885–886.
- Kloepper, J. W.;R. Lifshitz and R. M. Zablotowicz. (1989).** Free–living bacteria inocula for enhancing crop productivity. *TrendsBiotechnol.*, 7: 39-43.
- Kloepper, J.;R. Rodriguez-Kabana; G. Zehnder; J. Murphy;E. Sikora and C. Fernandez. (1999).** Plant root-bacterial interactions in biological control of soilborne diseases and potential extension to systemic and foliar diseases. *Aust. Plant Pathol.*, 28: 27-33.
- Knanft, D.A. and P. Ozias-Akins. (1995).** Recent methodologies for germplasm enhancement and breeding. In: eds. H.E. Pattee and H.T. Stalker, *Advances in Peanut Science*, Am. Peanut Res. and Educ. Soc., Inc., Stillwater, OK, Pp. 54-94.
- Koch, E. (1997).** Screening of rhizobacteria for antagonistic activity against *Pythium ultimum* on cucumber and kale. *J. Plant Dis. Protect. – Z. Pflanzenk. Pflanzen.*, 104: 353-361.

- Köhl, J.; J. Postma; P. Nicot; M. Ruocco and B. Blum. (2011).** Stepwise screening of microorganisms for commercial use in biological control of plant-pathogenic fungi and bacteria. *Biological Control*, 57 : 1–12.
- Kumar, D.; B. S. I. Berggren and A. M. Martenssen. (2001).** Potential for improving pea production by co-inoculation with fluorescent *Pseudomonas* and *Rhizobium*. *Plant and Soil*, 229: 25-34.
- Kumar, V. and K. P. Singh. (2001).** Enriching vermicompost by nitrogen fixing and phosphate solubilising bacteria. *Bioresource Technology*, 76: 173-175.
- Kurchak, O. N.; N. A. Provorov and B. V. Simarov. (2001).** Plasmid pSym1-32 from *Rhizobium leguminosarum* bv. *viceae*, controlling nitrogen–fixing activity, effectiveness of symbiosis, competitiveness, and acid tolerance. *Genetica*, 37:1225-1232.
- Kuykendall, L. D.; B. Saxena; T. E. Devine and S. E. Udell. (1992).** Genetic diversity in *Bradyrhizobium japonicum* Jordan 1982 and a proposal for *Bradyrhizobium elkanii* sp. nov. *Can. J. Microbiol.*, 38: 501–505.
- Kuykendall, L. D.; J. M. Young; E. Martinez-Romero; A. Kerr and H. Sawada. (2003).** Genus *Rhizobium*. In Bergey's Manual of Systematic Bacteriology, 2nd edn, vol. 2. New York; Springer-Verlag.
- Kyei-Boahen, S.; A. E. Slinkard and F. L. Walley. (2002).** Evaluation of rhizobial inoculation methods for chickpea. *Agronomy Journal*, 94: 851–859.
- Laemmli, U. K. (1970).** Cleavage of structure proteins during the assembly of the head of bacteriophage T4. *Nature*, 227: 680-685.
- Lähn, K.; G. Wolf; C. Ullrich-Eberius and E. Koch. (2002).** Cultural characteristics and *in-vitro* antagonistic activity of two isolates of *Mortierella alpina* Peyronel. *J. Plant Dis. Protect. –Z. Pflanzenk. Pflanzen.*, 109: 166-179.
- Lamb, M. C. and D. A. Sternitzke. (2001).** Cost of aflatoxin to the farmer, buying point, and sheller segments of the southeast United States peanut industry. *Peanut Sci.*, 28: 59–63.
- Lanka, E. and B. M. Wilkins. (1995).** DNA processing reactions in bacterial conjugation. *Annu. Rev. Biochem.*, 64: 141–169.
- Lawley, T.; B. M. Wilkins and L. S. Frost. (2004).** Bacterial conjugation in Gram negative bacteria. In: Funnell, B., Phillips, G. (Eds.), *Plasmid Biology*. ASM Press, Washington D.C, Pp. 203–226.

- Lederberg, J. and E. L. Tatum. (1946).** Gene recombination in *Escherichia coli* Nature, 158: 558.
- Lederberg, J. and E.M. Lederberg. (1952).** Replica plating and indirect selection of bacterial mutants. J. Bacteriol., 63: 399-406.
- Leifert, C. and M. H. Golden. (2000).** A re-evaluation of the beneficial and other effects of dietary nitrate. Proceedings No. 456. International Fertilizer Society, York, UK.
- Leite, L.G.; S. B Alves; A. Batista and D. W. Roberts. (2005).** Simple inexpensive media for massproduction of three entomophthoralean fungi. Mycological Research, 109: 326-334.
- Lewts, D.M.; E.S.P. Bromfield and L.R. Barran. (1987).** Effect of rifampin resistance on nodulating competitiveness of *Rhizobium meliloti*. Can. J.Microbiol., 33:343-345.
- L'hirondel, J. and J. L. L'hirondel. (2002).** Nitrate and man; toxic, harmless or beneficial. CABI Publishing, Oxon, UK.
- Liosa M. and F. De la Cruz. (2005).** Bacterial conjugation: a potential tool for genomic engineering. Research in Microbiology, 156: 1–6.
- Long, S. (1996).** *Rhizobium* symbiosis: Nod factors in perspective. Plant Cell, 8: 1885-1998.
- Loper, J. E. (1990).** Molecular and biochemical bases for activities of biological control agents: the role of siderophores. In New Directions in Biological Control: Alternatives for Suppressing Pests and Diseases, Alan R. Liss, New York, NY Pp. 735-747.
- Lu, Y. L.; W. F. Chen; E. T. Wang; S. H. Guan; X. R. Yan and W. X. Chen. (2009).** Genetic diversity and biogeography of rhizobia associated with *Caragana* species in three ecological regions of China. Systematic and Applied Microbiology, 32: 351–361.
- Maniatis, T.; E. D. Fritsch and J. Sambrook. (1982).** Molecular Cloning A laboratory manual, Cold Spring Harbor, New York.
- Mazel, D. and J. Davies, (1999).** Antibiotic resistance in microbes. Cell Mol. Life Sci., 56: 742–754.
- Mazen, M. M.; N. H. El-Batanony; M. M. Abd El-Monium and O. N. Massoud. (2008).** Cultural filtrate of *Rhizobium* spp. and arbuscular mycorrhiza are potential biological control agents against root rot fungal diseases of faba bean. Global Journal of Biotechnology & Biochemistry, 3: 32-41.
- Mekhemar, G. A. A.; M. Shaaban; A. A. Ragab; and A. M. M. Biomy. (2005).** Response of faba bean to inoculation with *Rhizobium leguminosarum* bv. *Viciae* and plant

- growth promoting rhizobacteria under newly reclaimed soils. J. Appl. Sci., 20:126-144.
- Melouk, H. and P. Backman. (1995).** Management of soilborne fungal pathogens. In: Melouk H, Shokes F, editors. Peanut health management. St. Paul, MN: APS Press, Pp. 75- 85.
- Minamisawa, K.; M. Itakura; M. Suzuuki; K. Ichige and T. Isawa. (2002).** Horizontal transfer of nodulation genes in soils and microcosms from *Bradyrhizobium japonicum* to *B. Elkanii*. Microbs and Environments, 17:82-90.
- Moawad, H. (2004).** Application of Microbial Biotechnology for Sustainable Legume Production in Desert Conditions. International Conf. on Water Resources & Arid Environment, Pp. 1-10.
- Moawad, H.; S. M. S. B. El-Din and M.A. Khalfallah. (1988).** Field performance of rhizobial inoculants for some important legumes in Egypt. In D. P. Beck and L.A. Materon (editors), Nitrogen Firation by Legumes in Mediterranean Agriculture, Pp.235-244.
- Mohamed, Z. K.; S.A. El-Sayed; T.E. E. Radwan and G. S. Abd El-Wahab, (2009).** Potency evaluation of *Serratia marcescens* and *Pseudomonas fluorescens* as Biocontrol Agents for Root-knot Nematodes in Egypt. J. Appl. Sci. Res., 5: 93-102.
- Molbak, L.; T. R. Licht; N. Korner; and S. R. Andersen. (2003).** Plasmid transfer from *Pseudomonas putida* to the indigenous bacteria on alfalfa sprouts: characterization, direct quantification, and in situ location of transconjugant cells. Appl. Environ. Microbiol., 69:5536-5542.
- Montealegre, J.R.; R. Reyes; L. Maria; P. Rodrigo; H. P. Silva and X. Besoain. (2003).** Selection of bioantagonistic bacteria to be used in biological control of *Rhizoctonia solani* in tomato. J. Biotech., 6: 115-127.
- Moreira, F. M. S; M. Gillis; B. Pot; K. Kersters and A. A. Franco. (1993).** Characterization of rhizobia isolated from different divergence groups of tropical Leguminosae by comparative polyacrylamide gel electrophoresis of their total proteins. Syst. Appl. Microbiol., 16:135–146.
- Morrissey, J. P.; J. M. Dow; G. L. Mark and F. O’Gara. (2004).** Are microbes at the root of a solution to world food production? Rational exploitation of interactions between microbes and plants can help to transform agriculture. Eur. Mol. Biol. Org., 5: 922-926.

- Nakai, V. K.; L. O. Rocha; E. Goncalvez; H. Fonseca; E. M. M. Ortega and B. Corre a. (2008).** Distribution of fungi and aflatoxins in a stored peanut variety. Food Chemistry, 106:285–290.
- Nelson, L. M.(2004).** Plant growth promoting rhizobacteria (PGPR): Prospects for new inoculants. Crop Management. Doi:10.1094/CM-0310-05-RV.
- Nick, G.; P. Lajudie; B. D. Eardly; S. Suomalainen; L. Pullin; X. Zhang; M. Gills and K. Lindstorm. (1999).** *Sinorhizobium aeboris* sp. nov and *Sinorhizobium kostiense* sp. nov, isolated from leguminous trees in Sudan and Kenya. Int. J. Syst Bacteriol., 49: 1356-1368.
- Nielsen, K.M. and J. P. Towensend (2001).** Environmental exposure, horizontal transfer, and selection of transgenes in bacterial populations. In enhancing biocontrol agents and handling risks. Vurro, M.,J. Gressel, Butts, T., Harman, G.,Pilgeram, A., St.-Leger, R., and Nuss, D., eds., IOS Press, Amsterdam, Pp. 145-158.
- Nkot, L. N.; T. Krasova-Wade; F.X. Etoa; S. N. Sylla and D. Nwaga. (2008).** Genetic diversity of rhizobia nodulating *Arachis hypogaea* L. In diverse land use systems of humid forest zone in Cameroon. Applied Soil Ecology, 40 : 411 – 416.
- Nobutaka, S.; N, Masami; H. Kazuyuki; H. Tadaaki and A. Katsumi. (2001).** Synergistic antifungal activity of chitinolytic enzymes and prodigiosin produced by biocontrol bacterium, *Serratia marcescens* strain B₂ against grey mold pathogen, *Botrytis cinerea*. J. General Plant Pathol., 67: 312-349.
- O’ Sullivan, D. J. andD. O’ Gara. (1992).** Trails of fluorescent *Pseudomonas* spp. Involved in suppression of plant root pathogens. Microbiological Review, 56: 662-676.
- O’ Hara, G.; R. Yates and J. Howiesen. (2002).** Selection of strains of root nodule bacteria to improve inoculant performance and increase legume productivity in stressful environments. In: D. Herridge (Ed.), Inoculants and Nitrogen Fixation of Legumes in Vietnam.
- Oga, S., (1996).** Fundamentos de toxicologia (2nd edition.). Sa o Paulo: Atheneu.
- O utcu,H.; O. F. Alguar;E. Elkoka andF. Kantar. (2008).** The determination of symbiotic effectiveness of rhizobium strains isolated from wild chickpea collected from high altitudes in Erzurum. Turk. J. Argic. For., 32: 241-248.
- Okamoto, H.; Z. Sato; M. Sato; Y. Koiso; S. Iwasaki and M. Isaka. (1998).** Identification of antibiotic red pigments of *Serratiamarcescens* F-1-1, a biocontrol agent of

- damping-off of cucumber, and antimicrobial activity against other plant pathogens. Ann. Phytopathol. Soc. Jpn., 64: 294-298.
- Ordentlich A.;Y. Elad and I. Chet. (1988).** The role of chitinase of *Serratia marcescens* in biocontrol of *Sclerotium rolfsii*. Phytopathology, 78: 84-88.
- Page, A. L.; R. H. Miller and D.R. Keeney. (1982).** “Methods of soil analysis”. II-Chemical and microbiological properties. Soil Sci. Am., Madison Wisconsin, USA.
- Parani, K. and B. K. Saha. (2009).** Studies on Interaction of *Serratia marcescens* Strain (SR1) with Fungal Pathogens. Am-Euras. J. Agric. & Environ. Sci., 5: 215-218.
- Parmar, N. and K. R. Dadarwal. (2000).** Stimulation of plant growth of chickpea by inoculation of fluorescent *pseudomonas*. J. Appl. Microbiol. 86: 36–44.
- Paulitz, T. C. and R. R. Bélanger. (2001).** Biological control in greenhouse systems. Ann. Rev. Phytopathol. 39: 103–133.
- Peng, Y.;S. A. Rakowski and M. Filutowicz. (2006).** Small deletion variants of the replication protein, μ , and their potential for over-replication based antimicrobial activity. FEMS Microbiol. Lett., 261:245–252.
- Peoples, M. B.; D. F. Herridge and J. K. Ladha. (1995a).** Biological nitrogen fixation: An efficient source of nitrogen for sustainable agricultural production. Plant and Soil, 174: 3-28.
- Peoples, M. B.; J. K. Ladha and D. F. Herridge. (1995b).** Enhancing legume N_2 fixation through plant and soil management. Plant and Soil, 174: 83-101.
- Peterson, T. A. and M. P. Russelle. (1991).** Alfalfa and the nitrogen cycle in the corn belt. J Soil Water Conserv., 46: 229–235.
- Pieterse C.;J. Van Pelt; C. S. Wees;J. Ton;K. L. Kloosterziel and J. Keurenties, et al. (2001).** Rhizobacteria-mediated induced systemic resistance: triggering, signaling and expression. Eur. J. Plant Pathol., 107:51-61
- Piper, C.S. (1950).** Soil and Plant Analysis. 1st Ed. Interscience Publishers Inc., New York, Pp. 30-229.
- Porter, D.M.;D. H. Smith and R. R. Kabana. (1982).** Peanut Diseases. In: eds. H.E. Pattee and C.T. Young, Peanut Science and Technology, Am. Peanut Res. Educ. Soc., Inc., Yoakum, TX, Pp. 326-410.
- Pot, B.;P. Vandamme and K. Kersters. (1994).** Analysis of electrophoretic whole organism proteins fingerprints. In Modern Microbial Methods. Chemical Methods in

- Prokaryotic Systematics, Pp. 493-521. Edited by M. Goodfellow & A. G. O'Donnell. Chichester : Wiley.
- Prevost, D. and E. S. P. Bromfield. (2003).** Diversity of symbiotic rhizobia resident in Canadian soils. *Canadian Journal of Plant Science*, 83: 311-319.
- Raaijmakers, J. M.; R. F. Bonsall and D. M. Weller.(1999):** Effect of population density of *Pseudomonas fluorescens* on production of 2,4-diacetylphloroglucinol in the rhizosphere of wheat. *Phytopathology*, 89: 470-475.
- Ramos, S. B.;M. J. Barriuso; P. M. de la Iglesia; J. Domenech andM. F. Gutiérrez. (2008).** Systemic disease protection elicited by plant growth promoting rhizobacteria strains: relationship between metabolic responses, systemic disease protection, and biotic elicitors. *Phytopathology*, 4: 451-457.
- Raychaudhuri, S.; A. K. Yadav and R. Mausumi. (2007).** Changing face of rhizobial taxonomy. *Biofertil Newslett.*, 15:3–14.
- Risal, C. P.; T. Yokoyama; N. Ohkama-Ohtsu; S. Djedidi and H. Sekimoto. (2010).**Genetic diversity of native soybean bradyrhizobia from different topographical regions along the southern slopes of the Himalayan Mountains in Nepal. *Systematic and Applied Microbiology*, 33: 416–425.
- Roberti, R.; E. Zakrisson; F. Flamigni; L. De Vero and A. Cesari. (2002).** Antagonistic fungi producing hydrolytic enzymes, active in degrading the cell wall of some foot rot pathogens (*Fusarium* spp.) of wheat. *J. Plant Dis. Protect. Z. Pflanzenk. Pflanzen.*, 109: 101-108.
- Rodriguez, H. and R. Fraga. (1999).** Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnol. Adv.*, 17:319–339.
- Rodriguez, M.;M. Holcik andV. N. Iyer. (1995).** Lethality and survival of *Klebsiella oxytoca* evoked by conjugative IncN group plasmids. *J. Bacteriol.*, 177: 6352–6361.
- Romina, D.; C. Belgoff; E. Fernandez; A. Fabra and S. Castro. (2010).** Symbiotic nitrogen fixation and nitrate reduction in two peanut cultivars with different growth habit and branching pattern structures. *Plant Growth Regul.*, 61: 153-159.
- Rosas S. B.; J. A. Andres; M. Rovera; N. S. Correa. (2006).** Phosphate-solubilizing *Pseudomonas putida* can influence the rhizobia- legume symbiosis. *Soil Biology & Biochemistry* 38: 3502-3505.
- Sahgal, M. and B. N. Johri. (2003).** The changing face of rhizobial systematics. *Current science*, 84: 1-10.

- Saleena, L. M.; P. Loganathan; S. Rangarajan and S. Nair. (2001).** Genetic diversity of Bradyrhizobium strains isolated from *Arachis hypogaea*. Can. J. Microb., 47: 118-122.
- Santos, R. C., (2000).** BRS 151 L-7: Nova cultivar de amendoim para as condições do nordeste brasileiro. Pesquisa Agropecuária Brasileira, 35: 665-670.
- Sawada, H.; L. D. Kuykendall and J. M. Young. (2003).** Changing concepts in the systematics of bacterial nitrogen-fixing legume symbionts. J. Gen. Appl. Microbiol., 49:155-179.
- Scher, F. and R. Baker. (1980).** Mechanism of biological control in a *Fusarium*-suppressive soil. Phytopathology, 70: 412-417.
- Schlindwein, G.; L. K. Vargas; B. B. Lisboa; A. C. Azambuja; C. E. Granada; N. C. Gabiatti; F. Prates and R. Stumpf. (2008)** Influence of rhizobial inoculation on seedling vigor and germination of lettuce. Cienc. Rural, 38:658-664.
- Schouten, A.; G. van den Berg; V. Edel-hermann; C. Steinberg and N. Gautheron *etal.* (2004).** Defense responses of *Fusarium oxysporum* to 2, 4-DAPG, a broad spectrum antibiotic produced by *Pseudomonas fluorescens*. Mol. Plant Microbe. Interact., 17: 1201-1211.
- Selerathnan, S. and M.A. Gealt. (1993).** Transcription of ColE 1 AP mbcC Induced by conjugative plasmids from twelve different incompatibility groups. J. Bacteriol., 175: 6982-6987.
- Serry, S. Y. (2007).** Utilization of some biological resources in biocontrol and promotion of some legume plants growth. Ms.c. Thesis, Faculty of Women, for Arts, Science and Education, Ain Shams University, Egypt.
- Sessitsch, A.; J. G. Howieson; X. Perret; H. Antoun and E. Martinez-Romero. (2002).** Advances in *Rhizobium* research. Critical Reviews in Plant Sciences, 21: 323-378.
- Shapira, R.; A. Ordentlich; I. Chet and A. B. Oppenheim. (1988).** Control of plant diseases by chitinase expressed from cloned DNA in *E.coil*. Phytopathol., 79: 1246-1249.
- Sharma, R. R.; D. Singh and R. Singh. (2009).** Biological control of postharvest diseases of fruits and vegetables by microbial antagonists: a review. Biol. Control, 50: 205-221.
- Singh, A.; S. Mehta; H. B. Singh and C. S. Nautiyal. (2003).** Biocontrol of collar rot disease of Betelvine (*Piper betle* L.) caused by *Sclerotium rolfsi* by using rhizosphere

- competent *Pseudomonas fluorescens* NBRI-N6 and *P. fluorescens* NBRI-N. Current Microbiology, 47: 153-158.
- Singh, P. P.; Y. C. Shin; C. S. Park and Y. R. Chung. (1999).** Biological control of Fusarium wilt of cucumber by chitinolytic bacteria. Phytopathology 89: 92-99.
- Small, C.L.N. and M.J. Bidochka. (2005).** Upregulation of pr1, a subtilisin-like protease during conidiation in the insect pathogen *Metarhizium anisopliae*. Mycological Research, 109: 307-313.
- Smil, V. (1999).** Nitrogen in crop production. Global Biogeochem Cycles, 13:647-662.
- Smilanick, J.L., (1994).** Strategies for the isolation and testing of biocontrol agents. In: Wilson, C.L., Wisniewski, M.E. (Eds.), Biological Control of Postharvest Diseases—Theory and Practice. CRC Press, Boca Raton, Florida, Pp. 25-41.
- Smith J. M.; N. H. Smith; M. O'Rourke and B. G. Spratt. (1993).** How clonal are bacteria? Proc. Natl. Acad. Sci. USA, 90:4384-4388.
- Snedecor, G. W. and W.G. Cochran. (1980).** Statistical Methods. 7th Ed., Iowa State Univ. Press, Ames, USA, Pp. 255-269.
- Someya N.; K. Tsuchiya; T. Yoshida; M. T. Noguchi; K. Akutsu and H. Sawada. (2007).** Fungal cell wall degrading enzyme-producing bacterium. Journal of Plant Diseases and Protection, 114: 108-112.
- Someya, N.; M. Nakajima; K. Hirayae; T. Hibi and K. Akutsu. (2001).** Synergistic antifungal activity of chitinolytic enzymes and prodigiosin produced by biocontrol bacterium, *Serratia marcescens* strain B₂ against gray mold pathogen, *Botrytis cinerea*. J. Gen. Plant Pathol., 67: 312-317.
- Someya, N.; M. Nakajima; K. Watanabe; T. Hibi and K. Akutsu. (2005).** Potential of *Serratia marcescens* strain B₂ for biological control of rice sheath blight. Biocontrol Sci. Techn. 15: 105-109.
- Someya, N.; N. Kataoka; T. Komagata; K. Hirayae; T. Hibi and K. Akutsu. (2000).** Biological control of cyclamen soilborne diseases by *Serratia marcescens* strain B₂. Plant Dis., 84: 334-340.
- Sprent, J. (1994).** Nitrogen fixation. In Smart J (ed) the groundnut crop: a scientific basis for improvement. Chapman and Hall, London, Pp. 225-280.
- Sprent, J. (1995).** Legume trees and shrubs in the tropics: N₂ fixation in perspective. Soil Biol. Biochem., 27: 401-407.

- Stalker, H.T. (1997).** Peanut (*Arachis hypogaea* L.). Field Crops Research, 53: 205-217.
- Subrahmanyam, P.; D. McDonald and R. O. Hammons. (1984).** Rust. In: eds. D.M. Porter, D.H. Smith and R. Rodriguez-Kabana, Compendium of Peanut Diseases, Am. Phytopathological Soc. St. Paul, MN, Pp. 7-9.
- Sundheim, L.; A.R. Poplawsky and A. H. Ellingboe. (1988).** Molecular cloning of two chitinase genes from *Serratia marcescens* and their expression in *Pseudomonas* sp. physiol. Mol. Plant Pathol., 33: 483-491.
- Suslow, T. V.; J. W. Kloepper; M. N. Schroth and T. J. Burr. (1979).** Beneficial bacteria enhance plant growth. Calif. Agric., 33:15-17.
- Tahir M. M.; M. K. Abbasi; N. Rahim; A. Khalq and M. H. Kazmi. (2009).** Effect of *Rhizobium* inoculation and NP fertilization on growth, yield and nodulation of soybean (*Glycine max* L.) In the sub-humid hilly region of Rawalakot Azad Jammu and Kashmir, Pakistan. Afr. J. Biotechnol., 8: 6191-6200.
- Tamimi, S. M. and M. P. Timko. (2003).** Effects of ethylene and inhibitors of ethylene synthesis and action on nodulation in common bean (*Phaseolus vulgaris* L.). Plant and Soil, 257: 125-131.
- Tan, Z. Y.; F. L. Kan; G. X. Peng; E. T. Wang; B. Reinhold-Hurek and W. X. Chen. (2001).** *Rhizobium yanglingense* sp. nov., isolated from arid and semi-arid regions in China. International Journal of Systematic and Evolutionary Microbiology, 51: 909-914.
- Taurian, T.; F. Ibanez; A. Fabra and O. M. Aguilar. (2006).** Genetic diversity of rhizobia nodulating *Arachis hypogaea* L. in Central Argentinean Soils. Plant and Soil, 282:41-52.
- Thomas, C. M. and K. M. Nielsen. (2005).** Mechanisms of, and barriers to horizontal gene transfer between bacteria. Nature Reviews, 3: 711-721.
- Thomashow, L. S. and D. M. Weller. (1988).** Role of phenazine antibiotic from *Pseudomonas fluorescens* in biological Control of *Gaeumannomyces graminis* var. *tritici*. Journal of Bacteriology, 170: 3499-3508.
- Tilak, K. V. B. R.; N. Ranganayaki and C. Manoharachar. (2006).** Synergistic effects of plant-growth promoting rhizobacteria and *Rhizobium* on nodulation and nitrogen fixation by pigeonpea (*Cajanus cajan*). Eur. J. Soil Sci., 57: 67-71.

- Tonelli, M. L.; A. Furlan; T. Taurian; S. Castro and A. Fabra. (2011).** Peanut priming induced by biocontrol agents. *Physiological and Molecular Plant Pathology*, 75: 100-105.
- Tripura, C.;B. Sashidhar; and A. R. Podile. (2007).** Ethylmethanesulphonate mutagenesis-enhanced mineral phosphatesolubilization by groundnut-associated *Serratiamarcescens* GPS-5. *Curr. Microbiol.*, 54: 79–84.
- Tu, J. C. (1978).** Protection of soybean from severe *Phytophthora* root rot by *Rhizobium*. *Physiol Plant Pathol.*, 12:233–236.
- Tun-Garrido, C.; P. Bustos; V.Gonzalez and S. Brom. (2003).** Conjugative transference of p42a from *Rhizobiumetli*CFN42, which is required for mobilization of the symbiotic plasmid, is regulated by Quorum sensing. *J. Bacteriol.*, 185: 1681-1692.
- Ulhoa, C. J. and J. F. Peberdy. (1991).**Regulation of Chitinase synthesis in *Trichoderma harzianum*. *J. General Microbiology*,137:2163-2169.
- Unni, S. and K. K. Rao. (2001).** Protein and lipopolysaccharide profiles of a salt-sensitive *Rhizobium* sp. and its exopolysaccharide- deficient mutant. *Soil Biology & Biochemistry*, 33: 111-115.
- Urtz, B. E. andG. H. Elkan. (1996).** Genetic diversity among *Bradyrhizobium* isolates that effectively nodulate peanut (*Arachis hypogaea*). *Can. J. Microb.*, 42: 1121-1130.
- Validov, S. (2007).** Biological control of tomato foot and root rot by *Pseudomonas* bacteria in stonewool., leiden university. Leiden. The Netherlands.; <http://hdl.Handle.net/1887/12480>.
- Validov, S.; F. Kamilova and B. J.J. Lugtenberg. (2009).***Pseudomonasputida* strain PCL1760 controls tomato foot and root rot in stonewool under industrial conditions in a certified greenhouse. *Biological Control*, 48: 6-11.
- Van Egmond, H. P. (1995).** Mycotoxins: regulations, quality assurance and reference materials. *Food Addit. Contam.* 12: 321–330.
- Van Loon, L.; M. Rep andC. Pieterse. (2006).** Significance of inducible defense-related proteins in infected plants. *Annu. Rev. Phytopathol.*, 44:135-62.
- Van Rossum, D.; F. P. Schuurmans; M. Gillis; A. Muyotcha; H. W. van Verseveld; A. H. Stouthamer and F. C. Boogerd. (1995).** Genetic and Phenetic Analyses of *Bradyrhizobium* Strains Nodulating Peanut (*Arachis hypogaea* L.) Roots. *Applied and Environmental Microbiology*, 61: 1599–1609.

- Vance, C., (2001).** Symbiotic nitrogen fixation and phosphorus acquisition. Plant nutrition in a world of declining renewable resources. *Plant Physiol.*, 127: 390-397.
- Vance, C.,(2002).** Root-bacteria interactions: symbiotic N₂ fixation. In Y Waisel, A Eshel, U Kafkafi, Eds., *Plant Roots: The Hidden Half*. Marcel Dekker, Inc, New York, Pp. 839–867.
- Vandamme, P.; B. Pot; M. Gillis; P. De Vos; K. Kersters and J. Swings. (1996).** Polyphasic taxonomy, a consensus approach to bacterial systematics. *Microbiol. Rev.*, 60: 407- 438.
- Vargas, L. K.; B. B. Lisboa; A. Giongo; A. Beneduzi and L. M. P. Passaglia. (2010).** Potential of Rhizobia as Plant Growth-Promoting Rhizobacteria. M.S. Khan et al. (eds.), *Microbes for Legume Improvement*, Springer-Verlag/Wien, Pp. 137-155.
- Vargas, L. K.; B. B. Lisboa; G. Schlindwein; C. E. Granada; A. Giongo; A. Beneduzi and L. M. P. Passaglia. (2009).** Occurrence of plant growth-promoting traits in clover-nodulating rhizobia strains Isolated from different soils in Rio Grande Do Sul State. *R. Bras. Ci. Solo*, 33:1227-1235.
- Vauterin, L.; J. Swings and k. Kersters. (1993).** Protein electrophoresis and classification. In *Handbook of New Bacterial Systematics*. Pg. 251- 280. Edited by Goodfellow, M. and A. G. O'Donnelle, London: Academic Press.
- Verma, J. P.;J. Yadav;K. N. Tiwariand V. Singh. (2010).** Impactof plant growth promoting rhizobacteria on crop production.*Int. J. Agric. Res.*, 5: 954-983.
- Villedieu, A.; A.P. Diaz-Torres; A.P. Roberts; N. Hunt; D.A. McNab; D.A. Spratt; M. Wilson and P. Mullany. (2003).** Prevalence of tetracycline resistance genes in oral bacteria. *Antimicrobial Agents and Chemotherapy*, 47: 878-882.
- Villegas, J. and J. A. Fortin. (2002).** Phosphorus solubilisation and pH changes as result of the interactions between soil bacteria and arbuscular mycorrhizal fungi on a medium containing NO₃[−] as nitrogen source. *Canadian Journal of Botany*, 80: 571-576.
- Vincent, J.M. (1970).** A manual for the practical study of root nodule bacteria. Black well scientific publications, Oxford.
- Vinuesa, P.; C. Silva; D. Werner and E. Martínez-Romero. (2005).** Population genetics and phylogenetic inference in bacterial molecular systematics: the roles of migration and recombination in *Bradyrhizobium* species cohesion and delineation. *Mol. Phylogenet. Evol.*, 34:29-54.

- Vlassak, K.M. and J. Vanderleyden. (1997).** Factors influencing nodule occupancy by inoculant rhizobia. *Critical Reviews in Plant Sciences*, 16: 163-229.
- Walsh, U. F.; J. P. Morrissey and F. O' Gara. (2001).** *Pseudomonas* for biocontrol of phytopathogen: from functional genomics to commercial exploitation. *Current Opinion in Biotechnology*, 12: 289-295.
- Weir, B. S., (2009).** The current taxonomy of rhizobia. New Zealand rhizobia website. Last updated: 21 Oct 2010. <http://www.rhizobia.co.nz/taxonomy/rhizobia.html>
- Weller, D. M. (1998).** Biological control of soilborne plant pathogens in the rhizosphere with bacteria. *Ann. Rev. Phytopathol.*, 26: 379-407.
- Weller, D. M.; J. M. Raaijmakers; B. B. M. Gardener and L. S. Thomashow. (2002).** Microbial populations responsible for specific soil suppressiveness to plant pathogens. *Ann. Rev. Phytopathol.*, 40: 309-348.
- Whipps, J. (2001).** Microbial interactions and biocontrol in the rhizosphere. *J. Exp. Bot.*, 52: 487-511.
- Whitelaw, M. A. (2000).** Growth promotion of plants inoculated with phosphate-solubilizing fungi. *Advances in Agronomy*, 69: 99-151.
- Willems, A.; R. Coopman and M. Gillis. (2001).** Phylogenetic and DNA: DNA hybridization analyses of *Bradyrhizobium* species. *Int. J. Syst. Evol. Microbiol.*, 51: 111-117.
- Wood, G. E. and M. W. Trucksess. (1998).** Regulatory control programs for mycotoxin-contaminated food. In: Sinha, K.K., Bhatnagar, D. (Eds.), *Mycotoxins in Agriculture and Food Safety*. Marcel Dekker, New York, Pp. 459-481.
- Wood, S.; J. Henao and M. Rosegrant. (2004).** The role of nitrogen in sustaining food production and estimating future nitrogen fertilizer needs to meet food demand. In *SCOPE 65: Agriculture and the Nitrogen Cycle: Assessing the Impacts of Fertilizer Use on Food Production and the Environment*, edited by A.R. Mosier, J.K. Syers and J.R. Freney. Island Press, Washington, DC, USA.
- World Health Organization, WHO. (1979).** *Mycotoxins Environmental Health Criteria*, Vol. 11: 21-84 Geneva.
- Xu, M. L.; C. Ge; Z. Cui; J. Li and H. Fan. (1995).** *Bradyrhizobium liaoningense* sp. nov., isolated from the root nodules of soybeans. *Int. J. Syst. Bacteriol.*, 45: 706-711.

- Yang J. K.; F. L. Xie; J. Zou; Q. Zhou and J. C. Zhou. (2005).** Polyphasic characteristics of bradyrhizobia isolated from nodules of peanut (*Arachis hypogaea*) in China. *Soil Biology & Biochemistry*, 37: 141-153.
- Yang, J. K. and J. C. Zhou. (2008).** Diversity, phylogeny and host specificity of soybean and peanut bradyrhizobia. *Biol. Fertil. Soils*, 44:843–851.
- Yao, Z. Y.; F. L. Kan; E. T. Wang; G. H. Wei and W. X. Chen. (2002).** Characterization of rhizobia that nodulate legume species of the genus *Lespedeza* and description of *Bradyrhizobium yuanmingense* sp nov. *Int. J. Syst. Evol. Microbiol.*, 52: 2219–2230.
- Young, J. M.; L. D. Kuykendall; E. Martí'nez-Romero; A. Kerr and H. Sawada. (2001).** A revision of *Rhizobium* Frank 1889, with an emended description of the genus, and the inclusion of all species of *Agrobacterium* Conn 1942 and *Allorhizobium undicola* de Lajudie et al. 1998 as new combinations: *Rhizobium radiobacter*, *R. rhizogenes*, *R. rubi*, *R. undicola* and *R. vitis*. *Int. J. Syst. Evol. Microbiol.*, 51: 89–103.
- Zahran, H. H. (2010).** Legumes–Microbes Interactions under Stressed Environments, In M.S. Khan et al. (eds.), *Microbes for Legume Improvement*, © 2010 Springer-Verlag/Wien, Pp. 353- 387.
- Zaidi, A; M. S. Khan; M. Ahemad and M. Oves. (2009).** Plant growth promotion by phosphate solubilizing bacteria. *Acta. Microbiol. Immunol. Hung.*, 56:263–84.
- Zaied, K. A.; K. S. Kash; S. A. Ibrahim and T. M. Tawfik. (2009).** Improving Nematocidal Activity of Bacteria via Protoplast Fusion. *Australian Journal of Basic and Applied Sciences*, 3: 1412-1427.
- Zaied, K. A.; Z. A. Kosba; M. A. Nassef and A.A. Zehry. (2005).** Enhanced Nodulation and Nitrogen Fixation in Common Bean (*Phaseolus vulgaris* L.) Via Conjugation and Azide Resistant Mutants in Rhizobial Strains. *Pakistanian J. of Biological Science*, 8: 1720-1738.
- Zaied, K. A.; Z. A. Kosba; M. A. Nassef and A. I. El-saied. (2007).** Interaction Between Gamma-irradiated Macrosymbiont and Recombinants of Microsymbiont to Improve Nodulation and Nitrogen Fixation in *Pisum sativum*. *Australian Journal of Basic and Applied Sciences*, 1: 441-460.
- Zaied, K.A.; Z.A. Kosba; M. A. Nassef and A. I. El-saied. (2009).** Induction of Rhizobium Inoculants Harboring Salicylic Acid Gene. *Australian Journal of Basic and Applied Sciences*, 3: 1386-1411.

- Zaied, K. A.; Z. M. El-Diasty; M. M. Abd El-Rhman and A. S. O. El-Sanossy. (2009).** Effect of horizontal DNA transfer between *Azotobacter* strains on protein patterns of *Azotobacter* transconjugants and biochemical traits in bioinoculated Okra (*Abelmoschus Esculentus*, L.). Australian Journal of Basic and Applied Sciences, 3: 748-760.
- Zechner, E. L.;F. de La Cruz; R. Eisenbrandt; A. M. Grahn;G. Kortaiman;E. Lanka;G. Muth; W. Pansegrau; C. M. Thomas; B. M. Wilkins and M. Zatyka. (2000).**Conjugative DNA processes. In: Thomas, C.M. (Ed.), The Horizontal Gene Pool. Harwood Academic Publishers, Amsterdam, Pp. 87–174.
- Zhou, T. and T. C. Paulitz. (1993).** *In-vitro* and *in-vivo* effects of *Pseudomonas* spp on *Pythium aphanidermatum*: zoospore behavior in exudates and on the rhizoplane of bacteria-treated cucumber roots. Phytopathology, 83: 872-876.
- Zinder, N. D. andJ. Lederberg. (1952).**Gene exchange in *Salmonella*. J. Bacteriol., 64:679–699.