

## References

**Agarwal S:** Introduction to corneal topography. Agrawals' textbook on corneal topography 2006; 4-8.

**Al-Mezaine HS, Al-Amro SA, Kangave D, et al.:** Comparison between central corneal thickness measurements by oculus pentacam and ultrasonic pachymetry. International Ophthalmology 2007; 28: 333-340.

**Ambrósio R, Simonato R, Jardim D, Fontes B:** Corneal Biomechanics, Pachymetric Progression, and Corneal Volume. Novel Indices for Detecting Ectasia and Screening Refractive Patients. SAN FRANCISCO, ASCRS 2006; 1-29.

**Barkana Y, Gerber Y, Elbaz U, et al.:** Central corneal thickness measurement with the Pentacam Scheimpflug system, optical low-coherence reflectometry pachymeter and ultrasound pachymetry. J Cataract Refract Surg 2005;31:1729-1763.

**Belin MW and Khachikian SS:** An introduction to understanding elevation-based topography and how elevation data are displayed. Clin and Experiment Ophthalmol 2008; 95: 1-15.

**Belin MW, Khachikian SS, Ambrósio Jr. R, Salomão M:** Keratoconus / Ectasia Detection with the Oculus Pentacam. Belin / Ambrósio Enhanced Ectasia Display. highlights of ophthalmology 2006; 35: 5-12.

**Belin MW, Khachikian SS:** Keratoconus it is hard to define but . . . Am J Ophthalmol 2007;143:500 –502.

**Borasio E, Stevens J & Smith G:** Estimation of true corneal power after karatorefractive surgery in eyes requiring cataract surgery and best formula. J Cataract Refract Surg. 2006; 32: 2004–2014.

**Boyd S, Vejarano L:** The Pentacam Application for intrastromal Segment Ring. Highlights of Ophthalmology 2007; 36: 15-17.

**Buehl W, Stojanac D, Sacu S, Drexler W:** Comparison of Three Methods of Measuring Corneal Thickness and Anterior Chamber Depth. Am J ophthalmol 2006; 141: 7-12.

**Carpenter J:** Improvements in Enlarging or like Cameras. GB Patent No. 1139. Filed 17 January 1901, and issued 2<sup>nd</sup> Nov., 1901.

**Dada T, Sihota R, Gadia R, et al.:** Comparison of anterior segment optical coherence tomography and ultrasound biomicroscopy for assessment of the anterior segment. J Cataract Refract Surg 2007; 33: 837-876.

**Dhaliwal JS, Kaufman SC, Chiou AG:** Current applications of clinical confocal microscopy. Current Opinions in Ophthalmology 2007; 18: 300-306.

**Dick HB, Tehrani M:** pIOL Simulation for High Resolution Imaging. Cataract & Refractive surgery today 2007; 11-12.

**Dick HB:** Anterior segment analysis for phakic IOL implantation. Insert to cataract & refractive surgery today 2006; 6-7.

**Dick B:** Interpretation Of Scheimpflug Based Anterior Segment Imaging And Mapping. Eye to Eye, Eurotimes, February 2005; 1-6.

**Donald R:** Pentacam guided phacoemulsification, The Pentacam Offering a Clearer View. Supplement to Cataract & Refractive Surgery Today 2007; 5-6.

**Friedman DS, Gazzard G, Min CB, Broman AT:** Age and sex variation in angle findings among normal Chinese subjects: a comparison of UBM, Scheimpflug, and gonioscopic assessment of the anterior chamber angle. J Glaucoma 2008;17: 5-10.

**Fujimoto JG:** Optical coherence tomography introduction. Borna BE, Tearney GJ. Handbook of Optical Coherence Tomography 2002; 1-40.

**Gills JP:** Corneal Topography, the State of the art. Thorofare, NJ: Slack Incorporated 1995;1-328.

**Gimeno S, Casanova J, Perez L, et al:** Inter observer variability of central corneal thickness measurements using non-contact specular microscopy after laser in situ keratomileusis. Clinical and Experimental Optometry 2004; 87: 8-15.

**Goodman , Randall L:** OPHTHO NOTES, The Essential Guide 2003.

**Goran Bencic:** clinical importance of the LOCS III in phacoemulsification. coll.antropol 2005; 1: 91-94.

**Greste RD:** Five in one, an innovation that combines several diagnostic strategies. Ophthalmo-chirurgie (special edition) 2004: 1-4.

**Grewal D, Jain R, Brar GS, Grewal SP:** Pentacam tomograms, a novel method for quantification of posterior capsule opacification. Invest Ophthalmol Vis Sci. 2008; 49: 2004-2011.

**Grewal DS, Brar GS, Grewal SP:** Correlation of Nuclear Cataract Lens Density using Scheimpflug Images with Lens Opacities Classification System III and Visual Function. Ophthalmology 2009; 3: 550-583.

**Grewal SP, Jain R, Gupta R, Grewal D:** Role of scheimpflug imaging in traumatic intralenticular foreign body. Am J Ophthalmol 2006;142: 675-680.

**Guttman C:** New formula allows, simplifies pseudophakic IOL power calculation. Ophthalmology Times 2008; 13-16.

**Hardten D:** Advancing Diagnostics, Interesting applications of the Pentacam in the anterior segment practice. Supplement to Cataract & Refractive Surgery Today 2008; 9-10.

**Hepsen I, Yagci R & Kiskan U:** Corneal curvature and central corneal thickness in eyes with pseudoexfoliation syndrome. Canadian Journal of Ophthalmology 2007; 42: 677-680.

**Ho T, Cheng AC, Rao SK, Lau S:** Central corneal thickness measurements using Orbscan II, ultrasound and Pentacam pachymetry after laser in situ keratomileusis for myopia. J Cataract Refract Surg 2007; 33: 1177–1182.

**Holladay JT, Belin MW, Maus M, Vinciguerra P:** Next generation technology for cataract & refractive surgeon. Cataract and refractive surgery today 2005; 1-11.

**Holladay JT:** Holladay Report on the Pentacam. New Advances and Technology with Pentacam 2008; 10-15.

**Hong S, Seong G:** Anterior Chamber Measurements by Pentacam and AS-OCT in Eyes with Normal Open Angles. Korean Journal of Ophthalmology 2008; 22: 242-245.

**Jain R, Grewal D, Gupta R, Grewal SP:** Scheimpflug imaging in late Capsular Bag Distention syndrome after phacoemulsification. Am J Ophthalmol 2006 ;142: 1083-5.

**Kanski J J:** anatomy of aqueous outflow. clinical ophthalmology a systemic approach; 6<sup>th</sup> edition; 373-374.

**Kaufman SC, Musch DC, Belin MW, et al.:** Confocal microscopy, a report by the American Academy of Ophthalmology. Ophthalmology 2004; 111: 396-406.

**Lackner B, Schmidinger G, Skorpik C:** Validity and repeatability of anterior chamber depth measurements with pentacam and orbscan. Optom Vis Sci 2005; 82: 858-61.

**Lee B, Jurkunas U, Dagher M:** Ectatic Disorders Associated With a Claw-shaped Pattern on Corneal Topography. *Am J ophthalmol* 2007; 144: 154-156.

**Liu Z, Huang AJ, Pflugfelder SC:** Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system. *Br J Ophthalmol* 1999; 83: 774-8.

**Maus M, Krober S:** The Pentacam in Keratoconus Screening and Corneal Crosslinking. *Highlights of Ophthalmology* 2007; 35: 15-18.

**Merklinger, Harold M:** Focusing the View Camera 1996. Bedford, Nova Scotia: Seaboard Printing Limited. ISBN 0-9695025-2-4.

**Merklinger, Harold M:** The INs and OUTs of focus 2002. Bedford, Nova Scotia: Seaboard Printing Limited 2002. ISBN 0-9695025-0-8.

**Nakagawa T, Maeda N, Kosaki R, et al.:** Higher-Order Aberrations due to the Posterior Corneal Surface in Patients with Keratoconus. *Invest Ophthalmol Vis Sci* 2008.

**Neuhann T:** Pentacam System Overview, Understanding Its Benefits. *Highlights of Ophthalmology* 2007; 35: 18-20.

**O'Donnell C, Maldonado C:** Agreement and repeatability of central thickness measurement in normal corneas using ultrasound pachymetry and the oculus Pentacam. *Cornea* 2005; 24: 920-923.

**Rabsilber M, Khoramnia R:** Anterior chamber measurements using Pentacam rotating Scheimpflug camera. *J Cataract Refract Surg* 2006; 32: 456-459.

**Reinstein D, Srivannaboon S:** The accuracy of routine LASIK, isolation of biochemical and epithelial factors. *Invest Ophthalmol Vis Sci* 2000; 41: 318.

**Roberts C, Züger B:** The Advantage and Principle of Dual Scheimpflug Imaging for analyzing the Anterior Segment of the Human Eye. Cataract & refractive surgery today Europe; March 2006: 50-51.

**Ronald D:** Five in One, An Innovation That Combines Several Diagnostic Strategies. Ophthalmo-Chirurgie 2004.

**Rosales P, Marcos S:** Pentacam Scheimpflug Quantative Imaging of the crystalline lens and intraocular lens. Journal of Refractive Surgery 2009; 25: 421-428.

**Sanctis U, Missolungi A, Mutani B, et al.:** Graft Central thickness measurement by rotating Scheimpflug camera and ultrasound pachymetry after penetrating keratoplasty. Ophthalmology 2007; 114: 1461–1468.

**Sanctis U, Missolungi A, Mutani B, et al.:** Reproducibility and repeatability of central corneal thickness measurement in keratoconus using the rotating Scheimpflug camera and ultrasound pachymetry. J Cataract Refract Surg 2007; 144: 712-718.

**Sandoval H:** Accuracy of the Pentacam and IOL Master to Calculate the Effective Corneal Power after Corneal Refractive Surgery. Study 7 of 84 for search of: "Medical University of South Carolina" October 2007.

**Shankar H, Taranath D, Santhirathelagan CT, Pesudovs K:** Repeatability of corneal first-surface wavefront aberrations measured with Pentacam corneal topography. J Cataract Refract Surg 2008; 34: 727–734.

**Swartz T, Marten L and Wang M:** Measuring the cornea, the latest developments in corneal topography. Current Opinion in Ophthalmology 2007; 18: 325–333.

**Tehrani M:** Application of Pentacam in Anterior Chamber Measurements for Phakic IOL Surgery. New advances and technology with pentacam. Oculus Optikgeräte GmbH 2008; 8-9.

**Verges C & Cazal J:** Applications of Pentacam in Anterior Segment Analysis. Highlights of Ophthalmology 2007; 35: 11-15.

**Vinciguerra P:** Daily Use of the Pentacam and Interpretation and Use of the Maps, Next generation technology for the cataract and refractive surgeon. Supplement to Cataract & Refractive Surgery Today 2005; 9-11.

**Viteri E:** Using the Pentacam for IOL power calculation. Highlights of Ophthalmology 2008; 36: 13-16.

**Walker RN, Khachikian SS, Belin MW:** Scheimpflug photographic diagnosis of pellucid marginal degeneration. Cornea 2008 ;27: 963-6.

**Woodhams J T:** Pentacam, the new standard beyond placido topography, pentacam the next wave in comprehensive eye scanner technology. Journal of Cataract and refractive surgery 2007; 24 : 543-552.

**Yi J, Shin J, Kim S, et al.:** The Comparison of Central and Mean True-Net Power (Pentacam) in Calculating IOL-Power After Refractive Surgery. Korean Journal of Ophthalmology 2009; 23; 1: 1-5.

**Zuppardo M:** Dual Scheimpflug Imaging Yields accuracy for Refractive Planning. Cataract & Refractive Surgery Today Europe 2008; 3: 50-51.