

REFERENCES

- American individuals. Arch.Ophthalmol. 2004;122:813-820.
 - Arch.Ophthalmol. 2002;120:714-20; discussion 829-30.
 - Asrani S, Zeimer R, Wilensky J, Gieser D, Vitale S, Lindenmuth K. Large diurnal fluctuations in intraocular pressure are an independent risk factor in patients with glaucoma. J.Glaucoma 2000;9:134-142.
 - Bonovas, S., Peponis, V. and Filioussi, K. (2004) Diabetes mellitus as a risk factor for primary open-angle glaucoma: a meta-analysis. Diabetic Medicine, 609- 614.
 - Buchi ER. The blood supply to the optic nerve head. H. J. Kaiser, J. Flammer and Ph Hendrickson. In Ocular Blood Flow; New Insights into the Pathogenesis of Ocular Diseases. Basel: Karger Publications; 1996. 1-8.
 - Cantor L, Fechtner R, Michael AJ, Simmons ST, Wilson MR, Brown SVL. Clinical evaluation; the optic nerve anatomy and pathology. M. Denny and J. Daniel. In Glaucoma Basic and Clinical Science Course. San Francisco: 2004. 39-42.
 - Cardillo C, Kilcoyne CM, Cannon RO,3rd, Panza JA. Interactions between nitric oxide and endothelin in the regulation of vascular tone of human resistance vessels in vivo.Hypertension 2000;35:1237-1241.
 - Chang CJ, Chiang CH, Chow JC, Lu DW. Aqueous humor nitric oxide levels differ in patients with different types of glaucoma. J.Ocul.Pharmacol.Ther. 2000;16:399-406.
 - Chauhan BC. Endothelin and its potential role in glaucoma. Can.J.Ophthalmol. 2008;43:356-360.
-

- Chauhan BC, Mikelberg FS, Balaszi AG, et al. Canadian glaucoma study: 2. risk factors for the progression of open-angle glaucoma. *Arch.Ophthalmol.* 2008;126:1030-1036. Chang CJ, Chiang CH, Chow JC, Lu DW. Aqueous humor nitric oxide levels differ in patients with different types of glaucoma. *J.Ocul.Pharmacol.Ther.* 2000;16:399-406.
 - Choi J, Kim KH, Jeong J, *et al.* Circadian fluctuation of mean ocular perfusion pressure is a consistent risk factor for normal-tension glaucoma. *Invest Ophthalmol Vis Sci* 2007;48:104-111.
 - Choplin NT, Lundy DC, Harris A, Jonescu- Cuypers C P, *et al.* Introduction for Ocular Blood Flow, *Atlas of glaucoma*,2007;183.
 - Cioffi GA, Granstam E, Alm A. Ocular circulation. P. Kaufman and A. Alm. In *Adler's physiology of the eye*. Elsevier; 2002. 747-784 pp.
 - Cioffi GA. Vascular anatomy of the optic nerve. L. E. Pillunat, A. Harris, D. R. Anderson and I. L. Greve. In *Current Concepts on Ocular Blood Flow in Glaucoma*.The Hague, The Netherlands: Kugler Publications; 1999. 45-50 pp.
 - Clermont A, Bursell SE, Feener EP. Role of the angiotensin II type 1 receptor in the pathogenesis of diabetic retinopathy: Effects of blood pressure control and beyond. *J.Hypertens.Suppl.* 2006;24:S73-80.
 - Costa VP, Harris A, Stefansson E, et al. The effects of anti-glaucoma and systemic medications on ocular blood flow. *Prog Retin Eye Res* 2003; 22: 769–805.
 - Dallinger S, Dorner GT, Wenzel R, et al. Endothelin-1 contributes to hyperoxia-induced vasoconstriction in the human retina. *Invest.Ophthalmol.Vis.Sci.* 2000;41:864-869.
 - Deokule S, Weinreb RN. Relationships among systemic blood pressure, intraocular pressure open angle glaucoma. *Can J Ophthalmol* 2008; 43:302-307.
-

- Dignam, K. and Stutman, R. S. (2001) Epidemiology and Risk Factors for Glaucoma. In Glaucoma Hndbook, (ed. A. B. Litwak), pp. Ch.2, p.9-18, Butterworth-Heinemann, Woburn.
 - Doganay S, Evereklioglu C, Turkoz Y, Er H. Decreased nitric oxide production in primary open-angle glaucoma. *Eur.J.Ophthalmol.* 2002;12:44-48.
 - Dorner GT, Garhofer G, Kiss B, et al. Nitric oxide regulates retinal vascular tone in humans. *Am.J.Physiol.Heart Circ.Physiol.* 2003;285:H631-H636.
 - Ellis, J. D., Evans, J. M., Ruta, D. A., Baines, P. S., Leese, G., MacDonald, T. M. and Morris, A. D. (2000) Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma? DARTS/MEMO collaboration. Diabetes Audit and Research in Tayside Study. Medicines Monitoring Unit. *Br J Ophthalmol* 84, 1218-24.
 - Emre M, Orgul S, Haufschild T, Shaw SG, Flammer J. Increased plasma endothelin-1 levels in patients with progressive open angle glaucoma. *Br.J.Ophthalmol.* 2005;89:60-63.
 - European Glaucoma Society journal (2003) Primary Open Angle Glaucoma. In Terminology and Guidelines for Glaucoma, pp. 5-8, Ch.2, DOGMA S.r.l. , Savona Italy.
 - Falsini B, Riva CE, Logean E. Flicker-evoked changes in human optic nerve blood flow: Relationship with retinal neural activity. *Invest. -Ophthalmol.Vis.Sci.* 2002;43:2309-2316.
 - Faraci FM, Heistad DD. Central nervous system and eye, microcirculation of the brain. D. Shepro. In Microvascular research Biology and Pathology. San Diego, CA: Elsevier Academic Press Publications; 2006. 381-384 pp.
 - Feke GT, Pasquale LR. Retinal blood flow response to posture change in glaucoma patients compared with healthy subjects. *Ophthalmology* 2008; 115:246-252.
-

- Flammer J, Mozaffarieh M. Autoregulation, a balancing act between supply and demand. *Can.J.Ophthalmol.* 2008;43:317-321.
 - Flammer J, Mozaffarieh M. Measuring temperature, Assessment of ocular blood flow, 2009; 15-17.
 - Flammer J, Mozaffarieh M. Retinal vessel analyzer, Assessment of ocular blood flow, 2009; 18-20.
 - Flammer J, Mozaffarieh M. What is the present pathogenetic concept of glaucomatous optic neuropathy *Surv Ophthalmol* 2007; 52 (Suppl 2):S162-S173
 - Flammer J, Orgul S, Costa VP, et al. The impact of ocular blood flow in glaucoma. *Prog.Retin.Eye Res.* 2002;21:359-393.
 - Flammer J. Pathogenesis of Glaucomatous Damage. In *Glaucoma*, pp. 2006b ; 103-108, Hogrefe, Bern.
 - Fuchsjager-Mayrl G, Wally B, Georgopoulos M, *et al.* OCULAR BLOOD FLOW glaucoma progression and systemic blood pressure in patient with open angle glaucoma and ocular hypertension. *Invest Ophthalmol Vis Sci* 2004;45:834-839.
 - Funk J, Muller-Velten R, Ness T. [Measuring retinal circulation with the Heidelberg retinal flowmeter: reproducibility of data and no effect of metipranolol in normal probands]. *Klin Monatsbl Augenheilkd* 2000; 217: 263–8 .
 - Galassi F, Sodi A, Ucci F, et al. Ocular hemodynamics and glaucoma prognosis: a color Doppler imaging study. *Arch Ophthalmol* 2003; 121: 1711–15.
 - Galassi F, Renieri G, Sodi A, Ucci F, Vannozzi L, Masini E. Nitric oxide proxies and ocular perfusion pressure in primary open angle glaucoma. *Br.J.Ophthalmol.* 2004;88:757-760.
 - Gilmore ED, Hudson C, Preiss D, Fisher J. Retinal arteriolar diameter, blood velocity, and blood flow response to an isocapnic
-

hyperoxic provocation. *Am J Physiol Heart Circ Physiol* 2005;288:H2912-H2917.

- Gordon, M. O., Beiser, J. A., Brandt, J. D., Heuer, D. K., Higginbotham, E. J., Johnson, C. A., Keltner, J. L., Miller, J. P., Parrish II, R. K., Wilson, M. R., Kass, M. A. and for the Ocular Hypertension Treatment Study, G. (2002) The Ocular Hypertension Treatment Study: Baseline Factors That Predict the Onset of Primary Open-Angle Glaucoma. *Arch Ophthalmol* 120, 714-720.
 - Grieshaber MC, Flammer J, Mozaffarieh M. What is the link between Vascular dysregulation and glaucoma *Surv Ophthalmol* 2007; 52 (Suppl 2):S144-S154.
 - Haefliger IO, Flammer J, Beny JL, Luscher TF. Endothelium-dependent vasoactive modulation in the ophthalmic circulation. *Prog.Retin.Eye Res.* 2001;20:209-225.
 - Harris A, Jonescu-Cuypers CP. Ocular vasculature & Vasculature of the choroid, Ocular blood flow, *Atlas of Ocular Blood Flow*. 2007; 183-188.
 - Harris A, Jonescu-Cuypers CP, Kagemann L, Ciulla TA, Kreiglstein GK, eds. *Atlas of Ocular Blood Flow: Vascular Anatomy, Pathophysiology, and Metabolism*. Philadelphia: Butterworth Heinemann, 2003.
 - Harris A, Jonescu-Cuypers C P, Techniques for Examining Ocular Blood Flow, *Atlas of glaucoma*, 2007; 188-197.
 - Harris AP, Ohata H, Koehler RC. Role of nitric oxide in cerebrovascular reactivity to NMDA and hypercapnia during prenatal development in sheep. *Int.J.Dev.Neurosci.* 2008;26:47-55.
 - Hayashi N, Tomita G, Kitazawa Y. Optic disc blood flow measured by scanning laser-Doppler flowmetry using a new analysis program. *Jpn J Ophthalmol* 2000; 44: 573-4.
-

- Hayashi N, Tomita G, Kitazawa Y. [Optic disc blood flow measured by scanning laser-Doppler flowmetry using a new analysis program]. *Nippon Ganka Gakkai Zasshi* 2000; 104:148–53
 - Hayreh SS. Blood flow in the optic nerve head and factors that may influence it. *Prog.Retin.Eye Res.* 2001;20:595-624.
 - Higginbotham EJ, Gordon MO, Beiser JA, et al. The ocular hypertension treatment study: Topical medication delays or prevents primary open-angle glaucoma in African american individuals. *Arch.Ophthalmol.* 2004;122:813-820.
 - Hulsman CA, Vingelering JR, Hofman A, *et al.* blood pressure, arterial stiffness, and open angle glaucoma:the Rotterdam study. *Arch Ophthalmol* 2007; 125:805-812.
 - Iester M, Torre PG, Bricola G, Bagnis A, Calabria G. Retinal blood flow autoregulation after dynamic exercise in healthy young subjects. *Ophthalmologica* 2007;221:180-185.
 - Invest.Ophthalmol.Vis.Sci. 2007;48:3768-3774.
 - Izumi N, Nagaoka T, Sato E, et al. Role of nitric oxide in regulation of retinal blood flow in response to hyperoxia in cats. *Invest.Ophthalmol.Vis.Sci.* 2008;49:4595-4603.
 - Jandrasits K, Luksch A, Soregi G, Dorner GT, Polak K, Schmetterer L. Effect of noradrenaline on retinal blood flow in healthy subjects. *Ophthalmology* 2002;109:291-295.
 - Jarajapu YP, Grant MB, Knot HJ. Myogenic tone and reactivity of the rat ophthalmic artery. *Invest.Ophthalmol.Vis.Sci.* 2004;45:253-259.
 - Jeppesen P, Sanye-Hajari J, Bek T. Increased blood pressure induces a diameter response of retinal arterioles that increases with decreasing arteriolar diameter. *Invest.Ophthalmol.Vis.Sci.* 2007;48:328-331.
-

- Jonescu-Cuypers CP, Chung HS, Kagemann L, et al. New neuroretinal rim blood flow evaluation method combining Heidelberg retina flowmetry and tomography. *Br J Ophthalmol* 2001; 85: 304–9.
 - Jonescu-Cuypers CP, Harris A, Bartz-Schmidt KU, et al. Reproducibility of circadian retinal and optic nerve head blood flow measurements by Heidelberg retina flowmetry. *Br J Ophthalmol* 2004; 88: 348–53.
 - Jonescu-Cuypers CP, Harris A, Wilson R, et al. Reproducibility of the Heidelberg retinal flowmeter in determining low perfusion areas in peripapillary retina. *Br J Ophthalmol* 2004; 88:1266–9
 - Kagemann L, Harris A, Chung H, et al. Photodetector sensitivity level and Heidelberg retina flowmeter measurements in humans. *Invest Ophthalmol Vis Sci* 2001; 42: 354–7.
 - Kallberg ME, Brooks DE, Gelatt KN, Garcia-Sanchez GA, Szabo NJ, Lambrou GN. Endothelin-1, nitric oxide, and glutamate in the normal and glaucomatous dog eye. *Vet.Ophthalmol.* 2007;10 Suppl 1:46-52.
 - Karczewicz, D. and Modrzejewska, M. (2004a) [Assessment of blood flow in eye arteries in patients with myopia and glaucoma]. *Klin Oczna* 106, 214-6.
 - Kass MA, Heuer DK, Higginbotham EJ, et al. The ocular hypertension treatment study: A randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma. *Arch.Ophthalmol.* 2002;120:701-13; discussion 829-30.
 - Kerr J, Nelson P, O'Brien C. Pulsatile ocular blood flow in primary open-angle glaucoma and ocular hypertension. *Am.J.Ophthalmol.* 2003;136:1106-1113.
-

- Kiss B, Dallinger S, Polak K, Findl O, Eichler HG, Schmetterer L. Ocular hemodynamics during isometric exercise. *Microvasc.Res.* 2001;61:1-13.
 - Konareva-Kostianeva M. Neovascular glaucoma. *Folia. Med. (Plovdiv)* 2005;47:5-11.
 - Kotikoski H, Moilanen E, Vapaatalo H, Aine E. Biochemical markers of the L-argininenitric oxide pathway in the aqueous humour in glaucoma patients. *Acta Ophthalmol.Scand.* 2002;80:191-195.
 - Kunimatsu S, Mayama C, Tomidokoro A, Araie M. Plasma endothelin-1 level in japanese normal tension glaucoma patients. *Curr.Eye Res.* 2006;31:727-731.
 - Lavi S, Gaitini D, Milloul V, Jacob G. Impaired cerebral CO2 vasoreactivity: Association with endothelial dysfunction. *Am.J.Physiol.Heart Circ.Physiol.* 2006;291:H1856-61.
 - Leske MC, Heijl A, *etal.* Predictors of long term progression in the early manifest glaucoma trial. *Ophthalmology* 2007;114:1965-1972.
 - Leske MC, Heijl A, Hyman L *etal.* Factors for progression and glaucoma treatment: The early Manifest Glaucoma Trial.*Curr Opin* 2004;15:102-106.
 - Leske MC, Nemesure B, He Q, Wu SY, Fielding Hejtmancik J, Hennis A. Patterns of open-angle glaucoma in the barbados family study. *Ophthalmology* 2001;108:1015-1022.
 - Leske MC. open angle glaucoma: an epidemiologic overview. *Ophthalmol Epidemiol* 2007; 14:166-172.
 - Leske MC, Wu SY, Hennis A *etal.* Risk factors ror incident open angle glaucoma: The Barbados Eye Studenties. *Ophthalmology* 2008; 115:85-93.
-

- Leske MC, Wu SY, Nemesure B *etal.* Incident open angle glaucoma and blood pressure. Arch Ophthalmol 2002; 120:954-959.
 - Loffler KU. Neovascular glaucoma: Aetiology, pathogenesis and treatment. Ophthalmologe 2006;103:1057-63; quiz 1064.
 - Logan JF, Rankin SJ, Jackson AJ. Retinal blood flow measurements and neuroretinal rim damage in glaucoma. Br J Ophthalmol 2004; 88: 1049–54
 - Lovasik JV, Kergoat H. Consequences of an increase in the ocular perfusion pressure on the pulsatile ocular blood flow. Optom.Vis.Sci. 2004;81:692-698.
 - Lovasik JV, Kergoat H, Riva CE, Petrig BL, Geiser M. Choroidal blood flow during exercise-induced changes in the ocular perfusion pressure. Invest.Ophthalmol.Vis.Sci.2003;44:2126-2132.
 - Lu M, Adamis AP. Central nervous system and eye, the retinal microvasculature. D. Shepro. In Microvascular research-Biology and Pathology. San Diego, CA: Elsevier Academic Press; 2006. 401-403 pp.
 - Mackenzie PJ, Cioffi GA. Vascular anatomy of the optic nerve head. Can.J.Ophthalmol.2008;43:308-312.
 - Mather KJ, Lteif A, Steinberg HO, Baron AD. Interactions between endothelin and nitric oxide in the regulation of vascular tone in obesity and diabetes. Diabetes 2004;53:2060-2066.
 - Mayama, C., Suzuki, Y., Araie, M., Ishida, K., Akira, T., Yamamoto, T., Kitazawa, Y., Funaki, S., Shirakashi, M., Abe, H., Tsukamoto, H., Okada, K., Mishima, H. K., Perkins, E. S. and Phelps, C. D. (2002) Myopia and advanced-stage open-angle glaucoma. Ophthalmology 109, 2072-7.
-

- Mitchell, P., Hourihan, F., Sandbach, J. and Wang, J. J. (1999) The relationship between glaucoma and myopia: the Blue Mountains Eye Study. *Ophthalmology* 106, 2010-5.
 - Mozaffarieh M, Flammer J. Assessment of ocular blood flow, Ocular Blood Flow and Glaucomatous optic neuropathy 2009; 15-16, 18.
 - Mozaffarieh M, Flammer J. Is there more to glaucoma treatment than lowering IOP? *Surv.Ophthalmol.* 2007;52 Suppl 2:S174-9.
 - Mozaffarieh M, Grieshaber MC, Flammer J. Oxygen and blood flow: Players in the pathogenesis of glaucoma. *Mol.Vis.* 2008;14:224-233.
 - Mukesh BN, McCarty CA, Rait JL, Taylor HR. Five-year incidence of open-angle glaucoma: The visual impairment project. *Ophthalmology* 2002;109:1047-1051.
 - Nagaoka T, Izumi N, Sato E, et al. Role of nitric oxide in regulation of retinal blood flow in response to hyperoxia in cats. *Invest.Ophthalmol.Vis.Sci.* 2008;49:4595-4603.
 - Neufeld AH, Liu B. Glaucomatous optic neuropathy: When glia misbehave. *Neuroscientist* 2003;9:485-495.
 - Nicolela MT. Clinical clues of Vascular dysregulation and its association with glaucoma. *Can J Ophthalmol* 2008; 43:337-341.
 - Nicolela MT, Ferrier SN, Morrison CA, et al. Effects of cold-induced vasospasm in glaucoma: The role of endothelin-1. *Invest.Ophthalmol.Vis.Sci.* 2003;44:2565-2572.
 - Okuno T, Sugiyama T, Kohyama M, Kojima S, Oku H, Ikeda T. Ocular blood flow changes after dynamic exercise in humans. *Eye* 2006;20:796-800.
-

- Ott C, Schlaich MP, Harazny J, Schmidt BM, Michelson G, Schmieder RE. Effects of angiotensin II type 1-receptor blockade on retinal endothelial function. *J.Hypertens.* 2008;26:516-522.
 - Pache M, Flammer J. A sick eye in a sick body? systemic findings in patients with primary open-angle glaucoma. *Surv.Ophthalmol.* 2006;51:179-212.
 - Pechanova O, Simko F. The role of nitric oxide in the maintenance of vasoactive balance. *Physiol.Res.* 2007;56 Suppl 2:S7-S16.
 - Peppiatt CM, Howarth C, Mobbs P, Attwell D. Bidirectional control of CNS capillary diameter by pericytes. *Nature* 2006;443:700-704.
 - Polak K, Dorner GT, Kiss B, et al. Evaluation of the Zeiss retinal vessel analyser. *Br J Ophthalmol.* 2000;84:1285–1290.
 - Polak K, Luksch A, Berisha F, Fuchsjager-Mayrl G, Dallinger S, Schmetterer L. Altered nitric oxide system in patients with open-angle glaucoma. *Arch.Ophthalmol.* 2007;125:494-498.
 - Polak K, Luksch A, Frank B, Jandrasits K, Polska E, Schmetterer L. Regulation of human retinal blood flow by endothelin-1. *Exp.Eye Res.* 2003;76:633-640.
 - Polak K, Schmetterer L, Riva CE. Influence of flicker frequency on flicker-induced changes of retinal vessel diameter. *Invest.Ophthalmol. Vis.Sci.* 2002;43:2721-2726.
 - Polska E, Simader C, Weigert G, et al. Regulation of choroidal blood flow during combined changes in intraocular pressure and arterial blood pressure. *Invest.Ophthalmol.Vis.Sci.* 2007;48:3768-3774.
 - Pournaras CJ, Riva CE, Bresson-Dumont H, De Gottrau P, Bechetoille A. Regulation of optic nerve head blood flow in normal tension glaucoma patients. *Eur.J.Ophthalmol.* 2004;14:226-235.
-

- Pournaras CJ, Rungger-Brandle E, Riva CE, Hardarson SH, Stefansson E. Regulation of retinal blood flow in health and disease. *Prog.Retin.Eye Res.* 2008;27:284-330.
 - Prasanna G, Hulet C, Desai D, et al. Effect of elevated intraocular pressure on endothelin-1 in a rat model of glaucoma. *Pharmacol.Res.* 2005;51:41-50.
 - Prasanna G, Krishnamoorthy R, Clark AF, Wordinger RJ, Yorio T. Human optic nerve head astrocytes as a target for endothelin-1. *Invest.Ophthalmol.Vis.Sci.* 2002;43:2704-2713.
 - Prokopich CL, Flanagan JG. The association between a positive cold pressor test and vasospastic symptoms. *Invest.Ophthalmol.Vis.Sci.* 2003;44:E-Abstract 116.
 - Quigley HA, West SK, Rodriguez J, *et al.* The prevalence of glaucoma in a population-based study of Hispanic subjects: Proyecto VER, *Arch Ophthalmol* 2001; 119:1819-1826.
 - Resch H, Garhofer G, Fuchsjager-Mayrl G, Hommer A, Schmetterer L. Endothelial dysfunction in glaucoma. *Acta Ophthalmol.* 2008; 87(1):4-12.
 - Reudelhuber TL. The renin-angiotensin system: Peptides and enzymes beyond angiotensin II. *Curr.Opin.Nephrol.Hypertens.* 2005;14:155-159.
 - Riva CE, Falsini B. Functional laser doppler flowmetry of the optic nerve: Physiological aspects and clinical applications. *Prog.Brain Res.* 2008;173:149-163.
 - Rogers SD, Peters CM, Pomonis JD, Hagiwara H, Ghilardi JR, Mantyh PW. Endothelin B receptors are expressed by astrocytes and regulate astrocyte hypertrophy in the normal and injured CNS. *Glia* 2003;41:180-190.
-

- Rosenblum WI, Wei EP, Kontos HA. Dilation of rat brain arterioles by hypercapnia in vivo can occur even after blockade of guanylate cyclase by ODQ. *Eur.J.Pharmacol.* 2002;448:201-206.
 - Sato E, Sakamoto T, Nagaoka T, Mori F, Takakusaki K, Yoshida A. Role of nitric oxide in regulation of retinal blood flow during hypercapnia in cats. *Invest.Ophthalmol.Vis.Sci.* 2003;44:4947-4953.
 - Schumann J, Orgul S, Gugleta K, et al. Interocular difference in progression of glaucoma correlates with interocular differences in retrobulbar circulation. *Am J Ophthalmol* 2000; 129: 728–33.
 - Sehi M, Flanagan JG, Zeng L, Cook RJ, Trope GE. Anterior optic nerve capillary blood flow response to diurnal variation of mean ocular perfusion pressure in early untreated primary open-angle glaucoma. *Invest.Ophthalmol.Vis.Sci.* 2005;46:4581-4587.
 - Shimada, N., Ohno-Matsui, K., Harino, S., Yoshida, T., Yasuzumi, K., Kojima, A., Kobayashi, K., Futagami, S., Tokoro, T. and Mochizuki, M. (2004) Reduction of retinal blood flow in high myopia. *Graefes Arch Clin Exp Ophthalmol* 242, 284-8.
 - Sigal IA, Flanagan JG, Ethier CR. Factors influencing optic nerve head biomechanics. *Invest.Ophthalmol.Vis.Sci.* 2005;46:4189-4199.
 - Sigal IA, Flanagan JG, Tertinegg I, Ethier CR. Modeling individual-specific human optic nerve head biomechanics. part I: IOP-induced deformations and influence of geometry. *Biomech.Model.Mechanobiol* 2008.
 - Sigal IA, Flanagan JG, Tertinegg I, Ethier CR. Predicted extension, compression and shearing of optic nerve head tissues. *Exp.Eye Res.* 2007;85:312-322.
-

- Tomic L, Bjarnhall G, Maepea O, Sperber GO, Alm A. Effects of oxygen and carbon dioxide on human retinal circulation: An investigation using blue field simulation and scanning laser ophthalmoscopy. *Acta Ophthalmol.Scand.* 2005;83:705-710.
 - Tranquart, F., Berges, O., Koskas, P., Arsene, S., Rossazza, C., Pisella, P. J. and Pourcelot, L. (2003) Color Doppler imaging of orbital vessels: personal experience and literature review. *J Clin Ultrasound* 31, 258-73.
 - Venkataraman ST, Hudson C, Fisher JA, et al. Retinal arteriolar and capillary vascular reactivity in response to isoxic hypercapnia. *Exp.Eye Res.* 2008; 87(6):535-542.
 - Venkataraman ST, Intra ocular pressure, Physiological provocations and ocular vascular reactivity, Retinal and Optic Nerve Head Vascular Reactivity in Primary Open Angle Glaucoma, Waterloo, Ontario, Canada, 2009; 15.
 - Venkataraman ST, Regulation of blood flow in the retina and Optic Nerve Head, Retinal and Optic Nerve Head Vascular Reactivity in Primary Open Angle Glaucoma, Waterloo, Ontario, Canada, 2009; 3-13.
 - Venkataraman ST, Risk factors of POAG, Retinal and Optic Nerve Head Vascular Reactivity in Primary Open Angle Glaucoma, Waterloo, Ontario, Canada, 2009; 38-41.
 - *Vet.Ophthalmol.* 2007;10 Suppl 1:46-52.
 - Wang L, Fortune B, Cull G, Dong J, Cioffi GA. Endothelin B receptor in human glaucoma and experimentally induced optic nerve damage. *Arch.Ophthalmol.* 2006;124:717-724.
 - Wu SY, Nemesure B, Hennis A, *etal.* 9-year Changes in intraocular pressure. The Barbados Eye Studenties. *Arch Ophthalmol* 2006;124:1631-1636.
-

- Yu DY, Cringle SJ. Oxygen distribution and consumption within the retina in vascularised and avascular retinas and in animal models of retinal disease. Prog.Retin.Eye Res. 2001;20:175-208.
 - Zeitz O, Galambos P, Wagenfeld L, *et al.* Glaucoma progression is associated with decreased blood flow velocities in the short posterior ciliary artery. Br J Ophthalmol 2006;90:1245-1248.
-