References

- → Aarts C, Kylberg E, Hofvander Y and Gebre-Medhin M. (2003):

 Growth under privileged conditions of healthy Swedish infants exclusively breastfed from birth to 4–6 months: a longitudinal prospective study based on daily records of feeding. Acta Pediatr; 92:145-51.
- → Aarts C, Kylberg E, Hornell A, Hofvander Y, Gebre-Medhin M and Greiner T. (2000): How exclusive is exclusive breastfeeding? A comparison of data since birth with current status data. Int J Epidemiol; 29:1041–1046.
- → Abul-Fadl A, Bagchi K, Cheikh Ismail L.(2010): Practices in child growth monitoring in the countries of the Eastern Mediterranean Region. East Mediterr Health J.16 (2): 194-201.
- → Adam TC and Epel ES. (2007): Stress, eating and the reward system. Physiol Behav. 91(4):449-58.
- → Agarwal KN, Agarwal DK, Benakappa DG, et al. (1991): Growth Performance of Affluent Indian Children (Under-fives). Growth Standard for Indian Children. Scientific report 11. New Delh, Nutrition Foundation of India.
- → Agwu JC, Leishenring A and Darnley I. (2004): Community growth monitoring in practice, Arch Dis Child; 89:394-395.
- → Alemzadeh R and Wyatt DT. (2007): Diabetes mellitus. In: Kliegman RM, Behrman RE, Jenson HB, Stanton BF. Nelson Textbook of Pediatrics. 18th ed. Philadelphia, Pa: Saunders Elsevier: chap 590

- → Al-Mazrou YY, Al-Amoud MM, El-Gizouli SE, Khoja T, Al-Turki
 K, Tantawi NE, Khalil MK and Aziz KM. (2003):
 Comparison of the growth standards between Saudi and
 American children aged 0-5 years. Saudi Med J. 24(6):
 598-602.
- → Arenz S, Rückerl R, Koletzko B and von Kries R. (2004): Breast-feeding and childhood obesity--a systematic review. Int J Obes Relat Metab Disord. 28(10):1247-56.
- → Australian Institute of Health and Welfare (AIHW) (2009): A picture of Australia's children 2009, Cat. no. PHE 112, Canberra. http://www.aihw.gov.au/publications/ index. cfm/title/10704
- → Baxter J. (2008): Breastfeeding, employment and leave: An analysis of mothers in Growing Up in Australia. Family Matters No. 80. Australian Institute of Family Studies.
- **▶** Ben-Joseph EP, Dowshen SA and Izenberg N. (2009): Do parents understand growth charts? A national, Internet-based survey Pediatrics.124(4):e803-4.
- → Bennett DS, Wolan Sullivan M, Thompson SM and Lewis M.
 (2010): Early child neglect: does it predict obesity or underweight in later childhood? Child Maltreat. 15(3): 250-4.
- **▶** Bennett DS, Sullivan MW and Lewis M. (2006): Relations of parental report and observation of parenting to maltreatment history. Child Maltreat. 11(1):63-75.

- → Bhandari N, Bahl R, Mazumdar S, Martines J, Black RE and Bhan MK; Infant Feeding Study Group. (2003): Effect of community-based promotion of exclusive breastfeeding on diarrhoeal illness and growth: a cluster randomised controlled trial. Lancet. 361(9367):1418-23.
- → Bhutta ZA, Ahmed T, Black RE, Cousens S, Dewey K, Giugliani E,

 Haider BA, Kirkwood B, Morris SS, Sachdev HP and

 Shekar M; Maternal and Child Undernutrition Study

 Group. (2008): What works? Interventions for maternal and
 child undernutrition and survival. Lancet. 371(9610):
 417-40.
- → Binkin NJ, Yip R and Fleshood L.(1988): Trowbridge FL:

 Birthweighl and childhood growth. Pediatrics: 82:828834.cited by Ong KK, Ahmed ML, Emmett PM, Preece

 MA and Dunger DB. (2000): Association between
 postnatal catch-up growth and obesity in childhood:
 prospective cohort study. BMJ. 320 (7240): 967-71.
- → Black MM, Dubowitz H, Krishnakumar A and Starr RH. (2007):

 Early intervention and recovery among children with failure to thrive: follow-up at age 8. Pediatrics. 120:59–69
- → Bloss E, Wainaina F and Bailey RC. (2004): Prevalence and predictors of underweight, stunting, and wasting among children aged 5 and under in western Kenya. J Trop Pediatr. 50(5): 260-70.
- → Bongaarts J. (1993): The relative contributions of biological and behavioural factors in determining natural fertility: a demographer's perspective. In: Gray R, Leridon H, Spira A, eds. Biomedical and demographic determinants of reproduction. New York: Oxford University Press. 9-18.

- → Bouret SG, Draper SJ and Simerly RB. (2004): Trophic action of leptin on hypothalamic neurons that regulate feeding. Science. 304 (5667):108-10.
- **▶** *Brown LM. (2000):* Helicobacter pylori: epidemiology and routes of transmission. Epidemiol Rev. 22(2):283-97.
- → Butte NF, Wong WW, Hopkinson JM, Heinz CJ, Mehta NR, Smith
 EO. (2000): Energy requirements derived from total energy
 expenditure and energy deposition during the first 2 years of
 life. Am J Clin Nutr 72:1558–69.
- → Butte NF, Wong WW, Fiorotto M, Smith EO, Garza C. (1995):

 Influence of early feeding mode on body composition of infants. Biol Neonate 67:414–24.
- → Campbell AG and McIntosh N. (1998): Forfar & Arneil's Textbook of Pediatrics. Churchill Livingstone; 5 edition.
- → Capute AJ, Shapiro BK, Palmer FB, Ross A, Wachtel RC. (1985):

 Normal gross motor development: the influences of race, sex and socio-economic status. Dev Med Child Neurol;27:635–43 (cited by Ooki S. (2006): Motor development of Japanese twins in childhood as reported by mothers. Environ Health Prev Med. 11(2):55-64.
- → Carruth BR and Skinner JD. (2002): Feeding behaviors and other motor development in healthy children (2–24 months). J Am Coll Nutr. 21: 88–96.
- → Cattaneo A, Davanzo R and Ronfani L. (2000): Are data on the prevalence and duration of breastfeeding reliable? The case of Italy, Acta Paediatrica. 89: 88-93.

- → Cavell B. (1981): Gastric emptying in infants fed human or infant formula. Acta Paediatr Scand 70:639–41.
- → Chaudhuri SN. (2002): CINI's approaches to intervention: an innovative strategy to combat malnutrition in India. Nutr Rev. 60 (5 Pt 2):S102-8.
- → Cogill B.(2003): Anthropometric Indicators Measurement Guide. Food and Nutrition Technical Assistance Project, Academy for Educational Development, Washington, D.C.
- → Cohen RJ, Brown KH, Rivera LL and Dewey KG. (2000):

 Exclusively breastfed, low birthweight term infants do not need supplemental water. Acta Paediatr 89:550-52.
- → Corbett SS and Drewett RF. (2004): To what extent is failure to thrive in infancy associated with poorer cognitive development? A review and meta-analysis. Journal of Child Psychology and Psychiatry. 45, 641-654.
- → Darwish OA, Amine EA, El-Sherbiny AF, Aly HE, and Salama MH. (1982): Weeping Practices in Urban and Rural Egypt."
 Food Nutr. Bull. 4 (1): 1.
- → de Onis M and Woynarowska B. (2010): [WHO child growth standards for children 0-5 years and the possibility of their implementation in Poland]. Med Wieku Rozwoj. 14(2): 87-94.
- → de Onis M, Garza C and Onyango AW, Rolland-Cachera MF;
 le Comité de nutrition de la Société française de pédiatrie.
 (2009): [WHO growth standards for infants and young children]. Arch Pediatr. 16(1):47-53.

- → de Onis M, Onyango AW, Borghi E, Garza C and Yang H, for the
 WHO (2006): Multicentre Growth Reference Study Group
 Comparison of the WHO Child Growth Standards and the
 NCHS/WHO international growth reference: implications
 for child health programmes. Public Health Nutrition. 9:
 942-7.
- → de Onis M, Onyango AW, Van den Broeck J and Chumlea WC,

 Martorell R. (2004): Measurement and standardization

 protocols for anthropometry used in the construction of a

 new international growth reference. Food Nutr Bull. 25

 (1 Suppl): S27-36.
- → de Onis M. (2004): The use of anthropometry in the prevention of childhood overweight and obesity. int J Obes Relat Metab Disord. 28 Suppl 3:S81-5.
- → de Onis M, Blössner M, Borghi E, Morris R and Frongillo EA.

 (2004): Methodology for estimating regional and global trends of child malnutrition. Int J Epidemiol. 33(6):1260-70.
- → de Onis M and Onyango AW. (2003): The Centers for Disease Control and Prevention 2000 growth charts and the growth of breastfed infants. Acta Paediatr. 92:413-19.
- → de Onis M and Yip R. (1996): The WHO growth chart: historical considerations and current scientific issues. Bibliotheca Nutritio et Dieta; 53: 74–89.

- → de Onis M and Habicht JP.(1996): Anthropometric reference data for international use: recommendations from a World Health Organization Expert Committee. Am J Clin Nutr.;64(4):650-8 cited by de Onis M, Dasgupta P, Saha S, Sengupta D and Blössner M. (2001): The National Center for Health Statistics reference and the growth of Indian adolescent boys. Am J Clin Nutr.74(2): 248-53.
- → de onis M. Monterio C, Akre J and Clugston G: (1993): The
 worldwide magnitude of protein-energy malnutrition: an
 overview from the WHO Global Database on Child Growth.
 Bull WHO. 71:703-712.
- → Dewey K, Nommsen-Rivers L, Heinig M and Cohen R. (2003): Risk factors for suboptimal infant breastfeeding behavior, delayed onset. 607–19
- → Dewey KG, Dewey KG, Cohen RJ, Brown KH and Rivera LL. (2001): Effects of exclusive breastfeeding for four versus six months on maternal nutrition status and infant motor development: results of two randomized trials in Honduras. J Nut. 131 (2): 262-267.
- → Dewey KG, Heinig MJ, Nommsen LA, Peerson JM and Lönnerdal B. (1992): Growth of breast-fed and formula-fed infants from 0 to 18 months: the DARLING Study. Pediatrics.; 89 (6 Pt 1): 1035-41.
- → Díaz S, Cárdenas H, Zepeda A, Brandeis A, Schiappacasse V, Miranda P, Serón-Ferré M and Croxatto HB. (1995): Luteinizing hormone pulsatile release and the length of lactational amenorrhoea. Hum Reprod.; 10 (8): 1957-61 (cited by McNeilly AS. (2001): Lactational control of reproduction. Reprod Fertil Dev. 13(7-8):583-90.

- → *Draper AK*, *Hewitt G and Rifkin S. (2010):* Chasing the dragon: Developing indicators for the assessment of community participation in health programmes. Soc Sci Med. 71(6):1102-9.
- → Drewett RF, Corbett SS and Wright CM. (2006): Physical and emotional development, appetite and body image in adolescents who failed to thrive as infants. J Child Psychol Psychiatry. 47:524–531
- → Dundar NO, Anal O, Dundar B, Ozkan H, Caliskan S and Büyükgebiz A. (2005): Longitudinal investigation of the relationship between breast milk leptin levels and growth in breast-fed infants. J Pediatr Endocrinol Metab. 18:181-187
- → Ebbeling CB, Pawlak DB and Ludwig DS. (2002): Childhood obesity: public-health crisis, common sense cure. Lancet. 360(9331): 473-82.
- → *EDHS*. (2008): Egyptian Demography Health Survey. chapter (14) page 183-195.
- → *EDHS.* (2005): Egyptian Demography Health Survey. chapter (14) page 172-183.
- → Egyptian Growth Curves. (2002): A linkage project of Cairo University (Diabetes Endocrine and Metabolism Pediatric Unit) and National Research Centre in collaboration with Wright State University, USA. (Egyptian principle investigator Isis Ghali, and US principle investigator Roger M Siervogel).

- → Emond AM, Blair PS, Emmett PM and Drewett RF. (2007): Weight faltering in infancy and IQ levels at 8 years in the Avon Longitudinal Study of Parents and Children. Pediatrics. 120: e1051–e1058.
- → Farahat TM, El Shafie AM, Mahrous OAF and Saleh HM. (2008):
 the role of the integrated program in management of
 nutritional disorders among primary school children in
 Menofia. M.Sc. thesis, Faculty of Medicine, Menofia
 University.
- → Farahat TM, El Shafie AM, Bahbah MH and Anbar RF. (2007):

 Effect of weaning habits on growth parameters of infants aged 6-18 month. M.Sc. Thesis, Faculty of Medicine, Menofia University.
- → Ferraro KF, Thorpe RJ Jr, and Wilkinson JA. (2003): The life course of severe obesity: does childhood overweight matter? J. J Gerontol B Psychol Sci Soc Sci. 58(2):S110-9.
- → Garner P, Panpanich R and Logan S. (2000): Is routine growth monitoring effective? A systematic review of trials. Arch Dis Child. 82(3):197-201.
- → Gartner LM, Morton J, Lawrence RA, Naylor AJ, O'Hare D, Schanler RJ and Eidelman AI. (2005): Breastfeeding and the use of human milk. 115(2):496-506.
- → George S, Latham M, Gerein N and Cervinskas J. (1992): The practice of growth monitoring. Lancet. 340(8824):918.

- → Gerein NM and Ross DA. (1991): Is growth monitoring worthwhile?

 An evaluation of its use in three child health programmes in Zaire. Soc Sci Med. 32(6):667-75.
- → *Gopalan C. (1992):* Growth charts in primary child-health care: time for reassessment. 3(4):98-103.
- → Gwatkin DR, Rustein S, Johnson K, Pande R and Wagstaff A. (2000): Socio-economic differences in health, nutrition, and population in Kenya. Report by HNP/Poverty Thematic Group of The World Bank. World Bank's Health and Population Advisory Service. Washington, D.C.
- → Haider R, Rasheed S, Sanghvi TG, Hassan N, Pachon H, Islam S, Jalal CS. (2010): International Breastfeeding Journal, 5:21.
- → Harder T, Bergmann R, Kallischnigg G and Plagemann A. (2005): Duration of breastfeeding and risk of overweight: a metaanalysis. Am J Epidemiol.162(5):397-403.
- → Harit D, Faridi M, Aggarwal A and Sharma S. (2007): Lipid profile of term infants on exclusive breast feeding: A comparative study. J. Clin. Nutr. 57: 10-17.
- → Haschke F and Van't Hof M. (2000): Euro-growth references for length, weight, and body circumferences. J Pediatr Gastroentorol Nutr. 31: Suppl 1:S14–38.
- → Haslam D. (2007): "Obesity: a medical history". Obes Rev 8 Suppl. (1): 31–6.

- → Hasselbalch H, Engelmann MD, Ersboll AK, Jeppesen DL and Fleischer-Michaelsen K. (1999): Breastfeeding influences thymic size in late infancy. Eur J Pediatr 158:964–67.
- → Horta BL, Bahl R, Martines JC and Victora CG (2007): Evidence on the long-term effects of breastfeeding: systematic review and meta-analyses Geneva: World Health Organization, http://whqlibdoc.who.int/publications/2007/978924159523 0_eng.pdf>
- → Howie PW, Forsyth JS, Ogston SA, Clark A and Florey CD. (1990):

 Protective effect of breast feeding against infection. BMJ.

 300(6716):11-6.
- → http://www.babyfriendlyusa.org/eng/10steps.html
- → http://www.cdc.gov/growthcharts/ Accessed Jan 30 2008.
- → http://www.who.int/nutrition/publications/infantfeeding/978924159 6664/en/index.html
- → Huang YY and Huang CM. (2006): [Nipple confusion and breastfeeding: a literature review]. Hu Li Za Zhi. 53(2): 73-9.
- → Huffman SL, Chowdhury AKM, Chekraborty J. and Simpson NK. (1980): Brent Feeding Patterns in Rural Bangladesh. Am. J. Clin. Nutr. 33: 144
- → *Igbedioh SO. (1993):* Undernutrition in Nigeria: dimension, causes and remedies for alleviation in a changing socio-economic environment. Nutr Health. 9 (1):1-14.
- → Jaffe AC. (2011): Failure to thrive: current clinical concepts. Pediatr Rev. 32(3):100-7; quiz 108.

- → James WP. (2008): "The fundamental drivers of the obesity epidemic". Obes Rev 9 Suppl. (1): 6–13.
- → Junction P. (2004): Academy of Breastfeeding Medicine. Clinical Protocol #7: Model Breastfeeding Policy. NJ: Accessed at http://www.bfmed.org.
- → *Kapil U. (2002):* Integrated Child Development Services (ICDS) scheme: a program for holistic development of children Indian J Pediatr. 69(7):597-601.
- **★ Kapil U and Pradhan R. (2000):** Integrated child development services scheme (ICDS) in India: its activities, present status and future strategy to reduce malnutrition. J Indian Med Assoc. 98(9):559-60, 562-6, 571.
- ★ Kennedy KI and Visness CM. (1992): Contraceptive efficacy of lactational a menorrhoea. Lancet.;339(8787):227-30 cited by Van der Wijden C, Kleijnen J and Van den Berk T. (2003): Lactational amenorrhea for family planning. Cochrane Database Syst Rev. (4): CD001329.
- ★ Keith SW, Redden DT, Katzmarzyk PT, et al. (2006). "Putative contributors to the secular increase in obesity: Exploring the roads less traveled". Int J Obes (Lond) 30 (11): 1585–94.
- ★ Khashaba A, Abul-Fadl MA and Elsharkawy A. (2011): Growth and its assessment. In: Introduction to human growth and development. Cairo Egypt. Benha University, Third Edition. Chapter VI. 67-96.
- **▶ Kramer MS and Kakuma R. (2002):** Optimal duration of exclusive breastfeeding. Cochrane Database Syst Rev. (1):CD003517.

- ★ Kramer MS, Guo T, P Lartey Lartey RW, Shapiro S, Collet JP, Chalmers B, Hodnett E, Sevkovskaya Z, Dzikovich I and Vanilovich I. (2002): PROBIT Study Group. Breastfeeding and infant growth: biology or bias? Pediatrics. 110 (2 Pt 1):343-7.
- → Kramer MS and Kakuma R. (2004): The optimal duration of exclusive breastfeeding: a systematic review. Adv Exp Med Biol. 554: 63-77.
- → Krugman SD and Dubowitz H. (2003): Failure to thrive. Am Fam Physician. 68(5):879-84.
- → Krugman SD, Jablonski KA and Dubowitz H. (2000): Missed opportunities to diagnose failure to thrive in a family medicine resident practice. Pediatr Res. 47(2 pt 2):204A
- → Kuczmarski RJ, Ogden MRP and Guo SS. (2002): CDC Growth Charts for the United States: Methods and Development. NCHS Vital Stat 11 (246).
- → Lartey A. (2008): Maternal and child nutrition in Sub-Saharan Africa: challenges and interventions. Proc Nutr Soc. 67(1):105-8.
- → Lartey A, Manu A, Brown KH, Peerson JW and Dewey KG. (2000): Predictors of growth from 1-18 months among breastfed Ghanian infants. Europ J Clin Nutr; 54: 41-49.
- → Lawoyin TO, Olawuyi JF and Onadeko MO. (2001): Factors
 Associated With Exclusive Breastfeeding in Ibadan. Nigeria
 Journal of Human Lactation. 17: 321-325.

- → Lissau I and Sørensen TI. (1994): Parental neglect during childhood and increased risk of obesity in young adulthood. Lancet. 343 (8893): 324-7.
- **Lovelady CA.** (2005): Is maternal obesity a cause of poor lactation performance. Nutr Rev. 63(10):352-5.
- → Lozoff B, Jimenez E, Hagen J, Mollen E and Wolf A. (2000):

 Poorer behavioral and developmental outcome more than 10 years after treatment for iron deficiency in infancy.

 Pediatrics. 105:e51
- → Magnus PD and Frantz KD. (1979): Breast-feeding and failure to thrive. Lancet. 1(8125):1080-1.
- → Mangasaryan N, Arabi M and Schultink W. (2011): Revisiting the concept of growth monitoring and its possible role in community-based nutrition programs. Food Nutr Bull. 32(1): 42-53.
- → Margolis PA, Stevens R, Bordley WC, Stuart J, Harlan C, KeyesElstein L and Wisseh S. (2001): From concept to application: the impact of a community-wide intervention to improve the delivery of preventive services to children. Pediatrics. 108 (3): E42
- → Martin RM, Smith GD, Mangtani P, Frankel S and Gunnell D.

 (2002): Association between breast feeding and growth: the

 Boyd-Orr cohort study. Arch Dis Child Fetal Neonatal Ed.

 87(3): F193-201.
- → Mei Z, Grummer-Strawn LM, Thompson D and Dietz WH. (2004):

 Shifts in percentiles of growth during early childhood:

 analysis of longitudinal data from the California Child

 Health and Development Study. Pediatrics. 113:e617–e627.

- → Michael S, Kramer G, Tong W, Robert and Zinaida S. (2003):

 Infant growth and health outcomes associated with 3 compared with 6 months of exclusive breast feeding. Am J clin Nutr., 78:291-295.
- → Ministry of Health and Population (MOHP) [Egypt]. (2008):

 Community-based survey study on non communicable diseases and their risk factors (EDHS, 2008). Cairo, Egypt:

 Ministry of Health and Population, Central Epidemiology and Disease Surveillance and Non communicable Disease Surveillance Unit.
- → Monteiro CA. Benicio MIL Gouvea NC. (1991): Growth and nutritional status of Brazilian children: Findings from the 1989 National Health and Nutrition Survey. Country Studies on Nutritional Anthropometry. Doc NL'T/ANTREF/1/91. Geneva. WHO.
- → Morriss FH, et al. (1986): Relationship of human milk pH during course of lactation to concentrations of citrate and fatty acids. Pediatrics 78:458 64.
- → Mortensen EL, Michaelsen KF, Sanders SA and Reinisch JM. (2002): The association between duration of breastfeeding and adult intelligence. JAMA; 287:2365-71.
- → Mosley WH and Chen LC. (2003): An analytical framework for the study of child survival in developing countries. 1984. Bull World Health Organ.81(2):140-5.
- → National Health and Medical Research Council (NHMRC) (2003):

 Dietary Guidelines for Children and Adolescents in

 Australia incorporating the Infant Feeding Guidelines for

 Health Workers, <www.nhmrc.gov. au/PUBLICATIONS/

 synopses/_files/n34.pdf>, viewed, 2009.

- → *Norton M.* (2003): Child Survival. Lancet. 362(9387):915-6.
- → O'Connor D, Funanage V, Locke R, Spear M and Leef K. (2003):

 Leptin is not present in infant formulas. Journal of
 Endocrinological Investigation. 26(5):p. 490.
- → Ogden CL, Carroll MD, Curtin LR, Lamb MM and Flegal KM. (2010): Prevalence of high body mass index in US children and adolescents, 2007-2008. JAMA. 303(3):242-9.
- → Ogden CL, Kuczmarski RJ and Flegal KM. (2002): Centers for Disease Control and prevention 2000 growth charts for the United States: improvements to the 1977 National Center for Health Statistics version. Pediatrics, 109: 45–60.
- → *Oliván G. (2003):* Catch-up growth assessment in long-term physically neglected and emotionally abused preschool age male children. Child Abuse Negl. 27(1):103-8.
- → Olfat A. Darwish and Ezzat K. (1983): Impact of socio-economic level on infant feeding patterns in Iraq, University of Alexandria, Alexandria, Egypt Feb.. v. 5 (1)
- → Owen CG, Martin RM, Whincup PH, Smith GD and Cook DG. (2006): Does breastfeeding influence risk of type 2 diabetes in later life? A quantitative analysis of published evidence. Am J Clin Nutr. 84 (5):1043-54.
- → Owen CG, Martin RM, Whincup PH, Smith GD and Cook DG. (2005): Effect of infant feeding on the risk of obesity across the life course; a quantitative review of published evidence. Pediatrics. 115:1367-1377.

- → Oyewole OE and Amosu AM. (2010): Public health nutrition concerns on consumption of red palm-oil (RPO): the scientific facts from literature. Afr J Med Med Sci. 39(4):255-62.
- → *Petrie*, *A. and Sabin*, *C.* (2000): Medical Statistics at a Glance, p. 82. Blackwell Science, London, UK.
- → Phatak A and Phatak P. (1991): Development of Indian babies and its assessment. In: Udani PM, ed. Textbook of pediatrics. With special reference to problems of child health in developing countries. New Delhi: Jaypee Brothers. 126–36.
- → Poulin-Dubois D, Brooker I and Chow V. (2009): The developmental origins of naïve psychology in infancy. Adv Child Dev Behav. 2009;37:55-104.
- → Prentice AM and Collinson AC. (2000): Does breastfeeding increase thymus size? Acta Paediatr 89:8–10.
- → Prosser CG, Saint L and Hartmann PE. (1984): Mammary glands function during gradual weaning and early gestation in women. Aust J Exp Biol Med Sci 62:215–28.
- → Queensland Health (2003): Optimal infant nutrition: evidence-based guidelines 2003-2008 (now extended to 2010) available at www.health.qld.gov.au/health_professionals/childrens_health/docs/Infant_Nutrition.pdf.
- → Quinn VJ, Guyon AB, Schubert JW, Stone-Jimenez M, Hainsworth MD and Martin LH. (2005): Improving breastfeeding practices on a broad scale at the community level: success stories from Africa and Latin America. J Hum Lact, 21(3):345-54.

- → Ravelli AC, van der Meulen JH, Osmond C, Barker DJ and Bleker OP. (2000): Infant feeding and adult glucose tolerance, lipid profile, blood pressure, and obesity. Arch Dis Child. 2000; 82(3):248-52.
- **Raynor P and Rudolf MC. (2000):** Anthropometric indices of failure to thrive. Arch Dis Child 2000; 82:364-5.
- → Rikkönen K, Pesonen AK, Heinonen K, Lahti J, Kajantie E, Forsén T, Osmond C, Barker DJ and Eriksson JG. (2008): Infant growth and hostility in adult life. Psychosom Med. 70(3):306-13.
- → Ritchie CS, Ceronsky L, Coté TR, Herr S, Pantilat SZ, Smith TJ

 and Yosick L (2010): Palliative care programs: the

 challenges of growth. J Palliat Med. 2010; 13(9):1065-70.
- → Rivera R, Borasky D, Rice R, Carayon F (2001): Research ethics training curriculum. Research Triangle Park, North Carolina, Office of International Research Ethics, Family Health International.
- → Roberfroid D, Kolsteren P, Hoerée T and Maire B. (2005): Do growth monitoring and promotion programs answer the performance criteria of a screening program? A critical analysis based on a systematic review. Trop Med Int Health.10(11): 1121-33.
- → Rohde J. (1988): Beyond survival: promoting healthy growth. Indian J. Pediat. 55, suppl. 3-8.

- → Rudolf MCJ and Logan S. (2005): What is the long term outcome for children who fail to thrive? A systematic review. Arch Dis Child. 90:925–931.
- → Saleh SS, Vaughn T and Rohrer JE. (2002): The effect of governing board composition on rural hospitals' involvement in provider-sponsored managed care organizations. J Healthc Manag. 47(5):321-33; discussion 333-4.
- → Savino F, Liguori SA, Fissore MF and Oggero R. (2009): Breast milk hormones and their protective effect on obesity. Int J Pediatr Endocrinol. 2009:327505.
- → Schroeder DG and Brown KH. (1994): Nutritional status as a predictor of child survival: summarizing the association and quantifying its global impact. Bull World Health Organ. 72(4):569-79.
- → Shealy KR, Li R, Benton-Davis S, Grummer-Strawn LM. The CDC

 Guide to Breastfeeding Interventions, Atlanta: U.S.

 Department of Health and Human Services, Centre for

 Disease Control and Prevention, 2005.

 http://www.cdc.gov/breastfeeding/resources/guide.htm.
- → Shroff MR, Griffiths PL, Suchindran C, Nagalla B, Vazir S and Bentley ME. (2011): Does maternal autonomy influence feeding practices and infant growth in rural India? Soc Sci Med.73(3):447-5.

......

- → Singerman, Diane and Barbara Ibrahim. (2001): "The Cost of Marriage in Egypt: A Hidden Variable in the New Arab Demography and Poverty Research." Special Edition on "The New Arab Family," Nick Hopkins. ed., Cairo Papers in the Social Sciences, 24 (Spring): 80-116.
- → Singhal A and Lucas A. (2004): Early origins of cardiovascular disease: is there a unifying hypothesis? Lancet. 363(9421): 1642-5.
- Growth references.Lancet:337:1420-1421(cited by Schwarz NG, Grobusch MP, Decker ML, Goesch J, Poetschke M, Oyakhirome S, Kombila D, Fortin J, Lell B, Issifou S, Kremsner PG and Klipstein-Grobusch K. (2008): WHO 2006 child growth standards: implications for the prevalence of stunting and underweight-for-age in a birth cohort of Gabonese children in comparison to the Centers for Disease Control and Prevention 2000 growth charts and the National Center for Health Statistics 1978 growth references. Public Health Nutr.11(7):714-9.
- → Tanner JM.(1978): Fetus into Man: Physical Growth from Conception to Maturity. Cambridge. Harvard University Press. cited by Hall SS. (2005): The short of it: more short children are being given growth hormone in the hope that an extra inch will protect their supposedly fragile psyches. But research suggests that their height is a problem less for them than for us. N Y Times Mag. 54-9.

- → Tanner J. (1962): Growth and Adolescence. Blackwell: Oxford, 1962.
- → The World Health Organization's (1995): Infant-feeding recommendations. Wkly Epidemiol Rec. 70:119–20.
- → Thomas C, Hyppönen E and Power C. (2008): Obesity and Type 2 diabetes risk in midadult life: The role of childhood adversity. Pediatrics.121(5):e1240-9.
- → U.S. Preventive Services Task Force. (2003): "Behavioral counseling in primary care to promote a healthy diet: recommendations and rationale" ([dead link]). Am Fam Physician. 67 (12): 2573–6.
- → UNICEF. (1996): The state of the world's children 1996. New York:
 Oxford University Press for UNICEF.
- → Victora CG, Morris SS, Barros FC, Horta BL, Weiderpass E, Tomasi E. Breast-feeding and growth in Brazilian infants.

 Am J Clin Nutr. 1998; 67(3):452-8.
- → Villalpando S and Lopez-Alarcon M. (2000): Growth faltering is prevented by breast-feeding in underprivileged infants from Mexico City. J Nutr. 130(3):546-52
- → Weiss R and Caprio S. (2005): The metabolic consequences of childhood obesity. Best Pract Res Clin Endocrinol Metab. 19(3):405-19.
- → Weker H. (2006): [Simple obesity in children. A study on the role of nutritional factors]. Med Wieku Rozwoj. 10(1):3-191.

- → Whitaker RC, Phillips SM, Orzol SM, Burdette HL. (2007): The association between maltreatment and obesity among preschool children. Child Abuse Negl. 31(11-12):1187-99.
- → WHO. (2010): Multicentre Growth Reference Study Group (WHO Child Growth Standards); Length/height-for-age, weight-for-age, weight-for-length, weight-for-height and body mass index-for-age: Methods and development Geneva: World Health Organization.
- → World Health Organization (2008): Indicators for assessing infant
 and young child feeding practices: conclusions of a
 consensus meeting held 6-8 November 2007 in Washington
 D.C., USA.
- → World Health Organization (WHO). (2006): Measuring change in nutritional status. Guidelines for assessing the nutritional impact of supplementary feeding programmes for vulnerable groups.
- → WHO. (2006): Multicentre Growth Reference Study Group WHO Child Growth Standards: Methods and development. Geneva: World Health Organisation.
- → WHO Multicentre Growth Reference Study Group. (2006):
 Enrolment and baseline characteristics in the WHO Multicentre Growth Reference Study. Acta Paediatrica.
 Supplementum. 450: 7–15.
- → WHO Multicentre Growth Reference Study Group. (2006): The WHO child growth standards, length/height-for-age, weight-for-age, weight-for-length, weight-for-height, body mass index-for-age: methods and development. Geneva, World Health Organization.

- → WHO Working Group on Infant Growth. (1995): An evaluation of infant growth: The use and interpretation of anthropometry in infants. Bull WHO: 73:165- 174 cited by Vignerová J and Lhotská L.(2006): A fresh look at growth assessment of infants and young children in the Czech Republic in context of international developments. Cent Eur J Public Health. 14(2):97-100
- → WHO. Physical Status.(1995): The use and interpretation of anthropometry. Report of WHO Expert Committee; Technical Report Ser 854 Geneva. World Health Organization (cited by Woodruff BA and Duffield A. (2002): Anthropometric assessment of nutritional status in adolescent populations in humanitarian emergencies. Eur J Clin Nutr. 56(11):1108-18.
- **WHO Working Group on Infant Growth.** (1994): An evaluation of infant growth. Doe WHOfNUT/94 8. Geneva, WHO.
- → www.who.int/childgrowth/training
- → Yip R. Binkin NJ and Trowbridge FL.(1988): Altitude and child growth. J Pediatrics:113:486-489 cited by Dang S, Yan H and Yamamoto S. (2008): High altitude and early childhood growth retardation: new evidence from Tibet. Eur J Clin Nutr. 62(3):342-8.
- → Young-Hyman D, Schlundt DG, Herman-Wenderoth L and Bozylinski K. (2003): Obesity, appearance, and psychosocial adaptation in young African American children. J Pediatr Psychol. 28(7): 10.