

REFERENCES

REFERENCES

Achiron LR, Witkin N, Primo S, Broocker G: Contemporary management of aniseikonia. *Surv Ophthalmol* 1997; 41:321.

Anschutz T: Laser correction of hyperopia and presbyopia. *Int ophthal Clin* 1994; 34:105.

Back AP, Holden BA, Hine NA: Correction of presbyopia with contact lenses. *Optometry and Visual Science* 1989; 66(8): 518.

Bauerberg JM: Centered VS. inferior off-center ablation to correct hyperopia and presbyopia. *J Refract Surg* 1999; 15:66.

Ciuffreda KJ: Accommodation, the pupil and presbyopia in clinical refraction. Edited by William J Benjamin, 1st edition, Saunders, Pennsylvania 1998; 77.

Dick HB, Krummenauer F, Schwann O: Objective and subjective evaluation of photic phenomena after monofocal and multifocal intraocular lens implantation. *Ophthalmol* 1999; 106:1878.

Drexler W, Baumgartner A, Findl O, et al: Biometric investigation of changes in the anterior eye segment during accommodation. *Vision Res* 1997; 37:2789.

Duffey RL, Zabel RW, Lindstrom RL: Multifocal intraocular lenses. *J Cataract Refract Surg* 1990; 16:423.

Ellis W: The surgical conquest of presbyopia. WWW. Ellisey Com. 2000.

Emmes AB: A statistical study of clinical scores obtained in the wirt stereopsis test. *Am J optom* 1961; 38:398.

Fincham EF: The mechanism of accommodation. Br J ophthalmol 1973; 8:5-80.

Fisher RF: The ciliary body in accommodation. Trans Ophthalmol Soc UK 1986; 105:205.

Frank TJ: Surgical correction of presbyopia. WWW. Sdfinder. Com. 2000.

Fukasaku H: Surgical correction of Presbyopia. J Cataract Refract Surg 2000; 12 (2) Supp.

Gilbert S, Mitchell H: Presbyopia. Int Ophthal Clin 2000; 54, 55.

Gimbel HV, Sanders DR, Raanan MG: Visual and refractive results of multifocal intraocular lenses. Ophthalmol 1991; 98:881.

Gown A, Fankhauserl, Puliafito C, Gruber L, Berns M: Photophacoablation of normal and cataractous lenses in rabbits. J Cataract Refract Surg 1995; 21:282.

Harris MG, Sheedy JE, Gan CM: Vision and task performance with monovision and diffractive bifocal contact lenses. Optom Vis Sci 1992; 69:609.

Holladay JT, Hoffer KJ: Intraocular lens power calculations for multifocal intraocular lenses. Am J Ophthalmol 1992; 114:405.

Holladay JT, Van Dijkh KH, Lang A: Optical performance of multifocal intraocular lenses. J Cataract Refract Surg 1990; 16:413.

Ito M, Quantock AJ, Malhan S, Schanzlin DJ, Krueger RR: Picosecond laser in situ keratomileusis with 1053-nm Nd: YLF laser. J Refract Surg 1996; 12:721.

Jain S, Arora I, Azar DT: Success of monovision in Presbyopes. *Surv Ophthalmol* 1996; 40:491.

Javitt JC, Wang F, Trentacost DJ, et al.: Outcomes of cataract extraction with multifocal intraocular lens implantation. *Ophthalmol* 1997; 104:589.

Koretz JF, Handleman GF: How the human eye focuses. *Sci Amer* 1998; 259:92.

Koretz JF, Kaufman PL: Slit-lamp photographic characterization of the aging of the human crystalline lens and the development of presbyopia. *Opt Soc Am* 1990; 3:160.

Lindstrom RL: Small diameter intracorneal inlay lens. Surgery for hyperopia and presbyopia, edited by Neal A Sher, 1st edition, Williams and Wilkins, Pennsylvania USA 1996; 210.

Loshin DS, Loshin MS, Cornear G: Binocular summation with monovision contact lens correction for Presbyopia. *Int Contact Lens Clin* 1982; 9:161.

Maguen E, Martinez M, Grundfest W, Papaioannou T, Berlin M, Nesburn AB: Excimer laser ablation for the human lens at 308 nm with a fiber delivery system. *J Cataract and Refract Surg* 1989;15:409.

Mathews S: Scleral expansion surgery does not restore accommodation in human presbyopia. *Ophthalmol* 1999;106 (5): 873.

McCarey BE, McDonald MB, Van Rij G: Refractive results of hyperopic hydrogel intracorneal lenses in primate eye. *Arch Ophthalmol* 1989;107 : 724.

McGill EC, Erickson P: Sighting dominance and monovision distance binocular Fusional range. J Am Optom Assoc 1991; 62:738.

McGill EC, Erickson P: The effect of monovision lenses on the near point range of single binocular vision. J Am Optom Assoc 1991; 62 : 828.

McGill EC, Erickson P: Role of visual acuity, Stereoacuity, and ocular dominance in monovision patient success. Optom Vis Sci 1992; 69: 761.

Michaels DD: Ocular dominance. Surv Ophthalmol 1974; 17:151.

Moreira H, Garbus JJ, Lee M: Multifocal corneal topographic changes after radial keratotomy. Arch Ophthalmol 1992; 110:994.

Myers RI, Krueger RR: Novel approaches to correction of presbyopia, with laser modification of the crystalline lens. J Refract Surg 1998; 14: 136.

Negishi K, Nagamoto T, Hara E, et al: Clinical evaluation of a five-zone refractive multifocal intraocular lens. J Cataract Refract Surg 1996; 22:110.

Nordan LT, Maxwell WA, Davison, JA: The surgical rehabilitation of vision. Little J and Grene B (eds) 1992; 18.5-18.9. Gower Medical Publishing. London. New York.

Novack GD: The AMO Array lens: A foldable multifocal that works. Eye world. 1997; Volume 2.

Pradhan S, Gilchrist J: The effect of monocular defocus on binocular contrast sensitivity. Ophthalm Physiol Opt 1990; 10:33.

Riley MV, Susan S, Peters MI, Schwartz CA: The effects of UV-B irradiation on the corneal endothelium. Curr Eye Res 1987; 6: 1021.

Rivalico C, Baccara F, Bellavities A: Refractive bifocal intraocular lens and pupillary diameter. J Cataract Refract Surg 1992; 18 : 594.

Roger W: Anatomy of the eye and orbit. H.K Lewis, Seventh edition 1967; 67, 161,163.

Roudakova TE, Kourenkov VV, Polounine GS: Planned under Correction with laser in situ keratomileusis and photorefractive keratectomy for myopes over age 40. J Refract Surg 2000; 16: S 261.

Schachar RA: Cause and treatment of presbyopia with a method for increasing the amplitude of accommodation. Ann Ophthalmol 1992; 24 : 445.

Schachar RA: Is Helmholtz theory of accommodation correct? Ann Ophthalmol 1999; 31 (1): 10.

Schor C, Landsman L, Erickson P: Ocular dominance and the interocular suppression of blur in monovision. Am J Optom Physiol 1987; 64: 723.

Schor C, Carson M, Peterson G: Patterns of binocular suppression and accommodation in monovision. Am J Optom Physiol 1988; 65 : 853.

Stienert RF, Post CT, Brint SF: A prospective, randomized, double-masked comparison of a zonal-progressive multifocal intraocular lens and a monofocal intraocular lens. Ophthalmol 1992; 99:853.

Thornton S: Anterior Ciliary Sclerotomy. Surgery for hyperopia and presbyopia, edited by Neal A Sher, 1st edition, Williams and Wilkins, Pennsylvania USA 1996; 210.

Vaquero-Ruano MV, Encinas JL, Millan I: AMO Array multifocal versus monofocal intraocular lenses: long term follow up. J Cataract Refract Surg 1998; 24:118.

Vinciguerra P, Nissola GM, Bairo G: Excimer laser photorefractive keratectomy for presbyopia 24 – month Follow – Up in three eyes. J Refract Surg 1998; 14: 31.

Weghaupt H, Pieh S, Skorpik C: Comparison of pseudoaccommodation and visual quality between a diffractive and refractive multifocal intraocular lens. J Cataract Refract Surg 1998; 24:663.

Werblin TP, Patel AS, Barraquer J I: Initial human experience with permalens myopic hydrogel intracorneal lens implants. Refract Corneal Surg 1992; 8 : 23.

Wright KW, Guemes A, Kapadia MS, Wilson SE: Binocular function and patient satisfaction after monovision induced by myopic Photorefractive keratectomy. J Cataract Refract Surg 1999; 25:177.

Yee RW, Yang ES, Cross WD: Scleral expansion: a new surgical technique to correct presbyopia. Invest Ophthalmol Vis Sci 1997; 38 (4): 497.

Yee R: Treatment of presbyopia. WWW. Ultralase. Co.uk. 2000.