

References

- **Akram Khan, MD, Kannan Ramar, MBBS, MD, Supriya Maddirala, MD, Oren Friedman, MD, John F. Pallanch, MD and Eric J. Olson, MD;(2009).** Uvulopalatopharyngoplasty in the Management of Obstructive Sleep Apnea: The Mayo Clinic Experience Copyright © 2009 by Mayo Foundation for Medical Education and Research Print ISSN: 0025-6196 Online ISSN: 1942-5546.
- **Arzt, M., Wensel, R., Montalvan, S., Schichtl, T., Schroll, S., Budweiser, S., Blumberg, F. C., Riegger, G. A. J., Pfeifer, M; (2008).** Effects of Dynamic Bilevel Positive Airway Pressure Support on Central Sleep Apnea in Men With Heart Failure. *Chest* 134: 61-66.
- **Avelino MAG, Pereira FC, Carlini D, et al; (2002).** Avaliacao ppolissonografica da apneia obstrutiva do sono em crianas, antes e apos Bras adenoamingdotomia. *Rev Bras Otorrinolaringol*;68:308-11.
- **Battagel JM, Johal A and Kotecha BT;(2005).** Sleep nasendoscopy as a predictor of treatment success in snorers using mandibular advancement splints. *J Laryngo Otol*, 119; 106-112.
- **Becker H; Brandenburg U; Peter J.H.et al; (1993).** Indikation und Applikaion der BIPA-Therapie *Pneumole*;47:184-188.

- **Bixler;(2009).**Sleep Disordered Breathing in Children in a General Population Sample: prevalence and Risk Factors. *SLEEP*, 32 (06): 731-736.
- **Bradley TD, Brown IG, Grosdsman RF, Zamal N, Martinez D, Philopson EA, and Hoffstein V., (1986).** Pharyngeal size in snorers. Nonsnorers and patiengs with obstructive sleep apnea. *N Engl J Med*: 315: 1327-31.
- **Brietzke SE and Mair EA; (2001).**Injection snoreplasty(IS):How to treat snoring without all the pain and expense. *Otolaryngol Head*.
- **Brooks LJ, Castile RG, Class GM, Griscom NT, Wohl MEB and Fredberg JJ., (1984).** Reproducibility and accuracy of airway area by acoustic reflection. *J. Appl Physiol environ Exercise Physiol* 57 (3): 777-87.
- **Brooks LJ, Strohl KP;(1992).** Size and mechanical properties of the pharynx in healthy men and women. *Am Rev Resp Dis* 148:1394–7.
- **Brown IG, Zamel N, Hoffstein V;(1986).** Pharyngeal crosssectionalarea in normal men and women. *J Appl Physiol*;61:890-5.
- **Burger CD, Stanson AW,Sheedy PF, Daniels BK and Shepard JW ;(1992).** Fast computed tomography evaluation of age related changes in upper airway structure and function in normal men. *Am Rev Respir Dis*, 145;846-852.

- **Charles BC and Michael BP., (1997).** Snoring and sleep apnea. Charles BC (eds) sixth edition Scott-brown,; 4: 4/19/22/4/19/1.
- **Ciesielski V, Innes A, Mamutil J; (2003).** Genetic programming for landmark detection in cephalometric radiology images. Int J Knowl Base Intell Eng Syst.; 7:164–171.
- **Croft CB and Pringle M;(1991).** Sleep nasendoscopy: a technique of assessment in snoring and obstructive sleep apnoea. Clin Otolaryngol Allied Sci, 16 (5); 504-509.
- **D’Urzo AD, Lawson KP, Vassal KP, et al;(1987).** Airway area by acoustic response measurements and computerized tomography. Am Rev Respir Dis;135:392-5.
- **D'Urzo AD, Rubinstein I, Lawson VG, Vassal KP, Rebuck AS, Slutsky AS, Hoffstein V;(1988).** Comparison of glottic areas measured by acoustic reflections vs computerized tomography. J Appl Physiol.;64:367–370. [PubMed]
- **Dempsey JA, Skatrud JB, Jacques AJ, Ewanowski SJ, Woodson T and Hanson PR;(2002).** Anatomical determinates of sleep disordered breathing across the spectrum of clinical and non-clinical subjects. Chest, 122; 840-851.
- **Dernaika, T., Tawk, M., Nazir, S., Younis, W., Kinasewitz, G. T;(2007).** The Significance and Outcome of Continuous Positive Airway Pressure-Related Central Sleep Apnea During Split-Night Sleep Studies. Chest 132: 81-87.
- **Douglas NJ; (2002).** Clinician's guide to sleep medicine;1, Arnold, London.

- **Endo S, Mataka S and Kurosaki N;(2003).** Cephalometric evaluation of craniofacial and upper airway structures in Japanese patients with obstructive sleep apnea. *J Med Dent*, 50; 109-120.
- **Erdamar B, Soughlu Y, Cuhadaroglu C, et al., (2001).** Evaluation of clinical parameters in patients with obstructive sleep apnea and possible correlation with the severity of the disease. *Eur Arch Otorhinolaryngol Nov*; 258(9): 492-5.
- **Finkelstein Y, Wexler D, Berger G, et al ;(2000).** Anatomical basis of sleep disordered breathing abnormalities in children with nasal obstruction. *Arch otolaryngol Head Neck surg*;126:593-600.
- **Floras, J S ;(2009).** Should sleep apnoea be a specific target of therapy in chronic heart failure?. *Heart* 95: 1041-1046.
- **Fogel RB, Malhotra A and White DP;(2004).** Sleep-2: Pathophysiology of obstructive sleep apnea/hypopnoea syndrome. *Thorax*, 59(2); 159-163.
- **Franklin, K. A., (2007).** Sleep apnoea screening in heart failure? Not until benefit is proven!. *Eur Respir J* 29: 1073-1074.
- **Fredberg JJ, Wohl MEB, Glass GM, Dorkin HL;(1980).** Airway area by acoustic reflections measured at the mouth. *J Appl Physiol.*;48:749–758. [PubMed]

- **Fredberg JJ., Brooks LJ, Castile RG, Class GM, Griscom NT, Wohl MEB and; (1984)** .Reproducibility and accuracy of airway area by acoustic reflection. J. Appl Physiol environ Exercise Physiol 57 (3): 777-87.
- **Friberg D, Ansved T, Borg K, et al;(1998)**. Histological indications of progressive snorers disease in an upper airway muscle. Am J Respir Crit Care Med; 157: 586-93.
- **Fujita S; (1994)**.Pharyngeal surgery for obstructive sleep apnea and snoring. In: Snoring and obstructive sleep apnea. 2nd edition, Fairbanks DN, Fujita S eds. NY Raven press 1994.p.77-96.
- **Fujita S., Conway W. and Zorick F;(1981)**. Surgical correction of anatomic abnormalities in OSAS: Uvulo-palatopharyngoplasty. Otolaryngol Head Neck Surg, 89; 923-930.
- **Fujita, MD; Akikazu Nomura, MD; Shigeo Kakinoki, MD; Akira Kitabatake, MD;(1994)**.Evaluation of the pharyngeal airway in patients with sleep apnea: value of ultra fast MR imaging AJR Am J Roentgenol : 160, 311-14.
- **Gelardi M, Alessandro Maselli del Giudice, Francesco Cariti, Michele Cassano, Aline Castelante Farras, Maria Luisa Fiorella , Pasquale Cassano;(2007)**. Acoustic pharyngometry: clinical and instrumental correlations in sleep disorders.
- **George CFP;(2001)**. Reduction in motor vehicle collisions following treatment of sleep apnea with nasal CPAP. Thorax; 56:508-512.

- **Gold, AR, Dipalo, F, Gold, MS, et al ;(2004).**Inspiratory airflow dynamics during sleep in women with fibromyalgia. *Sleep*;27,459-466.
- **Goldberg NA and Schwab JR;(1998).** Upper airway assessment: Radiographic and other imaging techniques.*Otolaryngol Clin N Am*,31(6);919-929.
- **Hoffstein V. Snoring In: Kryger MH, Rothg T, Dement WC., (2000).** Principles and practice of Sleep Medicine. 3rd ed. Philadelphia, Pa: WB Saunders Co; 813-826.
- **Hoffstein V, Mateika JH,Mateika S;(1991).** Snoring and sleep architecture. *Am Rev Respir Dis*;143:92-6
- **Horner RL, Shea SA, Mclvor J, et al;(1989).** Pharyngeal size and shape during wakefulness and sleep in patients with obstructive sleep apnoea . *Q J Med*; 72: 719-35.
- **Houser SM and others;(2002).** Acoustic rhinometry finding in patients with mild sleep apnea, *Otolaryngol Head Neck Surg* 126:475.
- **Huang J, Itai N, Hoshiba T, Fukunaga, T, Yamanouchi K, Toga H, Takahashi K, and Ohya N;(2000).** A new nasal acoustic reflection technique to estimate pharyngeal cross-sectional area during sleep. *J Appl Physiol* 88: 1457-66. Indikation und Applikaion der BIPA-Therapie.

- **Isono I, shimada , A, Tanaka A, et al., (2003).** Effects of uvulopalatopharyngoplasty on collapsibility of the retropalatal airway in patients with obstructive sleep apnea. *Laryngoscope*; 113:362-7.
- **Isono S, Remmers JE, Tanaka A, et al., (1997).** Anatomy of pharynx in patients with obstructive sleep apnea and in normal subjects. *J Appl Physiol*: 82. 1319-26.
- **Jackson, A.C, Butler, J.P., Mullet, F.J., Hoppin, F.G. and Dawson, S.V;(1977).** Airway geometry by analysis of acoustic pulse response measurements. *J.Appl. Physiol.*43:523-536.
- **Jung D J, Hae Young Cho, Ronald R Grunstein;(2004).** Predictive value of kushida index and acoustic pharyngometry665-666.
- **Kamal I ;(2001).** Normal standart curve for acoustic pharyngometry. *Otolaryngol Head Neck Surg*;124(3):323-30.
- **Kamal I; (2004).** acoustic pharyngometry patterns of snoring and obstructive sleep apnea patients. *Otolaryngol Head Neck Surg.*130 (1):58-66.
- **Kimoff R J, Sforza E, Champagne V, et al;(2001).** Upper airway sensation in snoring and obstructive sleep apnea. *Am J Respir Crit Care Med*; 164: 250-5.
- **Koopmann CF and Moran WB., (1998).** Upper airway assessment and physical examination. *Otolaryngol CL N Am*: 31: 919-30.

- **Krakov B, Melendrez D, Lee SA, et al;(2004).**Refractory insomnia and sleep-disordered breathing: a pilot study. *Sleep Breath*;8,15-29.
- **Lavie P;(2007).** Mortality in sleep apnoea syndrome: a review of the evidence. *ERR* 16: 203-210.
- **Leiter JC;(1996).** **Upper airway shape:**is it important in the pathogenesis of obstructive sleep apnea? *Am J Respir Crit Care Med*, 153(3);894-898.
- **Leiter JC;(1996).** Upper airway shape: is it important in the pathogenesis of obstructive sleep apnea? *Am J Respir Crit Care Med*; 153:894- 8.
- **Li KK, Powell NB, Riley RW, Troell RJ and Guilleminault C; (2000).** Rf volumetric tissue reduction of the palate: an extended follow-up study. *Otolaryngol Head Neck Surg*, 122(3);410-414.
- **Liao Y, Huang C and Chuang M;(2003).** The utility of cephalometry with the muller maneuver in evaluating the upper airway and its surrounding structures in Chinese patient with sleep-disordered breathing.*Laryngoscope*,113(4);614-619.
- **Lieberman DE and McCarthy RC;(1999).**The ontogeny of cranial base angulation in humans and chimpanees and its implications for reconstructing pharyngeal dimension. *J Human Evolution*,36(5);487-517.
- **Lowe AA, Fleetham JA, Adachi S, et al;(1995).** Cephalometric and computed tomographic predictors of obstructive sleep apnea severity .*Am J Orthod Dent of Orthoped*; 107: 589-95.

- **Lunteren V,(1993).** Muscles of the pharynx: structural and contractile properties. *Ear Nose Throat J*,72:27-9, 33.
- **Malhotra A, Pillar G, Fogel R, Beauregard J, Edwards J, White DP;(2001).** Upper-airway collapsibility: measurements and sleep effects. *Chest*.;120:156–161. [PubMed]
- **Mallampati SR, Gatt SP, Gugino LD, et al., (1985).** A clinical sign to predict difficult tracheal intubations: a prospective study. *Can Anaesth Soc J*: 32: 429-34.
- **Marcus CL; (2001).**Sleep-disordered breathing in children.*Am J Respir Crit Care Med*; 164:16-30.
- **Marcus CL, Fernandes Do Prado LB, Lutz J, Katz ES, Black CA, Galster P and Carson KA;(2004).** Developmental changes in upper airway dynamics. *J Appl Physiol*, 97(1);98-108.
- **Marshall I, Maran NJ, Martin S, Jan MA, Rimmington JE, Best JJ, Drummond GB, Douglas NJ;(1993).** Acoustic reflectometry for airway measurements in man: implementation and validation. *Physiol Meas*.;14:157–169. [PubMed]
- **Martin JM, Carrizo SJ, Vicente E, et al ;(2005).** Long term cardiovascular outcomes in men with obstructive sleep apnea-hypopnea with or without treatment with continuous positive airway pressure; an observational study. *Lancet*;365:1046-53.
- **Mc Mains KC and Terris DJ;(2003).** Evidence-based medicine in sleep apnea surgery.*Otolaryngol Clin N Am*, 36(3);539-561.

- **Mc Minn RMH;(1994).** Anatomy of oral cavity. Last's Anatomy, edited by McMin RMH, Elsevier (pub.), 9th edition; 630-643.
- **Merrell MJ, Arabi Y, Zahn B and Badr MS;(1998).** Progressive retropalatal narrowing preceding obstructive apnea. Am J Respir Crit Med, 158 (6); 1974-1981.
- **Mickelson SA;(1998).** Upper airway bypass surgery for obstructive sleep apnea syndrome. Otolaryngol Clin North Am;31 (6):1013-23.
- **Mohsenin V;(2001).** Gender differences in the expression of sleep disordered breathing: role of the upper airway dimensions. Chest;120:1442-7.
- **Netzer N, Eliasson AH, Netzer C and Kristo DA;(2001).** Overnight pulse Oximetry for sleep disordered breathing in adults: a review. Chest, 120 (2); 625-633.
- **Oldenburg, O., Faber, L., Vogt, J., Dorszewski, A., Szabados, F., Horstkotte, D., Lamp, B;(2007).** Influence of cardiac resynchronisation therapy on different types of sleep disordered breathing. Eur J Heart Fail 9: 820-826.
- **Oldenburg, O., Lamp, B., Faber, L., Teschler, H., Horstkotte, D., Topfer, V;(2007).** Sleep-disordered breathing in patients with symptomatic heart failure A contemporary study of prevalence in and characteristics of 700 patients. Eur J Heart Fail 9: 251-257.
- **Oldenburg, O., Lamp, B., Freudenberg, G., Horstkotte, D;(2008).** Screening for sleep-disordered breathing is recommended in patients with chronic heart failure. Eur Respir J 30: 1023-1023

- **Ozsancak, A., D'Ambrosio, C., Hill, N. S;(2008).** Nocturnal Noninvasive Ventilation. *Chest* 133: 1275-1286
- **Petrof BJ, Hendricks JC, Pack AI;(1996).** Does upper airway muscle injury trigger a vicious cycle in obstructive sleep apnea? A hypothesis *Sleep*;19:465-71.
- **Piccirillo JF, Gates GA, white DL., Schectman KB., (1998).** Obstructive sleep apnea treatment outcomes pilot study. *Otolaryngol Head Neck Surg*; 118: 833-44.
- **Rajagopal MR and Paul J;(2005).** Applied anatomy and physiology of the airway and breathing. *Indian J Anaesth*, 49 (4); 251-256.
- **Remmers JE, deGroot WJ, Sauerland EK, el al;(1978).** Pathogenesis of Upper airway occlusion during sleep. *J Appl Physiol*; 44: 931-8.
- **Riha RL, Brander P, Vannelle M and Douglas NJ;(2005).** A cephalometric comparison of patients with the sleep apnea/hypoapnea syndrome and their siblings. *Sleep*, 28 (3); 315-320.
- **Riovlin J, Hoffstein V, Kalbfleisch J.,(1984).** Upper airway morphology in patients with idiopathic obstructive sleep apnea. *Am Rev Respir. Dis*: 129: 335-60.
- **Rubinstein, I, McClean PA, Boucher R, Zamel N, Fredberg JJ, and Hoffstein V; (1987).** Effect of mouthpiece. Noseclips. And head position on airway area measured by acoustic reflections. *J Appl Physiol* 63: 1469-074.

- **Ryan CF;(2005).** Sleep-9:An approach to treatment of obstructive sleep apnea/hypoapnea syndrome including upper airway surgery. Thorax, 60 (7); 595-604.
- **Schlosshan D and Elliot MW;(2004).** Sleep-3: Clinical presentation and diagnosis of the obstructive sleep apnoea/hypopnoea syndrome. Thorax, 59; 347-352.
- **Schwab R, Gefter W, Hoffman F, et al;(1993).** Dynamic upper airway imaging during awake respiration in normal subjects and patients with sleep disordered breathing. Am Rev Respir Dis; 148: 1375-400.
- **Schwab RJ;(1998).** Upper airway imaging.Clin Chest Med, 19 (1); 33-54.
- **Schwab RJ, Gupta KB, Gefter WB, et al;(1995).** Upper airway and soft tissue anatomy in normal subjects and patients with sleep-disordered breathing. Significance of the lateral pharyngeal walls. Am J Respir Crit Care Med; 152: 1673-89.
- **Series F, Cate C, Simoneau JA, et al;(1995).** Physiologic, metabolic and muscle fiber type characteristics of musculus uvulae in sleep apnea hypopnea syndrome and in snorers. J Clin Invest; 95:20-5.
- **Shahar, E, Whitney, CW, Redline, S, et al;(2001).**Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. Am J Respir Crit Care Med;163,19-25.

- **Simantirakis, E. N., Schiza, S. E., Siafakas, N. S., Vardas, P. E; (2008).** Sleep-disordered breathing in heart failure and the effect of cardiac resynchronization therapy. *Europace* 10: 1029-1033.
- **Somers, V. K., White, D. P., Amin, R., Abraham, W. T., Costa, F., Culebras, A., Daniels, S., Floras, J. S., Hunt, C. E., Olson, L. J., Pickering, T. G., Russell, R., Woo, M., Young, T;(2008).** Sleep Apnea and Cardiovascular Disease: An American Heart Association/American College of Cardiology Foundation Scientific Statement From the American Heart Association Council for High Blood Pressure Research Professional Education Committee, Council on Clinical Cardiology, Stroke Council, and Council on Cardiovascular Nursing In Collaboration With the National Heart, Lung, and Blood Institute National Center on Sleep Disorders Research (National Institutes of Health). *Circulation* 118: 1080-1111.
- **Suto Y, Matsuo T, Kato T, et al;(1993).** Evaluation of the pharyngeal airway In patients with sleep apnea: value of ultrafast MR imaging. *AIR Am J Roentgenol*; 160: 311-4.
- **Suzuki M, Saigusa H, Chiba S, Yagi T, Shibasaki K, Hayashi M, Suzuki M, Moriyama K and Kodera K;(2005).** Discrepancy in polysomnography scoring for a patient with obstructive sleep apnea/hypopnea syndrome. *Tohoku J Exp Med*, 206 (4); 353-360.
- **Tangel DT, Mezzanotte WS, White DP;(1991).** The influence of sleep on tensor palatini EMG and upper airway resistance in normal subjects, *J Appl Physiol*; 70:2574-81.

- **Thorpe MJ and Chairman;(1990).** The International Classification of Sleep Disorders: Diagnostic & Coding Manual. Rochester,MN: American Sleep Disorders Association;P.195. Diagnostic Classification Steering Committee.
- **Troell RJ and Terris DJ;(2005).** Sleep apnea and sleep-disordered breathing. Otolaryngology Head and Neck Surgery, edited by Cumming CW, Flint PW, Harker LA, Haughey BH, Richardson MA, Robbins KT, Schuller DE and Thomas JR, Mosby (pub.), 4th edition, vol. 4, ch. 75;1701-1716.
- **Truelson JM;(2004).** Snoring and obstructive sleep apnea, physiologic approach. www.emedicine.com, April;1-16.
- **Vgontzas AN, Zoumakis E, Bixler EO, Lin HM, Follett H, Kales A, Chrousos GP;(2004).** Adverse effects of modest sleep restriction on sleepiness, performance, and inflammatory cytokines. J Clin Endocrinol Metab89:2119–2126.
- **Walker RP,Grigg-Damberger MM, Gopalsami C, et al ;(1995).** Laser assisted uvulopalatoplasty for snoring and obstructive sleep apnea: results in 170 patients. Laryngoscope; 105 (9 pt 1):938-43.
- **White DP;(2006).** Sleep apnea. Proc Am Thorac Soc, 3; 124-128.
- **White DP, Lombard RM, Cadieux RJ, et al;(1985).** Pharyngeal resistance in normal humans: influence of gender, age and obesity. J Appl Physiol;58:365-71.
- **White, DP; (2005).** Pathogenesis of obstructive and central sleep apnea. Am J Respir Crit Care Med;172,1363-1370.

- **Wiggins RV and Schmidt-Nowara WW;(1987).** Treatment of the obstructive sleep apnea syndrome. *West J Med* 1987;147(5):561-8
- **Wilson J A, Lester S E, Gibson G J, et al ;(2006).** Silencing the snorers: no gain without pain?. *The Journal of Laryngology & Otology*;120:570-574.
- **Wiltshire N, Kendrick AH and Catterall JR;(2001).** Home oximetry studies for diagnosis of sleep apnea/hypopnea syndrome: limitation of memory storage capabilities. *Chest*, 120 (2);384-389.
- **Woodson ET, Naganuma, Wooten MR;(1999).** A multisensor solid-state pressure manometer to identify the level of collapse in obstructive sleep apnea. *Otolaryngol Head Neck Surg*; 107:651–656
- **Yakki HK, Concato J, Kernan WN, et al; (2005).** obstructive sleep apnea as a risk factor for stroke and death. *N Engl J Med* 2005;353:2034-41.
- **Yang C and Woodson BT;(2003).** Upper airway physiology and obstructive sleep-disordered breathing. *Otolaryngol Clin N Am*, 36 (3); 409- 421.
- **Young T, Palta M, Dempsey J, et al., (1993).** The occurrence of sleep disordered breathing among middle aged adults. *N engl J Med*; 5-32, 328: 1230-1235.
- **Yue W, Yin D, Wang G, Xu T;(2006).** Automated 2-D cephalometric analysis on X-ray images by a model-based approach. *IEEE Trans Biomedical Eng*; 53:1615–1623.

- **Yumino, D., Bradley, T. D;(2008).** Central Sleep Apnea and Cheyne-Stokes Respiration. Proc Am Thorac Soc 5: 226-236 1986;315:1327–31.