

## List of contents

No		Page
	<b>Chapter 1</b>	
	<b>Introduction and Aim of the work</b>	1
	<b>Review of Literature</b>	
1/1-	Surfactants	6
1/1/1-	Chemical classification of surfactants	7
	1/1/1/a- Non-ionic	7
	1/1/1/b- Amphoteric (Zwitterionic)	8
	1/1/1/c- Anionic	9
	1/1/1/d- Cationic	9
1/1/2-	Physico-chemical properties of surfactants solution	10
	1/1/2/1- Surface tension	10
	1/1/2/2- Critical micelle concentration (CMC)	10
	1/1/2/3- Solubilization	11
	1/1/2/4- Hydrophilic – lipophilic balance (HLB)	12
1/2-	Surfactants for improving both the physico-chemical properties and pesticidal efficiency of pesticides	15
1/2/1-	Effect of surfactants on physico-chemical properties of spray solution of pesticides.	15
1/2/2-	Effect of surfactants on controlling spray drift, translocation, absorption, penetration and uptake of pesticides	19

1/2/3-	Effect of surfactants as adjuvant on Pesticidal efficiency of some pesticides.	21
1/3-	Using of prepared non-ionic surfactants as emulsifiers for reworking the physically deteriorated pesticide.	24
	<b>Chapter 2</b> <b>MATERIALS AND EXPERIMENTAL METHODS</b>	
2/1-	Materials	29
2/1/1-	Materials used in preparation of surfactants	29
	a) Fatty acids	29
	b) Glycerol	29
	c) Diethylene glycol	29
	d) Sodium hydroxide	29
2/1/2-	Pesticides used	30
2/1/3-	Deteriorated pesticides	35
	<b>Experimental Methods</b>	
2/2/1-	Preparation of Surface Active Agents:	36
	a) Preparation of non-ionic surfactants	36
	b) Preparation of anionic surfactants (salt of fatty acid) Preparation of sodium salt of (oleic, stearic and lauric acid)	37
	c) Identification of surfactants by Infra-Red Spectroscopy and Mass Spectra	37

2/2/2-	Determination of Physico-chemical properties for the prepared surfactants	38
	a-The critical micelle concentration	38
	b- Solubility test	38
	c- Hydrophilic–Lipophilic balance	38
	d- Free acidity or alkalinity test	39
2/2/3-	Determination of physico-chemical properties of tested pesticides	39
	a- Emulsion stability	39
	b- Free acidity or alkalinity	40
	c- Cold stability test	40
	d- Heat stability test	40
2/2/4-	Mixing the prepared surfactants with pesticides	40
2/2/4/1-	Methods of mixing	40
	A- Direct mix method	40
	A.1- Determination of physico-chemical properties of direct mix solutions.	41
	B- Tank mix method	41
2/2/5-	Determination of physico-chemical properties of spray solution at field dilution rate.	42
	1- pH Measurement	42
	2- Surface Tension	43

	3- Electrical Conductivity	43
	4-Viscosity Measurements	43
2/2/6-	Effect of surfactants as adjuvants on the pesticidal efficiency of some insecticides against cotton leafworm	44
2/3-	Using of prepared non-ionic surfactants as emulsifiers for reworking one physically deteriorated pesticides.	44
2/3/1-	Determination of physico-chemical properties of spray solution at field dilution rate.	45
2/3/2-	Effect of surfactants as emulsifiers on the pesticidal efficiency of vapathion 57% EC against cotton leafworm	45
	<b>Chapter 3</b> <b>RESULTS AND DISSCUTION</b>	
3/1-	Preparation of surfactants and their physico-chemical properties	46
3/1/1-	Preparation and identification of non-ionic surfactants	46
3/1/1/a-	preparation of non-ionic surfactants	46
	3/1/1/a/1- Diethylene glycol mono stearate	46
	3/1/1/a/2- Glycerol mono stearate	47
	3/1/1/a/3- Diethylene glycol mono oleate	48
	3/1/1/a/4- Glycerol mono oleate	49
	3/1/1/a/5- Diethylene glycol mono laurate	49
	3/1/1/a/6- Glycerol mono laurate	50

3/1/1/b-	Anionic surfactants	61
3/1/2-	Determination of physicochemical properties of surfactants solution	62
	3/1/2/1-Solubility and hydrophilic lipophilic balance (HLB)	62
	3/1/2/2- Free acidity or alkalinity	62
	3/1/2/3- Critical micelle concentration (CMC)	65
3/2-	Using of the prepared surfactants as additives for improving the physico-chemical properties and insecticidal efficiency of candidate insecticides	66
3/2/1-	Physical compatibility between surfactants and insecticides.	66
	3/2/1/a- Direct mixed mixtures	66
	3/2/1/b- Tank- mixed mixtures	78
3/2/2-	Physico-chemical properties of spray solution of pesticides alone and its mixture with additives at field dilution rate.	80
	3/2/2/a- In case of direct mixing	80
	3/2/2/b- In case of tank mixing	85
3/2/3-	Effect of surfactants as adjuvants on the pesticidal efficiency of some insecticides against cotton leafworm	89
	3/2/3/a- In case of direct mixing	89
	3/2/3/b- In case of tank mixing	95

3/3-	Using of the prepared non-ionic surfactants as emulsifiers for reworking one of the physically deteriorated pesticide	104
3/3/1-	Using of the prepared surfactants for improving emulsion stability and other physico-chemical properties	104
3/3/1/a-	The Solubility of nonionic surfactants in pesticides	104
3/3/1/b-	Emulsion stability of pesticides alone and mixed with prepared non-ionic surfactants	104
3/3/1/c-	Physico-chemical properties of vapathion 57% EC alone and mixed with the prepared nonionic surfactants	105
3/3/2-	Physico-chemical properties of spray solution of pesticides alone and its mixture with emulsifiers	109
3/3/3-	Effect of surfactants as emulsifiers on the pesticidal efficiency of vapathion 57% EC against cotton leaf worm	109
	Conclusion	112
	Summary	113
	Reference	116
	الملخص العربي	١

**LIST OF FIGURES**

<b><i>Fig.</i></b>	<b><i>Subject</i></b>	<b><i>Page</i></b>
<b>1-3</b>	Infra-red Spectrum of fatty acid ester 3	51
<b>2-3</b>	Mass Spectrum of fatty acid ester 3	52
<b>3-3</b>	Infra-red Spectrum of fatty acid ester 5	53
<b>4-3</b>	Mass Spectrum of fatty acid ester 5	54
<b>5-3</b>	Infra-red Spectrum of fatty acid ester 7	55
<b>6-3</b>	Mass Spectrum of fatty acid ester 7	56
<b>7-3</b>	Infra-red Spectrum of fatty acid ester 8	57
<b>8-3</b>	Infra-red Spectrum of fatty acid ester 10	58
<b>9-3</b>	Mass Spectrum of fatty acid ester 10	59
<b>10-3</b>	Infra-red Spectrum of fatty acid ester 11	60

***LIST OF TABLES***

<b><i>No.</i></b>	<b><i>Subject</i></b>	<b><i>Page</i></b>
Table (1-3)	The solubility and HLB of the prepared surfactant	63
Table (2-3)	The free acidity or alkalinity of prepared surfactant	64
Table (3-3)	The critical micelle concentration (CMC) of the soluble anionic surfactants.	65
Table (4-3)	The emulsion stability of sumi-alpha alone and mixed with prepared non-ionic surfactants at different concentrations.	68
Table (5-3)	The emulsion stability of kendo alone and mixed with prepared non ionic surfactants at different concentrations.	69
Table (6-3)	The emulsion stability of match alone and mixed with prepared non-ionic surfactants at different concentrations.	70
Table (7-3)	Physical compatibility between sumi-alpha and the prepared nonionic surfactants at 2%.	73
Table (8-3)	Physical compatibility between kendo and the prepared nonionic surfactants at 2%.	74
Table (9-3)	Physical compatibility between kendo and the prepared nonionic surfactants at 1%.	76



Table (10-3)	Physical compatibility between match and the prepared nonionic surfactants at 0.5%.	77
Table (11-3)	The emulsion stability of tank mix anionic surfactants and mixed with tested pesticides at 0.5%.	79
Table (12-3)	Physico-chemical properties of spray solution of sumi-alpha alone and its mixture with additives at 2%.	83
Table (13-3)	Physico-chemical properties of spray solution of kendo alone and its mixture with additives at 1%.	84
Table (14-3)	Physico-chemical properties of spray solutions of kendo and sumi- alpha alone and with tank mixed anionic surfactants at 0.5%.	87
Table (15-3)	Physico-chemical properties of spray solutions of match, silicron and decies alone and with tank mixed anionic surfactants at 0.5%.	88
Table (16-3)	Toxicity of sumi-alpha alone and with direct mixture prepared nonionic surfactants against 4 <sup>th</sup> instars larvae of cotton leafworm.	90
Table(16a-3)	Toxicity of sumi-alpha alone and with direct mixture prepared nonionic surfactants against 4 <sup>th</sup> instars larvae of cotton leafworm.	91

--	--	--

Table (17-3)	Toxicity of kendo alone and with direct mixture additives against 4 <sup>th</sup> instars larvae of cotton leafworm.	93
Table (17a-3)	Toxicity of kendo alone and with direct mixture additives against 4 <sup>th</sup> instars larvae of cotton leafworm.	94
Table (18-3)	Toxicity of kendo alone and with tank mix additives against 4 <sup>th</sup> instars larvae of cotton leafworm	97
Table (18a-3)	Toxicity of kendo alone and with tank mix additives against 4 <sup>th</sup> instars larvae of cotton leafworm.	98
Table (19-3)	Toxicity of sumi-alpha alone and with tank mix additives against 4 <sup>th</sup> instars larvae of cotton leafworm.	99
Table (19a-3)	Toxicity of sumi-alpha alone and with tank mix additives against 4 <sup>th</sup> instars larvae of cotton leafworm.	100
Table (20-3)	Toxicity of (selecron, decies and match) alone and with tank mixed anionic surfactants against 4 <sup>th</sup> instars larvae of cotton leafworm.	101
Table (21-3)	The solubility of prepared non ionic surfactants in pesticides.	106

--	--	--

Table (22-3)	Emulsion stability of vapathion alone and its direct mixture with prepared nonionic surfactants at different concentrations.	107
Table (23-3)	Physico-chemical properties of vapathion alone and mixed with prepared nonionic surfactants at 2%.	108
Table (24-3)	Physico-chemical properties of spray solution of vapathion alone and its mixture with additives at 2%.	110
Table (25-3)	Toxicity of vapathion alone and its direct mix with emulsifier against 4 <sup>th</sup> instars larvae of cotton leafworm.	111

