

References

- Ahmed Z, Lee J.** Asymptomatic urinary abnormalities. Hematuria and proteinuria. *Med Clin North Am* 1997;81:641-52
- Arslan H, Ceylan K.** Incidence of renal pelvic transitional cell carcinoma. *Eur Radiol* 2005;15:1717- 1720.
- Atasoy C, Yagci C, Fitoz S, et al.** Cross-sectional imaging in ureter tumors: findings and staging. *Clin Imaging* 2001;25:197-202.
- Aysel Türkvatan, Pınar Özdemir Akdur, Mert Altınel, Tülay Ölçer, Nesrin Turhan, Turhan Cumhuriyet, Serkan Akıncı, Fatih Özkul.** Preoperative staging of renal cell carcinoma with multidetector CT: *Diagnostic and Interventional Radiology* 2009; 15:22–30 .
- Bechtold RE, Dyer RB, Zagorid RJ et al.** The perirenal space: relationship of pathologic processes to normal retroperitoneal anatomy. *Radiographics* 1996; 16 (4): 841-854.
- Bell TV, Fenlon HM, Davison BD, et al.** Unenhanced helical CT criteria to differentiate distal ureteral calculi from pelvic phleboliths. *Radiology* 1998; 207:363-367
- Beregi J, Elkohen M, Dekunder G, et al.** Helical CT angiography compared with arteriography in the detection of renal artery stenosis. *AJR Am J Roentgenol* 1996;167:495-501
- Bergstein J, Leiser J, Andreoli S.** The clinical significance of asymptomatic gross and microscopic haematuria in children. *ArchPediatr Adolesc Med* 2005; 159: 353–355.

Bharwani N., Stephens N.J., Heenan S.D. et al. Imaging of bladder cancer. *Imaging* 2008; 20: 97-111.

Blake SP, McNicholas MM, Raptopoulos V. Nonopaque crystal deposition causing ureteric obstruction in patients with HIV undergoing indinavir therapy. *AJR Am J Roentgenol* 2002; 171 :717- 720.

Bosniak MA. The current radiological approach to renal cysts. *Radiology* 1986; 158:1-10

Bruce A. Urban, MD and Elliot K. Fishman, MD. Three-dimensional Volume-rendered CT Angiography of the Renal Arteries and Veins: Normal Anatomy, Variants, and Clinical Applications *Radiographics* 2001; 21:373-386.

Caoili E, Cohan R, Korobkin M, Platt J, Francis I, Faerber G, Montie J and Ellis J. Urinary Tract Abnormalities: Initial Experience with Multi-Detector Row CT Urography. *Radiology* 2002; 222:353-360.

Caoili E, Inampudi P, Cohan R and Ellis J. Optimization of Multi-Detector Row CT Urography: Effect of Compression, Saline Administration, and Prolongation of Acquisition Delay. *Radiology* 2005; 235:116-123.

Caoili E., inampudi P. and cohan R. MDCTU of upper tract urothelial malignancy. *AJR* 2003; 180:71-81

Catalano C, Fraioli F, Laghi A, et al. High-resolution multi detector CT in the preoperative evaluation of patients with renal cell carcinoma. *AJR Am J Roentgenol* 2003;180:1271-1277.

Chai RY, Jhaveri K, Saini S, et al. Comprehensive evaluation of patients with haematuria on a multi slice computed tomography scanner. Protocol designs and preliminary observations. *Australasian Radiol* 2001 ;45 :536-539.

Chuang CK, Lai MK, Chang PL, et al. Xanthogranulomatous pyelonephritis: experience in 36 cases. *J Urol* 1992; 147:333-336.

Cohan R.H , Caoili E.M , Jonathon M. Willatt. CT Urography: An Atlas, 1st Edition. Chapter ten: CT Urography of the Bladder 2007 ; 234-240.

Dalla Palma L. What is left of I.V urography? *Eur Radiol* 2001; 11:931-939.

Dunnick NR, Sandler CM , Newhouse JH et al.: Pelvicalyceal system. In: Dunnick NR, Sandler CM and New JH (eds). Text book of uroradiology: Lippincott Williams and Wilkins, 3rd ed. Philadelphia 2001; Chap. (15): 280-315.

El-Diasty T., Ali-El-Dein B., Osman Y., et al. Anterior and posterior nutcracker syndrome; A report on 11 cases; Elsevier Science , transplantation proceedings 2003; 35: 85853.

El-Galley R and Keane T Moore A. Embryology, anatomy, and surgical applications of the kidney and ureter. *Surg Clin North Am* 2000; 80:381-401.

Ercan K, Shweta B, Vikram SD. Renal Multi-slice CT. Radiol Clin N Am 2005; 43: 1021 –1047.

Ferrozzi F., Bova D., Campodonico F. Computed tomography of renal metastases. Semin Ultrasound CT MRI 1997; 18: 115-121.

Fishman E, Ney D, Heath D, Corl F, Horton K and Johnson P. Volume Rendering versus Maximum Intensity Projection in CT Angiography: What Works Best, When, and Why. RadioGraphics 2006; 26:905-922.

Foley WD. Renal MDCT. Eur J Radiol 2003; 45: 73-78.

Georgiades CS, Moore CJ, Smith DP, et al. Differences of renal parenchymal attenuation for acutely obstructed and unobstructed kidneys on unenhanced helical CT: a useful secondary sign? Am J Roentgenol 2004; 176:965-968.

Glenn S, Charles B. Andrew C. Evaluation of urologic patient: History, physical examination and urine analysis. In: Louris R, Andrew C, Alan W, et al (2eds). Campbell-Walsh urology. Saunders an imprint of Elsevier 2007; 5:83-84.

Gray H. Anatomy of human body, by Henry Gray. 39th ed., re-edited by Warren H. Lewis. Published by Churchill Livingstone: Lea & Febiger 2004; 11: 437-458.

Grayson D.E., Abbott R.M., Levy A.D., et al. Emphysematous infections of the abdomen and pelvis: a pictorial review. Radiographics 2002; 22: 543-561.

Grossfeld GD, Litwin MS, Wolf JS, et al. Evaluation of asymptomatic microscopic hematuria in adults: the American Urological Association best practice policy—part I: definition, detection, prevalence, and etiology. *Urology* 2001; 57:599-603

Guest AR, Cohan RH, Korobkin M, et al. Assessment of the clinical utility of the rim and comet-tail signs in differentiating ureteral stones from phleboliths. *AJR Am J Roentgenol* 2005; 177: 1285 -1291

Haaga JR, Lanzieri CF, Sartoris DJ, et al. CT abdomen and pelvis In: *Computed Tomography and Magnetic Resonance Imaging of The Whole body* :Mosby-year book 3rd ed. 1998; Chap.(5),1176-1350.

Harmon W.J., Sershon P.D., Blute M.L., et al. Ureteroscopy: Current practice and long-term complications. *J. Urol* 1997; 157: 28-32.

Hartman R.P., Kawahima A., King B.F. Evaluation of renal causes of hypertension. *Radiol. Clin. North Am* 2003; 41: 909-929.

Hermanek P, Schrott KM. Megibow AJ. Evaluation of the new tumor, nodes and metastasis classification of renal cell carcinoma. *J Urol* 1990; 144: 238-242.

Herts BR, Coll DM, Novick AC, et al. Enhancement characteristics of papillary renal neoplasms revealed on triphasic helical CT of the kidneys. *AJR Am J Roentgenol* 2002;178:367–372.

Honda H, Onitsuka H, Naitou S, et al. Renal arteriovenous malformations: CT features. *J Comput Assist Tomogr* 1991; 15 :261-264.

Huang J, Kim YH, Shankar S, et al. Multi-slice CT urography: comparison of two different scanning protocols for improved visualization of the urinary tract. *J Comput Assist Tomogr* 2006; 30: 33–36.

INampudi P, Caoili EM, Cohan RH et al. Effect of compression, saline administration, and acquisition delay on images Prolonging multidetector CT urography Obtained During (MDCTU). *Am J Roentgenol* 2003; 71: 180-185

Indridason o.S., Berkoben M. and Thomas L. Medullary sponge kidney associated with congenital hemihypertrophy *I.J. of the American Society of Nephrology* 1996; 7: 8-12.

Israel Gary M. and Bosniak Morton A. Pitfalls in Renal Mass Evaluation and How to Avoid Them. *RadioGraphics* 2008;28:1325-1338.

Jaffe JS, Ginsberg PC, Gill R, et al. A new diagnostic algorithm for the evaluation of microscopic hematuria. *Urology* 2001; 57:889–894.

Jaffe S., Servaes S., Okon S. and Horowitz M. Multi–Detector Row CT Urography in the Evaluation of Hematuria. *Radiographics* 2003; 23:1441-1455,

Jaffe T.A., Nelson R.C., Johnson G.A., et al. Optimization of multiplaner reformations from isotropic datasets acquired with 16-detectors row helical CT scanner. *Radiology* 2006; 238: 292-99.

James L.T., Richard L.O., Chan F.L., et al. Posterior nutcracker: Hematuria secondary to retroaortic left renal vein. *Urology* 1986; 28(5): 437-439.

Janet C. , Michael M. , Joseph A. , James H. and Susanna I. Imaging for Renal Colic and Hematuria. *journal of American college of radiology* ,2006; 3(10): 814-817

Johnson PT, Halpern EJ, Kuszyk BS, et al. Renal artery stenosis: CT angiography-comparison of real-time volume rendering and maximum intensity projection algorithms. *Radiology* 1999; 211: 337-343.

Jonathan R, Elaine M, Richard H. Multi-slice CT urography: a one-stop renal and urinary tract imaging modality. *Abdomen Imaging* 2007; 32: 519–529

Kabalin JN. Surgical anatomy of the retroperitoneum, Kidneys and ureteres. In: Walsh PC, Retik AB, Wein AJ et al.,; *Campbell's Urology*: Saunders WB, 8th ed Philadelphia 2002; chap. (3): 1-80.

Kamel IR, Berkowitz JF. Assessment of the cortical rim sign in posttraumatic renal infarction. *J Comput Assist Tomogr* 1996; 20:803-806.

Kashtan CE. Familial haematuria: what we know and what we don't [editorial]. *Pediatr Nephrol* 2005; 20: 1027–1035.

Kawamoto S, Montgomery R, Lawler L, Horton K, and Fishman E. Multi-Detector Row CT Evaluation of Living Renal Donors Prior to Laparoscopic Nephrectomy. *RadioGraphics* 2004; 24:453-466.

Kawashima A, LeRoy AJ. Radiologic evaluation of patients with renal infections. *Infect Dis Clin North Am* 2003; 17:433- 456.

Kawashima A, Sandler CM, Corriere JN Jr, et al. Ureteropelvic junction injuries secondary to blunt abdominal trauma. *Radiology* 1997; 205:487–492.

Kawashima A, Sandler CM, Ernst RD, et al. CT evaluation of renovascular disease. *Radiographics* 2000; 20:1321- 1340.

Kawashima A., Vrtiska T., . LeRoy A., . Hartman R., McCollough C. and King B. CT Urography *RadioGraphics* 2004;24:35-54.

Kekelidze M, Dijkshoorn ML, Dwarkasing S, et al. Initial experience and perspectives of a low-dose two-phase with triple bolus single scan. multidetector CT urography (MDCTU) protocol. *Eur Radiol.* 2006;16:181-184.

Kemper J, Regier M, Stork A, et al. Improved visualization of the urinary tract in multi-slice CT urography: analysis of individual acquisition delay and opacification using furosemide and low-dose test images. *J Comput Assist Tomogr* 2006; 30: 751–757.

Kenney PJ. CT evaluation of urinary lithiasis. *Radiol Clin North Am* 2003;41:979- 999.

-
- Kim J, Cho JY, Moon KC, Lee HJ and Kim SH.** Segmental Enhancement Inversion at Biphasic Multidetector CT: Characteristic Finding of Small Renal Oncocytoma. *Radiology* 2009; 252: 441 – 448.
- Kim JK, Ahn JH, Park T, et al.** Virtual cystoscopy of the contrast-filled bladder in patients with gross hematuria. *AJR Am J Roentgenol* 2002;179:763-768.
- Kim JK, Cho KS.** CT urography and virtual endoscopy: promising imaging modalities for urinary tract evaluation. *Br J Radiology* 2003;76: 199-209
- Kim TS, Chung JW, Park JH, et al.** Renal artery evaluation: comparison of spiral CT angiography to intra-arterial DSA. *J Vasc Interv Radiol* 1998;9:553 -559.
- Kincaid-Smith P, Fairley K. Grabbe E.** The investigation of hematuria. *Semin Nephrol* 2005; 25: 127–135.
- Kiresi DA, Karabacakoglu A, Odev K, et al.** Uncommon locations of hydatid cysts. *Acta Radiol* 2003;44: 622- 636.
- Kopka L, Fischer U, Zoeller G, Schmidt C, Ringert RH, Grabbe E.** Dual-phasehelical CT of the kidney: value of the corticomedullary and nephrographicphase for evaluation of renal lesions and preoperative staging of renal cell carcinoma. *AJR* 1997;169:1573 –1578.
- Lawler LP, Thomas W. Jarret, Frank M. Corl,and Elliot K. Fishman.** Adult Ureteropelvic Junction Obstruction: Insights with
-

Three-dimensional Multi-Detector Row CT. Radiographics
2005, 25:121-134

Lawrence C., Chow., Sharon W., et al. Split-Bolus MDCT urography with synchronous nephrographic and excretory phase enhancement. AJR. 2007; 189: 314-322.

Lenk S. and Schroeder J. Genitourinary tuberculosis: Curr. Opin Urol. 2001; 11: 93-98.

Levine JA, Neitlich J, Verga M, et al. Ureteral calculi in patients with flank pain: correlation of plain radiography with unenhanced helical CT. Radiology 1997; 204:27-31.

Liu W, Esler SJ, Kenny BJ, et al. Low-dose nonenhanced helical CT of renal colic: assessment of ureteric stone detection and measurement of effective dose equivalent. Radiology 2000; 215: 51-55

Lowe FC, Fishman EK, Oesterling JE, et al. Computerized tomography in diagnosis of urothelial neoplasm . Urology 1989;33:341–343.

Maher MM, Mannudeep K. Kalra D, Stefania R, Peter R. Mueller, Sanjay S. Multidetector CT Urography in Imaging of the Urinary Tract in Patients with Hematuria Korean Journal of Radiology; 2004 ; 5:1-10

Mark J. Hematuria Essential Urology. A Guide to Clinical Practice Edited by: J. M. Potts Humana Press Inc., Totowa,NJ 2004. 4:95- 100.

Mc Vay CB. The kidneys. Test book of surgical anatomy, saunders WB, 6th ed. Philadelphia 1984; chap (2):40-48.

McSweeney S.E, Owen J.O'Connor, Michael M.Maher. MDCT: From Protocols to Practice, Multi-detector Computed Tomography Urography 2008 ; 14: 155-163.

McTavish J, Jinzaki M, Zou K, Nawfel R and Silverman S. Multi-Detector Row CT Urography: Comparison of Strategies for Depicting the Normal Urinary Collecting System. Radiology 2002; 225:783-790

Michael M., Mannudeep K, Stefania R., Peter R, Sanjay S. Multidetector CT Urography in Imaging of the Urinary Tract in Patients with Hematuria Korean Journal of Radiology; 2004 March; 5(1):1-10

Morcos SK. CT Urography: technique, indications and limitations. Curr Opin Urology 2007; 17: 56–64.

Nawfel R, Judy P, Schleipman R and Silverman S. Patient Radiation Dose at CT Urography and Conventional Urography. Radiology 2004; 232:126-132.

Newhouse J, Bluth E, Bush W, Jr, et al. Radiological investigation of patients with hematuria. ACR Appropriateness Criteria : American College of Radiology, 2001;220: 1-5.

Noriaki Muraoka, MD. Toyohiko Sakai, MD, PhD. Hirohiko Kimura. MD, PhD. Hidemasa Uematsu, MD, PhD. 3-D imaging with MDCT, RadioGraphics 2008, 28:855–867.

Olcott EW, Sommer FG, Napel S, et al. Accuracy of detection and measurement of renal calculi in vitro comparison of three dimensional spiral CT, radiography, and nephrotomography. Radiology 2004; 204: 19- 25.

O'malley M.E., Hahn P.F., Yoder I.C., et al. Comparison of excretory phase, helical computed tomography with intravenous urography in patients with painless hematuria. Clin. Radiol. 2003; 58: 294-300.

Palmer P.E. and Reeder M.M. Parasitic diseases involving the urinary tract. In clinical urography 2nd ed. 2000; 1167-1179.

Pamela T.J., Ethan J.H., Brain S.K., et al. Renal artery stenosis: CTA-computed of real-time volume-rendering and MIP. Algorithms. Radiology 1999; 211: 337-343.

Park JM, Bloom DA. Napel S. The pathophysiology of UPJ obstruction: current concepts. Urol Clin North Am 1998; 25:161-169

Polascik TJ, Meng MV, Epstein JJ, et al. Intraoperative sonography for the evaluation and management of renal tumors: experience with 100 patients. J Urol 1995;154:1676-1680

Prokop M. Protocols and future directions in imaging of renal artery stenosis: CT angiography. J Comput Assist Tomogr 1999;23: 101-110.

Rha SE, Byun JY, Jung SE, Oh SN, Choi YJ, Lee A and Lee JM. The Renal Sinus: Pathologic Spectrum and Multimodality Imaging Approach. RadioGraphics 2004 ;24:117-131.

Rubin GD, Dake MD, Napel S, et al. Spiral CT of renal artery stenosis: comparison of three-dimensional rendering techniques. Radiology 1994;190:181- 189.

Rubin GD. 3-D imaging with MDCT. Eur J Radiol 2003;45:37- 41.

Russo P. Renal cell carcinoma: presentation, staging, and surgical treatment. Semin Oncol 2000; 27:160-176.

Ryan S, McNicholas M and Eustace S. Anatomy for diagnostic Imaging. London, WB Saunders company 2nd ed . 2004; Chap.(8):222-253.

Rydberg J, Liang Y, Teague SD. Fundamentals of multichannel CT. Radiol Clin North Am 2003; 41 :465-474.

Rydberg J, Kopecky KK, Tann M, et al. Evaluation of prospective living renal donors for laparoscopic nephrectomy with multisection CT: the marriage of minimally invasive imaging with minimally invasive surgery. RadioGraphics 2001; 21:223-236.

Sandor A, Sabah S, Stephen, et al. Multi-slice CT urography in the evaluation of haematuria. RadioGraphics 2003; 23: 1441–1456.

Semelka R.C., Kelekis N.L., Burdeny D.A., et al. Renal lymphoma; demonstration by MDCT imaging. Am. J. Roentgenol; 166: 823-827, 1996.

Sheth S, Fishman EK. Multi-detector row CT of the kidneys and urinary tract: techniques and applications in the diagnosis of benign diseases. Radiographics 2004;24:20-33

Sheth S, Ali S. and Fishman E. Imaging of Renal Lymphoma: Patterns of Disease with Pathologic Correlation. *RadioGraphics* 2006; 26:1151-1168.

Sheth S, Scatarige JC, Horton KM, Corl FM, Fishman EK. Current concepts in the diagnosis and management of renal cell carcinoma: role of multidetector CT and three-dimensional CT. *RadioGraphics* 2001;21:237 –254.

Shoff WH, Chen EH, Shepherd SM. et al. Shistosomiasis (part I and II). *Infect Dis Pract* 2005; 29: 419-436.

Silverman SG ; Cohan, Richard H. CT Urography: An Atlas, London, WB Saunders company 1st Edition 2007 ; 2: 12-20.

Silverman SG, Akbar SA, Morteale KJ, et al. Multi-slice CT urography: comparison of furosemide and saline as adjuncts to contrast medium for depicting the normal urinary collecting system. *Radiology* 2006; 240: 749–755.

Silverman SG, Lee BY, Seltzer SE, et al. Small (< or = 3 cm) renal masses: correlation of spiral CT features and pathologic findings. *AJR Am J Roentgenol* 1994;163:597- 605.

Smith PA, Marshall FF, Fishman EK et al. Spiral computed tomography evaluation of the kidneys: State of the art. *Urology* 1998; 51(1): 3-11.

Song JH, Francis IR, Platt JF, et al. Bladder tumor extension at virtual cystoscopy. *Radiology* 2001; 218:95-100

Soulen MC, Faykus MH Jr, Shlansky-Goldberg RD, et al. Elective embolization for prevention of hemorrhage from renal angiomyolipomas. J Vasc Interv Radiol 1994; 5:587-591.

Takemura T., Iwasa H., Yamamoto S., et al. Clinical and radiological features in four adolescents with nutcracker syndrome. Pediatr. Nephrol. 2000; 14: 1002-1005.

Tanagho EA. Anatomy of the genitourinary tract In : Smith's general urology ., McGraw - Hill companies 2000;1 : 1-10.

Tunaci A. and Yekeler E. Multidetector row CT of the kidneys. Eur. J. Radiol. 2004; 52:56-66.

Urban B. and Fishman E. Renal Lymphoma: CT Patterns with Emphasis on Helical CT. Radiographics 2000 ;20:197-212.

Urban BA, Ratner LE, Fishman EK, et al. Three-dimensional volume-rendered CT angiography of the renal arteries and veins: normal anatomy, variants, and clinical applications. Radiographics 2001; 21 :373- 386.

Vasbinder G.B., Nelemans P.J., Kessels A.G., et al. Diagnostic tests for renal artery stenosis in patients suspected of having renovascular hypertension: a meta-analysis. Ann. Int. Med. 2001; 135: 401-411.

Voulgarelis M, Ziakas PD. Stavroula S. Images in clinical medicine. Renal papillary necrosis unmasking sickle cell disease. N Engl J Med 2005; 352:360.

Wan YL, Lee TY, Bullard MJ, et al. Acute gas producing bacterial renal infection: correlation between imaging findings and clinical outcome. *Radiology* 1996; 198:433- 438.

Willmann JK, Wildermuth S, Pfammatter T, et al. Aortoiliac and renal arteries: prospective intra individual comparison of contrast-enhanced three-dimensional MR angiography and multi-detector row CT angiography. *Radiology* 2003;226:798- 811.

Wong- You-Cheong JJ, Wagner BJ, Davis CJ Jr, et al. Transitional cell carcinoma of the urinary tract: Radiologic pathologic correlation. *Radiographics* 1998; 18:123-142.

Zagoria R. Imaging of Small Renal Masses. *AJR* 2000; 175:945-955.