

REFERENCES

REFERENCES

- [1] M. E. Hague, "Capacitor placement in radial distribution systems for loss reduction", PP. 501-505, Preoc. Inst. Elect. Eng, Gen, Transm and Dist, Vol. 146, No. 5, Sept 1999.
- [2] A. Kayuzhuy, G. Levitin, D. Elmakis, H. Ben-Haim, "System approach to shunt capacitor allocation radial distribution systems", January 2000.
- [3] J. R. Tudor, S. Ertem, "Optimal shunt capacitor allocation by non linear programming", pp. 1310-1315, IEEE transactions on power Delivery, Vol. PWRD, No. 4, Oct. 1987
- [4] J. M. Lupin, L. CHENVARD, J. PERONNET, "Energy Efficiency Improvement the rough optimization of the power factor correction", proceeding, IEEE. 18th international conference on Distribution Electricity Vienna, May. 2007.
- [5] J. J. Grainger, S. H. Less, "Capacity Release by shunt capacitor placement on Distribution Feeders: A new voltage – Dependent model", pp. 1236-1244, IEEE Trans. Section on Power Apparatus and Systems, Vol. PAS-101, No. 5, May. 1982.
- [6] M. E. Baran and F. F. Wu, "Optimal capacitor placement radial distribution systems", PP. 725-734, IEEE Trans power Delivery, Vol.4, No.1, Jan 2000.
- [7] M. E. Baran and F. F. Wu, "Optimal sizing of capacitors placed on a radial distribution systems", PP. 725-734, IEE Trans power Delivery, Vol. 4, No.1, Jan. 1989.
- [8] M. Kaplan, "Optimization of number, location, size, control type, and control setting of shunt capacitors on radial distribution feeders", pp. 2659 – 2665, IEEE transactions on power Apparatus and systems, Vol. PAS 103, No. 2, Sep. 1984.
- [9] H. N. Ng, M. M. A. Salama and A.Y. Chikhan, "Classification of capacitor allocation techniques", PP. 387-392, IEEE Trans. Power Delivery, Vol. 15, Jan 2000.

- [10] J. J. Grainger and S. H. Lee, "Optimum size and location of shunt capacitors for reduction of losses on distribution feeders", pp. 1105-1118, IEEE Trans. Power Apparatus and Systems, Vol. No. 3, Mar. 1981.
- [11] S. H. Lee and J. J. Grainger, "Optimum placement of fixed and switched capacitors on primary distribution feeders", pp. 345-352, IEEE Trans, Power Apparatus and Systems, Vol. 100, No. 1, Jan. 1981.
- [12] S. Civanlar and J. J Grainger, "Volt/var control on distribution systems with lateral branches using shunt capacitors and voltage regulators, Part II: The solution method", pp. 3284-3290, IEEE Trans. Power Apparatus and Systems, Vol. 104, No. 11, Nov. 1985.
- [13] M. M. A. Salama, A. Y. Chikham, and R. Hackam, "Control of reactive power in distribution systems with an end-load and fixed load conditions", pp. 2779-2788, IEEE Trans. Power Apparatus and Systems, Vol. 104, no. 10, Oct. 1985.
- [14] N. I wan Santoso and O. T. Tan, "Neural – net based real – time control of capacitor installed on distribution systems", IEEE transactions on power Delivery, Vol. 5, No. 1, January 1990.
- [15] S. Civanlar, J. J. Grainger, H. Yin, and S. H. Lee, "Distribution feeder reconfiguration for loss reduction", pp. 1217-1223, IEEE Trans. Power Delivery, Vol. 3, No. 3, July 1988.
- [16] T. Taylor and Lubkeman, "Implementation of heuristic search strategies for distribution", pp. 239-246, IEEE Trans. Power Delivery, Vol. 5, No. 1, Jan. 1990.
- [17] A. A. S. Mohamed, "Power quality in electric distribution system" M.Sc. Thesis, Faculty of Engineering, Ain Shams University Egyp 2005.
- [18] S. M. El Khadary, T. S. Abdel- Salam, "For more loss reduction on distribution systems", pp. 275-278, proceedings of the seventh international middle – east, power systems conference, MEPCON 2000, March 2000.

- [19] T. Ananthapadmanabha, A.D. Kulkarni, A.S. Gopala Rao, and K. Raghavendra Rao, "Knowledge-based expert system for optimal reactive power control in distribution system," *Electrical power and energy systems*, vol. 18, no. 1, pp. 27-31, 1996.
- [20] D. E. Goldberg. "Genetic Algorithms in Search, Optimization and Machine Learning" Reading, Addison Wesley publishing company 1989.
- [21] S. Sundhararajan and A. Pahwa, "Optimal selection of capacitors for radial distribution systems using a genetic algorithm", pp. 1499-1507, *IEEE Trans. Power Systems* Vol. 9, No. 3, Aug. 1994.
- [22] G. Boone and H.D. Chiang, "Optimal capacitor placement in distribution systems by genetic algorithm", pp. 155-162, *Electrical Power & Energy Systems*, Vol. 15, No. 3, 1993.
- [23] K. N. Miu, H. D. Chiang, and G. Darling, "Capacitor placement, replacement and control in large-scale distribution systems by a GA-based two-stage algorithm", pp. 1160-1166, *IEEE Trans. Power Systems*, Vol. 12, No. 3, Aug. 1997.
- [24] T. S. Abdel-Salam, A. Y. Chikhani, and R. Hackam, "A technique for loss reduction Using compensation capacitors applied to distribution systems with varying load condition," *IEEE Trans. Power Delivery*, vol. 9, no. 2, pp. 819-827, Apr 1994.
- [25] Z. Gu and D.T.R. Rizy, "Neural network for combined control of capacitor banks and voltage regulation in distribution system," *IEEE Trans. Power Delivery*, vol. 11, no. 4, pp. 1921-1928 Oct 1996.
- [26] L.A. Zadeh, "Fuzzy sets," *Information and Control*, pp. 338-353, Vol. 8, 1965.
- [27] H. C. Chin, "Optimal shunt capacitor allocation by fuzzy dynamic programming", pp. 133-139, *Electric Power Systems Research*, Vol. 35, 1995.
- [28] H. N. Ng. M. M. A. Salama, A. Y. Chikhani, "Capacitor Allocation by Approximate Reasoning fuzzy capacitor placement,"

IEEE transaction power delivery, Vol. 15, No. 1, January 2000.

[29] S. F. Mehkamer S. A. Soliman, M. A. Moustafa, M. E. El-Hawary, "Comparison of Fuzzy systems for allocation of reactive power compensation radial distribution feeders", The 8th international Middle-East power systems conference MEPCON, December. 2001.

[30] Civanlar. S., Grainger. J. J., Yin. H., and Le, S.S.H., "Distribution feeder reconfiguration for loss reduction", pp. 1217-1223, IEEE Trans. Power Delivery, 1988.

[31] E. H. Hassouna, "Artificial intelligence application for reactive power control in electric power system," Ph.D. thesis, Faculty of Engineering, Ain Shams University, Egypt, 2000.

[32] S. F. Mekhamer, M. E. El-Hawary, M. M. Mansour, M. A. Moustafa, S. A. Soliman, "Fuzzy and Heuristic Techniques for reactive power compensation of radial distribution feeders: A comparative study", pp. 112-121, IEEE CCECE02 proceedings, Canadian conference, Vol.1., 2002.

[33] M. H. Haque, "Capacitor placement in radial distribution systems for loss reduction", pp. 501- 505, Proc. Inst. Elect. Eng. Trans. Dist, Vol. 146, No. 5, Sept 1999.

[34] A. R. Benasheur and A. Desbiens, "Backstepping based adaptive PID control", pp. 54-59, IEEE proceedings control theory and applications, Vol. 149, Jan. 2002.

[35] Wen – Jyeshyr, Boi – Wei Wang, Yueh Yeh, and Te-Jensu, "Design of Optimal PID controllers using memtic algorithm", pp. 2130-2131, proceedings of the American control conference, Vol. 3, May 2002.

[36] Kevin M. Passino and Stephen Yurkovich, "Fuzzy control, Menlo Park, CA: Addison Wesley Longman 1998.

[37] Kazuo Tanaka and Hua O. Wang, "Fuzzy control systems design and analysis", A Linear Motriz Inequality Approach", New York: John Wiley and Sons, 2001.

[38] Hao Ying, "Fuzzy control and modeling, Wiley", IEEE press, 2000.

[39] Paolo Dad one, "Design optimization of fuzzy logic systems", Ph..D. dissertation, Virginia polytechnic institute and Statue University, may 2001.

[40] S. F. Mekhamer, M. E. Elawary, S. A. Soliman, M. A. Moustafa, and M. M. Mansour, "New Heuristic stort egiest for reactive power compensation of Redail distribution feeders", pp. 1128-1134, IEEE Trans. Power Delivery, Vol. 17, no. 4, Oct. 2002.

[41] M. A. El- Hadidy, M. T. Ibrahim, D. H. Moustafa "Effect of capacitor bank location on the losses in transmission and Distribution networks," PP. 239-244 proceedings of the Ninth International Middle-East Power Systems Conference, MEP CON, 2003, Dec. 2003.

[42] H. Duran, "Optimum number, location, and size of shunt capacitors in radial distribution feeders, a dynamic programming approach", pp. 1769 – 1774, IEEE transactions on power apparatus and systems, Vol. 87, Sep. 1986.

[43] Y. Y. Hus, H. C. Kuo, "Dispatch of capacitors on distribution system using Dynamic programming", PP. 433-437, IEEE producing – C, Vol. 140, No. 6, Nov. 1993.

[44] R. A. Gallego, A. J. monticeli, R. Romero, "Optimal capacitor placement in radial distribution networks" , pp. 630-637, IEEE transactions on power systems, Vol. 16, No. 4, Nov. 2001.

[45] M. Delfanti, G. P. Gronelli, P. Morannino, M. Montagna, "Optimal capacitor placement using Deterministic and genetic Algorithms", pp. 104-1046, IEEE transactions on power systems, Vol. 15, No. 3, Aug. 2000.

[46] R. F. Cook, "Analysis of capacitor application as effected by load cycle", pp. 950-957, IEEE trans, Vol. 78, Oct. 1959.

[47] H. P. Huang M. L. Roanm and J. C. Jeng, "Online adaptive tuning for PID controller", pp. 60-67, IEEE proceedings of control

Theory and Applications, Vol. 149, Jan. 2002.

[48] John Yen and Reza Langari, "Fuzzy Logic: Intelligence, control and information," N.J: prentice Hall, 1999.

[49] G. S. Wong P. Y. Yang Y. H. song, A. T. Johns, "Coordinated system of fuzzy logic and evolutionary programming bossed network reconfiguration for loss reduction in distribution system", pp. 1838-1844, proceedings of the IEEE fifth international conference on fuzzy systems, Vol. 3, September 1996.

[50] H. C. Chin, W. M. Lin, "Capacitor placement for distribution systems with fuzzy Algorithm", pp. 1025-1029, proceedings of IEEE Ninth annual international conference, Vol. 2, August 1994.

[51] H. N. Ng, M. M. A. Salama A. Y. chikhani", Capacitor placement in distribution systems using fuzzy technique", pp. 790-793, proceeding of IEEE conidian conference on electrical and computer engineering, Vol. 2, May 1996.

[52] C. T. Su, C. C. Tsai, "A new Fuzzy – reasoning approach to optimum capacitor allocation for primary distribution systems", pp. 237-241, proceeding of IEEE International Conference on industrial technology, 1996.

[53] Y. Deng, X. Ren, "Fuzzy modeling of capacitor switching for radial distribution systems", pp. 830-834, power engineering society winter meeting, 2001.

[54] S. F. Mehkamer S. A. Soliman, M. A. Moustafa, M. E. El-Hawary, "Application of Fuzzy Logic for reactive power compensation of radial distribution feeders", pp. 206-213, IEEE Transactions on power systems February 2003.

[55] N. N. Abd El Gawad, S. F. Mekhamer, Y. Galal, E. E. Zouk, "Fuzzy logic application for capacitor allocation in redial distribution feeder", pp. 613-619, proceedings of the 10th international Middle-East power systems conference MEPCON. Port said, December 2005.

[56] N. N. Abd El Gawad, S. F. Mekhamer, Y. Galal, E. E. Zak

Zonk, "Application of artificial intelligence on radial distribution feeders: capacitor allocation problem", pp. 7-13, proceedings of IEEE Portugal power conference on Artificial intelligence in energy systems and power, AIESP, February 2006.

[57] B. A. De Souza, HD. N. Alves H. A. Ferreira, "Microgenetic Algorithms and fuzzy logic applied to the optimal placement of capacitor bank in distribution networks", pp. 942-947, IEEE Transactions on power systems, Vol. 19, No. 2, May 2004.

[58] A. T. Saric, M. S. Caloric, M. B. D Jukanovic, "Fuzzy optimisation of capacitors in distribution systems", pp. 115-421, IEEE Pro – Gener. Tranaction and Distribution, Vol. 144, No. 5, Sep. 1997.

[59] J. B Bunch, R. D Miller, and J. E. Wheeler, "Distribution system integrated voltage and reactive power control", pp. 284-289, IEEE Trans. Power Apparatus and systems, Vol. 101, No. 2, Feb. 1982.

[60] Capacitor Subcommittee of the IEEE Transmission and distribution Committee, "Bibliography on power capacitors 1975-1980", pp. 2334 IEEE Trans, Power Apparatus and systems, Vol. 102, no. 7, July 1983.

[61] IEEE VAR Management Working Group of the IEEE System Control Subcommittee, "Bibliography on reactive power and voltage control" , pp. 36 1-3 70, IEEE Trans. Power Systems, Vol. 2, No. 2, May 1997.

[62] N. M. Neagle and D. R. Samson, "Loss reduction from capacitors installed on primary feeders", pp. 950-959, AIEE Trans, Vol. 75, Oct. 1956.

[63] J. V. Schmill, "Optimum size and location of shunt capacitors on distribution feeders", pp. 825-832, IEEE Trans. Power Apparatus and systems, Vol. 84, No. 9, Sept. 1965.

[64] N. E. Chang, "Locating shunt capacitors on primary feeder for voltage control and loss reduction", pp. 1574-1577, IEEE Traps. Power Apparatus and Systems, Vol. 88, No. 10, Oct. 1969.

[65] N. E. Chang, "Generalized equations on loss reduction with 9 shunt capacitors", pp. 1574-1577, IEEE Trans. Power Apparatus and Systems, Vol. 91, 1969.

[66] Y. G. Bae, "Analytical method of capacitor allocation on distribution primary feeders", pp. 1232-1238, IEEE Trans. Power Apparatus and Systems, Vol. 97, No. 11, July/Aug. 1978.

[67] A. Dwyer, "The use of shunt capacitors applied for line loss savings", in Proc. of 1992 CEA Conference, Apr. 1992.

[68] M. M. A. Salama, E. A. A. Mansour, A. Y. Chikhani, and R. Hackam, "Control of reactive power in distribution systems with an end-load and varying load conflation", pp. 941-947, IEEE Trans. Power Apparatus and Systems, Vol. 104, No. 4, Apr. 1985.

[69] H. Duran, "Optimum number, location, and size of shunt capacitors in radial distribution feeders, a dynamic programming approach", pp. 1769-1774, IEEE Trans. Power Apparatus and Systems, Vol. 87, No. 9, Sept. 1968.

[70] T.H. Fawzi, S. M. El-Sobki, M. A. Abdel-Halim, "New approach for the application of shunt capacitors to the primary distribution feeders", pp. 10-13, IEEE Trans. Power Apparatus and systems, Vol. 102, no. 1, Jan. 1983.

[71] M. Ponnavaikko and K. S. Prakasa Rao, "Optimal choice of fixed and switched shunt capacitors on radial distributions by the method of local variations", pp. 1607-1615, IEEE Trans. Power Apparatus and Systems, vol.102, No. 6, June 1983.

[72] R. Baldick and F. F. Wu, "Efficient integer optimization algorithms for optimal coordination of capacitors and regulated", pp. 805-512, IEEE Trans. Power Systems, Vol. 5, Aug. 1990.

[73] T. S. Abdel-Salam, A. Y. Chikhani, and R. Hackam, "A technique for loss reduction using compensating capacitors applied to distribution systems with varying load condition", pp. 819-827, IEEE Trans. Power Delivery, Vol. 9, No. 2, Apr. 1994.

[74] M. Chis, M. M. A. Salama, and S. Jayaram, "Capacitor

placement in distribution systems using heuristic search strategies", pp. 225-230, TEE Proceedings Generation, Transmission and Distribution, Vol. 144, No. 2, May 1997

[75] C. C. liu and T. Dillon, "State-of-the-art of expert system applications to power systems," Electrical Power & Energy Systems", pp. 86-92, Vol. 14, No. 2, 1992.

[76] M. M. A. Salama and A. Y. Chikhani, "An expert system for reactive power control of a distribution systems, Part 1 : System configuration", pp. 940-945, IEEE Trans. Power Delivery, Vol. 7, No. 2, Apr. 1992.

[77] J. R. P. R. Laframboise, G. Ferland, A. Y. Chikhani, and - M. M. A. Salama, "An expert system for reactive power control of a distribution system, Part 2: System implementation", pp. 1433-1441, IEEE Trans. Power Systems, vol 10, No. 3, Aug. 1995.

[78] T. Ananthapadmanabha, A. D. Kulkarni, A. S. Gopala Rao and K. Raghavendra Rao, "Knowledge-based expert system for optimal reactive power control in distribution system", pp. 27-31, Electrical Power & Energy Systems, Vol. 18, No. 1, 1996.

[79] Salama, M. M. A., and Chikhani, A. Y.: "A simplified network approach to the VAR control problem for radial distribution systems", pp. 1529-1535, IEEE Trans. Power Delivery, 1993.

[80] Y. Baghzouz and S. Ertem, "Shunt capacitor sizing for Radial distribution feeder with distorted substation voltages", pp. 650-657, IEEE Trans. Power Delivery, Vol. 5, Apr. 1990.

[81] E. H. Hassouna, "Reactive power control," M. Sc., Faculty of Engineering, Ain-Shams University, Egypt, July 1981.

[82] M. M. Aly, "Optimal allocation for static and switched capacitor on primary feeders", M. Sc. Thesis, Faculty of Engineering, Ain Shams University, Egypt, 1988.