



REFERENCES

1. ***Abd Rabo, L.A.; Bediwi, M.A. and Mataewi, G.A.(1993):*** Head ultra sound study in premature neonates. partial fulfillment of master degree in pediatrics, Faculty of Medicine, Alazhar University. Al-Hussein University Journal, 2000 Jan; 3:24-31.
2. ***Accardo, J.; Kammann, H. and Hoon, A.H.(2004):*** Neuroimaging in cerebral palsy. J. Pediatr. 2004 Aug; 145: 519-27.
3. ***Alvarez, H.; Garcia Monaco, R.; Rodesch, G. et al., (2007):*** Vein of Galen aneurismal malformations. Neuroimaging Clin N Am; 17: 189-206.
4. ***Ancel, P.Y.; Livinec, F.; Larroque, B.; et al., (2006):*** Cerebral palsy among very preterm children in relation to gestational age and neonatal ultrasound abnormalities: the EPIPAGE cohort study. Pediatrics.;117:828–835.
5. ***Andrew Ginzel, Ja’Neice Harris, Diana Palacio, et al., (2007):*** Are routine cranial u/s necessary in premature infant greater than 30 weeks gestation? , University of Texas medical branch, Galveston, Texas.Am J perinatol 2007;24:17-22.)
6. ***Andrew, B. Onderdonk and Mei-Ling Lee (2003):*** Quantitative microbiologic models for preterm delivery, American Society for Microbiology, J Clin Microbiol. March; 41(3): 1073-1079.
7. ***Arthur, R. and Ramenghi, L.A. (2001):*** Imaging the neonatal brain. In: Levene MI et al. (eds) Fetal and neonatal neurology and neurosurgery. Churchill Livingstone, London ;22(8):1577-82.



8. **Back, S.A.; Han, B.H.; Luo, N.L. et al., (2002):** Selective vulnerability of late oligodendrocyte progenitors to hypoxia-ischemia. *J Neurosci* 22: 455 -463.
9. **Badrawy, N.; Edrees, A. and sebaay, D. (2000):** Value of cranial ultra sound study in premature neonates partial fulfillment of master degree, *Faculty of medicine , Cairo university. Kasr El Aini Medical Journal*, 2001 Oct. Vol.2, No (4); P91-101.
10. **Barbara, J.S. (2007):** The fetus and the neonatal infants: Overview of mortality and morbidity. In: *Nelson text book of pediatrics* (18th edition) WB Saunders Company, chapter 93: 671-674.
11. **Barbara, J.S. and Champan, I.A. (2007):** The fetus and the neonatal infants: Nervous system disorders. In *Nelson text book of pediatrics* (18th edition) WB Saunders Company, chapter 99: 713-720.
12. **Barkovich, A. (2006): MR imaging of the neonatal brain.** *Neuroimaging Clin N Am*; 16: 117–36.
13. **Barkovich, A.J. (2000):** ed. *Pediatric neuroimaging*. 3rd ed. New York, NY: Lippincott Williams & Wilkins; 162–208.
14. **Barkovich, A.J.; Westmark, K.D.; Bedi, H.S.; et al., (2001):** Proton spectroscopy and diffusion imaging on the first day of life after perinatal asphyxia: preliminary report. *AJNR Am J Neuroradiol* ; 22:1786–1794.
15. **Battin, M. and Rutherford, M. (2002):** Magnetic resonance of the brain in preterm infants: 24 weeks' gestation to term. In: *Rutherford M (ed) MRI of the neonatal brain*. WB Saunders, London; 96:11-12.



16. **Benson, J.E.; Bishop, M.R. and Cohen, H.L. (2002):** Intracranial neonatal neurosonography: an update. *Ultrasound Q*;18: 89–114.
17. **Benton Baker. (2002):** Genitourinary infections and their association with preterm labor *J. Amer Family Physion*; 1-6.
18. **Blankenberg, F.G.; Loh, N.N.; Bracci, P. et al. (2000):** Sonography CT, and MR imaging: a prospective comparison of neonates with suspected intracranial ischemia and hemorrhage. *AJNR Am J Neuroradiol*;21:213–218.
19. **Boehm, F.H. (2001):** Intrapartum fetal heart rate monitoring. *Obstet Gynecol Clin North Am*; 28:623.
20. **Boichot, C.; Walker, P.M. Durand, C.; et al. (2006):** Term neonate prognoses after perinatal asphyxia: contributions of MR imaging, MR spectroscopy, relaxation times, and apparent diffusion coefficients. *Radiology*; 239:839–848.
21. **Boxma, A.; Lequin, M.; Ramenghi, L.A.; et al.,(2005):** Sonographic detection of the optic radiation. *Acta Paediatr* 94:1455–1461.
22. **Bracci, R.; Perrone S.; Buonocore G.; et al.; (2006):** The timing of neonatal brain damage. *Biol Neonate* 90:145–155.
23. **Breysem, L.; Cossey, V.; Mussen, E.; et al., (2004):** Fetal trauma: brain imaging in four neonates. *Eur Radiol*. 2004 Sep; 14: 1609-14.
24. **Burquet, A.; Kaminski, M. and Abraham-Lerat, L. (2004):** The complex Relationship between smoking in Pregnancy and Very Preterm Delivery. Results of the Epipage Study. *Br. J. Obstet & Gynaecol*; 111:258-265.



25. **Caravale, B.; Allemand, F. and Libenson, M.H.(2003):** Factors predictive of seizures and neurologic outcome in perinatal depression. *pediatr Neurol.* Jul; 29(1):18-25.
26. **Chang, S.C.; O'Brien, K.O.; Nathanson, M.S.; et al., (2003):** Characteristics and risk factors for adverse birth outcomes in pregnant black adolescent. *J. Pediatr*, 143: 250-257.
27. **Chen, C.; Hus, J. and Hsieh, T. (1997):** Analysis of birth weight and gestational age, *Taiwan J. for Mosan Med Assoc*; 90: 382-387.
28. **Chervenak, F.A.; Skupski, D.W. and Romero, R. (1998):** How accurate is fetal biometry in the assessment of fetal age. *Am J. Obstet and Gynecolo*; 178: 678-687.
29. **Childs, A.M.; Luca A.; Ramenghia, L.A.; et al. (2001):** Cerebral maturation in premature infants: quantitative assessment using MR imaging. *AJNR Am J Neuroradiol* 22:1577–1582.
30. **Cockburn, F. (2000):** The preterm infant. In: Forfar JO., Ameil GG. *Textbook of Pediatrics*, 4th ed. New York, Chruchill, Livingstone; 162-166.
31. **Correa, F.; Enriquez, G.; Rossello, J.; et al., (2004):** Posterior fontanelle sonography: an acoustic window in the neonatal brain. *AJNR Am. J. Neuroradiol.* 2004 Aug; 25: 1274-1282.
32. **Couture, A. (2001):** Anoxic-ischemic cerebral damage. In: Couture A, Veyrac C (eds) *Transfontanellar Doppler imaging in neonates*. Springer, Berlin. *Ann Radiol* 30:452–461.



- 33.**Couture, A.; Veyrac, C.; Baud, C.; et al., (2001):** Advanced cranial ultrasound: transfontanellar Doppler imaging in neonates. *Eur Radiol* 11:2399–2410.
- 34.**Daneman, A.; Epelman, M.; Blaser, S. et al., (2006):** Imaging of the brain in full-term neonates: does sonography still play a role? *Pediatr Radiol* 36:636–646.
- 35.**David, J. and Annibale (2001):** Intracranial periventricular hemorrhage. *American Academy of Pediatrics. N Engl J Med.* Jun 28 **2001**;344(26):1966-72.
- 36.**De Vries, L.S. and Groenendaal, F. (2002):** Neuroimaging in the preterm infant. *Ment Retard Dev Disabil Res Rev* 8:273–280.
- 37.**De Vries, L.S.; Gunardi, H.; Barth, P.G.; et al., (2004):** The spectrum of cranial ultrasound and magnetic resonance imaging abnormalities in congenital cytomegalovirus infection. *Neuropediatrics.* 2004 Apr; 35: 113-119.
- 38.**Di Salvo, D.N. (2001):** A new view of the neonatal brain: clinical utility of supplemental neurologic US imaging windows. *Radiographics* 21:943–955.
- 39.**Di Salvo, D.N.(2001):** A new view of the neonatal brain :clinical utility of supplemental neurologic US imaging windows. *Radiographics.* Jul-Aug; 21(4):943-55.
- 40.**Doran, T.I. (1999):** The role of *Citrobacter* in clinical disease of children: review. *Clin Infect Dis* 28:384–394.



- 41.**Doyle, L.W.; Betheras, F.R.; Ford, G.W.; et al., (2000):** Survival, cranial ultrasound and cerebral palsy in very low birth weight infants: 1980s versus 1990s. *J. Pediatr Child Health*; 36:7-12.
- 42.**El Tohami, K.; Matter, A. and Aboud, M. (2005):** Comparative study of cranial ultrasonographic findings in both full term & preterm neonates , *Al-Hussein University Journal*, 2005 Vol.2.
- 43.**Engelhard, H.H.; Andrews, C.O.; Slavin, K.V. et al., (2003):** Current management of intraventricular hemorrhage. *Surg Neurol* 60; 15-21; 21-22.
- 44.**Eugenio Mercuri, Lilly Dubowitz, Sara Paterson Brown et al., (1998):** Incidence of cranial ultrasound abnormalities in apparently well neonates on a postnatal ward: Correlation with antenatal and perinatal factors and neurological status. *Arch Dis Child Fetal Neonata Ed.* 1998, 79: F185-189.
- 45.**Fanaroff, A.A. and Martin, R.J. (2002):** Intracranial hemorrhage. In: Papile, L-A, eds. *Neonatal-Perinatal Medicine. Diseases of the Fetus and Infant*. ST. Louis, MO: Mosby; 879 -881.
- 46.**Feldstein, N.A. and Anderson, R. (2006):** Diagnosis and management of hydrocephalus. In FD Burg et al., eds., *Current Pediatric Therapy*, 18th ed., p. 374–377.
- 47.**Ferriero, D.M. (2004):** Neonatal brain injury. *N Engl J Med*; 351:1985–1995.
- 48.**Forbes, K.P.; Pipe, J.G. and Bird, R. (2000):** Neonatal hypoxicischemic encephalopathy: detection with diffusion-weighted MR imaging. *AJNR Am J Neuroradiol*; 21:1490–1496.



49. **Frankel, D.A.; Fessell, D.P. and Wolfson, W.P. (1998):** High-resolution sonographic determination of the normal dimensions of the intracranial extra-axial compartment in the newborn infant. *J Ultrasound Med* 17:411–415.
50. **Friese, K. (2003):** The role of infection in preterm labour. *Br. J. Obstet & Gynecol*; 110: 52-54.
51. **Fukui, K.; Morioka, T.; Nishio, S.; et al., (2001):** Fetal germinal matrix and intraventricular haemorrhage diagnosed by MRI *Neuroradiology*; 43: 68-72.
52. **Gardner, M.R. (2005):** Outcomes in children experiencing neurologic insults as preterm neonates. *Pediatr Nurs*; 31 (6): 448, 451-456.
53. **Glenn, O.A.; Goldstein, R.B.; Li, K.C.; et al., (2005):** Fetal magnetic resonance imaging in the evaluation of fetuses referred for sonographically suspected abnormalities of the corpus callosum. *J Ultrasound Med*; 24: 791–804.
54. **Govaert, P. and De Vries, L.S. (1997)** An atlas of neonatal brain sonography. MacKeith Press, Cambridge. 1997 Jun; 152A(6): 1488-97
55. **Grasby, D.C.; Esterman, A. and Marshall, P. (2003):** Ultrasound grading of cerebral ventricular dilatation in preterm neonates. *J. Paediatr Child Health*. 2003 Apr; 39: 186-90.
56. **Gray, R.F.; Indurkha, A. and McCormick, M.C. (2004):** Prevalence, stability, and predictors of clinically significant



- behavior problems in low birth weight children at 3, 5 and 8 years of age. *Pediatrics*; 114:736-774.
- 57.**Hansotia, P. (2003):** An neurologist looks at Mind and Brain: "The Enchanted Loom" *Clin Med Res.* 2003 Oct; 1: 327-332.
- 58.**Haque, K.N.; Hayes, A.M.; Ahmed, Z.; et al, (2008):** Caesarean or vaginal deliveryfor preterm very-low-birth weight(1,250g) infant: experience from adistrict general hospital in UK. *Arch Gynecol Obstet*; 277: 207–12.
- 59.**Hedderson, M.M.; Ferrara, A. and Sack, D. (2003):** Gestational diabetes mellitus and lesser degrees of pregnancy hyperglycemia: Association with increased risk of spontaneous preterm birth. *Obst&Gynecol*; 102:850-856.
- 60.**Herbest, A. and Kallen, K.I. (2007):** Influence of mode of delivery on neonatal mortality and morbidity in spontaneous preterm breach delivery. *Eur J. Obstet. Gynecol Reprod Bid*; 133: 25-29.
- 61.**Hintz, S.R.; Slovis, T.; Bulas, D.; et al., (2007):** Interobserver reliability and accuracy of cranial ultrasound scanning interpretation in premature infants. *J Pediatr*; 150: 592–6.
- 62.**Hohlagschwandtner, M.; Husslein, P. and Klebermass K. (2001):** Perinatal mortality and morbidity. *Archives of Gynecology and Obstetrics*; 265: 113-118.
- 63.**Horsch, S.; Muentjes, C.; Franz, A.; et al., (2005):** Ultrasound diagnosis of brain atrophy is related to neurodevelopmental outcome in preterm infants. *Acta Paediatr* 94:1815–1821.



- 64.**Huppi, P.S. (2002):** Advances in postnatal neuroimaging: relevance to pathogenesis and treatment of brain injury. Clin Perinatol;29:827–856.
- 65.**Impey, L.; Greenwood, C.; Sheil, O.; et al., (2001):** The relation between pre-eclampsia at term and neonatal encephalopathy. Arch Dis Child Fetal Neonatal Ed., 85: f170-f172.
- 66.**Jequier, S. and Jequier, J.C. (1999):** Sonographic nomogram of the leptomeninges (pia-glial plate) and its usefulness for evaluating bacterial meningitis in infants. AJNR 20:1359–1364.
- 67.**John, D. and Catherin, T. Mac (2005):** Low birth weight and preterm neonates: they may be managed at home by mother and traveled health worker?. J. Perinatology; 25:72-81.
- 68.**Jun, B.; Felix, W.S. and Adrian, B. (2002):** Parity & pregnancy outcome. Am J. Obstetrics & Gynecology;166: 274-278.
- 69.**Kaineg, B. and Hudgins, P.A. (2005):** Images in clinical medicine. Wernicke's encephalopathy N Engl. J. Med. 2005 May 12; 352: e18.
- 70.**Kastrup, O.; Wanke, I. and Maschke, M. (2005):** Neuroimaging of infections. NeuroRx 2:324–332.
- 71.**Kimberly, G. Lee and John P. Cloherty. (2004):** Identifying of the high risk newborn and evaluating gestational age and small for gestational age infants. In Kimberly cloherty. (eds). Manual of neonatal care, 6th ed philadliphia: P 41-58.
- 72.**Kimberly, G.; Lee and Jone, P. Cloherty (2004):** Assessment of the Newborn. In: Cloherty JP, Eichenwald EC & Stark AR (Eds).



Manual of Neonatal Care; Lippincott Williams & Wilkins. Philadelphia. P:45-46.

- 73.**Kinsman, S.L. and Johnston, M.V. (2007):** Hydrocephalus section of Congenital anomalies of the central nervous system. In RM Kliegman et al., eds., Philadelphia:Saunders Elsevier..Nelson Textbook of Pediatrics, 18th ed., pp. 2452–2455.
- 74.**Kliegman, R. (2008):** Prematurity and IUGR. In Nelson W. Behrman R, Kliegman R Nelson textbook of Pediatrics 18th edition, Philadelphia, London, Sydney, Tokyo, WB. Sauderss company: 701-712.
- 75.**Kliegman, R.M. (2006):** Intrauterine growth restriction. In: Fanaroff, Avroy A and Martin RJ (eds), Neonatal-Perinatal Medicine, 8th ed., Mosby, An Imprint of Elsevier;: 279-296.
- 76.**Kuban, K.; Adler, I.; Allred, E.; et al., (2007):** Observer variability assessing US scans of the preterm brain: the ELGAN study. *Pediatr Radiol.* 37(12):1201–1208
- 77.**Kuban, K.; Allred, E.; O’Shea, T.M.; et al., (2008):** Cranial ultrasound lesions in the NICU predict cerebral palsy at age 2 years in children who were born at extremely low gestational age. *J Child Neurol. Pediatrics* 2008; 122; e662. DIO:10.1542/ peds. 2008-0594.
- 78.**Lee, K.G. (2008):** Identifying the high risk newborn and evaluating gestational age and small for gestational age infant. In: Coloherty JP, Eichenwald EC, Stark AR (eds), Manual of Neonatal Care. 6th edition. Lippincott Williams & Wilkins. Philadelphia; 5: 41-58.



- 79.**Leijser, L.M. and Cowan, F.M. (2007):** ‘State-of-the-Art’ Neonatal cranial ultrasound. *Ultrasound*; 15: 6-17
- 80.**Leijser, L.M.; Klein, R.H.; Veen, S.; et al., (2004):** Hyperechogenicity of the thalamus and basal ganglia in very preterm infants: radiological findings and short-term neurological outcome. *Neuropediatrics* 35:283–289.
- 81.**Leijser, L.M.; Srinivasan, L.; Rutherford, M.A.;et al., (2006):** Using cerebral ultrasound effectively in the newborn infant. *Early Hum Dev* . 82:827–835.
- 82.**Lemmers, P.M.; Toet, M.; van Schelven, L.J. et al., (2006):** Cerebral oxygenation and cerebral oxygen extraction in the preterm infant: the impact of respiratory distress syndrome. *Exp Brain Res*; 173 (3): 458-467.
- 83.**Ment, L.R.; Bada, H.S.; Barnes, P.; et al., (2002):** Practice parameter: neuroimaging of the neonate. Report of the Quality Standards subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. *Neurology* 2002; 58: 1726-1738.
- 84.**Morioka, T.; Hashiguchi, K.; Nagata, S.; et al., (2006):** Fetal germinal matrix andintraventricular hemorrhage. *Pediatr Neurosurg*; 42: 354-61.
- 85.**Moutquin, J.M. (2003):** Socio-Economic and psychosocial factors in the management and prevention of preterm labour. *Br. J. Obstet & Gynecol.* 110: 56-60.



86. **National Hydrocephalus foundation (NHF, 2007):** Available online at: <http://www.nhfonline.org/about/>. Last access sept.2007.
87. **Neil, J.J. and Inder, T.E. (2004):** Imaging perinatal brain injury in premature infants. *Semin Perinatol.* 2004 Dec; 28: 433-443.
88. **Nwafor-Anen, V.N.; DeCristofaro, J.D. and Baumgart, S. (2003):** Serial head ultrasound studies in preterm infants. How many normal studies does one infant need to exclude significant abnormalities? *J. Perinatol*; 23: 104-10.
89. **Nzeh, D.A.; Erinle, S.A.; Saidu, S.A. et al., (2004):** Transfontanelle ultrasonography: an invaluable tool in the assessment of the infant brain. *Trop Doct.* 2004 Oct; 34: 226-227.
90. **Okumura, A.; Fumio Hayakawa, Toru Kato, et al., (2001):** Hypocarbica in preterm infants with periventricular leukomalacia: the relation Between Hypocarbica and Mechanical Ventilation. *pediatrics*; 107 No. 3 March; 469-475.
91. **Paneth, N. (1999):** Classifying brain damage in preterm infants. *J. Pediatr*; 134: 527-529.
92. **Papile, L.A.; Ment, L.R.; Bada, H.S.; et al., (2006):** Practice parameter. Neuroimaging of the neonate. Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. *Neurology*; 58: 1726-1738.
93. **Perlman, J.M. and Rollins, N. (2000):** Surveillance protocol for the detection of intracranial abnormalities in premature neonates. *Arch Pediatr Adolesc Med.* Aug; 154: 822-826.



- 94.**Pollock, B.G.; Gorman, D.A. and Coffey, R.J. (2003):** Patient outcomes after arteriovenous malformations, radiological management. *Neurosurgery*; 52; 1291-1296.
- 95.**Rados, M. et al. (2006):** In vitro MRI of brain development. *Eur J Radiol* 57:187–198.
- 96.**Rail, T.N.; Nelson, K.B.; Ferreiro, D. et al., (2007):** Ischemic perinatal stroke: summary of a workshop sponsored by the National Institute of Child Health and Human development and the National Institute of Neurological disorder and Stroke, *Pediatrics* 120 : 609 — 616.
- 97.**Raju, V.S.; Rao, M.N. and Rao, V.S. (2007):** Cranial sonography in pyogenic meningitis in neonates and infants. *J Trop Pediatr* 41:68-73.
- 98.**Rasmussen, S. and Irgens, L. (2003):** Fetal growth and body proportion in pre eclampsia. *Obstet & Gynecol J*; 101: 575-583.
- 99.**Rhine W. D., and Blankenberg F. G, (2001):** Cranial Ultrasonography *NeoReviews* Vol.2 No.1 3-11)
- 100.**Robert, L. and Goldenberg, M. (2002):** High-Risk Pregnancy Series: An Expert's View in the Management of Preterm Labor. *J. Obs & Gynecol.* Vol 100, N 5, Part (1) p 1020-1037.
- 101.**Rodesch, G.; Sachet, M.; Krings, T.; et al., (2007):** Vein of Galen aneurismal malformations. *Neuroimaging Clin N Am*; 17: 189–206.
- 102.**Rodriguez, M.J.; Ursu, G.; Bernal, F. et al., (2001):** Perinatal human hypoxia-ischemia vulnerability correlates with brain calcification *Neurobiol Dis* 5: 59-68.



103. **Roessman, V. (1999):** Congenital malformations Duckett S ed. Pediatric neuropathology. Philadelphia: Williams & Wilin: 123-148.
104. **Rosier-van, Dunné, F.M.; van Wezel-Meijler, et al., (2007):** Changes in echogenicity in the fetal brain: a prevalence study in fetuses at risk for preterm delivery. Ultrasound Obstet Gynecol; 29: 644-650.
105. **Roy, K.K.; Jine, B.; Kummar, S. et al., (2006):** Maternal antenatal profile and immediate neonatal outcome in VLBW and ELBW infants. Indian Jouranl of paediatrics; Vol 73: 669-673.
106. **Ruoss, Lovblad, K.; Schroth, G.; Moessinger, A.C. et al., (2001):**Brain development (sulci and gyri) as assessed by early postnatal MR imaging in preterm and term newborn infants. Neuropediatrics. 2001 Apr; 32: 69-74.
107. **Russell, J.C. (1999):** Multicenter evaluation of TDX test for assessing fetal lung maturity. Clin Chem; 35:1005.
108. **Russell, R.B.; Green, N.S. and Claudia, A. (2007):** Cost of Hospitalization for preterm and low birth Weight infants in the United States. Pediatrics; 120 .el-e9.
109. **Saliba E., and Marret S.(2001):** Cerebral white matter damage in the preterm infant; pathophysiology and risk factors.Semin Neonatol.2001;6:121-33.
110. **Saurel-Cubizolles, Zeitlin, J.; Lelong, N.; et al., (2004):** Employment, Working conditions and Preterm Birth: Results



- from the J Epidemiol Community Health, Case-Control Survey; 58:395-401.
111. **Schneider, A. (2004):** Normal values of bl fl velocity in the terminal vein of preterm infants. *Ultraschall Med*; 25: 137-140.
112. **Selbing, A. (1995):** Gestational age estimation. *Act Obstet Gynecol Scand*; 64:593.
113. **Shalak, L. and Perlman, J.M. (2002):** Hemorrhagic-ischemic cerebral injury in the preterm infant: current concepts. *Clin perinatol* 29: 745 - 763.
114. **Shalak, L. and Perlman, J.M. (2004):** Hypoxic-ischemic brain injury in the term infant: current concepts. *Early Hum Dev*; 80:125–141.
115. **Simbrunner, J. and Riccabona, M. (2006):** Imaging of the neonatal CNS. *European Journal of Radiolog*; 60:133-151.
116. **Snyder, E.Y. and Cloherty, J.P. (2005):** Neurology: Perinatal asphyxia In: Cloherty JP and Stark AR (eds.) *Manual of Neonatal Care*. 4th ed., 27: 515. Little. Brown and Co, Boston.
117. **Soghier, L.M. et al. (2006):** Diffuse basal ganglia or thalamus hyperechogenicity in preterm infants. *J Perinatol* 26:230–236.
118. **Stoll, B.J. and Adams-Chapman, I. (2007):** Prematurity and intrauterine growth retardation. In: Nelson W., Beherman RE, Kliegman RM, Jensa HB, Stanton BF (eds), *Nelson Textbook of Pediatrics*. 18th edition, Philadelphia, London, Sydney, Tokyo, Elsevier Saunders; 701-710.



119. **Synder, E. and Cloherty, J. (2008):** Perinatal asphyxia. In: Cloherty JP, Eichenwald EC, Stark AR (eds), Manual of Neonatal Care. 6th edition. Lippincott Williams & Wilkins. Philadelphia. 515-524.
120. **Synnes, A.R.; Macnab, Y.C; Qiu, Z.; et al., (2006):** The Canadian Neonatal Neonatal intensive care unit characteristics affect the incidence of severe intraventricular hemorrhage. Med Care; 44: 754-9.
121. **Taylor, G.A. (2001):** Sonographic assessment of posthemorrhagic ventricular dilatation. Radiol Clin North Am 39:541–551.
122. **Thompson, D.K.; Warfield, S.K.; Carlin, J.B; et al., (2007):** Perinatal risk factors altering regional brain structure in the preterm infant. Brain; 130: 667-677
123. **Tucker, J. and McGuire, W. (2005):** ABC of preterm birth: Epidemiology of preterm birth. Student BMJ; 13:133-176.
124. **Tunkel, A.R.; Hartman, B.J.; Kaplan, S.L. et al., (2004):** Practice guidelines for the management of bacterial meningitis. Clin Infect Dis 39:1267–1284.
125. **Tunkel, A.R.; Hartman, B.J.; Kaplan, S.L. et al. (2004)** Practice guidelines for the management of bacterial meningitis. Clin Infect Dis 39:1267–1284.
126. **Van de Bor, M. And den Ouden, L. (2004):** School performance in adolescents with and without periventricular intraventricular hemorrhage in the neonatal period. Semin Perinatol. 2004 Aug; 28: 295-303.



127. **Van der Knaap, M.S. and Valk, J. (2005):** Myelination and retarded myelination. In: van der Knaap MS, Valk J (eds) Magnetic resonance of myelin, myelination, and myelin disorders. Springer, Berlin.
128. **Velisavljevic-Filipovic, G. (2007):** Mode of delivery and neurosonographic findings in premature infants] Med Pregl; 60: 7-11.
129. **Vergani, P.; Locatelli, A. and Strobelt, N. (1998):** Clinical outcome of mild fetal ventriculomegaly. Am. J. Obstet Gynecol; 178:218-22.
130. **Veyrac, C.; Couture, A.; Saguintaah, M.; et al., (2006)** Brain ultrasonography in the premature infant. Pediatr Radiol 36:626–635.
131. **Vollmer, B.; Roth, S.; Riley, K.; et al., (2006):** Long-term neurodevelopmental outcome of preterm children with unilateral cerebral lesions diagnosed by neonatal ultrasound. Early Hum 82:655–661.
132. **Volpe, J.J. (1997):** Mental Retardation and Developmental Disabilities Research Reviews; 3:3-13 p.5.
133. **Volpe, J.J. (2001):** Bacterial and fungal intracranial infections. In: Volpe JJ (ed) Neurology of the newborn. Saunders, Philadelphia, pp 774–810.
134. **Volpe, J.J. (2001):** Neurobiology of periventricular leukomalacia in the premature infant. Pediatr Res; 50:553-562.
135. **Volpe, J.J. (2001):** Neuronal proliferation, migration, organization and myelination. In: Volpe JJ (ed) Neurology of the



- newborn. WB Saunders, Philadelphia; Dev Neurosci 2001;23:327-337
136. **Volpe, J.J. (2001a):** Hypoxic-ischemic encephalopathy: clinical aspects. In: Volpe JJ (ed) Neurology of the newborn. WB Saunders, Philadelphia; (pp. 331-394).
137. **Volpe, J.J. (2009):** Brain injury in premature infants: a complex amalgam of destructive and developmental disturbances. Lancet Neurol; 8: 110-124
138. **Volpe, J.J.; Tsuji, M.; Saul, J.P.; et al., (2000):** Cerebral intravascular oxygenation correlates with mean arterial pressure in critically ill premature infants pediatrics; 106: 625-632.
139. **Vries, L.S.; Gunardi, H.; Barth, P.G.; et al., (2004):** The spectrum of cranial ultrasound and magnetic resonance imaging abnormalities in congenital cytomegalovirus infection. Neuropediatrics; 35: 113-119
140. **Wilson, R.D. (2000):** Amniocentesis and chorionic villus sampling Curr Opin Obstet Gynecol; 12:91-98.
141. **Wong, F.; Fraser, S.; Kelly, E. et al., (2004):** Clinical significance of isolated paraventricular cysts on cranial ultrasonography. J. Paediatr Child Health. 2004 Sep-Oct' 40: 552-555.
142. **Wu, Y.W.; Backstrand, K.H.; Zhao, S. et al., (2004):** Declining diagnosis of birth asphyxia in California: 1991– 2000. Pediatrics;114:1584–1590.
143. **Zarifi, M.K.; Astrakas, L.G.; Poussaint, T.Y.; et al., (2002):** Prediction of adverse outcome with cerebral lactate level and



apparent diffusion coefficient in infants with perinatal asphyxia. Radiology; 225:859– 870.

144. **Zotter, H.; Urlesberger, B.; Kerbl, R.; et al., (2007):** Cerebral hemodynamics during arousals in preterm infants. Early Hum Dev; 83: 239-246.