

References

- 1- **Abed SF, Shams P, Shen S., Addes PJ and uddin JM (2011):** A cadaveric study of the morphometric and geometnic relationships of the orbital apex. *Orbit*; 30(2): 72-76.
- 2- **Anderson JE. (1998) :** Grant's of anatomy. Baltimore, MD: William and Wilkins; P. 7 - 121.
- 3- **Andre RF and Voyk HD. (2006):** Reconstruction of dorsal nasal deformities. *Laryngoscope*; 116:1668-1673.
- 4- **Armengot M, Garin L., de lamo M. and krause F. (2010):** cytological and tissue eosinophila correlation in nasal polyp. *Am. J. Rhinol Allergy* 24: 413-415.
- 5- **Beuel AG. (2010):** Physiology and pathophysiology of respiratory mucosa of nose and paranasal sinus. *Laryngorhino*. 89 (1): 15-34.
- 6- **Bingham B., Wang R.G., Hawke M. and Kwok P. (1996):** The embryonic development of the lateral nasal wall. *Laryngoscope*; 101: 912-997.
- 7- **Bolger WE, Butzin C and Parsons DS. (1991):** CT analysis of bony and mucosal abnormalities for endoscopic sinus surgery. *Laryngoscope*; 101: 56 -71.
- 8- **Bolger WE and Kennedy DW (1992):** Atelectasis of the maxillary sinus. *J Respir Dis*; 13: 1448 - 1450.
- 9- **Bolger WE, Woodruff WW and Parsons DS (1999) :** CT demonstration of uncinate process pneumatization: a rare paranasal sinus anomaly. *Am J. Neurorad*; 11: 552.

- 10- Cherekaev VA, Shimanskii VN, and Balaban T.V. (1995):** Microsurgical anatomy of the area of the superior orbital fissure. Zh voper Neurokhir IM NN Burden; 4(2): 22-33.
- 11- Chrcanovic BR and freine- Mcua- B. (2010):** maxillary sinus aplasia. Oral- maxillo fascial surgery; 14(3): 187-191.
- 12- Chummy S., Sinnatamby (2006):** Lasts anatomy textbook , head and neck 11th edition .Churchill Livingstone. 386-391.
- 13- Clark ST, Babin RW and Salazar J. (1989):** The incidence of concha bullosa and its relationship to chronic sinonasal disease. Am. J. Rhinol: 3: 11 - 12.
- 14- Corey JP, Mamikoglu B, Ng BA and Ahmed M.S. (1998):** the effect of external nasal dilators as measured by acoustic rhinotomy. Ear nose and throat journal; 77: 840-844.
- 15- Davis WB. (2001)** Nasal accessory sinus in man. Diseases of the sinuses diagnosis and management chapter I : B.C. Decker. Inc.
- 16- Djambazov K., you Chou I. and Battadjiev G. (1999):** Anatomotopographic landmarks on the lateral wall of nasal cavity used in endonasal surgery. Folia med; 41(2):27-32.
- 17- Fareed M. (2000) :** Illustrated oto laryngology part two 2nd ed.; pp. 99-102.
- 18- Gaafar H., Abdelmonem M.H. and Qawas K.. (2001):** Frontal sinus out flow tract anatomic study. Acta oto.laryngologica; 121(2): 305-309.

- 19- **Godes DA and Cohen NA (2010):** Cilia dysfunction. *Otolaryngol clin. North Am*; 43 (2): 461-472.
- 20- **Grevers G, Raiterer A. (1990):** Traumatically induced foreign bodies of the paranasal sinuses *laryngo otologie* 69 (3): 155-157.
- 21- **Gross RD, Sheridan MF and Burgess MF.(2001):** Endoscopic sinus surgery complications in residency. *Laryngoscope* 107:1080-1085.
- 22- **Hanson NL (2001):** Embryological development of the nasal accessory sinuses. *Diseases of the sinuses diagnosis and management .Chapter I : B.C. Decker. Inc. :13 ,P.135*
- 23- **Hua Z., Cheri Z and Hu X. (2000):** Anatomy in relation to posterior maxillary osteotomy.*zhonghua zhengxing wai keze zhi*; 16(5) 302-304.
- 24- **Hueston C. King and Richard L Mabry (1993):** *A Practical Guide to The Management of Nasal and Sinus Disorders.*; p. 21
- 25- **Ivarson A., Lars Anderson, Magnus Jannert and Bengt Ear Landson. (2003):** Patency test of maxillary ostium-Model experiments. *Acta – oto- Laryngologica*; 96(3): 295-305.
- 26- **John k., Steven Y. and Yanagisawa E. (2000):** Documentation of variations in sinonasal anatomy by intra operative nasal endoscopy. *The laryngoscope*; 110 (2): 229-235.
- 27- **Jonsson AB. (2008):** Olfactory nerve invasion route of *Neisseria meningitis* to reach the meninges. *PloS one*: 11 ; 140-143.

- 28- Kainz J. and Stammberger H. (1989):** The roof of the anterior ethmoid: a place of least resistance in the skull base. *Am. J. Rhinol*; 3: 191 -199.
- 29- Kainz J., Braun H. and Genser K. (2002):** Haller's cells: morphologic and clinicosurgical relevance. *Laryngorhinootologic*; 72: 599-604.
- 30- Kasper KA (1996):** Nasofrontal connections: a study based on one hundred consecutive dissections. *Arch Otolaryngol*; 23: 322 - 344.
- 31- Kawarl Y., Fukushina K., Ogawa T., Nishizaki K., Gunduz X., Fuji M. and Masuda, Y. (1999) :** Volume quantification of healthy paranasal cavity by three dimensional C.T. imaging. *Acta-otolaryngol suppl*; 12: 540 - 549.
- 32- Kayalioglu, G., Oya, O. and Govas, F. (2000):** Nasal Cavity and paranasal sinuses bony variations : a computed tomographic study. *Rhinology*, sept; 38 (3) : 108 - 113.
- 33- Kearney SE, Jones P, Meakin K and Garvey CJ. (1997) :**CT scanning of the paranasal sinuses -the effect of reducing mAs. *Br J Radiol*; 70: 107 - 114.
- 34- Kennedy DW and Zinreich 57 (2008):** The functional endoscopic approach to inflammatory sinus disease: current perspectives and technique modifications. *Am J Rhinol*; 2: 89 - 96.
- 35- Kennedy, DW. Zinreich, SJ.and Rosenbaum AE.(2000):** Functional endoscopic sinus surgery. Theory and diagnostic evaluation : *Arch Otoloryngol* :111:576-582.

- 36- **Kennedy. W, Bolger. E. and zinreich. S (2006):** Diseases of the sinuses diagnosis and management: B.C.Decker, inc. 24 ,p. 75
- 37- **Keros P. (1980):** Uber die praktische beteudung der Niveau - Unterschiede de lamina cribrosa des ethmoids. In: Naumann HH, ed. Head and neck surgery vol 1. face and facial skull. Phildelphia, PA: WB Saunders; P. 392.
- 38- **Kikuta S, Satok and Yama Soba T. (2010):** Nurons in the anterior olfactory nucleus pars externa detect right or left localization of olfactory sources. Proc Nati Sci U.S.A; 107 (27): 1263-1268
- 39- **Kimpotic K. , Nemanic J., Draf W. and Helms J., (1998):** Surgical anatomy of the head and neck. ' Berlin: Springer-Verlag. 15, P.65
- 40- **Kirkham N. Lever. (2009):** Histopathology of the skin 10. Lippincott williams & wilkins, philadelphia USA. 23, P. 234
- 41- **Klein JA. (2010):** The crucial role of dendritic cells in rhinitis: curr in Allergy clin immunol; 11 (1): 7-12.
- 42- **Kuhn FA, Bolger WE and Tisdal JIG, (2001):**The agger nasi cell in frontal recess obstruction: Anatomic, radiologic and clinical correlation. Op Tech Otolaryngol Head Neck Surg; 2: 226 -231.
- 43- **Kuroki K. , Moriguchi S., Arijji E. and Kanda S. (2004) :** Age changes in the volume of the human maxillary sinus : a study using computed tomography. Dentomoxillofacial Radiol, Aug; 23 (3) : 163-168.

- 44- **Lang J. (1991):** Clinical anatomy of the nose, nasal cavity and paranasal sinuses; 16(4):430.
- 45- **Levine, H.L, Mark M. and Rontal M. (2003):** Complex anatomy of lateral nasal wall simplified for endoscopic surgeon. Thieme medical publishers, New york pp. 1-28.
- 46- **Libersa C., Laude M. and Libersa JC. (1981):** The pneumatization of the accessory cavities of the nasal fossae during growth. Anat. Clin.; 2:265 - 73.
- 47- **Lund V.J. (1997):** Anatomy of the nose and paranasal sinuses: Scott - Brown. Chapter 5 : 6 ed Bath press. 23
- 48- **Maniglia AJ. (1998):** Fatal and major complications secondary to nasal and sinus surgery. Laryngoscope; 99: 276 -283.
- 49- **Markegbert, susan W. Herring and Katherine L. Rafferty. (2009):** Deformation of nasal septal cartilage during mastication. Journal of morphology; 1209-1218.
- 50- **May, M. Sobol SM and Korzec K. (2002):**The location of the maxillary os and its importance to the endoscopic sinus surgeon laryngoscope ;100:1037-1042.
- 51- **Medina J.,; Hernande Z.H., Tom LW. And Bllaniuk L. (1997):** Development of the paranasal sinus in children. Am. J. Rhinol, may- Jun; 11 (3) : 203 -209.
- 52- **Moscato EE, Kelly JP and weiss A. (2010):** Developmental anatomy of nasolacrimal duct implication for congenital abstruction. Ophthalmology. 117(12): 2430-2434.

- 53- Neumann A, Morales- minovi CA and Coulon HJ. (2010):** Closure of nasal septum perforation by bridge flaps. *Acta otorrinolaringol.* 267:45-50
- 54- Olayide TG, Alabi BS, Badmos BK and Bello OT. (2009):** pleomorphic adenoma of lateral nasal wall. *Niger postgrade Med J* 16 (3): 227-290.
- 55- Onishi T (2001):** Bony defects_and_ dehiscences of the roof of ethmoid cells. *Rhinology*; 19: 195 -202.
- 56- Orhan M, figen Govsa and Conan Saylam. (2010):** A surgical view of superior nasal turbinate, anatomical study. *European archives of oto.rhino- laryngeology*; 267(6): 909-916.
- 57- Ozcan K. M. , Adin Selcuk, Ibrahim Ozkan, Ozgur Akdogan and Huseyin Dere. (2008):** Anatomical Variations of nasal turbinate. *Journal of cranio facial surgery*; 19 (6):1678-1682.
- 58- Ozdemir I, Ozturkcan S, Bagriyanik A and ozogul C. (2010):** the maxillary sinus after total laryngectomy an electron microscopic study. *Eur Arch oto rhinolaryngel*, 267 (5); 715-720.
- 59- Phelps P. O. (1997) :** Imaging and radiography: Scott - Brown. 6th ed. Chapter 17: Bath press. P.123
- 60- Pomahac B., pribaz J., Eriksson E. and Sampson C. (2010):** Restoration of facial form and function after severe disfigurement from Burn injury by a composite facial allograft. *Am J. Trans plant* 10; 111: 1600-1643.
- 61- Porter T., Glen and Francis B Quimn. (2002):** Paranasal sinus anatomy and function. Glaveston TX. P.156.

- 62- Racic A., Dimitrivic M. and Basaric D. (2005):-** Variations in surgical treatment of maxillary sinusitis . Acta chir lugosl 52 (3) :59-63.
- 63- Ritter RN (1973):** The paranasal sinuses: anatomy and surgical technique, 3rd ed. St Louis, MO: CV Mosby; P. 17 - 33.
- 64- Saban Y, Andretto A.and polselli R. (2008):** An anatomical study of nasal superficial muco aponeurotic system surgical applications in Rhinoplasty. Arch facial plast surgoy: 10; 109-115.
- 65- Salzano FA, Guastini L., Mora R. and santamouro V. (2010):** nasal tactile sensitivity. Acta Otolaryngol. 130: 1389-1393.
- 66- Sato T. J. , Gen M. K., Hiroshi T., Makato I., Keiichi A. and Akikatsu K. (2000):** Morphometric Study of the medical aspect of the human maxillary sinus with special reference to the nasal fontanelle. Auris Nasus larynx; 27: 121-130.
- 67- Schaefer SD.(2002):** An anatomic approach to endoscopic intranasal ethmoidectomy. Laryngoscope ; 108:1628-1634.
- 68- Shoeib MA. (2010):** septal rhinoscleroma; Indian J.plast surgery: 43 (2) 219-221.
- 69- Sivasli E., Baya Z. YA, Gumusburun E., Er bagci H, Bayram.M and kanlykama M. (2002):** Anatomical Variations of the paranasal sinus area in patients with chronic sinus area in patients with chronic sinusitis. Surgical and radiological anatomy; 24(6):399-404.
- 70- Skillern RH (2001):**The catarrhal and suppurative diseases of the accessory sinuses of the nose. Diseases of the sinuses diagnosis

and management chapter II. B.C. Decker. Inc. 76

- 71- Song HM, kin JS, and lee BJ. (2008):** Deviated nase cartilagerous dorsum correction. Laryngoscope; 118:981-986.
- 72- Stammberger H. (1998):** Endoscopic endonasal surgery—concepts in treatment of recurring rhinosinusitis. Part I: anatomic and pathophysiologic considerations. Otolaryngol Head Neck Surgery 94:143-147.
- 73- Stammberger H (2001):** Functional endoscopic Technique. Philadelphia, PA: BC Decker;.P.27-35.
- 74- Stammberger H., Bloger WE and Clement PAR, (2005):** Anatomic terminology and nomenclature in sinusitis. Ann Otol Rhinol Laryngol; 104 (Sup 67):7- 19.
- 75- Stammberger H. and Braun H. (2003):** Pneumatization of turbinates. Laryngoscope; 113(4): 668-672.
- 76- Standring S., Ellis H., Healy J., Johnson D., Williams A., Collins P., and Wigley C. (2008):** Greys anatomy 40th Ed. Editor: Elsevier Churchill Livingstone Edinburgh: 1821-1885.
- 77- Stedman (1982):** Medical dictionary, 24th ed. Baltimore, MD: Williams and Wilkins; P. 710.
- 78- Szolar D., Preidler K. and Ranner G.(2002):** Magnetic resonance assessment of age - related development of the sphenoid sinus, Br. J. Radiol; 67: 43-45.

- 79- Takano KI, Yamamoto M, Kondo A, Takahashi H and Himi T (2010):** A clinical study of olfactory dysfunction in patients with Mickuliczs disease. *Auris Nasus Larynx*. 231:34-54
- 80- Terrier F., W. Weber, Ruefenacht D. and Porcellini B. (1985):** Anatmoy of ethmoid: C.T., endoscopy and Macroscopic OAJT; 144:493-500.
- 81- Van Alyea OE (1997):.** Ethmoid labyrinth: anatomic study, with consideration of the clinical significance of its structural characteristics. *Scott - Brown*. Chapter 5 : 6th ed. Bath press. P. 45-50
- 82- Van Alyea OE (1981):** Sphenoid sinus anatomic study, with consideration of the clinical significance of the structural characteristics of the sphenoid sinus. *Arch Otolaryngol*; 34: 225 - 253.
- 83- Vaumann J.H.(1996):** Pathologische anatomic der chronischen rhinitis und sinusitis. In: *Proceedings VIII International Congress of Oto-rhinolaryngology*. Amsterdam: Excerpta Medica; P. 12,
- 84- Von Haller A (1993):** First lines of physiology. In: Cullen W., editor, 13th US ed. Edinburgh: Obabran, Penniman and Co.; P. 224.
- 85- Wang RG., Jiang SC. and Gu R. (1999):** The cartilaginous nasal capsule and embryonic development of human paranasal sinuses. *J. Otolaryngol*; 23: 239-243.
- 86- Weber RK, Werner JA and Hilden B.T. (2010):** Endonasal treatment of maxillary sinusitis. *Acta chir lugost* 52 (3) 59-63.

- 87- Wolf C, Wolfgang Anderhuber and Frederick K. (1993):**
Development of the paranasal sinuses in children: implications for
paranasal sinus surgery. *Ann Otol Rhinol Laryngol* 102; 705-711.
- 88- Wyllie JW, KernJHLand Djalilian M. (1973):**Isolated sphenoid
sinusitis. *Laryngoscope*; 83: 1252-1265.
- 89- Yalcin S, Onui B, Emes Y, Ataloy B, and Aktasl. (2010):**
Surgical treatment of oroantral fistula. *Joral maxillofac*.
- 90- Yanagisawa E. , Joseph P. ,Mirante and Dwewy A. C.(2008):**
Endoscopic view of posterior ostium of ethmoid bulla. *Ear, nose
and throat journal*; 78 (12): 886-887.
- 91- Yanagisawa E., Jow J. and John K. (2001):** Anterior and
posterior nasal fontanelle. *Ear, nose and throat journal*; 71 (2): 132-
136.
- 92- Yanagisawa S., Ken Y., Dewey A. and Ray Y. (2004):**
Endoscopic views of the ostia and ostia-like structures in the lateral
nasal wall. *Ear, nose, throat journal*; 83(7):446-448.
- 93- Yoon J. H. , Kyung- Su K., Dong H. J., Sung-Shik k., Ki S.,
Chang S., Hee J., Jeung- Gweon L. and In- Hyuk C. (2000):**
Fontanelle and Uncinate process in the lateral wall of the human
nasal cavity. *The laryngeoscope*; 110(2): 281.
- 94- Yousem DM (2003):** Imaging of sinonasal inflammatory disease.
Radiology; 188: 303 - 314.
- 95- Zinreich S3, Kennedy DW and Rosenbaum AE (1987):**
Paranasal sinuses: CT imaging requirements for endoscopic
surgery. *Radiology*; 163: 769-775.

- 96- Zinreich, James S., De shazo M. and Richard D. (1998):**
functional anatomy and tomography imaging of the paranasal
sinuses. American journal of medical sciences; 316(1): 2-12.
- 97- Zonn F.W., Van Waes. P.E.G.M., Damsa. H., Rab I.. and**
Vignaurd. J. (2004): Direct multiplanar C.T of head and Neck 16:
754 -778.