



REFERENCES

- Abedel Aziz, A., (2005): "Nursing intervention protocol", Ain shams university, Faculty of Nursing, Doctorate Degree.*
- A stroöm, S., Bucht, G., Eisemann, M., Norberg, A., and Saveman B.I., (2002): " Incidence of violence towards staff caring for the elderly". Scandinavians Journal of Caring Sciences 16, 66–72.*
- Alder, G.A., Bobrowski, C., and Bobrowski, P., (2000): " Scoping workplace aggression in nursing": Findings from an Australian study. Journal of Advanced Nursing, 55(6), 778-787.*
- Allen, M. H. et al., (2003): "treatment of behavioral emergencies": a summary of the expert consensus guide lines", J Psychiatr Pract 9:16.*
- Aloa, A., (2004): "The frontier of mood stabilizers in psychiatry" Psychiatrictimes, 19(5). Available at: WWW.psychiatrictimes.com/p020541.html.*
- American Nurses Association (ANA), (2004): " Scope and standards of addictions nursing practice". Washington, DC: Author.*
- American Psychiatric Association (APA), (2000): " Diagnostic and statistical manual of mental disorders" (4th ed., text revision). Washington, DC: Author.*
- American Nurses Association., (ANA) (2000): " American Psychiatric Nurses Association, & International society of psychiatric*



mental health nursing practice. Washington,DC American nurses publisher.

Anderson, C. and Bushman, B., (2002): "Human aggression. Annual review of psychology".7th ed., William and Wilkins, p(53,27-510).

Arnetz, J.E. and Arnetz, B.B., (2001):" Violence towards health care Staff and possible effects on the quality of patient care". Social Science and Medicine 52, 417–427.

Ajzen, I., (2005):"Attitudes, Personality and Behavior" . Open University Press, Buckingham.

Bandura, A., (1973):"Aggression: asocial learning analysis". Morristown, NJ: prentice hall.

Barlett, C. P., Harris, R. J., and Baldassaro, R.,(2007):"Longer you play, the more hostile you feel": examination of the first person shooter video games and aggression during video game play. *Aggressive behavior*, 33(6), 486-497.

Bartholow, B., Sestir, M., and Davis, E., (2005):" Correlates and consequences of exposure to video game violence". Hostile personality, empathy, and aggressive behavior. *Personality and Social Psychology Bulletin*, 31, 1573- 1586.

Battaglia, J., (2006):" Is this patient dangerous? 5 steps to help clinicians prepare for violent behavior and improve safety". *Current Psychiatry*, 5(11), 25-32.



Bauomy, E., (2009):"Violence behavior among patient and University". P (80 -85).

Bender, K. J. (2003):"consensus on treatments for aggression in youth".

Psychiatric times, p 20(7).

Bin Abdullah, A.M., KhimL. Y.L. ,and WahL.C.,(2000) :" A study of violence towards nursing staff in the emergency department". Singapore Nursing Journal 27, 30–37.

Blair, R.J.R., (2001):" Neuro cognitive models of aggression"., the antisocial personality disorders , and psychopathy. Journal of neurology, neurosurgery, and psychiatry, 71,727-731.

Bostrom, A.C., Boyd, M.A., and Hamera, E ., (2006):" Medication compliance and relapse prevention in schizophrenia". Psychiatric Nurse: Counseling Points, 1(1), 4-12.

Bowers, L. (2002):" Dangerous and Severe Personality Disorder": Response and Role of the Psychiatric Team. London, Routledge.

Boyd, M., Bostrom, A.C., and White, D., (2005):" Coping with aggressive behavior in patients with schizophrenia". Psychiatric Nurse: Counseling Points, 1(2), 4-12.

Brink, P.(2001):"Violence on TV and aggression in children". Western Journal of Nursing Research, 23(1).5-7.

Broers, P., de Lange J.,(2000):" Conflict in the working relationship". An inter-actional perception of aggression between patient and nurse. Maandbl Geestelijke Volksgezond 52:977–995.



- Brown, J. (2000):**" Restraint and seclusion state policies for psychiatric hospitals", Department of Health and Human Services office of inspector general. pp1-21.
- Buckley, P. F., Hrouda, D. R., Fried, L., et al., (2004):** "Insight and its relation ship to violent behavior in patients with schizophrenia". American journal of psychiatry, 161 (9), pp: 1712-1714.
- Calabro, K., Mackey, T. A. and Williams, S., (2002):**"Evaluation of training designed to prevent and manage patient violence". Issues in Mental Health Nursing 23, 3–15.
- Campbell, A., Muncer S.,(2000):**" Models of anger and aggression in the social talk of women and men". J theory soc behave pp(489-512)
- Carlsson,G., Dahlberg, K., and Drew,N.,(2000):**" encountering violence and aggression in mental health nursing": phenomenological study of tacit caring knowledge. Issues in mental health nursing, pp(533-545).
- Carmel, M.D. ,and Hunter, M.,(2001):**" Compliance with training in managing assault behavior and injuries from inpatient violence". *Hospital and Community Psychiatry* 41:558–560:
- Centers for Medicare and Medicaid services.,(2002):**" Interpretive guidelines for hospital cop for patient rights. Quality of care information", quality standards. Available at :www.cms.hhs.gov/manuals.



- Chabora, N., Judge, M., and Grogan, K., (2003):**"The four models in action for de-escalation": an innovative state hospital university, *J Psychosis Nurs Ment Health service* 41:22.
- Chen, S.C., Hwu, H.G., and Williams, R.A.(2005):**"Psychiatric nurses anxiety and cognition in managing psychiatric patients' aggression". *Archives of psychiatric nursing*, pp (141-149).
- Citrome, L., (2007):** "Aggression".retrieved january26, 2008, from accidentandemergency.AccidentandEmergencyNursing11,5–11 future research *Journal of Gerontological Nursing* 4, 12–22.
- Citrome, L.,and Volavka,J.,(2001):** " Violent patients in the emergency setting". *Psychiatric clinics of North America*,22(4),125-133.
- Collins, J., (1994):**"Nurses' attitudes towards aggressive behavior, following attendance at The Prevention and Management of Aggressive Behavior Programme". *Journal of Advanced Nursing* 20,pp(117–131).
- Crabbe, J., Alexander, D. and Klein, S., (2002) :** "Dealing with violent and aggressive patients at what Cost to nurse?". *j ir psych med* 2002 pp(121-124).
- Cunningham, M., and Henry, M.,(2007):** "Homelessness counts. National Alliance to End Homelessness" retrieved from.[http ://www.endhomelessness. Org1 content/ article/ detail/1440](http://www.endhomelessness.org/content/article/detail/1440).
- Cusack, K.J., Frueh, B. C.,AND Brady,K.T.(2004):**"Trauma history screening in a community mental health center". *Psychiatric Services*, 55(2),175-162.



D'Orio, B., Wimby, G., and Haggard, P. J., (2007): "Reducing risk associated with seclusion and restraint". *Psychiatric Times*. Retrieved from the Internet at <http://www.psychiatric-time.com/print.jhtml;jsessionid.>

Delaney, J., Cleary, M., Jordan, R., and Horsfall, J., (2001): "An exploratory investigation into the nursing management of aggression in acute psychiatric settings". *J Psychiatr Ment Health Nurs* pp (77–84).

Duxbury, J., (2002): "An evaluation of staff and patient views of and strategies employed to manage inpatient aggression and violence on one mental health unit": a pluralistic design. *Journal of Psychiatric and Mental Health Nursing* pp (325–337).

Duxbury, J., (2003) Testing a new tool: The Management of Aggression and Violence Attitude Scale (MAVAS). *Nurse Researcher* pp (39–52).

Dyer, I.,(2000): "Cognitive behavioral group anger management for out patients": A retrospective study. *International Journal of Psychiatric Nursing Research*, pp (602-621).

Dunbar, B.,(2004): "Anger management: A holistic approach. *Journal of the American Psychiatric Nurses Association*", 10(1), pp (16-23).

Ekman, p., (2003): "Emotion revealed: understanding faces and feeling". London: Weidenfelds & Nicolson.



- Evins, A.E., Lieberman, J.A., and Meltzer, H.Y., (2004):**" Agitation and aggression new treatment options". Clinical Psychiatry News (Suppl., November), pp (4-8).
- Farrell, G., and Cubit, K., (2005):**" Nurses under threat: A comparison of content of 28 aggression management programs". Mental Health Nursing, 14, pp(44-53).
- Farrell, G.A., Bobrowski, C., and Bobrowski, P., (2006):**" Scoping workplace aggression in nursing: Findings from an Australian study". Journal of Advanced Nursing, 55(6), 778-787.
- Fernandes C.M., Raboud J.M., Bullock L., Ouellet L. and Moore C.F., (2002):**" The effect of an education program on violence in the emergency department". Annals of Emergency Medicine 39, pp (47–55).
- Finnema, E., Dassen, T. and Halfens, R., (1994):**"Aggression in psychiatry: a qualitative study focusing on the characterization and perception of patient aggression by nurses working on psychiatric ward. J Adv Nurs 19, pp (1088-1095).
- Fish, K.(2002):**"Assessment of impulsivity among psychiatric in patients". Journal of Psychosocial Nursing and Mental Health Services, 40(6), pp (30-35).
- Fontaine, K.L., (2003):**" Mental health nursing"(5th ed.). Upper Saddle River, NJ: Prentice Hall.
- Frankle, W.G., Lombardo, I., and News, A. S. (2005):**"Brain serotonin transporter distribution in subject with impulsive aggressivity ".*American Journal of psychiatry*, 162(5), pp (915-923).



- Freuh, B.C., Dalton, M. E., and Johnson, M.,(2000):**"Trauma within psychiatric setting" conceptual frame work, research direction , and policy implication. *Administration and Policy in Mental Health*, 28(2), pp (147-154).
- Frodi, A., Macaulay, J., and Thome , P.R.,(1999.):**" Are women always less aggressive than men?" *Psychol Bull* 84:634–660.
- Fry A.J., O’Riordan D., Turner M. and Mills K.L., (2002):**" Survey of Aggressive incidents experienced by community mental health staff ".*International Journal of Mental Health Nursing* 11, 112–120.
- Gaskell, C., (2006):**" Guidelines for the management of acute behavioral disturbance in adult and in older people in patients ward". Cambridge and Peterborough mental health partner ship NLTS Trust: A Cambridge University Teaching Trust.
- Gates, D.M., Fitzwater, E. and Meyer, U., (2000):**" Violence against caregivers in nursing homes": expected, tolerated, and accepted future research *Journal of Geronotological Nursing* 4, 12-22.
- Geen, R.G.,(2001):** "Human Aggression". 2nd ed. Buckingham: Open University Press.
- Glick, R.L., (2004):**" Management of agitation in the emergency department". *Psychiatric Issues in Emergency Care Settings*, 3(3), pp (9-12).
- Greenberg, J., and Hollander, E.,(2003):**"Brain function in impulsive disorders". *Psychiatric times*, 20(3).pp (81-85).



Grube, M., (2001) :"Aggressive behavior in psychiatric patients". Possible modification by self-defense training". *Nervenarzt* 72, pp (867–871).

Hazen, A. L., Connelly, C.D., and Landsverk, J. A.,(2006):" Female caregivers experiences with intimate partner violence and behavior problems in children investigated as a victims of maltreatment". *Pediatric*, 117, pp (99-109).

Hislop, E. and Melby, V., (2003):" The lived experience of violence in accident and emergency". *Accident and Emergency Nursing* 11,pp (127- 135)

Jansen, G., (2005): "The attitude of nurses towards inpatient aggression in psychiatric care". From Dissertation. Ub. Ni /files/faculties/medicine/ 2005/ gj. Jansen/ summary. pdf

Jennings, A.,(2004):"Criteria for building a trauma- informed mental health services system". Unpublished paper in draft. Rockville, ME.

Johnson, M.E., (2001):" A model of de-escalation. Conference paper 2nd European Congress on Violence in Clinical Psychiatry". Stockholm, Sweden.

Jane, L.,(2009):" The interpersonal dynamics of aggression and violence in mental health inpatient units", University of Wollongong. School of Psychology

Johnson, M. E.(2004):" Violence on inpatient psychiatric units": state of the science. *Journal of the American Psychiatric Nurses Association*",10(3), pp (113-121).



Johnson, M., and Hauser, P., (2001):" The practice of expert psychiatric nurses: accompanying the patient to a calmer space", *Issues Ment Health service* 22:651.

JointCommissiononAccreditationofHealthcareOrganizations(JCAHO),, (2004):" Provision of care, treatment and services". In 2004-2005 comprehensive accreditation manual behavioral health care, Oak Brook Terrace, LL: Joint Commission Resources for JCAHO.

Kaplan, G., and Sadock, H., (2000):"An approach to community mental health". New York: *Grune & Stratton Company, Inc.*

Keltenr, N., Schwecke, L. and Bostrom, C ., (2007): "Psychiatric nursing". 5th ed st louis: masby? Pp (176 179-181).

Kindy, D., Petersen, S., and Parkhurst, D., (2005):" nurses experiences in psychiatric unites with high risks of assault". *Archives of psychiatric nursing*, 19(4), pp (169-175).

Krahe, B.,(2001) :-"The Social Psychology of Aggression". Psychology Press, Hove, UK.. Whittington_ 2002 Blackwell Science Ltd, *Journal of Clinical Nursing*, 11, pp (819–825).

La Torre, M.A., (2004):"Walking: An important therapeutic tool". *Perspectives in Psychiatric Care*, 40(3), pp (120-122).

Leary, M. R., Twenge, J. M., and Quinlivan, E.,(2006):"Interpersonal rejection as a determinant of anger and aggression ". *Personality and Social Psychology Review*, 10(2), pp (1111-1132).



Lieberman, R.P.,(2000):"The token economy". American Journal of Psychiatry, pp 157, 1398

Lieberman, J.A., Stroup, T.S., McEvoy, J.P., Swartz, M.S., Robert A., Rosenheck, R.A., et al., (2005):" Effectiveness of antipsychotic drugs in patients with chronic schizophrenia". The New England Journal of Medicine, 353(12), pp (1209-1223).

Lowe, T., Wellman, N., and Taylor, R., (2003):" Limit- setting and decision making in the management of aggression". Journal of Advanced Nursing, 41(2), pp (154-161).

Love, C.C., and Morrison, E.,(2003):"American Academy of Nursing expert panel on violence policy recommendation on workplace violence "(adapted 2002). Issues in Mental Health Nursing, 24(6-7), pp (599-604).

Masand, P.S., (2002):" Aggression management": Childhood to old age. Retrieved August 3, 2007, from http://www.medscape.com/viewprogram/2013_index.

Maxmen, J., Ward, N., and Duborsky, S. (2002):" psychotropic drugs": fast facts (3rd ed) New York: Norton.

Maxwell, C.D., and Maxwell, S.R., (2003): "Experiencing and witnessing familial aggression and their relation shipe to physically aggressive behaviors among Filipino adolescents". Journal of interpretation violence. 18(12), pp (1432-1451).

MC Mongle, T. and Sultana, A., (2004):" Token economy for schizophrenia (co chrane review)". The co chrane library, Issue1. chichester, united kingdom: john Wiley sons.



MC Williams, L. A., Cox, B., and Enns, M. W., (2002): "Mood and anxiety disorders associated with chronic pain: an examination in nationally representative sample". *Pain*, 106(1-2), pp: 127-133.

Meehan T., Vermeer C. & Windsor C., (2000):" Patients' perceptions of seclusion: a qualitative investigation". *Journal of Advanced Nursing* 31, pp (370–377).

Mohr, W.K., (2006):" Psychiatric Mental Health Nursing" (6th ed.). Philadelphia: Lippincott, Williams & Wilkins.

Morrison, E. F., and Carney love, C., (2003): "An evaluation of four programs for management of aggression settings" . *Archieve of psychiatric nursing*; 17(4), pp: 146-155.

Morrison,E.F., (2000) : "The culture of care giving and aggression in psychiatric settings. *Archieve of Psychiatric Nursing* 12(1), pp (21-31).

Morsy, N. M., and El-sayes, H. A. (2008):" Violence against nurses in psychiatric and emergency hospitals and it is related factors". *Alexandria Scientific Nursing Journal (ASNJ)*. Vol.7 No. 2 P (129- 145).

Moses, D.J., Reed, B.G., Mazelis, R., and Dambrosio, B.,(2003):"Creating trauma services for women with co-occurring disorder ":Experiences from the SAMHSA Women With Alcohol, Drug Abuse and mental health disorder Who having histories of violence study. Delmar, NY: Policy Research Associate.



Muro C., Tomas C., Moreno L. and Rubio V., (2002):" Perception of aggression", personality disorders and psychiatric morbidity in nursing students. *Acta Psychiatrica Scandinavica* 106, pp (118–120).

Maslach C., Jackson S. et al., (2006):" Maslach Burnout Inventory Manual". Consulting Psychologists Press, Palo Alto, CA.

National Alliance for he Mentally Ill.,(2003):"Seclusion and restraints: Task force report". Arlington, VA: Author.

National executive training institute (NETI), (2007):"Training curriculum for reduction of seclusion and restraint. Draft curriculum manual. Alexandria". VA: national association of state mental health program directors (NASMHPD), national technical assistance center for state mental health planning (NTAC).

National Association of State Mental Health Program Directors.(NASMHP D), (2006):" Data element: Does the mental heath code allow the use of out patient civil commitment?" State Mental Health Agency Profiling System 2005 Alexandria, VA: NRI.

Needham, I., Abderhalden, C., Halfens, R.J.G., Dassen T., Haug H.J. and Fischer, J.E., (2005):" The effect of a training course in aggression management on mental health nurses' perception of aggression" a cluster randomized controlled trial. *International Journal of Nursing Studies* 42, 649–655.



- Needham, I., Abderhalen, C., Halfens, R.J., et al., (2004):** "Non somatic effects of patient aggression on nurses. systematic review. *Journal of advanced nursing*, 49(3), pp (238-296).
- Nolan, K.A., and Krakowski, M., (2006):** " Psychopathology and aggression in patients with treatment resistant schizophrenia". *Psychiatric Times*, 23(12), pp (13-24).
- North American Nursing Diagnosis Association., (2002):** " NANDA nursing diagnosis: Definition and classification", 2002-2004. Philadelphia: Author.
- O'Brien, P.G., Kennedy, W.Z., and Ballard, K.A., (1999).** *Psychiatric nursing: An integration of theory and practice*. New York: McGraw Hill.
- O'Connell, B., Young, J., Brooks, J., Hutchings, J., and Lofthouse, J., (2000):** " Nurses' perceptions of the nature and frequency of aggression in general ward settings and high dependency areas". *Journal of Clinical Nursing*, 9(4), pp (602-610).
- Peruses, D., and Gendreau, P. (2005):** " Genetics and the development of aggression ". In R.E. Trembly, W.W. Hartup, &J. Archer (Eds), *Developmental origins of aggression* (pp. 223-241). New York: Guilford press.
- Phil, R.O., and Benkelfat, C., (2005):** "Neuromodulators in the development and expression of inhibition and aggression. In R.E. Trembly, W.W. Hartup, &J. Archer (Eds), *Developmental origins of aggression* (pp. 261-280). New York: Guilford press. *Psychiatric times*, 20(7).



PsychNet- UK., (2003):"Intermittent explosive disorder". Available at [www. PsychNet- UK. Com/ dsm-iv/ intermittent- expolsive-disorder.htm](http://www.PsychNet-UK.Com/dsm-iv/intermittent-explosive-disorder.htm).

Quintal, S.A., (2002) :"Violence against psychiatric nurses: An untreated epidemic?" Journal of psychosocial nursing and mental health services, 40(1),46-53

Richter, D., and Berger, K., (2000):" Physische und psychische Folgen bei Mitarbeitern nach einem Patientenu"bergriff: Eine prospektive Untersuchung in sechs psychiatrischen Kliniken. Arbeitsmedizin, Sozialmedizin, Umweltmedizin 35, pp (357–362).

Rickelman, B. L.,and Houfek, J.,(1995):"Toward an interact ional model of suicidal behaviors": Cognitive rigidity, attributional style, stress, hopelessness, and depression. *Archive of Psychiatric Nursing*, 9(3), pp (158-168).

Rosenberg, S. D., Friedman, M. J., and Drake, R. E.(2001):" Developing effective treatments for post traumatic disorders among people with severe mental illness. *Psychiatric Services*, 52, pp:1453-1461.

Ross berg, J. and Friis, S., (2003): "Staff member emotional reaction to aggressive and suicidal behavior of inpatients". *Psychiatric serv*, p (54:1388-1394) American psychiatric association.

Rubinsztein, E.R., Sahakian, B.J., and Dolan, R.J.,(2002):"The neural basis of mood congruent processing biases in depression". *Archives of General Psychiatry*, 59(7), pp (597-604).



- Saxe, G., and Johansson, R., (2003):**"A trauma informed approach to extreme behaviors in intensive child mental health program's". Boston, MA: Boston University School of Medicine.
- Schultz, J., and Videbeck, S., (2005):** "Psychiatric nursing care plans", 7th ed, Lippincott's, New York, p.335.
- Scrapa, A., and Raine, A.,(2000):**"Psychophysiology of anger and violent behavior. *Psychiatric Clinic of North America*, 20(2), 375-394.
- social talk of women and men. *J Theory Soc Behav* 17: pp (489–512).
- Stuart, H., and Laria, L. (2001):**" A public health perspective on violent offenses among persons with mental illness", *psychiatr serv* 52:75.
- Suserud, B.O., Blomquist, M. and Johansson, I., (2002):**" Experiences of threats and violence in the Swedish ambulance service". *Accident and Emergency Nursing* 10, pp 127–135.
- Sauter, D., Abderhalden, C., Needham I. and Wolff S., eds (2004):**" *Lehrbuch Psychiatrische Pfleg*"e. Verlag Hans Huber, Bern..
- Tajaden, P., and Thoennes, N., (2000):**" Findings from national violence against women survey". Washington, DC :U.S. Department of justice.
- Thomas, S. P., (2000):**" Women's anger, aggression and violence". *Health Care of Women International*, 26(6), pp (504-522).



Townsend, N. M.,(2005):" Managing violence in primary care": An evidence- based approach. British Journal of General Practice, 53, pp (557-562).

Varcarolis, E., and Halter, M., (2009):" Essentials of psychiatric mental health nursing". A communication Approach to Evidence-Based Care. Retrieved from www.elsevier.com/permissions.

Videbeck, S.L., (2006):" Psychiatric Mental Health Nursing (3rd ed.). Philadelphia: Lippincott Williams & Wilkins.

Vitro, F., Barker, E. D., and Tremblay, R. E., (2006):" Do early difficult temperament and harsh parenting differentially predict reactive and proactive aggression? "Journal of abnormal child psychology, 34(5),pp: 685-695.

Volavka,J.,(2000): "the neurobiology of violence" : an update. Journal of neuropsychiatry and clinical neuro science,11,307-314.

Whittington, R., (2002): "Attitudes toward patient aggression amongst mental health nurses in the 'zero tolerance' era: associations with burnout and length of experience". Journal of Clinical Nursing 11,pp (819–825).

Whittington, R., (2004) :"Violence in psychiatric hospitals. In Violence and Health Care Professionals" (Wykes T., ed.). Chapman & Hall, London, pp. 23–44.

Woodside, M., and McClum, T. (2006):"Generalist case management "(3rd ed). Pacific Grove, CA: Thomson/ Brooks/ Cole. www.Emedicine.Com/med/topic3005.htm.